



HEXAGON TRANSPORTATION CONSULTANTS, INC.



# El Camino Real Corridor Specific Plan



## Transportation Impact Analysis

Prepared for:

**M-Group**



May 13, 2022



**Hexagon Transportation Consultants, Inc.**

Hexagon Office: 100 Century Center Court, Suite 501

San Jose, CA 95112

Hexagon Job Number: 15GB52

Phone: 408.971.6100

Client Name: Tom Ford

**San Jose • Gilroy • Pleasanton**

[www.hextrans.com](http://www.hextrans.com)

Areawide Circulation Plans Corridor Studies Pavement Delineation Plans Traffic Handling Plans Impact Fees Interchange Analysis Parking  
Transportation Planning Traffic Calming Traffic Control Plans Traffic Simulation Traffic Impact Analysis Traffic Signal Design Travel Demand Forecasting



## Table of Contents

---

Executive Summary .....	i
1. Introduction .....	1
2. Existing Conditions.....	9
3. Year 2035 Cumulative Conditions.....	34

## Appendices

Appendix A	Traffic Counts
Appendix B	Level of Service Calculations
Appendix C	City of Sunnyvale Land Use Summary

## List of Tables

Table ES- 1 Intersection Levels of Service Summary.....	iii
Table 1 ECRCSP Area Land Use Summary.....	1
Table 2 Signalized Intersection Level of Service Definitions Based on Control Delay.....	7
Table 3 Freeway Segment Level of Service Definition .....	8
Table 4 Existing Transit Services.....	15
Table 5 Existing Intersection Levels of Service .....	25
Table 6 Existing Freeway Ramp Capacity Analysis.....	33
Table 7 Socioeconomic Data Model Inputs – Bay Area Counties .....	37
Table 8 Year 2035 Cumulative Conditions Levels of Service .....	50
Table 9 Intersection Impact Improvements Summary .....	55
Table 10 Year 2035 Cumulative Conditions Ramp Capacity Analysis .....	68
Table 11 Transit Travel Time Analysis.....	71

## List of Figures

Figure 1	Plan Area and Study Intersections .....	2
Figure 2	Existing Bicycle Facilities .....	14
Figure 3	Existing Transit Services .....	16
Figure 4	Existing Intersection Lane Configurations .....	18
Figure 5	Existing Traffic Volumes .....	21
Figure 6	Existing Intersection Levels of Service Summary .....	28
Figure 7	Existing Freeway Levels of Service Summary – AM Peak Hour – Mixed Flow Lanes .....	29
Figure 8	Existing Freeway Levels of Service Summary – AM Peak Hour – HOV Lanes .....	30
Figure 9	Existing Freeway Levels of Service Summary – PM Peak Hour – Mixed Flow Lanes .....	31
Figure 10	Existing Freeway Levels of Service Summary – PM Peak Hour – HOV Lanes .....	32
Figure 11	Sunnyvale Land Use Growth – Households – Year 2035 Compared to Year 2013 .....	35
Figure 12	Sunnyvale Land Use Growth – Jobs – Year 2035 Compared to Year 2013 .....	36
Figure 13	Roadway Improvements Within Close Proximity of Sunnyvale Assumed in the Model .....	38
Figure 14	Year 2035 Cumulative Conditions Traffic Volumes .....	39
Figure 15	Cumulative no ECRCSP Volumes .....	42
Figure 16	Year 2035 Cumulative Conditions Intersection Lane Configurations .....	46
Figure 17	Year 2035 Cumulative Conditions Intersection Levels of Service Summary .....	53
Figure 18	Potential Improvement at Wolfe Road and Fremont Avenue .....	58
Figure 19	ECRCSP Freeway Impact Analysis Summary – AM Peak Hour – Mixed Flow Lanes .....	64
Figure 20	ECRCSP Freeway Impact Analysis Summary – AM Peak Hour – HOV Lanes .....	65
Figure 21	ECRCSP Freeway Impact Analysis Summary – PM Peak Hour – Mixed Flow Lanes .....	66
Figure 22	ECRCSP Freeway Impact Analysis Summary – PM Peak Hour – HOV Lanes .....	67
Figure 23	Planned Improvement at Mathilda Avenue/US 101/SR 237 Interchanges .....	69

## Executive Summary

This report presents the results of the transportation impact analysis conducted for the proposed El Camino Real Corridor Specific Plan (ECRCSP) in Sunnyvale, California. The proposed El Camino Real Corridor Specific Plan (ECRCSP) study area comprises approximately 350 acres along the 4-mile Sunnyvale El Camino Real frontage, with properties within ¼ mile on either side of the roadway centerline generally included in the study area. Currently, the ECRCSP area consists of approximately 3.25-million square feet (sf) of commercial development and approximately 1,600 residential units. According to the Land Use and Transportation Element (LUTE) of the Sunnyvale General Plan, the ECRCSP area has a buildout potential of 4.2-million sf of commercial development and 5,800 residential units. The proposed ECRCSP proposes a buildout potential of 3.98-million sf of commercial development and 8,500 residential units. The proposed ECRCSP represents an increase of 730,000 sf of commercial development and 6,900 residential units over existing conditions, or a decrease of 220,000 sf of commercial development and an increase of 2,700 residential units over the adopted LUTE.

This study was conducted for the purpose of identifying the potential long-term traffic impacts of the proposed ECRCSP. The potential impacts of the proposed ECRCSP were evaluated in accordance with the standards set forth by the City of Sunnyvale and the Santa Clara County Valley Transportation Authority (VTA) Congestion Management Program (CMP). The proposed ECRCSP is estimated to generate more than 100 peak hour trips. The traffic analysis is based on the AM and PM peak hour levels of service for 56 signalized intersections. Three of the study intersections are within the City of Mountain View, one is within the City of Cupertino, and six are within the City of Santa Clara. 14 of the study intersections are CMP intersections. The study intersections were selected to include locations where the proposed ECRCSP is expected to generate 10 or more peak-hour trips per lane.

### Year 2035 Cumulative Conditions Travel Demand Model Forecasts

The year 2035 forecasts of intersection turning movements, freeway traffic, ramp volumes, and vehicle miles traveled were completed using the Sunnyvale Travel Demand Forecast Model (STFM). The STFM is a mathematical representation of travel within the nine counties in the San Francisco Bay Area and is calibrated to represent travel within the City of Sunnyvale. The model uses socioeconomic data, such as number of jobs and households, for difference geographic areas (transportation analysis zones) to predict the travel from place to place in the future. There are 172 transportation analysis zones within the model to represent the City of Sunnyvale.

The year 2035 socioeconomic data are generated by the Association of Bay Area Governments and refined by VTA. For the year 2035 cumulative conditions model forecasts, socioeconomic data within the City of Sunnyvale were supplied by city staff. Socioeconomic data within the City of Sunnyvale assumed the buildout of the current general plan, the proposed ECRCSP, the proposed update to the Lawrence Station Area Plan, the proposed Fortinet Precise Plan and the proposed update to the Downtown Specific Plan.

## Intersection Levels of Service under Year 2035 Cumulative Conditions

To determine potential impacts generated by the ECRCSP, a separate model run was conducted assuming no growth in the ECRCSP area beyond the current general plan. The cumulative scenario was compared to the cumulative no ECRCSP scenario to disclose impacts. The Sunnyvale Travel Demand Forecasting Model (STFM) for year 2035 was used to forecast the year 2035 cumulative traffic volumes. Model assumptions and inputs are described in this chapter as well.

As shown on Table ES-1, comparing the intersection level of service results for the study intersections between the year 2035 cumulative conditions and Cumulative no ECRCSP conditions show that the proposed ECRCSP would generate intersection impacts at the following intersections:

### City of Sunnyvale Intersections:

- Mary Avenue & Fremont Avenue (#19) – AM & PM Peak Hours
- Fair Oaks Avenue & Arques Avenue (#42) – AM Peak Hour
- Wolfe Road & Arques Avenue (#43) – AM & PM Peak Hours
- Wolfe Road & Kifer Road (#44) – PM Peak Hour
- Wolfe Road & Reed Avenue (#45) – PM Peak Hour

### City of Mountain View Intersections:

- Ellis Street & Middlefield Road (#14) – PM Peak Hour

### County of Santa Clara Intersections:

- Mary Avenue & Central Expressway (#15) – PM Peak Hour
- Lawrence Expressway & Arques Avenue (#50) – AM Peak Hour
- Lawrence Expressway & Benton Street (#54) – PM Peak Hour
- Lawrence Expressway & Homestead Road (#55) – PM Peak Hour
- Lawrence Expressway & Pruneridge Avenue (#56) – AM Peak Hour

### Caltrans Intersections:

- Pastoria Avenue & El Camino Real (#5) – PM Peak Hour
- Mathilda Avenue & El Camino Real (#6) – AM Peak Hour
- Sunnyvale Avenue & El Camino Real (#7) – PM Peak Hour
- Fair Oaks Avenue & El Camino Real (#8) – PM Peak Hour
- Wolfe Road & El Camino Real (#9) – PM Peak Hour
- SR 85 Southbound Ramps & Fremont Avenue (#21) – PM Peak Hour

**Table ES- 1**  
**Intersection Levels of Service Summary**

#	Intersection	Peak Hour	Count Date	LOS Std.	Existing Conditions		Cumulative no ECRCSP		Cumulative Conditions		
					Avg. Delay (sec)	LOS	Avg. Delay (sec)	LOS	Avg. Delay (sec)	LOS	In Crit. Incr. V/C
1	SR 237 & El Camino Real (MV*)	AM	11/14/17	E	69.9	E	<b>83.5</b>	F	<b>84.2</b>	F	1.7 <b>0.005</b>
		PM	10/30/18		56.7	E+	74.1	E	74.9	E	2.4 0.008
2	Sylvan Avenue & El Camino Real (MV)	AM	11/14/17	D	35.3	D+	41.5	D	41.7	D	0.3 0.005
		PM	11/14/17		36.0	D+	43.1	D	43.8	D	1.6 0.016
3	Bernardo Avenue & El Camino Real (+)	AM	11/14/17	E	44.6	D	50.7	D	51.9	D-	1.5 0.016
		PM	11/14/17		43.3	D	53.5	D-	56.1	E+	2.8 0.023
4	Mary Avenue & El Camino Real (*)	AM	11/14/17	E	41.7	D	52.4	D-	58.2	E+	10.5 0.055
		PM	10/30/18		39.1	D	64.7	E	79.2	E-	26.3 0.071
5	Pastoria Avenue & El Camino Real (+)	AM	11/14/17	E	34.3	C-	69.4	E	72.3	E	6.2 0.018
		PM	11/14/17		38.8	D+	<b>94.0</b>	F	<b>110.3</b>	F	<b>23.0 0.054</b>
6	Mathilda Avenue & El Camino Real (*)	AM	11/14/17	E	47.9	D	<b>84.3</b>	F	<b>97.7</b>	F	<b>33.1 0.083</b>
		PM	10/30/18		45.7	D	71.3	E	76.2	E-	-2.4 -0.009
7	Sunnyvale Avenue & El Camino Real (+)	AM	11/14/17	E	33.4	C-	44.7	D	46.2	D	5.5 0.038
		PM	11/14/17		40.3	D	72.7	E	<b>85.1</b>	F	<b>19.0 0.053</b>
8	Fair Oaks Avenue & El Camino Real (*)	AM	05/08/18	E	41.0	D	55.9	E+	60.9	E	4.9 0.026
		PM	10/30/18		41.8	D	>120	F	>120	F	21.6 0.048
9	Wolfe Road & El Camino Real (*)	AM	11/14/17	E	53.5	D-	66.8	E	65.6	E	-4.0 -0.020
		PM	10/30/18		46.4	D	76.3	E-	<b>85.5</b>	F	<b>10.0 0.026</b>
10	Poplar Avenue & El Camino Real (+)	AM	11/14/17	E	19.0	B-	22.5	C+	22.7	C+	0.3 0.000
		PM	11/14/17		12.0	B	17.4	B	18.2	B-	0.8 0.007
11	Henderson Avenue & El Camino Real (+)	AM	11/14/17	E	17.2	B	19.6	B-	19.6	B-	0.0 -0.002
		PM	11/14/17		22.7	C+	22.6	C+	22.7	C+	0.2 0.003
12	Halford Avenue & El Camino Real (SC)	AM	11/14/17	D	20.6	C+	25.5	C	26.5	C	1.2 0.012
		PM	11/14/17		44.5	D	45.7	D	45.4	D	-0.3 0.001
13	Lawrence Expressway Ramps & El Camino Real (SC*)	AM	11/14/17	E	34.5	C-	40.1	D	40.4	D	0.3 0.007
		PM	11/15/18		28.8	C	34.7	C-	34.1	C-	-1.1 -0.008
14	Ellis Street & Middlefield Road (MV)	AM	11/14/17	D	15.0	B	<b>88.2</b>	F	<b>88.9</b>	F	<b>1.5 0.003</b>
		PM	11/14/17		21.4	C+	<b>82.1</b>	F	<b>91.8</b>	F	<b>12.0 0.047</b>
15	Mary Avenue & Central Expressway (County*)	AM	11/14/17	E	51.5	D-	<b>93.5</b>	F	<b>94.5</b>	F	<b>-0.5 -0.023</b>
		PM	12/13/18		60.1	E	<b>99.4</b>	F	<b>101.5</b>	F	<b>5.1 0.011</b>
16	Mary Avenue & Evelyn Avenue	AM	11/14/17	D	40.4	D	49.4	D	49.1	D	-0.3 -0.002
		PM	11/14/17		43.3	D	47.6	D	48.2	D	0.8 0.021
17	Mary Avenue & Washington Avenue	AM	11/14/17	D	13.4	B	20.9	C+	21.6	C+	0.9 0.008
		PM	11/14/17		16.1	B	23.4	C	24.0	C	0.9 0.018
18	Mary Avenue & Remington Drive	AM	11/14/17	D	31.7	C	44.4	D	44.9	D	1.0 0.007
		PM	11/14/17		28.9	C	47.6	D	49.3	D	2.8 0.010

**Notes:**

\* = CMP, + = Regionally Significant Intersection, MV = Mountain View, SC = Santa Clara, County = County of Santa Clara

&gt;120" indicates this signalized intersection experiences lengthy delay that is beyond the reasonable calculation range of the HCM 2000 methodology.

**BOLD** indicates unacceptable level of service**BOLD** and boxed indicates an adverse cumulative impact

**Table ES-1 (continued)**  
**Intersection Levels of Service Summary**

# Intersection	Peak Hour	Count Date	LOS Std.	Existing Conditions		Cumulative no ECRCSP		Cumulative Conditions		
				Avg. Delay (sec)	LOS	Avg. Delay (sec)	LOS	Avg. Delay (sec)	LOS	In Crit. V/C
19 Mary Avenue & Fremont Avenue	AM	11/14/17	D	41.9	D	>120	F	>120	F	7.6 0.018
	PM	11/14/17		43.3	D	>120	F	>120	F	14.2 0.032
20 Mary Avenue & Homestead Road	AM	11/14/17	D	36.6	D+	37.5	D+	36.8	D+	-1.7 -0.009
	PM	11/14/17		30.0	C	39.2	D	39.9	D	1.2 0.022
21 SR 85 SB Ramps & Fremont Avenue	AM	11/14/17	D	23.3	C	87.6	F	89.0	F	1.1 0.002
	PM	11/14/17		19.9	B-	>120	F	>120	F	13.7 0.031
22 SR 85 NB Ramps & Fremont Avenue	AM	11/14/17	D	20.6	C+	63.6	E	55.1	E+	-11.8 -0.033
	PM	11/14/17		24.9	C	77.9	E-	72.7	E	-4.1 -0.011
23 SR 85 SB Ramps & Homestead Road	AM	11/14/17	D	19.2	B-	32.6	C-	31.9	C	-0.6 -0.002
	PM	11/14/17		38.9	D+	37.3	D+	37.6	D+	-0.2 -0.004
24 SR 85 NB Ramps & Homestead Road	AM	11/14/17	D	21.6	C+	22.5	C+	24.4	C	3.8 0.023
	PM	11/14/17		14.9	B	14.2	B	14.5	B	-0.2 -0.009
25 Hollenbeck Avenue & Fremont Avenue	AM	11/14/17	D	39.4	D	49.3	D	49.7	D	0.4 0.012
	PM	11/14/17		45.0	D	52.1	D-	51.9	D-	-0.8 -0.005
26 Hollenbeck Avenue & Homestead Road	AM	11/14/17	D	42.3	D	45.0	D	45.8	D	0.1 0.004
	PM	11/14/17		51.9	D-	67.0	E	68.5	E	2.8 0.008
27 Mathilda Avenue & Almanor Avenue (+)	AM	11/14/17	E	26.7	C	33.9	C-	33.8	C-	0.0 -0.001
	PM	11/14/17		30.4	C	38.3	D+	37.6	D+	-1.9 -0.016
28 Mathilda Avenue & San Aleso Avenue (+)	AM	11/14/17	E	7.3	A	12.2	B	12.2	B	0.0 0.005
	PM	11/14/17		7.2	A	20.3	C+	19.9	B-	-0.7 0.001
29 Mathilda Avenue & Maude Avenue (*)	AM	11/14/17	E	43.6	D	55.4	E+	55.5	E+	0.1 0.004
	PM	10/30/18		47.2	D	58.1	E+	58.3	E+	2.1 0.012
30 Mathilda Avenue & Indio Way (+)	AM	11/14/17	E	36.3	D+	63.2	E	66.1	E	3.8 0.010
	PM	11/14/17		22.9	C+	84.5	F	84.2	F	-0.4 -0.001
31 Mathilda Avenue & California Avenue (+)	AM	11/14/17	E	24.2	C	65.9	E	68.4	E	3.5 0.007
	PM	11/14/17		32.1	C-	54.8	D-	59.1	E+	7.0 0.023
32 Mathilda Avenue & Washington Avenue (+)	AM	11/14/17	E	34.3	C-	98.8	F	97.6	F	-1.6 -0.004
	PM	11/14/17		34.5	C-	54.6	D-	54.7	D-	-1.1 -0.006
33 Mathilda Avenue & McKinley Avenue (+)	AM	11/14/17	E	14.1	B	29.1	C	30.9	C	2.4 0.019
	PM	11/14/17		17.4	B	26.3	C	25.4	C	-1.4 -0.013
34 Mathilda Avenue & Iowa Avenue (+)	AM	11/14/17	E	15.7	B	20.2	C+	21.1	C+	-1.4 0.023
	PM	11/14/17		16.0	B	43.8	D	44.7	D	1.5 0.004
35 Mathilda Avenue & Olive Avenue (+)	AM	11/14/17	E	15.5	B	27.9	C	31.6	C	4.4 0.034
	PM	11/14/17		18.4	B-	34.1	C-	35.5	D+	2.5 0.012
36 Mathilda Avenue & Sunnyvale-Saratoga Road (+)	AM	11/14/17	E	22.7	C+	27.3	C	28.9	C	1.8 0.012
	PM	11/14/17		28.5	C	30.6	C	31.9	C	1.2 0.007
37 Sunnyvale-Saratoga Road & Remington Drive (*)	AM	11/14/17	E	42.9	D	63.7	E	71.0	E	15.3 0.054
	PM	10/30/18		43.6	D	108.7	F	106.0	F	-5.2 -0.012
38 Sunnyvale-Saratoga Road & Fremont Avenue (*)	AM	11/14/17	E	49.0	D	58.7	E+	59.0	E+	0.5 -0.003
	PM	10/30/18		47.8	D	68.3	E	69.2	E	0.6 0.002

**Notes:**

\* = CMP, + = Regionally Significant Intersection, MV = Mountain View, SC = Santa Clara, County = County of Santa Clara

"&gt;120" indicates this signalized intersection experiences lengthy delay that is beyond the reasonable calculation range of the HCM 2000 methodology.

**BOLD** indicates unacceptable level of service**BOLD** and boxed indicates an adverse cumulative impact

**Table ES-1 (continued)**  
**Intersection Levels of Service Summary**

#	Intersection	Peak Hour	Count Date	LOS Std.	Existing Conditions		Cumulative no ECRCSP		Cumulative Conditions		
					Avg. Delay (sec)	LOS	Avg. Delay (sec)	LOS	Avg. Delay (sec)	LOS	In Crit. V/C
39	Sunnyvale-Saratoga Road & Homestead Road (CU*)	AM	11/14/17	E	44.8	D	61.9	E	63.4	E	2.3 0.008
		PM	10/30/18		40.0	D	60.5	E	60.6	E	-1.5 -0.005
40	Sunnyvale Avenue & McKinley Avenue	AM	11/14/17	D	9.8	A	16.6	B	16.7	B	0.2 0.009
		PM	11/14/17		16.8	B	27.1	C	28.1	C	1.3 0.016
41	Fair Oaks Avenue & Duane Avenue	AM	05/08/18	D	32.1	C-	39.9	D	40.5	D	0.7 0.004
		PM	05/08/18		30.2	C	38.1	D+	38.4	D+	0.6 0.005
42	Fair Oaks Avenue & Arques Avenue	AM	05/08/18	D	34.8	C-	91.4	F	97.1	F	12.8 0.032
		PM	05/08/18		44.5	D	112.2	F	109.7	F	-10.0 -0.020
43	Wolfe Road & Arques Avenue	AM	11/14/17	D	35.6	D+	86.4	F	90.6	F	5.5 0.012
		PM	11/14/17		40.8	D	66.6	E	72.6	E	9.0 0.039
44	Wolfe Road & Kifer Road	AM	11/14/17	D	29.0	C	>120	F	>120	F	-9.7 -0.020
		PM	11/14/17		43.1	D	>120	F	>120	F	6.1 0.013
45	Wolfe Road & Reed Avenue	AM	11/14/17	D	37.0	D+	64.7	E	66.3	E	2.3 0.007
		PM	11/14/17		38.9	D+	54.8	D-	56.2	E+	3.2 0.018
46	Wolfe Road & Fremont Avenue	AM	11/14/17	D	43.7	D	55.4	E+	56.0	E+	0.7 0.013
		PM	11/14/17		47.5	D	59.5	E+	60.7	E	3.0 0.024
47	Wolfe Road & Homestead Road	AM	11/14/17	D	35.4	D+	40.5	D	40.5	D	0.5 0.012
		PM	11/14/17		35.1	D+	43.4	D	45.9	D	5.1 0.028
48	Tantau Avenue & Homestead Road	AM	11/14/17	D	26.0	C	37.3	D+	36.9	D+	-0.2 0.002
		PM	11/14/17		39.6	D	67.4	E	70.3	E	2.1 0.007
49	Lawrence Expressway & Oakmead Parkway (County)	AM	05/23/19	E	40.4	D	>120	F	>120	F	2.3 0.016
		PM	05/23/19		52.3	D-	>120	F	>120	F	-3.9 -0.005
50	Lawrence Expressway & Arques Avenue (County*)	AM	04/04/17	E	48.2	D	>120	F	>120	F	9.9 0.022
		PM	11/13/18		71.6	E	>120	F	>120	F	-4.3 -0.014
51	Lawrence Expressway & Kifer Road (County)	AM	03/07/18	E	54.4	D-	>120	F	>120	F	-12.8 -0.024
		PM	03/07/18		101.6	F	>120	F	>120	F	6.3 0.001
52	Lawrence Expressway & Monroe Street (County*)	AM	03/07/18	E	114.8	F	>120	F	>120	F	-58.6 -0.034
		PM	11/13/18		61.8	E	>120	F	>120	F	3.0 0.006
53	Lawrence Expressway & Cabrillo Avenue (County)	AM	03/07/18	E	52.1	D-	>120	F	>120	F	-1.3 0.001
		PM	03/07/18		48.6	D	>120	F	>120	F	-2.9 -0.021
54	Lawrence Expressway & Benton Street (County)	AM	11/14/17	E	53.7	D-	>120	F	>120	F	-19.1 -0.035
		PM	11/14/17		40.5	D	>120	F	>120	F	15.0 0.023
55	Lawrence Expressway & Homestead Road (County*)	AM	11/14/17	E	56.8	E+	>120	F	>120	F	-8.4 -0.011
		PM	11/15/18		65.9	E	117.5	F	>120	F	11.2 0.028
56	Lawrence Expressway & Pruneridge Avenue (County)	AM	11/14/17	E	61.2	E	>120	F	>120	F	9.5 0.037
		PM	11/14/17		43.8	D	>120	F	>120	F	4.4 0.006

Notes:

\* = CMP, + = Regionally Significant Intersection, MV = Mountain View, SC = Santa Clara, County = County of Santa Clara

>120" indicates this signalized intersection experiences lengthy delay that is beyond the reasonable calculation range of the HCM 2000 methodology.

**BOLD** indicates unacceptable level of service

**BOLD** and boxed indicates an adverse cumulative impact

## Potential Improvements Strategies for Intersection Impacts

Improvement options were studied for each intersection experiencing impacts under the year 2035 cumulative conditions when compared to cumulative no ECRCSP conditions. An intersection impact can be satisfactorily addressed by implementing measures that would restore intersection conditions to Cumulative no ECRCSP conditions.

### Pastoria Avenue & El Camino Real (#5)

**Potential Improvement:** Potential improvement would require restriping the southbound approach to include 2 left-turn lanes, one through lane and one right-turn lane. This improvement would not increase the pedestrian and bicycle exposure time to traffic at the intersection. No right-of-way acquisitions would be required.

With the proposed improvement, the intersection would remain operating at LOS F under cumulative conditions during the PM peak hour, but the intersection operations would improve in comparison to the Cumulative no ECRCSP conditions. The ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvements. However, this intersection is outside of City of Sunnyvale jurisdiction, so the City cannot ensure the implementation of the potential improvement.

### Mathilda Avenue & El Camino Real (#6) [CMP]

**Potential Improvement:** Potential improvement would require a third left-turn lane for the eastbound approach. This improvement would require signal modification and new vehicle detection, restriping, and removal of the raised median on the eastbound approach, including relocation of several median streetlights and utilities (e.g. electrical boxes and inlet). No right-of-way acquisitions would be required.

With the proposed improvement, the intersection would operate at an acceptable LOS E- under cumulative conditions during the AM peak hour. The ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvements. However, this intersection is in Caltrans' jurisdiction, so the City cannot ensure the implementation of the potential improvement.

### Sunnyvale Avenue & El Camino Real (#7)

**Potential Improvement:** Potential improvement would require reconfiguring the westbound approach to include a second left-turn lane. This improvement could potentially be accommodated within the existing right-of-way and would not increase the pedestrian and bicycle exposure time to traffic at the intersection.

With the proposed improvement, the intersection would operate at an acceptable LOS E under cumulative conditions during the PM peak hour. The ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvements. However, this intersection is in Caltrans' jurisdiction, so the City cannot ensure the implementation of the potential improvement.

## Fair Oaks Avenue & El Camino Real (#8) [CMP]

**Potential Improvement:** The improvement identified at this intersection is to widen eastbound and westbound El Camino Real to include a second left-turn lane. The improvement would require widening both approaches by 11 feet. This improvement is identified in the TIF. The east-west through lanes would also require re-alignment. The widened approach would increase traffic exposure time for pedestrians by 3 to 4 seconds and 1 to 2 seconds for bicyclists. This improvement would require obtaining additional right-of-way.

With the proposed improvement, the intersection would remain operating at LOS F under cumulative conditions during the PM peak hour, but the intersection operations would improve in comparison to the Cumulative no ECRCSP conditions. The ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvement.

## Wolfe Road & El Camino Real (#9)

**Potential Improvement:** The Sunnyvale City Council approved a concept on June 21, 2016 for a project to improve the Wolfe Road intersections with El Camino Real and with Fremont Avenue, as well as signalizing the intersection at Fremont Avenue and El Camino Real. Right-of-way acquisition would be required. Bicycle improvements include the extension of bike lanes and installation of bike boxes, and they are detailed in the *Wolfe Road Corridor Traffic Improvement Study*, prepared by Kimley-Horn dated February. This improvement (Triangle – Refined Alternative 3) would require signal coordination between the two Wolfe Road intersections and the new signalized Fremont Avenue and El Camino Real intersection.

With the proposed improvement, the intersection would operate at an acceptable LOS E under cumulative conditions during the PM peak hour. Modification to this intersection will trigger modifications at the Wolfe Road and Fremont Avenue intersection and the Fremont Avenue and El Camino Real intersection as well. Therefore, the ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvements at all three intersections.

## Ellis Street & Middlefield Road (#14)

**Potential Improvement:** Potential improvement would require reconfiguring the eastbound approach to include a second left-turn lane. This improvement could potentially be accommodated within the existing right-of-way and would not increase the pedestrian and bicycle exposure time to traffic at the intersection.

With the proposed improvement, the intersection would operate at an unacceptable LOS E under cumulative conditions during the PM peak hour, but the intersection operations would improve in comparison to the Cumulative no ECRCSP conditions. The ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvements. However, this intersection is in City of Mountain View jurisdiction, so the City cannot ensure the implementation of the potential improvement.

## Mary Avenue & Central Expressway (#15) [CMP]

**Potential Improvement:** The improvement identified at this intersection is to reconfigure westbound Central Expressway to include a third westbound left-turn lane. This improvement could potentially be accommodated within the existing right-of-way and would not increase the pedestrian and bicycle exposure time to traffic at the intersection.

With the proposed improvement, the intersection would remain operating at LOS F under cumulative conditions during the PM peak hour, but the intersection operations would improve in comparison to the Cumulative no ECRCSP conditions. The ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvement.

### Mary Avenue & Fremont Avenue (#19)

**Potential Improvement:** Potential improvement would require reconfiguring the eastbound and westbound approaches with 2 left-turn lanes, 2 through lanes and 1 shared through-right lane. This improvement would not increase the pedestrian and bicycle exposure time to traffic at the intersection. No right-of-way acquisitions would be required.

With the proposed improvement, the intersection would operate at LOS E during the AM peak hour and LOS F during the PM peak hour under cumulative conditions, but the intersection operations would improve in comparison to the Cumulative no ECRCSP conditions. However, this improvement would conflict with the City's recommendations for a future road diet and Class IV bike lanes on Fremont Avenue as stated in the Active Transportation Plan. For this reason, the proposed potential improvement is considered infeasible. The ECRCSP shall require projects within the plan area to contribute their fair share towards the future road diet, Class IV bike lanes, fiberoptic communications, and advanced signal improvements. These improvements would promote alternative modes of travel and improve vehicular flow along Fremont Avenue.

### SR 85 Southbound Ramps & Fremont Avenue (#21)

**Potential Improvement:** Improvement would require reconfiguring the SR 85 off-ramp to include a left-turn lane, a shared left-through-right lane, and a right-turn lane. The eastbound leg would require restriping to include a bike box in advance of the stop-line to allow right-turn vehicles to bypass the through vehicles in the curb lane. The off-ramp would need to be reconfigured to the proposed three lanes approximately 370 feet back from the intersection. The length of the north sidewalk would not be lengthened, but the pedestrian refuge island would be removed. The off-ramp would also need to be realigned with the SR 85 southbound on-ramp. Reconfiguring the off-ramp could be accommodated within the existing right-of-way. Within the existing right-of-way, the required eastbound right-turn lane could be achieved via providing a bike box east of the stop-line to allow bicyclists to clear the right-turn area. The eastbound curb lane is 20 feet wide under existing conditions. With the bike box, right-turn vehicles would be able to bypass the through vehicles. The existing stop-line for the eastbound leg would need to be moved back by approximately 15 feet. This improvement is identified in the TIF.

With the proposed improvement, the intersection would remain operating at LOS F under cumulative conditions during the PM peak hour, but the intersection operations would improve in comparison to the Cumulative no ECRCSP conditions. The ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvement. However, this intersection is in Caltrans' jurisdiction, so the City cannot ensure the implementation of the potential improvement. Future project applicants within the ECRCSP area shall coordinate with Caltrans on these improvements.

### Fair Oaks Avenue & Arques Avenue (#42)

**Potential Improvement:** Improvement would require reconfiguring the eastbound and westbound approaches to include a separate right-turn lane. One eastbound receiving lane would need to be eliminated. This improvement can be accommodated within the existing right-of-way. However, the eastbound and westbound through movements would be offset with their receiving lanes and would require lane extensions to delineate the travel path for the eastbound and westbound through movements.

With the proposed improvement, the intersection would operate at LOS E under cumulative conditions during the AM peak hour, but the intersection operations would improve in comparison to the Cumulative no ECRCSP conditions. The ECRCSP shall require projects within the plan area to contribute their fair share towards the identified improvement.

### **Wolfe Road & Arques Avenue (#43)**

**Potential Improvement:** Improvement would require restriping the northbound approach to include 2 left-turn lanes, 2 through lanes and 1 dedicated right-turn lane. The northbound bike lane would need to be moved to the west side of the proposed right-turn lane. The westbound approach would require restriping to include 2 left-turn lanes, 1 shared left-through lane and 1 shared through-right lane. Eastbound and westbound approaches would need to operate with split phasing. This improvement would not increase the pedestrian and bicycle exposure time to traffic at the intersection. No right-of-way acquisitions would be required. It should be noted that split phasing operates favorably to protected phasing only under certain circumstances. This improvement should be implemented only if cumulative volumes are realized.

With the proposed improvement, the intersection would operate at LOS E under cumulative conditions during both the AM and PM peak hours, but the intersection operations would improve in comparison to the Cumulative no ECRCSP conditions. However, this improvement would conflict with the City's recommendations in the Active Transportation Plan. For this reason, the proposed potential improvement is considered infeasible.

### **Wolfe Road & Kifer Road (#44)**

**Potential Improvement:** The improvement identified at this intersection is to widen the eastbound and westbound approaches and reconfigure the northbound and southbound approaches to include a second left-turn lane. Both legs of Kifer Road could require widening by up to 12 feet. The widened approaches would increase traffic exposure time for pedestrians by 3 to 5 seconds and 1 to 3 seconds for bicyclists crossing the intersection. Wolfe Road cannot be widened due to the future road diet and Class IV bike lanes as stated in the Active Transportation Plan. For this reason, the removal of the median would be required to reconfigure both legs of Wolfe Road. This improvement would require obtaining additional right-of-way.

With the proposed improvement, the intersection would remain operating at an unacceptable LOS F under cumulative conditions during the PM peak hour, but the intersection operations would improve in comparison to the Cumulative no ECRCSP conditions. The ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvement.

### **Wolfe Road & Reed Avenue (#45)**

**Potential Improvement:** Potential improvement would require restriping the westbound approach with 1 left-turn lane, 1 through lane, and 1 right-turn lane. This improvement would not increase the pedestrian and bicycle exposure time to traffic at the intersection. No right-of-way acquisitions would be required.

With the proposed improvement, the intersection would operate at an acceptable LOS D under cumulative conditions during the PM peak hour. The ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvements.

## **Lawrence Expressway at Arques Avenue, Benton Street, at Homestead Road, and at Pruneridge Avenue (#50, 54, 55, 56)**

**Potential Improvement:** The County of Santa Clara has identified a future project to provide a grade separation at all these intersections. These would significantly improve the north-south flow of traffic and potentially address the project's impacts.

The ECRCSP shall require projects within the plan area to contribute their fair share towards the cost of these grade separations. These intersections are under Santa Clara County's jurisdiction; therefore, it is up to the County to approve and advance the proposed improvement at the intersection. Future project applicants within the ECRCSP area shall coordinate with the County on these improvements.

## **ECRCSP Freeway Impacts**

VTA CMP guidelines define that a project would cause a freeway impact if the project deteriorates freeway levels of service from an acceptable level to an unacceptable level, or if the freeway already operates at an unacceptable level under existing conditions, the project would add traffic exceeding 1% of the capacity. To determine the ECRCSP potential freeway impacts, a select zone analysis within the Sunnyvale Travel Demand Forecast Model was performed to estimate the increase in ECRCSP traffic volume between the Cumulative no ECRCSP and cumulative conditions. Freeway segments that would experience an adverse impact are identified below:

### **Mixed Flow Lanes – AM Peak Hour**

- SR 85, northbound from Central Expressway to Moffett Boulevard
- SR 237, eastbound from Fair Oaks Avenue to Lawrence Expressway
- SR 237, eastbound from Great America Parkway to First Street

### **Mixed-Flow Lanes – PM Peak Hour**

- SR 237, westbound from Zanker Road to Lawrence Expressway

The VTA's Valley Transportation Plan (VTP) 2040 identifies freeway express lane projects along SR 237 between N. First Street and SR 85, and along all of SR 85. On all identified freeway segments, the existing HOV lanes are proposed to be converted to express lanes. On SR 85 along the identified segments, a second express lane is proposed to be implemented for a total of two express lanes in each direction.

On SR 237, the existing HOV lanes would be operating over capacity under the year 2035 cumulative conditions. Converting the HOV lanes to express lanes would not address the project impact. On SR 85, converting the existing HOV lane to an express lane and adding an express lane in each direction would increase the capacity of the freeway and would fully address the freeway impacts. The ECRCSP shall require future projects within the proposed plan area to participate in VTA's Volunteer Freeway Contribution Program and contribute their fair share to fund improvements along SR 85.

However, capacity improvements on freeways are beyond the capabilities of the City of Sunnyvale. Furthermore, freeways are under Caltrans jurisdiction. It should be noted that all of these freeways have been identified with impacts under the *City of Sunnyvale Land Use and Transportation (LUTE) Element Final Environmental Impact Report*, dated January 2017.

## Freeway Ramp Capacity Analysis

For the purpose of this study, the ECRCSP is said to create an adverse impact on a freeway ramp if its implementation:

1. Causes the volume-to-capacity (V/C) ratio of the freeway ramp to exceed 1.0; or
2. Increases the amount of traffic on a freeway ramp that is already exceeding its capacity by more than one percent (1%) of the ramp's capacity.

The freeway ramp volumes under year 2035 cumulative conditions were estimated using the Sunnyvale Travel Demand Forecast Model. The study freeway ramps at the US 101/Lawrence Expressway and US 101/Fair Oaks Avenue interchanges are assumed the same as under existing conditions. The US 101/Mathilda Avenue interchange is proposed for reconfiguration. This interchange improvement is identified in the Valley Transportation Plan 2040 (project H33).

All study freeway ramps would continue to operate below capacity. Therefore, the ECRCSP would not create an adverse impact on freeway ramps.

## ECRCSP Impact to Transit Travel Time

Currently 6 VTA bus routes travel within the ECRCSP project area. To assess the transit travel time impacts, the bus route travel times in the study area under year 2035 cumulative conditions were compared to existing conditions. Bus route travel times are estimated used published schedules and adjusted based on delays experienced at study intersections. VTA does not have established criteria to determine impact to transit services. Therefore, this analysis is presented for information purposes only.

The results show that all studied transit routes under year 2035 cumulative conditions are expected to experience increases in travel times of less than 2 minutes in comparison to cumulative no ECRCSP conditions. The Sunnyvale Traffic Impact Fee (TIF) contains many projects that are aimed at relieving congestion along major corridors. Projects within the ECRCSP study area would be required to pay the TIF and would constitute the ECRCSP fair share contribution to relieving traffic congestion and improving transit travel times.

The ECRCSP Draft Plan also identifies various policies prioritizing consideration of mass transit vehicles to single-occupant vehicles. These policies would shift the design and policy decisions regarding El Camino Real to reflect multimodal priorities, including transit.

## ECRCSP Impact to Pedestrian and Bicycle Facilities

The ECRCSP Draft Plan identifies various policies to improve pedestrian and bicycle facilities within the El Camino Real Corridor Specific Plan area. The relevant policies are listed below:

- Circ-1:** Promote modes of travel and actions that provide safe access to city streets and reduce single occupant vehicle trips and trip lengths locally and regionally.

The priority order of consideration of transportation users shall be:

- A. Pedestrians
- B. Non-automotive
- C. Mass transit vehicles
- D. Delivery Vehicles
- E. Single-occupant automobiles

- Circ-2:** Further develop El Camino Real as a Complete Street, with a focus on:
- A. Providing safe, convenient, accessible facilities for all modes including motor vehicles, transit, pedestrians and cyclists.
  - ...
  - C. Design and policy decisions regarding El Camino Real will reflect multimodal priorities and provide for safe, convenient and accessible travel by all modes of transportation including driving, walking, bicycling and riding transit.
  - D. In making decisions regarding El Camino Real, the needs of more vulnerable road users such as children, seniors, and people with disabilities will be prioritized.
  - E. Design and policy decisions regarding El Camino Real will seek to increase pedestrian activity, reduce pedestrian-related collisions, and enhance pedestrian-friendly conditions along the corridor.


The implementation of these policies would enhance pedestrian and bicycle safety, convenience and comfort levels. Therefore, the ECRCSP would not create an adverse cumulative impact on pedestrian or bicycle facilities.

# 1. Introduction

This report presents the results of the transportation impact analysis conducted for the proposed El Camino Real Corridor Specific Plan (ECRCSP) in Sunnyvale, California (see Figure 1). The proposed El Camino Real Corridor Specific Plan (ECRCSP) study area comprises approximately 350 acres along the 4-mile Sunnyvale El Camino Real frontage, with properties within  $\frac{1}{4}$  mile on either side of the roadway centerline generally included in the study area. Currently, the ECRCSP area consists of approximately 3.25-million square feet (sf) of commercial development and approximately 1,600 residential units. According to the adopted LUTE, the ECRCSP area has a buildout potential of 4.2-million sf of commercial development and 5,800 residential units. The proposed ECRCSP proposes a buildout potential of 3.98-million sf of commercial development and 8,500 residential units. As shown on Table 1, the proposed ECRCSP represents an increase of 730,000 sf of commercial development and 6,900 residential units over existing conditions, or a decrease of 220,000 sf of commercial development and an increase of 2,700 residential units over the adopted LUTE.

**Table 1**  
**ECRCSP Area Land Use Summary**

	ECRSP Area Land Use Summary			Comparison	
	Existing Built	Current General Plan	Proposed ECRSP	ECRSP - Existing	ECRSP - Current GP
Commercial Uses (estimated sf)	3,250,000	4,200,000	3,980,000	730,000	(220,000)
Residential Uses (estimated housing units)	1,600	5,800	8,500	6,900	2,700



**Figure 1**  
**Plan Area and Study Intersections**

## Scope of Study

This study was conducted for the purpose of identifying the potential long-term traffic impacts of the proposed ECRCSP. The potential impacts of the proposed ECRCSP were evaluated in accordance with the standards set forth by the City of Sunnyvale and the Santa Clara County Valley Transportation Authority (VTA) Congestion Management Program (CMP). The proposed ECRCSP is estimated to generate more than 100 peak hour trips. The traffic analysis is based on the AM and PM peak hour levels of service for 56 signalized intersections. Three of the study intersections are within the City of Mountain View, one is within the City of Cupertino, and six are within the City of Santa Clara. 14 of the study intersections are CMP intersections. The study intersections were selected to include locations where the proposed ECRCSP is expected to generate 10 or more peak-hour trips per lane.

The Santa Clara County VTA CMP guidelines require that the CMP freeway segments be evaluated to determine the impact of added traffic for projects that generate trips equal to or greater than one percent of the freeway segment's capacity. The proposed ECRCSP is expected to generate added traffic volume on multiple freeway segments along US 101, SR 237, I-280 and SR 85. Therefore, a freeway analysis was conducted on these freeway segments in accordance with the VTA CMP guidelines. The traffic analysis also includes a capacity analysis for 14 freeway ramps.

## Study Intersections

1. SR 237 & El Camino Real [Mountain View] (CMP)
2. Sylvan Avenue & El Camino Real [Mountain View]
3. Bernardo Avenue & El Camino Real
4. Mary Avenue & El Camino Real (CMP)
5. Pastoria Avenue & El Camino Real
6. Mathilda Avenue & El Camino Real (CMP)
7. Sunnyvale Avenue & El Camino Real
8. Fair Oaks Avenue & El Camino Real (CMP)
9. Wolfe Road & El Camino Real (CMP)
10. Poplar Avenue & El Camino Real
11. Henderson Avenue & El Camino Real
12. Halford Avenue & El Camino Real [Santa Clara]
13. Lawrence Expressway Ramps & El Camino Real [Santa Clara] (CMP)
14. Ellis Street & Middlefield Road [Mountain View]
15. Mary Avenue & Central Expressway (CMP)
16. Mary Avenue & Evelyn Avenue
17. Mary Avenue & Washington Avenue
18. Mary Avenue & Remington Drive
19. Mary Avenue & Fremont Avenue
20. Mary Avenue & Homestead Road
21. SR 85 Southbound Ramps & Fremont Avenue
22. SR 85 Northbound Ramps & Fremont Avenue
23. SR 85 Southbound Ramps & Homestead Road
24. SR 85 Northbound Ramps & Homestead Road
25. Hollenbeck Avenue & Fremont Avenue
26. Hollenbeck Avenue & Homestead Road
27. Mathilda Avenue & Almanor Avenue
28. Mathilda Avenue & San Aleso Avenue
29. Mathilda Avenue & Maude Avenue (CMP)
30. Mathilda Avenue & Indio Avenue

31. Mathilda Avenue & California Avenue
32. Mathilda Avenue & Washington Avenue
33. Mathilda Avenue & McKinley Avenue
34. Mathilda Avenue & Iowa Avenue
35. Mathilda Avenue & Olive Avenue
36. Mathilda Avenue & Sunnyvale-Saratoga Road
37. Sunnyvale-Saratoga Road & Remington Drive (CMP)
38. Sunnyvale-Saratoga Road & Fremont Avenue (CMP)
39. Sunnyvale-Saratoga Road & Homestead Road [Cupertino] (CMP)
40. Sunnyvale Avenue & McKinley Avenue
41. Fair Oaks Avenue & Duane Avenue
42. Fair Oaks Avenue & Arques Avenue
43. Wolfe Road & Arques Avenue
44. Wolfe Road & Kifer Road
45. Wolfe Road & Reed Avenue
46. Wolfe Road & Fremont Avenue
47. Wolfe Road & Homestead Road
48. Tantau Avenue & Homestead Road
49. Lawrence Expressway & Oakmead Parkway
50. Lawrence Expressway & Arques Avenue (CMP)
51. Lawrence Expressway & Kifer Road
52. Lawrence Expressway & Reed Avenue/Monroe Street (CMP)
53. Lawrence Expressway & Cabrillo Avenue [Santa Clara]
54. Lawrence Expressway & Benton Street [Santa Clara]
55. Lawrence Expressway & Homestead Road [Santa Clara] (CMP)
56. Lawrence Expressway & Pruneridge Avenue [Santa Clara]

### **Study Freeway Segments**

1. US 101 between SR 87 and Embarcadero Road
2. SR 237 between SR 85 and I-880
3. I-280 between SR 87 and El Monte Road
4. SR 85 between I-280 and US 101 (North)

### **Study Freeway Ramps**

1. US 101 southbound on-ramp from northbound Lawrence Expressway
2. US 101 northbound on-ramp from northbound Lawrence Expressway
3. US 101 northbound off-ramp to Lawrence Expressway
4. US 101 southbound off-ramp to Lawrence Expressway
5. US 101 southbound on-ramp from northbound Fair Oaks Avenue
6. US 101 northbound off-ramp to Fair Oaks Avenue
7. US 101 northbound on-ramp from Fair Oaks Avenue
8. US 101 southbound off-ramp to southbound Fair Oaks Avenue
9. US 101 southbound on-ramp from northbound Mathilda Avenue
10. US 101 northbound on-ramp from northbound Mathilda Avenue
11. US 101 northbound off-ramp to southbound Mathilda Avenue
12. US 101 southbound off-ramp to southbound Mathilda Avenue
13. US 101 northbound off-ramp to Mathilda Avenue [future ramp]
14. US 101 southbound off-ramp to Mathilda Avenue [future ramp]

Traffic conditions at the study intersections were analyzed for both the weekday AM and PM peak hours of adjacent street traffic. The AM peak hour is expected to occur between 7:00 AM and 10:00 AM and the PM peak hour is expected to occur between 4:00 PM and 7:00 PM on a regular weekday. These are the peak commute hours during which most traffic congestion occurs on the roadways.

Traffic conditions were evaluated for the following scenarios:

**Scenario 1: *Existing Conditions*.** Existing traffic volumes at study intersections were based on traffic counts conducted in 2017 and 2018, as well as the 2018 CMP TRAFFIX database. The study intersections were evaluated with a level of service analysis using TRAFFIX software in accordance with the *2000 Highway Capacity Manual* methodology. Study freeway segments were analyzed in accordance with the VTA CMP method, and study freeway ramps were analyzed using demand to capacity ratios.

**Scenario 2: *2035 Cumulative Conditions*.** The 2035 cumulative conditions traffic volumes were estimated using the Sunnyvale Traffic Demand Forecast Model for year 2035. In addition to land uses assumed under the current General Plan, the cumulative conditions include the proposed ECRCSP, the proposed Lawrence Station Area Plan Update, the proposed Fortinet Specific Plan and the proposed Downtown Specific Plan Update. To determine potential impacts generated by the ECRCSP, a separate model run was conducted assuming no growth in the ECRCSP area beyond the current general plan. The cumulative scenario was compared to the cumulative no ECRCSP scenario to disclose impacts.

## Methodology

This section presents the methods used to determine the traffic conditions for each scenario described above. It includes descriptions of the data requirements, the analysis methodologies, and the applicable level of service standards.

### Data Requirements

The data required for the analysis were obtained from new traffic counts, the City of Sunnyvale, the VTA CMP TRAFFIX database, and field observations. The following data were collected from these sources:

- existing traffic volumes,
- existing lane configurations, and
- signal timing and phasing.

## Level of Service Standards and Analysis Methodologies

Traffic conditions at the study intersections were evaluated using level of service (LOS). *Level of Service* is a qualitative description of operating conditions ranging from LOS A, or free-flow conditions with little or no delay, to LOS F, or jammed conditions with excessive delays. The various analysis methods are described below.

### Signalized Study Intersections

All City of Sunnyvale, Mountain View, Cupertino and Santa Clara level of service analysis methodologies for signalized intersections are the *Highway Capacity Manual* (HCM) 2000 operations method. This method is applied using the TRAFFIX software. The HCM 2000 operations method evaluates signalized intersection operations on the basis of average control delay time for all vehicles at the intersection. Since TRAFFIX is also the CMP-designated traffic impact analysis tool, the City of Sunnyvale employs the CMP default values for the analysis parameters within the software.

The City of Sunnyvale, Mountain View and Santa Clara level of service standards for signalized intersections are all LOS D or better. Within the City of Sunnyvale, intersections on roadways considered to be “regionally significant” have a standard of LOS E. In the study area, signalized intersections within Sunnyvale along El Camino Real, Sunnyvale-Saratoga Road, and Mathilda Avenue are considered regionally significant. The correlation between average control delay and level of service is shown in Table 2.

### CMP Intersections

The designated level of service analysis methodology for the CMP is also the HCM 2000 operations method for signalized intersections, using TRAFFIX. The CMP level of service standard for signalized intersections within the City of Sunnyvale, Mountain View, Cupertino and Santa Clara is LOS E or better.

### Freeway Segments

Within Santa Clara County, freeway segments are analyzed as prescribed in the Santa Clara County CMP technical guideline. The level of service for freeway segments is estimated based on vehicle density. Density is calculated by the following formula:

$$D = V / (N \cdot S)$$

Where:

D = density, in vehicles per mile per lane (vpmpl)

V = peak hour volume, in vehicle per hour (vph)

N = number of travel lanes

S = average travel speed, in miles per hour (mph)

The vehicle density on a segment is correlated to level of service as shown in Table 3. The CMP requires that mixed-flow lanes and auxiliary lanes be analyzed separately from high-occupancy vehicle (HOV) lanes (otherwise known as carpool lanes). The CMP specifies that a capacity of 2,300 vehicles per hour per lane (vphpl) be used for segments three lanes or wider in one direction, and a capacity of 2,200 vphpl be used for segments two lanes wide in one direction. HOV lanes are specified as having a capacity of 1,650 vphpl.

**Table 2**  
**Signalized Intersection Level of Service Definitions Based on Control Delay**

Level of Service	Description	Average Control Delay Per Vehicle (sec.)
A	Signal progression is extremely favorable. Most vehicles arrive during the green phase and do not stop at all. Short cycle lengths may also contribute to the very low vehicle delay.	10.0 or less
B+	Operations characterized by good signal progression and/or short cycle lengths.	10.1 to 12.0
B	More vehicles stop than with LOS A, causing higher levels of average vehicle delay.	12.1 to 18.0
B-		18.1 to 20.0
C+	Higher delays may result from fair signal progression and/or longer cycle lengths.	20.1 to 23.0
C	Individual cycle failures may begin to appear at this level. The number of vehicles stopping is significant, though many still pass through the	23.1 to 32.0
C-		32.1 to 35.0
D+	The influence of congestion becomes more noticeable. Longer delays may result from some combination of unfavorable signal progression, long cycle lengths, or high volume-to-capacity (V/C) ratios. Many vehicles stop and	35.1 to 39.0
D		39.1 to 51.0
D-		51.1 to 55.0
E+	This is considered to be the limit of acceptable delay. These high delay values generally indicate poor signal progression, long cycle lengths, and high volume-to-capacity (V/C) ratios. Individual cycle failures occur frequently.	55.1 to 60.0
E		60.1 to 75.0
E-		75.1 to 80.0
F	This level of delay is considered unacceptable by most drivers. This condition often occurs with oversaturation, that is, when arrival flow rates exceed the capacity of the intersection. Poor progression and long cycle lengths may also be major-contributing causes of such delay levels.	greater than 80.0

Source: Transportation Research Board, *Highway Capacity Manual 2000* (Washington, D.C., 2000) p10-16.

### **Freeway Ramps**

A freeway ramp analysis was performed in order to verify that the freeway ramps would have sufficient capacity to serve the expected traffic volumes with and without the project. This analysis consisted of a volume-to-capacity ratio evaluation of the freeway ramps at the study interchanges. The ramp capacities were obtained from the *Highway Capacity Manual 2000*, and considered the free-flow speed, number of lanes on the ramp, and ramp metering.

**Table 3**  
**Freeway Segment Level of Service Definition**

Level of Service	Description	Density (vehicles/mile/lane)
A	Average operating speeds at the free-flow speed generally prevail. Vehicles are almost completely unimpeded in their ability to maneuver within the traffic stream.	11.0 or less
B	Speeds at the free-flow speed are generally maintained. The ability to maneuver within the traffic stream is only slightly restricted, and the general level of physical and psychological comfort provided to drivers is still high.	11.0 to 18.0
C	Speeds at or near the free-flow speed of the freeway prevail. Freedom to maneuver within the traffic stream is noticeably restricted, and lane changes require more vigilance on the part of the driver.	18.0 to 26.0
D	Speeds begin to decline slightly with increased flows at this level. Freedom to maneuver within the traffic stream is more noticeably limited, and the driver experiences reduced physical and psychological comfort levels.	26.0 to 46.0
E	At this level, the freeway operates at or near capacity. Operations in this level are volatile, because there are virtually no usable gaps in the traffic stream, leaving little room to maneuver within the traffic stream.	46.0 to 58.0
F	Vehicular flow breakdowns occurs. Large queues form behind breakdown points.	greater than 58.0

Source: Santa Clara County Valley Transportation Authority, Transportation Impact Analysis Guidelines, Updated March 2009 (Based on the *Highway Capacity Manual (2000)*, Washington, D.C.)

## Report Organization

The remainder of this report is divided into two chapters. Chapter 2 describes the existing roadway network, transit services, and pedestrian facilities. Chapter 3 presents the traffic conditions in the ECRCSP study area under the year 2035 cumulative conditions, the project impacts on the transportation system, and any recommended improvement measures.

## 2. **Existing Conditions**

---

This chapter describes the existing conditions for transportation facilities in the vicinity of the ECRCSP study area, including the roadway network, transit service, pedestrian and bicycle facilities.

### **Existing Roadway Network**

The proposed El Camino Real Corridor Specific Plan (ECRCSP) study area comprises approximately 350 acres along the 4-mile Sunnyvale El Camino Real frontage, with properties within  $\frac{1}{4}$  mile on either side of the roadway centerline generally included in the study area. Regional access to the study area is provided by US 101 to the north, I-280 to the south and SR 85 and SR 237 to the west. These facilities are described below.

**US 101** is an eight-lane freeway (three mixed-flow lanes and one HOV lane in each direction) within the vicinity of Sunnyvale. ECRCSP study area access to and from US 101 is provided via its interchanges at SR 237, Mathilda Avenue, Fair Oaks Avenue and Lawrence Expressway.

**I-280** is an eight-lane freeway (three mixed-flow lanes and one HOV lane in each direction) within the vicinity of Sunnyvale. I-280 provides regional freeway access between the cities of San Francisco and San Jose. ECRCSP study area access to and from I-280 is provided via its interchanges at SR 85, De Anza Boulevard, Wolfe Road, Stevens Creek Boulevard and Lawrence Expressway.

**SR 237** is a four to six-lane freeway within the vicinity of Sunnyvale that extends west to El Camino Real and east to I-880 in Milpitas. East of Mathilda Avenue, SR 237 has two mixed-flow lanes and one HOV lane in each direction. West of Mathilda Avenue, SR 237 has two mixed-flow lanes in each direction. ECRCSP study area access to and from SR 237 is provided via its interchange at SR 85, Sylvan Avenue, Middlefield Road/Maude Avenue, Mathilda Avenue, Fair Oaks Avenue and Lawrence Expressway.

**SR 85** is a six-lane freeway (two mixed-flow lanes and one HOV lane in each direction) that begins at the US 101 interchange east of Shoreline Boulevard, and extends south towards San Jose and terminates at the US 101 interchange south of Silicon Valley Boulevard/Bernal Road. ECRCSP study area access to and from SR 85 is provided via interchanges with Fremont Avenue and El Camino Real.

Major roadways within or near the ECRCSP study area include El Camino Real, Lawrence Expressway, Central Expressway, Bernardo Avenue, Mary Avenue, Hollenbeck Avenue/Pastoria Avenue, Mathilda Avenue, Sunnyvale Avenue, Fair Oaks Avenue, Wolfe Road, Evelyn Avenue, Remington Drive, Fremont Avenue and Homestead Road.

**El Camino Real** is a six-lane divided arterial that extends from Mission Street in Colma to The Alameda in Santa Clara. Within the vicinity of Sunnyvale, El Camino Real has a posted speed limit of 40 miles per hour (mph). Sidewalks are present along both sides of the roadway, and all major signalized intersections have crosswalks and pedestrian push buttons and signal heads across all legs. Bike lanes are present between Fair Oaks Avenue and Sunnyvale Avenue. On-street parking is permitted along certain segments of the roadway. El Camino Real provides regional access to the ECRCSP study area via its interchanges with SR 85 and Lawrence Expressway, as well as its intersections with SR 237, Mathilda Avenue Fair Oaks Avenue and Wolfe Road.

**Lawrence Expressway** is a north-south, eight-lane expressway with a raised median and a posted speed limit of 50 mph. It begins at Saratoga Avenue in the south, crosses through Sunnyvale, and extends northward and transitions into Caribbean Drive. HOV lanes are present between Stevens Creek Boulevard and US 101. Lawrence Expressway connects with US 101 via full-access freeway interchanges. Lawrence Expressway includes sidewalks along both sides on most segments and crosswalks at signalized intersections. There are no bike lanes on Lawrence Expressway, but bikes are allowed to ride on the shoulders. On-street parking is not permitted on this roadway. Lawrence Expressway provides regional access to the ECRCSP study area via its interchanges with SR 237, US 101, Central Expressway and I-280.

**Central Expressway** is an east-west, four-lane to six-lane expressway. It begins at Trimble Road in the east, crosses Sunnyvale, extends westward and transitions into Alma Street. In the study area, Central Expressway has two eastbound lanes and two westbound lanes and a posted speed limit of 50 mph. Central Expressway is mostly grade-separated within Sunnyvale except at Mary Avenue. The Mary Avenue intersection has crosswalks with pedestrian push buttons and signal heads across all legs. There are no sidewalks or bike lanes along Central Expressway, but bikes are allowed to ride on the shoulders. On-street parking is not permitted on this roadway. Central Expressway has an intersection at Mary Avenue and interchanges at Mathilda Avenue, Fair Oaks Avenue, Wolfe Road and Lawrence Expressway.

**Bernardo Avenue** is a north-south, two- to four-lane roadway with a posted speed limit of 30 mph. It begins at Evelyn Avenue and extends south through El Camino Real to Homestead Road. Bernardo Avenue has sidewalks in the northbound direction south of Fremont Avenue and sidewalks on both sides north of Fremont Avenue. Intersections with major roadways have crosswalks, pedestrian push buttons, and signal heads. Bike lanes are present along Bernardo Avenue between Remington Drive and El Camino Real. On-street parking is permitted along most segments of Bernardo Avenue.

**Mary Avenue** is a north-south, two to six-lane roadway with a posted speed limit of 35 to 40 mph. It extends from Almanor Avenue south to Homestead Road. Mary Avenue has sidewalks and bike lanes along both sides throughout Sunnyvale. Intersections with major roadways have crosswalks, pedestrian push buttons, and signal heads. On-street parking is generally permitted along the roadway segments within the residential neighborhood. Mary Avenue provides regional access to the study area via its intersection with Central Expressway.

**Hollenbeck Avenue/Pastoria Avenue** is a north-south, two-lane roadway with a posted speed limit of 25 to 30 mph. S. Pastoria Avenue extends from E Evelyn Avenue south to El Camino Real, transitions to Hollenbeck Avenue and extends south to Homestead Road. Hollenbeck Avenue/Pastoria Avenue has sidewalks along both sides of the roadway. Intersections with major roadways have crosswalks, pedestrian push buttons, and signal heads. Bike lanes are present on Hollenbeck Avenue between Danforth Drive and El Camino Real as well as south of Alberta Avenue. On-street parking is permitted along most segments of the roadway.

**Mathilda Avenue/Sunnyvale-Saratoga Road** is a north-south, six-lane roadway with a posted speed limit of 35 to 45 mph. It extends from E Caribbean Drive (north of US 237) south past El Camino Real, transitions to Sunnyvale-Saratoga Road and extends south into Cupertino and Saratoga. There are sidewalks on both sides of the street for the whole length of the roadway with crosswalks, pedestrian push buttons, and signal heads at all major intersections. Bike lanes are generally present along Mathilda Avenue north of Iowa Avenue. Bike lanes are present along Mathilda Avenue/Sunnyvale-Saratoga Road south of El Camino Real. Within the immediate vicinity of the ECRCSP study area, on-street parking is not permitted along the roadway. Mathilda Avenue provides regional access to the ECRCSP study area via its interchanges with SR 237, US 101, Central Expressway and I-280.

**Sunnyvale Avenue** is a north-south, two-lane roadway with a posted speed limit of 30 mph. It extends from E Maude Avenue south to El Camino Real. Sunnyvale Road has sidewalks on both sides of the roadway through all segments with crosswalks, pedestrian push buttons, and signal heads at all major intersections. Bike lanes are present along Sunnyvale Avenue south of Evelyn Avenue. Within the immediate vicinity of the ECRCSP study area, on-street parking is not permitted along the roadway.

**Fair Oaks Avenue** is a north-south, four- to six-lane roadway with a posted speed limit of 30 mph. It extends from SR 237 to El Camino Real and transitions into Remington Drive. Sidewalks exist on both sides for most of the segments along with crosswalks, pedestrian push buttons, and signal heads at all major intersections. Bike lanes are present along Fair Oaks Avenue between Evelyn Avenue and Kifer Road as well as south of Old San Francisco Road. On-street parking is generally permitted north of Old San Francisco Road. Fair Oaks Avenue provides regional access to the ECRCSP study area via its interchanges with SR 237, US 101 and Central Expressway.

**Wolfe Road** is a four-lane to six-lane, north-south arterial that begins north at N. Fair Oaks Avenue, and extends south into the City of Cupertino, ending at Stevens Creek Boulevard (its transition point into Miller Avenue). Wolfe Road has a posted speed limit of 35 mph in the study area. Wolfe Road includes sidewalks along most segments on both directions of travel and crosswalks at signalized intersections. Bike lanes are present along Wolfe Road north of Reed Avenue as well as south of Fremont Avenue. On-street parking is permitted along only certain segments of the roadway. Wolfe Road provides regional access to the ECRCSP study area via its interchanges with Central Expressway and I-280.

**Evelyn Avenue** is a two-lane to four-lane roadway that begins west at Castro Street in the City of Mountain View and extends east to its terminal at Reed Avenue in the City of Sunnyvale. Within Sunnyvale, Evelyn Avenue includes generally two travel lanes and a center two-way left-turn lane and has a posted speed limit of 30 mph in the study area. Evelyn includes sidewalks and bicycle lanes on both directions of travel and crosswalks at signalized intersections. On-street parking is permitted along most segments of this roadway.

**Remington Drive** is an east-west, two to four-lane roadway that begins west at S Bernardo Avenue and ends at El Camino Real before transitioning into Fair Oaks Avenue. It has bike lanes and sidewalks along both directions of the roadway on all segments and has crosswalks, pedestrian push buttons, and signal heads at major intersections. On-street parking is permitted west of Sunnyvale-Saratoga Road.

**Fremont Avenue** is an east-west, two to six-lane roadway with a posted speed limit of 30 mph that begins west along Foothill Expressway in Los Altos and ends as it joins El Camino Real. It has bike lanes along the full length of the roadway. There are sidewalks on both sides of the roadway along some segments and there are crosswalks, pedestrian push buttons, and signal heads at major intersections. On-street parking is not permitted on this roadway. Fremont Avenue provides regional access to the ECRCSP study area via its interchange with SR 85.

**Homestead Road** is an east-west, two to four-lane roadway with a posted speed limit of 30 mph that begins west at Foothill Expressway in Los Altos through Sunnyvale to Lafayette Street in Santa Clara. There are bike lanes and sidewalks on both sides along certain segments of the road and crosswalks, pedestrian push buttons, and signal heads at major intersections. On-street parking is generally not permitted on this roadway. Homestead Road provides regional access to the ECRCSP study area via its interchange with SR 85 and intersection with Lawrence Expressway.

## Existing Bicycle Facilities

Bicycle facilities in the vicinity of the ECRCSP study area include bike lanes and bike routes. Bike lanes are lanes on roadways designated for use by bicycles with special lane markings, pavement legends, and signage. Bike routes are streets that accommodate bicycles with pavement markings and signage but are not separate from the travel lanes.

The existing bicycle facilities in the study area are shown on Figure 2. The following bicycle facilities exist within the immediate vicinity of the ECRCSP study area:

### Bike Lanes:

- El Camino real between Fair Oaks Avenue and Sunnyvale Avenue
- Bernardo Avenue between Remington Drive and El Camino Real
- Mary Avenue
- Hollenbeck Avenue between Danforth Drive and El Camino Real
- Mathilda Avenue northbound between Iowa Avenue and Washington Avenue
- Mathilda Avenue/Sunnyvale-Saratoga Road south of El Camino Real
- Sunnyvale Avenue
- Cezanne Drive between El Camino Real and Old San Francisco Road
- Remington Drive
- Evelyn Avenue
- Old San Francisco Road/Reed Avenue west of Lawrence Expressway
- Fremont Avenue


Bike routes are present along Wolfe Road between Fremont Avenue and Reed Avenue, and on Fair Oaks Avenue between Old San Francisco Road and Evelyn Avenue and between Kifer Road and Ahwanee Avenue. According to the *City of Sunnyvale Bike Map, 2018 Edition*, there are three guided bike routes within the City. Each guided route is briefly described below and shown on Figure 2:

- Bike Route 352: This is a generally north-south bike route that extends north from the southern City limits into the Moffett Park area. North of El Camino Real, this route travels along Sunnyvale Avenue until Evelyn Avenue and transitions into Bike Route 353 (described below). South of El Camino Real, this bike route zigzags along local roadways west of Sunnyvale-Saratoga Road, providing access to Fremont High School and Nimitz Elementary School.
- Bike Route 353: This is a generally north-south bike route that extends north from the southern City limits into the Moffett Park area. South of Evelyn Avenue, this route transitions into Bike Route 352 (described above). North of Evelyn Avenue, this route travels mostly along Morse Avenue south of US 101 and along Borregas Avenue north of US 101. Bike Route 353 provides access to Bishop Elementary School and Columbia Middle School.
- Bike Route 600: This is a generally east-west bike route that extends east from the intersection at Bernardo Avenue and El Camino Real and ending east at Poinciana Drive. This route travels parallel and north of El Camino Real along residential roadways (mainly Olive Avenue, Gail Avenue, Iris Avenue and Lily Avenue). This route provides access to the Civic Center, Ellis Elementary School, Braly Elementary School and Ponderosa Elementary School.

Overall, the existing bicycle facilities in the ECRCSP study area provide adequate connection for bicycles travelling in the north-south direction. Along El Camino Real, bike lanes are present along only a short segment between Fair Oaks Avenue and Sunnyvale Avenue. On other segments of El Camino Real, bicycles have to travel in the curb lanes. Although the curb lanes are generally wider than other travel lanes, factors such as high travel speeds, high vehicular volumes, presence of on-street parking (along certain segments) and the number of driveways can discourage bicycle travel along El Camino Real. Bicycles travelling in the east-west direction have to resort to Bike Route 600, which is slightly circuitous and involves many turns.

## Existing Pedestrian Facilities

Within the immediate vicinity of the ECRCSP study area, sidewalks are present along both sides of all major roadways. Pedestrian crosswalks and signal heads are presents at all major signalized intersections along El Camino Real. Currently, sidewalks along El Camino Real are generally six feet wide. According to the City's current General Plan Land Use and Transportation Element, El Camino Real, which is a Class I arterial, should have sidewalks with a width of 11 to 13 feet. The current sidewalk widths along El Camino Real do not comply with General Plan standards.




**Figure 2**  
**Existing Bicycle Facilities**

## Existing Transit Service

Existing transit services in the vicinity of the El Camino Real Corridor Specific Plan (ECRCSP) study area are provided by VTA and the City of Mountain View. VTA bus routes serving the ECRCSP study area are described in Table 4 and shown on Figure 3. Bus routes 22 and 522 provide service along the entire length of El Camino Real within the City of Sunnyvale. Bus routes 53, 55, 56, and 523 provide service within the City of Sunnyvale in mostly a north-south direction and stop within the El Camino Real Corridor Specific Plan (ECRCSP) study area. The Mountain View Community Shuttle provides service in the City of Mountain View and stops within ¼ mile of the ECRCSP study area.

**Table 4**  
**Existing Transit Services**

Bus Route	Route Description	Closest Bus Stops	Weekday Hours of Operation	Headway
Local Route 22	Palo Alto Transit Center to Eastridge Transit Center via El Camino	El Camino Real at Bernardo Avenue, Grape Avenue, Mary Avenue, Pastoria Avenue, Mathilda Avenue, Sunnyvale Avenue, Cezanne Drive, Fair Oaks Avenue, Maria Lane, Wolfe Road, Poplar Avenue, and Sycamore Terrace	All Day	15 min
Local Route 53	Downtown Sunnyvale to Santa Clara Transit Center	Bernardo Avenue & El Camino Real, Bernado Avenue & Iowa Avenue	6:30 AM - 8:00 PM	30 min
Local Route 55	De Anza College to Old Ironsides Station	Sunnyvale-Saratoga Avenue & El Camino Real, Sunnyvale Avenue & Olive Avenue	5:30 AM - 10:00 PM	30 min
Local Route 56	Lockheed Martin Transit Center to Tamien Station	Wolfe Road & Fremont Avenue/Eleanor Way, Wolfe Road & El Camino Real	5:30 AM - 10:00 PM	30 min
Rapid Route 522	Palo Alto Transit Center to Eastridge Transit Center	El Camino Real at Bernardo Avenue, Sunnyvale Avenue, Fair Oaks Avenue, Wolfe Road,	5:00 AM - 11:00 PM	12 min
Rapid Route 523	Berryessa BART to Lockheed Martin	Sunnyvale-Saratoga Avenue & El Camino Real	5:30 AM - 10:30 PM	15 min
Mountain View Community Shuttle	Loop including Mountain View Transit Center, San Antonio Center, and Sylvan Park	Sylvan Avenue & El Camino Real	10:00 AM - 6:00 PM	30 min



**Figure 3**  
Existing Transit Services

## Caltrain Service

Commuter rail service between San Francisco and Gilroy is provided by Caltrain. There are two Caltrain stations within the City of Sunnyvale: the Sunnyvale Caltrain Station and the Lawrence Caltrain Station.

### Sunnyvale Caltrain Station

The Sunnyvale Caltrain Station, located near the intersection of Frances Street and Evelyn Avenue, provides Caltrain service with approximately 15- to 30-minute headways during the weekday AM and PM commute hours and 60-minute headways during weekday midday and night hours as well as on weekends. The Sunnyvale Caltrain Station provides service for all Local, Limited-Stop, and Baby-Bullet trains. VTA bus routes 53, 55 and 523 all stop at the Sunnyvale Transit Center, which is across street from the Sunnyvale Caltrain Station. The Sunnyvale Caltrain Station is located approximately 4,000 feet from El Camino Real (measured from the intersection at Mathilda Avenue), approximately a 15- to 20-minute walking distance.

### Lawrence Caltrain Station

The Lawrence Caltrain Station, located beneath the Lawrence Expressway overcrossing between Reed Avenue and Kifer Road, provides Caltrain service with approximately 20- to 30-minute headways during the weekday AM and PM commute hours and 60-minute headways during weekday midday and night hours as well as on weekends. The Lawrence Caltrain Station provides service for only Local and Limited-Stop trains. The Baby-Bullet train does not stop at the Lawrence Caltrain Station. The Lawrence Caltrain Station is located approximately 1.25 miles from El Camino Real (measured from the interchange at Lawrence Expressway).

Three free public Caltrain shuttles provide service at the Lawrence Caltrain Station: the Duane Avenue shuttle, the Bowers-Walsh shuttle, and the Mission shuttle. These shuttles are funded jointly by the Bay Area Air Quality Management District, the Peninsula Corridor Joint Powers Board and private employers. None of these shuttles provide service to the ECRCSP study area.

## Existing Intersection Lane Configurations

The existing lane configurations at the study intersections were determined by observations in the field and are shown on Figure 4.

## Existing Traffic Volumes

Existing traffic volumes were obtained from peak hour counts collected in 2017 and 2018 as well as the 2018 CMP TRAFFIX database. The existing peak-hour intersection volumes are shown in Figure 5. Intersection turning-movement counts conducted for this analysis are presented in Appendix A.

El Camino Real Corridor Specific Plan























1 El Camino Real		SR 237 Grant Rd		2 El Camino Real		Sylvan Ave		3 El Camino Real		Bernardo Ave		4 El Camino Real		Mary Ave	
5 El Camino Real		Hollenbeck Ave		6 El Camino Real		Mathilda Ave		7 El Camino Real		Sunnyvale Ave		8 El Camino Real		Remington Dr	
9 El Camino Real		Wolfe Rd		10 El Camino Real		Poplar Ave		11 El Camino Real		Henderson Ave		12 El Camino Real		Halford Ave	
13 El Camino Real		Lawrence Expwy SB		14 Middlefield Rd		Ellis St		15 Central Expwy		Mary Ave		16 Evelyn Ave		Dowd	
17 Washington Ave		Mary Ave		18 Remington Dr		Mary Ave		19 Fremont Ave		Mary Ave		20 Homestead Rd		Mary Ave	

Figure 4  
Existing Lane Configurations

El Camino Real Corridor Specific Plan

























21 Fremont Ave		22 Fremont Ave		23 Homestead Rd		24 Homestead Rd	
25 Fremont Ave		26 Homestead Rd		27 Almanor Ave		28 Dwy	
29 Maude Ave		30 Soquel Wy		31 California Ave		32 Washington Ave	
33 McKinley Ave		34 Iowa Ave		35 Olive Ave		36 Talisman Dr	
37 Remington Dr		38 Fremont Ave		39 Homestead Rd		40 McKinley Ave	
Sunnyvale-Saratoga Rd		Sunnyvale-Saratoga Rd		Sunnyvale-Saratoga Rd		Sunnyvale Ave	

Figure 4  
Existing Lane Configurations

El Camino Real Corridor Specific Plan

41 Duane Ave		42 Arques Ave		43 Argues Ave		44 Kifer Rd	
45 Old San Francisco Rd				46 Fremont Ave		47 Homestead Rd	
49 Duane Ave				50 Arques Ave		51 Kifer Rd	
		Oakmead Pkwy					
53 Poinciana Dr				54 Benton St		55 Homestead Rd	
		Cabrillo Ave					
56 Pruneridge Ave							

LEGEND

= HOV Lane

**Figure 4**  
**Existing Lane Configurations**

El Camino Real Corridor Specific Plan


<b>1</b>	El Camino Real ↓ ↗ 739(544) ↓ ↗ 964(1078) ↓ ↗ 146(352) ↑ ↘ 95(65) ↑ ↘ 1146(1081) ↑ ↘ 303(356)	SR 237 Grant Rd ↓ ↗ 821(493) ↓ ↗ 1127(1539) ↓ ↗ 33(44)
<b>2</b>	El Camino Real ↓ ↗ 157(149) ↓ ↗ 748(1866) ↓ ↗ 359(312) ↑ ↘ 95(57) ↑ ↘ 139(86) ↑ ↘ 1546(852)	Sy Ave ↓ ↗ 79(114) ↓ ↗ 1006(777) ↓ ↗ 200(442)
<b>3</b>	El Camino Real ↓ ↗ 146(315) ↓ ↗ 554(1386) ↓ ↗ 67(181) ↑ ↘ 35(119) ↑ ↘ 52(111) ↑ ↘ 1267(805)	The Americana ↓ ↗ 200(159) ↓ ↗ 38(88) ↓ ↗ 53(189) ↑ ↘ 287(119) ↑ ↘ 124(319) ↑ ↘ 58(106)
<b>4</b>	El Camino Real ↓ ↗ 139(226) ↓ ↗ 400(1393) ↓ ↗ 48(161) ↑ ↘ 69(148) ↑ ↘ 220(146) ↑ ↘ 1191(841)	Mary Ave ↓ ↗ 139(153) ↓ ↗ 71(83) ↑ ↘ 129(187) ↑ ↘ 345(669) ↑ ↘ 92(205)
<b>5</b>	El Camino Real ↓ ↗ 69(104) ↓ ↗ 175(361) ↓ ↗ 36(72) ↑ ↘ 57(47) ↑ ↘ 1251(786) ↑ ↘ 123(313)	Hollenbeck Ave ↓ ↗ 183(115) ↓ ↗ 331(196) ↓ ↗ 244(163)
<b>6</b>	El Camino Real ↓ ↗ 318(168) ↓ ↗ 481(1268) ↓ ↗ 75(189) ↑ ↘ 297(196) ↑ ↘ 912(744) ↑ ↘ 21(70)	Pastoria Ave ↓ ↗ 116(233) ↓ ↗ 317(1638) ↓ ↗ 110(534) ↑ ↘ 309(246) ↑ ↘ 205(417) ↑ ↘ 19(38)
<b>7</b>	El Camino Real ↓ ↗ 132(190) ↓ ↗ 411(1426) ↓ ↗ 46(94) ↑ ↘ 163(96) ↑ ↘ 1159(794) ↑ ↘ 80(165)	Bernardino Ave ↓ ↗ 58(75) ↓ ↗ 160(231) ↓ ↗ 57(225) ↑ ↘ 297(173) ↑ ↘ 194(153) ↑ ↘ 71(83)
<b>8</b>	El Camino Real ↓ ↗ 148(237) ↓ ↗ 422(1515) ↓ ↗ 68(189) ↑ ↘ 142(173) ↑ ↘ 1211(773) ↑ ↘ 168(181)	Fair Oaks Ave ↓ ↗ 152(105) ↓ ↗ 67(99) ↓ ↗ 60(65)
<b>9</b>	El Camino Real ↓ ↗ 65(65) ↓ ↗ 493(847) ↓ ↗ 72(166) ↑ ↘ 278(128) ↑ ↘ 947(653) ↑ ↘ 383(415)	Wolfe Rd ↓ ↗ 287(331) ↓ ↗ 1288(632) ↓ ↗ 18(241)
<b>10</b>	El Camino Real ↓ ↗ 69(107) ↓ ↗ 515(1827) ↓ ↗ 13(43) ↑ ↘ 59(33) ↑ ↘ 1697(977) ↑ ↘ 101(73)	Poplar Ave ↓ ↗ 98(43) ↓ ↗ 92(21) ↓ ↗ 59(40) ↑ ↘ 66(23) ↑ ↘ 45(18) ↑ ↘ 82(28)
<b>11</b>	El Camino Real ↓ ↗ 43(92) ↓ ↗ 539(1719) ↓ ↗ 9(22) ↑ ↘ 92(104) ↑ ↘ 1741(900) ↑ ↘ 136(194)	Sunnyvale Saratoga Rd ↓ ↗ 86(61) ↓ ↗ 52(70) ↓ ↗ 80(113) ↑ ↘ 85(20) ↑ ↘ 347(299) ↑ ↘ 53(107)
<b>12</b>	El Camino Real ↓ ↗ 59(130) ↓ ↗ 672(1708) ↓ ↗ 32(66) ↑ ↘ 65(104) ↑ ↘ 1782(1014) ↑ ↘ 109(188)	Remington Dr ↓ ↗ 72(82) ↓ ↗ 25(57) ↓ ↗ 54(94) ↑ ↘ 104(119) ↑ ↘ 59(554) ↑ ↘ 127(258)
<b>13</b>	El Camino Real ↓ ↗ 148(260) ↓ ↗ 28(17) ↓ ↗ 142(504) ↑ ↘ 208(145) ↑ ↘ 1357(787) ↑ ↘ 258(137)	Lawrence Exwy ↓ ↗ 197(178) ↓ ↗ 547(1521) ↓ ↗ 192(288) ↑ ↘ 487(362) ↑ ↘ 50(16) ↑ ↘ 151(198)
<b>14</b>	El Camino Real ↓ ↗ 124(486) ↓ ↗ 121(469) ↑ ↘ 511(119) ↑ ↘ 521(599)	Middlefield Rd ↓ ↗ 231(127) ↓ ↗ 364(586)
<b>15</b>	El Camino Real ↓ ↗ 90(34) ↓ ↗ 713(1464) ↓ ↗ 163(606) ↑ ↘ 161(86) ↑ ↘ 1770(1165) ↑ ↘ 181(657)	Ellis St ↓ ↗ 110(200) ↓ ↗ 104(625) ↓ ↗ 58(466) ↑ ↘ 613(199) ↑ ↘ 378(141) ↑ ↘ 463(633)
<b>16</b>	El Camino Real ↓ ↗ 207(373) ↓ ↗ 157(595) ↓ ↗ 31(108) ↑ ↘ 263(96) ↑ ↘ 467(237) ↑ ↘ 48(66)	Central Expwy ↓ ↗ 169(217) ↓ ↗ 280(1043) ↓ ↗ 33(175) ↑ ↘ 60(46) ↑ ↘ 24(61) ↑ ↘ 124(105)
<b>17</b>	El Camino Real ↓ ↗ 31(53) ↓ ↗ 325(1035) ↓ ↗ 24(72) ↑ ↘ 51(32) ↑ ↘ 77(82) ↑ ↘ 77(83)	Washington Ave ↓ ↗ 90(40) ↓ ↗ 48(91) ↓ ↗ 25(32) ↑ ↘ 29(36) ↑ ↘ 978(335) ↑ ↘ 48(68)
<b>18</b>	El Camino Real ↓ ↗ 82(44) ↓ ↗ 344(653) ↓ ↗ 107(99) ↑ ↘ 75(44) ↑ ↘ 241(124) ↑ ↘ 113(133)	Remington Dr ↓ ↗ 82(26) ↓ ↗ 152(179) ↓ ↗ 43(70) ↑ ↘ 64(46) ↑ ↘ 497(62) ↑ ↘ 64(123)
<b>19</b>	El Camino Real ↓ ↗ 155(165) ↓ ↗ 210(472) ↓ ↗ 107(208) ↑ ↘ 162(120) ↑ ↘ 913(468) ↑ ↘ 62(131)	Fremont Ave ↓ ↗ 151(185) ↓ ↗ 373(1143) ↓ ↗ 77(164) ↑ ↘ 188(119) ↑ ↘ 404(208) ↑ ↘ 88(78)
<b>20</b>	El Camino Real ↓ ↗ 74(104) ↓ ↗ 93(26) ↓ ↗ 204(412) ↑ ↘ 159(185) ↑ ↘ 749(435) ↑ ↘ 83(8)	Homestead Rd ↓ ↗ 76(60) ↓ ↗ 490(934) ↓ ↗ 139(22) ↑ ↘ 95(15) ↑ ↘ 108(15) ↑ ↘ 44(12)

LEGEND

XX(XX) = AM(PM) Peak-Hour Traffic Volumes

Figure 5  
Existing Intersection Volumes

El Camino Real Corridor Specific Plan



LEGEND

XX(XX) = AM(PM) Peak-Hour Traffic Volumes

**Figure 5**  
Existing Intersection Volumes

El Camino Real Corridor Specific Plan

<b>41</b>	Duane Ave	48(94) 237(143) 121(110) 167(228)	Fair Oaks Ave	99(104) 47(50) 187(182) 188(440)	Argues Ave	27(35) 233(1104) 92(134)	Argues Ave	27(35) 233(1104) 92(134)	Kifer Rd	51(139) 244(301) 41(220)
		99(63) ↗ 102(99) → 13(26) ↓	943(692) ↑ 201(179) ↗	60(106) ↗ 89(131) → 66(167) ↓	Fair Oaks Ave	99(104) 47(50) 187(182) 188(440)	64(85) ↗ 176(262) → 10(37) ↓	27(35) 233(1104) 92(134)	Kifer Rd	51(139) 244(301) 41(220)
<b>45</b>	Old San Francisco Rd	80(192) 398(1134) 27(191)	Reed Ave	90(38) 329(217) 100(102)	Fremont Ave	519(512) 617(1363) 22(56)	64(85) ↗ 176(262) → 10(37) ↓	27(35) 233(1104) 92(134)	Kifer Rd	51(139) 244(301) 41(220)
		120(76) ↗ 232(498) → 43(65) ↓	83(99) → 151(370) ↗ 61(117) ↘	364(358) ↗ 202(434) → 149(403) ↓	Fremont Ave	519(512) 617(1363) 22(56)	64(85) ↗ 176(262) → 10(37) ↓	27(35) 233(1104) 92(134)	Kifer Rd	51(139) 244(301) 41(220)
<b>49</b>	Duane Ave	585(614) 1722(2503) 265(461)	Oakmead Pkwy	249(301) 183(132) 79(43)	Arques Ave	314(140) 1364(2612) 9(137)	160(111) ↗ 373(803) → 191(330) ↓	27(35) 233(1104) 92(134)	Homestead Rd	29(63) ↗ 142(298) → 30(223) ↓
		420(509) ↗ 110(229) → 196(167) ↓	199(208) → 2636(1394) → 26(52) ↗	135(347) ↗ 140(544) → 157(748) ↓	Arques Ave	314(140) 1364(2612) 9(137)	160(111) ↗ 373(803) → 191(330) ↓	27(35) 233(1104) 92(134)	Homestead Rd	29(63) ↗ 142(298) → 30(223) ↓
<b>53</b>	Poinciana Dr	50(152) 1416(4044) 37(116)	Cabrillo Ave	154(45) 65(73) 124(69)	Benton St	48(89) 1404(2617) 148(378)	115(178) ↗ 141(503) → 116(652) ↓	27(35) 233(1104) 92(134)	Kifer Rd	114(50) ↗ 666(935) → 213(215) ↓
		131(75) ↗ 91(66) → 141(73) ↓	50(1586) → 80(183) ↗	78(92) → 2865(1570) → 116(290) ↗	Benton St	48(89) 1404(2617) 148(378)	115(178) ↗ 141(503) → 116(652) ↓	27(35) 233(1104) 92(134)	Kifer Rd	114(50) ↗ 666(935) → 213(215) ↓
<b>54</b>		114(75) → 107(234) → 105(61) ↓		433(161) 161(128) 269(110)			213(361) ↗ 289(698) → 95(353) ↓	27(35) 233(1104) 92(134)	Homestead Rd	13(34) ↗ 666(935) → 213(215) ↓
		114(75) → 107(234) → 105(61) ↓		433(161) 161(128) 269(110)			213(361) ↗ 289(698) → 95(353) ↓	27(35) 233(1104) 92(134)	Homestead Rd	13(34) ↗ 666(935) → 213(215) ↓
<b>55</b>		553(290) 1207(2960) 127(210)		235(178) 726(422) 313(325)			213(361) ↗ 289(698) → 95(353) ↓	27(35) 233(1104) 92(134)	Reed Ave	160(283) → 67(62) → 99(140) ↗
		553(290) 1207(2960) 127(210)		235(178) 726(422) 313(325)			213(361) ↗ 289(698) → 95(353) ↓	27(35) 233(1104) 92(134)	Reed Ave	160(283) → 67(62) → 99(140) ↗
<b>56</b>		63(80) 1201(2496) 105(554)		83(171) ↗ 129(290) → 112(154) ↓			83(171) ↗ 129(290) → 112(154) ↓	27(35) 233(1104) 92(134)	Pruneridge Ave	601(153) 300(113) 435(209)
		63(80) 1201(2496) 105(554)		83(171) ↗ 129(290) → 112(154) ↓			83(171) ↗ 129(290) → 112(154) ↓	27(35) 233(1104) 92(134)	Pruneridge Ave	601(153) 300(113) 435(209)
		62(75) ↗ 2922(1452) → 96(201) ↓					62(75) ↗ 2922(1452) → 96(201) ↓			601(153) 300(113) 435(209)

LEGEND

XX(XX) = AM(PM) Peak-Hour Traffic Volumes

**Figure 5**  
**Existing Intersection Volumes**

## Existing Intersection Levels of Service

Intersection levels of service were evaluated against the respective city and CMP standards. The results of the intersection level of service analysis under existing conditions are summarized in Table 5 and shown on Figure 6. The results of the analysis show that the following intersections currently operate at unacceptable levels:

County of Santa Clara Intersections:

- Lawrence Expressway & Kifer Road (#51) – PM Peak Hour (LOS F)
- Lawrence Expressway & Reed Avenue/Monroe Road (#52) – AM Peak Hour (LOS F)

The intersection levels of service calculation sheets are included in Appendix C.

## Existing Freeway Levels of Service

Existing weekday AM and PM peak-hour traffic volumes on the study freeway segments were obtained from the 2017 CMP Annual Monitoring Report. The existing freeway levels of service during the weekday peak hours of traffic are summarized in Figures 7 to 10.

**Table 5**  
**Existing Intersection Levels of Service**

#	Intersection	Peak Hour	Count Date	LOS Std.	Existing Conditions	
					Avg. Delay (sec)	LOS
1	SR 237 & El Camino Real (MV*)	AM	11/14/17	E	69.9	E
		PM	10/30/18		56.7	E+
2	Sylvan Avenue & El Camino Real (M)	AM	11/14/17	D	35.3	D+
		PM	11/14/17		36.0	D+
3	Bernardo Avenue & El Camino Real (+)	AM	11/14/17	E	44.6	D
		PM	11/14/17		43.3	D
4	Mary Avenue & El Camino Real (*)	AM	11/14/17	E	41.7	D
		PM	10/30/18		39.1	D
5	Pastoria Avenue & El Camino Real (+)	AM	11/14/17	E	34.3	C-
		PM	11/14/17		38.8	D+
6	Mathilda Avenue & El Camino Real (*)	AM	11/14/17	E	47.9	D
		PM	10/30/18		45.7	D
7	Sunnyvale Avenue & El Camino Real (+)	AM	11/14/17	E	33.4	C-
		PM	11/14/17		40.3	D
8	Fair Oaks Avenue & El Camino Real (*)	AM	05/08/18	E	41.0	D
		PM	10/30/18		41.8	D
9	Wolfe Road & El Camino Real (*)	AM	11/14/17	E	53.5	D-
		PM	10/30/18		46.4	D
10	Poplar Avenue & El Camino Real (+)	AM	11/14/17	E	19.0	B-
		PM	11/14/17		12.0	B
11	Henderson Avenue & El Camino Real (+)	AM	11/14/17	E	17.2	B
		PM	11/14/17		22.7	C+
12	Halford Avenue & El Camino Real (SC)	AM	11/14/17	D	20.6	C+
		PM	11/14/17		44.5	D
13	Lawrence Expressway Ramps & El Camino Real (SC*)	AM	11/14/17	E	34.5	C-
		PM	11/15/18		28.8	C
14	Ellis Street & Middlefield Road (MV)	AM	11/14/17	D	15.0	B
		PM	11/14/17		21.4	C+
15	Mary Avenue & Central Expressway (County*)	AM	11/14/17	E	51.5	D-
		PM	12/13/18		60.1	E
16	Mary Avenue & Evelyn Avenue	AM	11/14/17	D	40.4	D
		PM	11/14/17		43.3	D
17	Mary Avenue & Washington Avenue	AM	11/14/17	D	13.4	B
		PM	11/14/17		16.1	B
18	Mary Avenue & Remington Drive	AM	11/14/17	D	31.7	C
		PM	11/14/17		28.9	C
19	Mary Avenue & Fremont Avenue	AM	11/14/17	D	41.9	D
		PM	11/14/17		43.3	D
20	Mary Avenue & Homestead Road	AM	11/14/17	D	36.6	D+
		PM	11/14/17		30.0	C

**Notes:**

\* = CMP, + = Regionally Significant Intersection, MV = Mountain View, SC = Santa Clara, County = County of Santa Clara  
 ">120" indicates this signalized intersection experiences lengthy delay that is beyond the reasonable calculation range of the HCM 2000 methodology.

**Table 5 (continued)**  
**Existing Intersection Levels of Service**

#	Intersection	Peak Hour	Count Date	LOS Std.	Existing Conditions	
					Avg. Delay (sec)	LOS
21	SR 85 SB Ramps & Fremont Avenue	AM	11/14/17	D	23.3	C
		PM	11/14/17		19.9	B-
22	SR 85 NB Ramps & Fremont Avenue	AM	11/14/17	D	20.6	C+
		PM	11/14/17		24.9	C
23	SR 85 SB Ramps & Homestead Road	AM	11/14/17	D	19.2	B-
		PM	11/14/17		38.9	D+
24	SR 85 NB Ramps & Homestead Road	AM	11/14/17	D	21.6	C+
		PM	11/14/17		14.9	B
25	Hollenbeck Avenue & Fremont Avenue	AM	11/14/17	D	39.4	D
		PM	11/14/17		45.0	D
26	Hollenbeck Avenue & Homestead Road	AM	11/14/17	D	42.3	D
		PM	11/14/17		51.9	D-
27	Mathilda Avenue & Almanor Avenue (+)	AM	11/14/17	E	26.7	C
		PM	11/14/17		30.4	C
28	Mathilda Avenue & San Aleso Avenue (+)	AM	11/14/17	E	7.3	A
		PM	11/14/17		7.2	A
29	Mathilda Avenue & Maude Avenue (*)	AM	11/14/17	E	43.6	D
		PM	10/30/18		47.2	D
30	Mathilda Avenue & Indio Way (+)	AM	11/14/17	E	36.3	D+
		PM	11/14/17		22.9	C+
31	Mathilda Avenue & California Avenue (+)	AM	11/14/17	E	24.2	C
		PM	11/14/17		32.1	C-
32	Mathilda Avenue & Washington Avenue (+)	AM	11/14/17	E	34.3	C-
		PM	11/14/17		34.5	C-
33	Mathilda Avenue & McKinley Avenue (+)	AM	11/14/17	E	14.1	B
		PM	11/14/17		17.4	B
34	Mathilda Avenue & Iowa Avenue (+)	AM	11/14/17	E	15.7	B
		PM	11/14/17		16.0	B
35	Mathilda Avenue & Olive Avenue (+)	AM	11/14/17	E	15.5	B
		PM	11/14/17		18.4	B-
36	Mathilda Avenue & Sunnyvale-Saratoga Road (+)	AM	11/14/17	E	22.7	C+
		PM	11/14/17		28.5	C
37	Sunnyvale-Saratoga Road & Remington Drive (*)	AM	11/14/17	E	42.9	D
		PM	10/30/18		43.6	D
38	Sunnyvale-Saratoga Road & Fremont Avenue (*)	AM	11/14/17	E	49.0	D
		PM	10/30/18		47.8	D
39	Sunnyvale-Saratoga Road & Homestead Road (CU*)	AM	11/14/17	E	44.8	D
		PM	10/30/18		40.0	D
40	Sunnyvale Avenue & McKinley Avenue	AM	11/14/17	D	9.8	A
		PM	11/14/17		16.8	B

**Notes:**


\* = CMP, + = Regionally Significant Intersection, MV = Mountain View, SC = Santa Clara, County = County of Santa Clara  
 ">120" indicates this signalized intersection experiences lengthy delay that is beyond the reasonable calculation range of the HCM 2000 methodology.

**Table 5 (continued)**  
**Existing Intersection Levels of Service**


#	Intersection	Peak Hour	Count Date	LOS Std.	Existing Conditions	
					Avg. Delay (sec)	LOS
41	Fair Oaks Avenue & Duane Avenue	AM	05/08/18	D	32.1	C-
		PM	05/08/18		30.2	C
42	Fair Oaks Avenue & Arques Avenue	AM	05/08/18	D	34.8	C-
		PM	05/08/18		44.5	D
43	Wolfe Road & Arques Avenue	AM	11/14/17	D	35.6	D+
		PM	11/14/17		40.8	D
44	Wolfe Road & Kifer Road	AM	11/14/17	D	29.0	C
		PM	11/14/17		43.1	D
45	Wolfe Road & Reed Avenue	AM	11/14/17	D	37.0	D+
		PM	11/14/17		38.9	D+
46	Wolfe Road & Fremont Avenue	AM	11/14/17	D	43.7	D
		PM	11/14/17		47.5	D
47	Wolfe Road & Homestead Road	AM	11/14/17	D	35.4	D+
		PM	11/14/17		35.1	D+
48	Tantau Avenue & Homestead Road	AM	11/14/17	D	26.0	C
		PM	11/14/17		39.6	D
49	Lawrence Expressway & Oakmead Parkway (County)	AM	05/23/19	E	40.4	D
		PM	05/23/19		52.3	D-
50	Lawrence Expressway & Arques Avenue (County*)	AM	04/04/17	E	48.2	D
		PM	11/13/18		71.6	E
51	Lawrence Expressway & Kifer Road (County)	AM	03/07/18	E	54.4	D-
		PM	03/07/18		<b>101.6</b>	F
52	Lawrence Expressway & Monroe Street (County*)	AM	03/07/18	E	<b>114.8</b>	F
		PM	11/13/18		61.8	E
53	Lawrence Expressway & Cabrillo Avenue (County)	AM	03/07/18	E	52.1	D-
		PM	03/07/18		48.6	D
54	Lawrence Expressway & Benton Street (County)	AM	11/14/17	E	53.7	D-
		PM	11/14/17		40.5	D
55	Lawrence Expressway & Homestead Road (County*)	AM	11/14/17	E	56.8	E+
		PM	11/15/18		65.9	E
56	Lawrence Expressway & Pruneridge Avenue (County)	AM	11/14/17	E	61.2	E
		PM	11/14/17		43.8	D

**Notes:**


\* = CMP, + = Regionally Significant Intersection, MV = Mountain View, SC = Santa Clara, County = County of Santa Clara  
 ">120" indicates this signalized intersection experiences lengthy delay that is beyond the reasonable calculation range of the HCM 2000 methodology.  
**BOLD** indicates unacceptable level of service




**Figure 6**  
**Existing Intersection Levels of Service Summary**




**Figure 7**  
**Existing Freeway Levels of Service Summary - AM Peak-Hour - Mixed-Flow Lanes**



**Figure 8**  
Existing Freeway Levels of Service Summary - AM Peak-Hour - HOV Lanes



**Figure 9**  
Existing Freeway Levels of Service Summary - PM Peak-Hour - Mixed-Flow Lanes

**LEGEND**

- [Yellow Box] = City of Sunnyvale
- [Purple Line] = El Camino Real Specific Plan Study Area Boundary
- [Red Line] = Unacceptable LOS (LOS F)
- [Green Line] = Acceptable LOS (LOS E or Better)
- [Grey Line] = Freeway Segment has No HOV Lanes

**Figure 10**  
Existing Freeway Levels of Service Summary - PM-Peak Hour - HOV Lanes

## Existing Freeway Ramp Capacity Analysis

This analysis consists of a volume-to-capacity ratio evaluation of the study freeway ramps. The ramp capacities were obtained from the *Highway Capacity Manual 2000* (Chapter 25), which considers both the free-flow speed and the number of lanes on the study ramps. As a conservative approach, on-ramps that currently have ramp meter equipment are analyzed with a capacity of 900 vehicles per hour for the mixed-flow lanes. The peak-hour freeway ramp volumes were obtained from recent traffic counts and Caltrans (see Table 6).

The ramp analysis shows that the freeway ramps currently have sufficient capacity to serve the existing traffic volumes. The study ramps have a volume-to-capacity (V/C) ratio that is well below 1.0, which means that the existing traffic demand is lower than the ramp capacity.

**Table 6**  
**Existing Freeway Ramp Capacity Analysis**

Interchange	Ramp	Type	Peak Hour	Lanes				Existing Conditions	
				Mixed	HOV	Meter <sup>1</sup>	Capacity <sup>2</sup>	Volume <sup>3</sup>	V/C
US 101/Lawrence Expwy	SB On-Ramp fr. NB Lawrence Expwy	Diagonal	AM	2	1	Equipment Present	1,800	584	0.32
			PM					352	0.20
	NB On-Ramp fr. NB Lawrence Expwy	Loop	AM	1	1	Equipment Present	1,800	484	0.27
			PM					378	0.21
US 101/Fair Oaks Ave	NB Off-Ramp to Lawrence Expwy	Diagonal	AM	2	-	-	3,800	1278	0.34
			PM					1185	0.31
	SB Off-Ramp to Lawrence Expwy	Diagonal	AM	2	-	-	3,800	738	0.19
			PM					1753	0.46
US 101/Mathilda Ave	SB On-Ramp fr. NB Fair Oaks Ave	Diagonal	AM	1	1	Equipment Present	1,800	616	0.34
			PM					225	0.13
	NB Off-Ramp to Fair Oaks Ave	Diagonal	AM	1	-	-	2,000	414	0.21
			PM					894	0.45
US 101/Mathilda Ave	NB On-Ramp fr. Fair Oaks Ave	Diagonal	AM	1	1	Equipment Present	1,800	1057	0.59
			PM					416	0.23
	SB Off-Ramp to SB Fair Oaks Ave	Diagonal	AM	1	-	-	2,000	363	0.18
			PM					893	0.45
US 101/Mathilda Ave	SB On-Ramp fr. NB Mathilda Ave	Diagonal	AM	1	1	Equipment Present	1,800	478	0.27
			PM					532	0.30
	NB On-Ramp fr. NB Mathilda Ave	Loop	AM	1	1	Equipment Present	1,800	287	0.16
			PM					295	0.16
US 101/Mathilda Ave	NB Off-Ramp to SB Mathilda Ave	Loop	AM	1	-	-	1,800	722	0.40
			PM					729	0.41
	SB Off-Ramp to SB Mathilda Ave	Diagonal	AM	1	-	-	2,000	404	0.20
			PM					448	0.22

Notes:

NB = Northbound, SB = Southbound, fr. = from

1. As a conservative approach, if an on-ramp has meter equipment present, the ramp is analyzed assuming it is metered.
2. Ramp capacities were obtained from *Highway Capacity Manual, 2000*, and considered the free-flow speed, the number of lanes on the ramp, and ramp metering.
3. Existing peak hour volumes are obtained through intersection counts and Caltrans.

## 3.

# Year 2035 Cumulative Conditions


---

This chapter presents a summary of the cumulative traffic conditions that would occur in year 2035 with the proposed El Camino Real Corridor Specific Plan (ECRCSP). The year 2035 cumulative scenario assumes buildup of the current general plan, the proposed ECRCSP, the proposed update to the Lawrence Station Area Plan, the proposed Fortinet Precise Plan, the proposed update to the Downtown Specific Plan, as well as regional growth. To determine potential impacts generated by the ECRCSP, a separate model run was conducted assuming no growth in the ECRCSP area beyond the current general plan. The cumulative scenario was compared to the cumulative no ECRCSP scenario to disclose impacts. The Sunnyvale Travel Demand Forecasting Model (STFM) for year 2035 was used to forecast the year 2035 cumulative traffic volumes. Model assumptions and inputs are described in this chapter as well.

## Traffic Volumes and Roadway Network

The year 2035 forecasts of intersection turning movements, freeway traffic, ramp volumes, and vehicle miles traveled were completed using the Sunnyvale Travel Demand Forecast Model (STFM). The STFM is a mathematical representation of travel within the nine counties in the San Francisco Bay Area and is calibrated to represent travel within the City of Sunnyvale. The model uses socioeconomic data, such as number of jobs and households, for difference geographic areas (transportation analysis zones) to predict the travel from place to place in the future. There are 172 transportation analysis zones within the model to represent the City of Sunnyvale.


The year 2035 socioeconomic data are generated by the Association of Bay Area Governments and refined by VTA. For the year 2035 cumulative conditions model forecasts, socioeconomic data within the City of Sunnyvale were supplied by city staff. Socioeconomic data within the City of Sunnyvale assumed the buildup of the current general plan, the proposed ECRCSP, the proposed update to the Lawrence Station Area Plan, the proposed Fortinet Precise Plan and the proposed update to the Downtown Specific Plan (see Figures 11 and 12 for the housing and jobs growth by TAZ). The existing and year 2035 cumulative conditions jobs and housing data (by TAZ) are provided in the Appendix. Table 7 shows the model inputs for the entire bay area separated by counties.



**NOTE:**

Year 2035 land use includes the adopted LUTE, proposed ECRCSP, LSAP update, Fortinet Precise Plan, and Downtown Specific Plan.

**Figure 11**  
**Sunnyvale Land Use Growth - Households**  
**Year 2035 Compared to Year 2013**



**NOTE:**

Year 2035 land use includes the adopted LUTE, proposed ECRCSP, LSAP update, Fortinet Precise Plan, and Downtown Specific Plan.

**Figure 12**  
**Sunnyvale Land Use Growth - Jobs**  
**Year 2035 Compared to Year 2013**

**Table 7**  
**Socioeconomic Data Model Inputs – Bay Area Counties**


County	Year 2035 Cumulative Conditions Socioeconomic Data <sup>1</sup>					
	Households		Population		Jobs	
	Yr 2035	Incr. Over Yr 2013	Yr 2035	Incr. Over Yr 2013	Yr 2035	Incr. Over Yr 2013
San Francisco	429,886	+ 91,185	1,023,992	+ 226,19	733,565	+ 164,69
San Mateo	305,826	+ 45,546	864,870	+ 142,670	433,295	+ 97,840
Santa Clara <sup>2</sup>	819,224	+ 192,678	2,356,670	+ 529,157	1,296,139	+ 321,970
Alameda	677,886	+ 135,346	1,877,079	+ 360,980	910,613	+ 163,95
Contra Costa	447,099	+ 78,329	1,269,299	+ 253,999	448,001	+ 75,0
Solano	164,049	+ 23,949	476,887	+ 57,507	172,676	+ 24,39
Napa	55,018	+ 6,728	153,791	+ 20,691	86,887	+ 15,740
Sonoma	214,729	+ 32,229	570,296	+ 93,596	248,147	+ 24,179
Marin	110,513	+ 7,263	268,668	+ 17,268	125,569	-10,038

Notes:

1. Year 2035 land uses referenced the ABAG Projections 2013.
2. Sunnyvale land uses included the adopted LUTE, proposed ECRCSP, LUTE update, Fortinet Precise Plan and Downtown Specific Plan.


The SFTM includes improvements to the roadway network as part of the 2040 Valley Transportation Plan (VTP) and the Sunnyvale Transportation Impact Fee (TIF). Significant roadway improvements that are funded or planned to be funded within or near Sunnyvale are shown on Figure 13:

A separate model run was conducted for the Cumulative no ECRCSP scenario assuming no growth in the ECRCSP area beyond the current general plan levels. The same roadway improvements shown on Figure 13 were assumed in the Cumulative no ECRCSP model run. The forecast intersection turning movement volumes were adjusted based on intersection counts to generate the year 2035 cumulative conditions and Cumulative no ECRCSP traffic volumes (see Figures 14 and 15).



**Figure 13**  
Roadway Improvements Within Close Proximity of  
Sunnyvale Assumed in the Model


## El Camino Real Corridor Specific Plan



### LEGEND

XX(XX) = AM(PM) Peak-Hour Traffic Volumes

El Camino Real Corridor Specific Plan




LEGEND

XX(XX) = AM(PM) Peak-Hour Traffic Volumes

Figure 14  
2035 Cumulative Traffic Volumes

## El Camino Real Corridor Specific Plan



## LEGEND

**XX(XX) = AM(PM) Peak-Hour Traffic Volumes**

**Figure 14**  
**2035 Cumulative Traffic Volumes**


## El Camino Real Corridor Specific Plan

<b>1</b>	El Camino Real ↓ ↗ 979(493) 1448(1539) 45(205)	739(638) 1179(1205) 244(640)	SR 237 ↓ ↗ 119(65) 1264(1604) 393(542)
<b>2</b>	El Camino Real ↓ ↗ 223(193) 1694(2376) 359(312)	201(159) 40(164) 130(294)	Syvan Ave ↓ ↗ 204(198) 1854(1864) 103(62)
<b>3</b>	El Camino Real ↓ ↗ 211(318) 1506(2148) 118(319)	445(271) 151(402) 128(275)	270(258) 1411(1781) 121(188)
<b>4</b>	El Camino Real ↓ ↗ 261(340) 1386(1643) 96(216)	328(206) 345(698) 229(425)	553(227) 1191(2053) 138(212)
<b>5</b>	El Camino Real ↓ ↗ 351(198) 1487(2188) 65(136)	199(384) 214(512) 199(359)	Hollenbeck Ave ↓ ↗ 242(129) 1323(2036) 215(651)
<b>6</b>	El Camino Real ↓ ↗ 936(493) 1124(1761) 291(415)	228(972) 362(2558) 353(614)	Pastoria Ave ↓ ↗ 553(472) 1079(1240) 62(118)
<b>7</b>	El Camino Real ↓ ↗ 341(295) 1014(1944) 152(197)	210(231) 256(251) 178(582)	Bernardino Ave ↓ ↗ 287(353) 1196(1549) 258(432)
<b>8</b>	El Camino Real ↓ ↗ 248(479) 1042(2081) 117(351)	321(479) 770(736) 235(232)	Fair Oaks Ave ↓ ↗ 331(315) 1211(1709) 195(437)
<b>9</b>	El Camino Real ↓ ↗ 122(264) 770(1783) 467(649)	285(349) 1007(1729) 148(303)	739(255) 991(1579) 383(415)
<b>10</b>	El Camino Real ↓ ↗ 102(153) 895(2193) 28(43)	98(43) 103(27) 110(93)	Mathilda Ave ↓ ↗ 81(33) 1828(1485) 101(73)
<b>11</b>	El Camino Real ↓ ↗ 72(109) 950(2119) 9(23)	90(66) 54(74) 120(140)	Sunnyvale Ave ↓ ↗ 108(104) 1888(1378) 151(201)
<b>12</b>	El Camino Real ↓ ↗ 119(130) 1221(2118) 78(66)	72(82) 64(85) 108(94)	Saratoga Rd ↓ ↗ 65(152) 1920(1558) 222(252)
<b>13</b>	El Camino Real ↓ ↗ 322(298) 28(17) 570(435)	300(524) 1357(1658) 269(137)	Wolfe Rd ↓ ↗ 1502(907) 63(297)
<b>14</b>	El Camino Real ↓ ↗ 540(1156) 129(469)	146(127) 78(37) 82(28)	Middlefield Rd ↓ ↗ 647(257) 721(599)
<b>15</b>	Central Expwy ↓ ↗ 422(221) 1733(1809) 226(606)	126(485) 25(1153) 157(885)	Ellis St ↓ ↗ 430(417) 2345(1939) 442(809)
<b>16</b>	El Camino Real ↓ ↗ 328(377) 414(595) 50(108)	52(56) 68(65) 95(100)	Evelyn Ave ↓ ↗ 445(315) 602(1493) 104(426)
<b>17</b>	El Camino Real ↓ ↗ 31(53) 375(1359) 62(141)	84(53) 392(774) 107(135)	Washington Ave ↓ ↗ 125(58) 141(245) 86(147)
<b>18</b>	El Camino Real ↓ ↗ 126(28) 218(191) 43(73)	473(748) 303(957) 162(443)	Remington Dr ↓ ↗ 101(99) 251(146) 149(248)
<b>19</b>	El Camino Real ↓ ↗ 806(807) 735(1143) 104(164)	231(198) 739(411) 115(132)	Fremont Ave ↓ ↗ 420(170) 1070(895) 93(166)
<b>20</b>	El Camino Real ↓ ↗ 239(233) 864(934) 139(22)	95(15) 108(15) 44(12)	Homestead Rd ↓ ↗ 207(244) 93(26) 213(646)

### LEGEND

XX(XX) = AM(PM) Peak-Hour Traffic Volumes

El Camino Real Corridor Specific Plan




LEGEND

XX(XX) = AM(PM) Peak-Hour Traffic Volumes

Figure 15  
2035 Cumulative No ECRCSP Volumes

El Camino Real Corridor Specific Plan



LEGEND

XX(XX) = AM(PM) Peak-Hour Traffic Volumes

Figure 15  
2035 Cumulative No ECRCSP Volumes



Not to Scale

## Intersection Lane Configurations

Intersection lane configurations under year 2035 cumulative conditions are shown on Figure 16. The following intersection improvements were assumed under the year 2035 cumulative conditions:

- As documented in the *Valley Transportation Plan 2040*, eastbound El Camino Real at the SR 237 intersection in the City of Mountain View is planned to be widened to include an exclusive right-turn lane. Both left-turn lanes at southbound SR 237 and the westbound right-turn lane on El Camino Real are all planned to be lengthened.
- The Indio Avenue approaches at Mathilda Avenue were restriped in September 2020 to include one left-turn lane and one shared through-right turn lane. This lane configuration is included under the year 2035 cumulative conditions since existing conditions represent 2017 and 2018 traffic volumes.
- As part of the approved Butcher's Corner project, the project will be providing the right-of-way necessary along the project frontage on Wolfe Road to allow south Wolfe Road to be widened to include a southbound right-turn lane at the intersection of Wolfe Road and Fremont Avenue.
- As documented in the City of Santa Clara *Multimodal Improvement Plan*, adopted by the City Council in September 2018, the City Place project will be fully responsible for implementing the following intersection improvements at the following study intersections within the City of Santa Clara:
  - Lawrence Expressway & Benton Street: Add a second southbound left-turn lane and a second eastbound left-turn lane.
  - Lawrence Expressway & Homestead Road: Add a third eastbound through lane and a third westbound through lane.

El Camino Real Corridor Specific Plan





















1 El Camino Real		SR 237 Grant Rd		2 El Camino Real		Sylvan Ave		3 El Camino Real		Bernardo Ave		4 El Camino Real		Mary Ave	
5 El Camino Real		Hollenbeck Ave		6 El Camino Real		Matilda Ave		7 El Camino Real		Sunnyvale Ave		8 El Camino Real		Remington Dr	
9 El Camino Real		Wolfe Rd		10 El Camino Real		Poplar Ave		11 El Camino Real		Henderson Ave		12 El Camino Real		Halford Ave	
13 El Camino Real		Lawrence Expwy SB		14 Middlefield Rd		Ellis St		15 Central Expwy		Mary Ave		16 Evelyn Ave		Mary Ave	
17 Washington Ave		Mary Ave		18 Remington Dr		Mary Ave		19 Fremont Ave		Mary Ave		20 Homestead Rd		Mary Ave	

LEGEND

- ◊ = HOV Lane
- = Improvement

Figure 16  
Year 2035 Cumulative Lane Configurations

El Camino Real Corridor Specific Plan


21 Fremont Ave		22 Fremont Ave		23 Homestead Rd		24 Homestead Rd	
25 Fremont Ave		26 Homestead Rd		27 Almanor Ave		28 Dwy	
29 Maude Ave		30 Soquel Wy		31 California Ave		32 Washington Ave	
33 McKinley Ave		34 Iowa Ave		35 Olive Ave		36 Talisman Dr	
37 Remington Dr		38 Fremont Ave		39 Homestead Rd		40 McKinley Ave	

LEGEND

- ◊ = HOV Lane
- = Improvement

Figure 16  
Year 2035 Cumulative Lane Configurations

El Camino Real Corridor Specific Plan



LEGEND

- ◊ = HOV Lane
- = Improvement

Figure 16  
Year 2035 Cumulative Lane Configurations

## Definition of Intersection Impacts at Signalized Intersections

The ECRCSP is said to create an adverse impact on traffic conditions at a signalized intersection if for the study peak hour:

1. The level of service at the intersection drops below its respective level of service standard when project traffic is added; or
2. An intersection that operates below its level of service standard under no project conditions experiences an increase in critical-movement delay of four (4) or more seconds, *and* the critical volume-to-capacity ratio (v/c) is increased by 0.01 or more when project traffic is added.

The exception to this threshold is when the addition of project traffic reduces the amount of average control delay for critical movements, i.e., the change in average control delay for critical movements are negative. In this case, the threshold is when the project increases the critical V/C value by 0.01 or more.

An impact by the City of Sunnyvale, City of Santa Clara, City of Mountain View, County of Santa Clara, Caltrans, and CMP standards is said to be satisfactorily addressed when measures are implemented that would restore intersection conditions to its LOS standard *or* to an average delay equal to without-project conditions or better.

## Intersection Levels of Service Under Year 2035 Cumulative Conditions

As shown on Table 8 and Figure 17, comparing the intersection level of service results for the study intersections between the year 2035 cumulative conditions and Cumulative no ECRCSP conditions show that the proposed ECRCSP would generate intersection impacts at the following intersections:

City of Sunnyvale Intersections:

- Mary Avenue & Fremont Avenue (#19) – AM & PM Peak Hours
- Fair Oaks Avenue & Arques Avenue (#42) – AM Peak Hour
- Wolfe Road & Arques Avenue (#43) – AM & PM Peak Hours
- Wolfe Road & Kifer Road (#44) – PM Peak Hour
- Wolfe Road & Reed Avenue (#45) – PM Peak Hour

City of Mountain View Intersections:

- Ellis Street & Middlefield Road (#14) – PM Peak Hour

County of Santa Clara Intersections:

- Mary Avenue & Central Expressway (#15) – PM Peak Hour
- Lawrence Expressway & Arques Avenue (#50) – AM Peak Hour
- Lawrence Expressway & Benton Street (#54) – PM Peak Hour
- Lawrence Expressway & Homestead Road (#55) – PM Peak Hour
- Lawrence Expressway & Pruneridge Avenue (#56) – AM Peak Hour

Caltrans Intersections:

- Pastoria Avenue & El Camino Real (#5) – PM Peak Hour
- Mathilda Avenue & El Camino Real (#6) – AM Peak Hour
- Sunnyvale Avenue & El Camino Real (#7) – PM Peak Hour
- Fair Oaks Avenue & El Camino Real (#8) – PM Peak Hour
- Wolfe Road & El Camino Real (#9) – PM Peak Hour
- SR 85 Southbound Ramps & Fremont Avenue (#21) – PM Peak Hour

**Table 8**  
**Year 2035 Cumulative Conditions Levels of Service**

#	Intersection	Peak Hour	LOS Std.	Cumulative no ECRCSP		Cumulative Conditions		
				Avg. Delay (sec)	LOS	Avg. Delay (sec)	LOS	In Crit. Delay (sec)
1	SR 237 & El Camino Real (MV*)	AM	E	<b>83.5</b>	F	<b>84.2</b>	F	<b>1.7</b> <b>0.005</b>
		PM		74.1	E	74.9	E	2.4 0.008
2	Sylvan Avenue & El Camino Real (MV)	AM	D	41.5	D	41.7	D	0.3 0.005
		PM		43.1	D	43.8	D	1.6 0.016
3	Bernardo Avenue & El Camino Real (+)	AM	E	50.7	D	51.9	D-	1.5 0.016
		PM		53.5	D-	56.1	E+	2.8 0.023
4	Mary Avenue & El Camino Real (*)	AM	E	52.4	D-	58.2	E+	10.5 0.055
		PM		64.7	E	79.2	E-	26.3 0.071
5	Pastoria Avenue & El Camino Real (+)	AM	E	69.4	E	72.3	E	6.2 0.018
		PM		<b>94.0</b>	F	<b>110.3</b>	F	<b>23.0</b> <b>0.054</b>
6	Mathilda Avenue & El Camino Real (*)	AM	E	<b>84.3</b>	F	<b>97.7</b>	F	<b>33.1</b> <b>0.083</b>
		PM		71.3	E	76.2	E-	-2.4 -0.009
7	Sunnyvale Avenue & El Camino Real (+)	AM	E	44.7	D	46.2	D	5.5 0.038
		PM		72.7	E	<b>85.1</b>	F	<b>19.0</b> <b>0.053</b>
8	Fair Oaks Avenue & El Camino Real (*)	AM	E	55.9	E+	60.9	E	4.9 0.026
		PM		<b>&gt;120</b>	F	<b>&gt;120</b>	F	<b>21.6</b> <b>0.048</b>
9	Wolfe Road & El Camino Real (*)	AM	E	66.8	E	65.6	E	-4.0 -0.020
		PM		76.3	E-	<b>85.5</b>	F	<b>10.0</b> <b>0.026</b>
10	Poplar Avenue & El Camino Real (+)	AM	E	22.5	C+	22.7	C+	0.3 0.000
		PM		17.4	B	18.2	B-	0.8 0.007
11	Henderson Avenue & El Camino Real (+)	AM	E	19.6	B-	19.6	B-	0.0 -0.002
		PM		22.6	C+	22.7	C+	0.2 0.003
12	Halford Avenue & El Camino Real (SC)	AM	D	25.5	C	26.5	C	1.2 0.012
		PM		45.7	D	45.4	D	-0.3 0.001
13	Lawrence Expressway Ramps & El Camino Real (SC*)	AM	E	40.1	D	40.4	D	0.3 0.007
		PM		34.7	C-	34.1	C-	-1.1 -0.008
14	Ellis Street & Middlefield Road (MV)	AM	D	<b>88.2</b>	F	<b>88.9</b>	F	<b>1.5</b> <b>0.003</b>
		PM		<b>82.1</b>	F	<b>91.8</b>	F	<b>12.0</b> <b>0.047</b>
15	Mary Avenue & Central Expressway (County*)	AM	E	<b>93.5</b>	F	<b>94.5</b>	F	<b>-0.5</b> <b>-0.023</b>
		PM		<b>99.4</b>	F	<b>101.5</b>	F	<b>5.1</b> <b>0.011</b>
16	Mary Avenue & Evelyn Avenue	AM	D	49.4	D	49.1	D	-0.3 -0.002
		PM		47.6	D	48.2	D	0.8 0.021
17	Mary Avenue & Washington Avenue	AM	D	20.9	C+	21.6	C+	0.9 0.008
		PM		23.4	C	24.0	C	0.9 0.018
18	Mary Avenue & Remington Drive	AM	D	44.4	D	44.9	D	1.0 0.007
		PM		47.6	D	49.3	D	2.8 0.010
19	Mary Avenue & Fremont Avenue	AM	D	<b>&gt;120</b>	F	<b>&gt;120</b>	F	<b>7.6</b> <b>0.018</b>
		PM		<b>&gt;120</b>	F	<b>&gt;120</b>	F	<b>14.2</b> <b>0.032</b>

**Notes:**  
\* = CMP, + = Regionally Significant Intersection, MV = Mountain View, SC = Santa Clara, County = County of Santa Clara  
">120" indicates this signalized intersection experiences lengthy delay that is beyond the reasonable calculation range of the HCM 2000 methodology.  
**BOLD** indicates unacceptable level of service  
**BOLD** and boxed indicates an adverse cumulative impact

**Table 8 (continued)**  
**Year 2035 Cumulative Conditions Levels of Service**


#	Intersection	Peak Hour	LOS Std.	Cumulative no ECRCSP		Cumulative Conditions		
				Avg. Delay (sec)	LOS	Avg. Delay (sec)	LOS	In Crit. Delay (sec)
20	Mary Avenue & Homestead Road	AM	D	37.5	D+	36.8	D+	-1.7 -0.009
		PM		39.2	D	39.9	D	1.2 0.022
21	SR 85 SB Ramps & Fremont Avenue	AM	D	<b>87.6</b>	F	<b>89.0</b>	F	<b>1.1 0.002</b>
		PM		>120	F	>120	F	13.7 0.031
22	SR 85 NB Ramps & Fremont Avenue	AM	D	<b>63.6</b>	E	<b>55.1</b>	E+	-11.8 -0.033
		PM		<b>77.9</b>	E-	<b>72.7</b>	E	-4.1 -0.011
23	SR 85 SB Ramps & Homestead Road	AM	D	32.6	C-	31.9	C	-0.6 -0.002
		PM		37.3	D+	37.6	D+	-0.2 -0.004
24	SR 85 NB Ramps & Homestead Road	AM	D	22.5	C+	24.4	C	3.8 0.023
		PM		14.2	B	14.5	B	-0.2 -0.009
25	Hollenbeck Avenue & Fremont Avenue	AM	D	49.3	D	49.7	D	0.4 0.012
		PM		52.1	D-	51.9	D-	-0.8 -0.005
26	Hollenbeck Avenue & Homestead Road	AM	D	45.0	D	45.8	D	0.1 0.004
		PM		<b>67.0</b>	E	<b>68.5</b>	E	<b>2.8 0.008</b>
27	Mathilda Avenue & Almanor Avenue (+)	AM	E	33.9	C-	33.8	C-	0.0 -0.001
		PM		38.3	D+	37.6	D+	-1.9 -0.016
28	Mathilda Avenue & San Aleso Avenue (+)	AM	E	12.2	B	12.2	B	0.0 0.005
		PM		20.3	C+	19.9	B-	-0.7 0.001
29	Mathilda Avenue & Maude Avenue (*)	AM	E	55.4	E+	55.5	E+	0.1 0.004
		PM		58.1	E+	58.3	E+	2.1 0.012
30	Mathilda Avenue & Indio Way (+)	AM	E	63.2	E	66.1	E	3.8 0.010
		PM		<b>84.5</b>	F	<b>84.2</b>	F	<b>-0.4 -0.001</b>
31	Mathilda Avenue & California Avenue (+)	AM	E	65.9	E	68.4	E	3.5 0.007
		PM		54.8	D-	59.1	E+	7.0 0.023
32	Mathilda Avenue & Washington Avenue (+)	AM	E	<b>98.8</b>	F	<b>97.6</b>	F	<b>-1.6 -0.004</b>
		PM		54.6	D-	54.7	D-	-1.1 -0.006
33	Mathilda Avenue & McKinley Avenue (+)	AM	E	29.1	C	30.9	C	2.4 0.019
		PM		26.3	C	25.4	C	-1.4 -0.013
34	Mathilda Avenue & Iowa Avenue (+)	AM	E	20.2	C+	21.1	C+	-1.4 0.023
		PM		43.8	D	44.7	D	1.5 0.004
35	Mathilda Avenue & Olive Avenue (+)	AM	E	27.9	C	31.6	C	4.4 0.034
		PM		34.1	C-	35.5	D+	2.5 0.012
36	Mathilda Avenue & Sunnyvale-Saratoga Road (+)	AM	E	27.3	C	28.9	C	1.8 0.012
		PM		30.6	C	31.9	C	1.2 0.007
37	Sunnyvale-Saratoga Road & Remington Drive (*)	AM	E	63.7	E	71.0	E	15.3 0.054
		PM		<b>108.7</b>	F	<b>106.0</b>	F	<b>-5.2 -0.012</b>
38	Sunnyvale-Saratoga Road & Fremont Avenue (*)	AM	E	58.7	E+	59.0	E+	0.5 -0.003
		PM		68.3	E	69.2	E	0.6 0.002
39	Sunnyvale-Saratoga Road & Homestead Road (CU*)	AM	E	61.9	E	63.4	E	2.3 0.008
		PM		60.5	E	60.6	E	-1.5 -0.005
40	Sunnyvale Avenue & McKinley Avenue	AM	D	16.6	B	16.7	B	0.2 0.009
		PM		27.1	C	28.1	C	1.3 0.016

**Notes:**  
\* = CMP, + = Regionally Significant Intersection, MV = Mountain View, SC = Santa Clara, County = County of Santa Clara  
">120" indicates this signalized intersection experiences lengthy delay that is beyond the reasonable calculation range of the HCM 2000 methodology.  
**BOLD** indicates unacceptable level of service  
**BOLD** and boxed indicates an adverse cumulative impact

**Table 8 (continued)**  
**Year 2035 Cumulative Conditions Levels of Service**

# Intersection	Peak Hour	LOS Std.	Cumulative no ECRCSP		Cumulative Conditions		
			Avg. Delay (sec)	LOS	Avg. Delay (sec)	LOS	In Crit. Delay (sec)
41 Fair Oaks Avenue & Duane Avenue	AM	D	39.9	D	40.5	D	0.7 0.004
	PM		38.1	D+	38.4	D+	0.6 0.005
42 Fair Oaks Avenue & Arques Avenue	AM	D	<b>91.4</b>	F	<b>97.1</b>	F	<b>12.8 0.032</b>
	PM		<b>112.2</b>	F	<b>109.7</b>	F	<b>-10.0 -0.020</b>
43 Wolfe Road & Arques Avenue	AM	D	<b>86.4</b>	F	<b>90.6</b>	F	<b>5.5 0.012</b>
	PM		<b>66.6</b>	E	<b>72.6</b>	E	<b>9.0 0.039</b>
44 Wolfe Road & Kifer Road	AM	D	>120	F	>120	F	-9.7 -0.020
	PM		>120	F	>120	F	6.1 0.013
45 Wolfe Road & Reed Avenue	AM	D	<b>64.7</b>	E	<b>66.3</b>	E	<b>2.3 0.007</b>
	PM		54.8	D-	<b>56.2</b>	E+	<b>3.2 0.018</b>
46 Wolfe Road & Fremont Avenue	AM	D	<b>55.4</b>	E+	<b>56.0</b>	E+	<b>0.7 0.013</b>
	PM		<b>59.5</b>	E+	<b>60.7</b>	E	<b>3.0 0.024</b>
47 Wolfe Road & Homestead Road	AM	D	40.5	D	40.5	D	0.5 0.012
	PM		43.4	D	45.9	D	5.1 0.028
48 Tantau Avenue & Homestead Road	AM	D	37.3	D+	36.9	D+	-0.2 0.002
	PM		<b>67.4</b>	E	<b>70.3</b>	E	<b>2.1 0.007</b>
49 Lawrence Expressway & Oakmead Parkway (County)	AM	E	>120	F	>120	F	2.3 0.016
	PM		>120	F	>120	F	-3.9 -0.005
50 Lawrence Expressway & Arques Avenue (County*)	AM	E	>120	F	>120	F	9.9 0.022
	PM		>120	F	>120	F	-4.3 -0.014
51 Lawrence Expressway & Kifer Road (County)	AM	E	>120	F	>120	F	-12.8 -0.024
	PM		>120	F	>120	F	6.3 0.001
52 Lawrence Expressway & Monroe Street (County*)	AM	E	>120	F	>120	F	-58.6 -0.034
	PM		>120	F	>120	F	3.0 0.006
53 Lawrence Expressway & Cabrillo Avenue (County)	AM	E	>120	F	>120	F	-1.3 0.001
	PM		>120	F	>120	F	-2.9 -0.021
54 Lawrence Expressway & Benton Street (County)	AM	E	>120	F	>120	F	-19.1 -0.035
	PM		>120	F	>120	F	15.0 0.023
55 Lawrence Expressway & Homestead Road (County*)	AM	E	>120	F	>120	F	-8.4 -0.011
	PM		117.5	F	>120	F	11.2 0.028
56 Lawrence Expressway & Pruneridge Avenue (County)	AM	E	>120	F	>120	F	9.5 0.037
	PM		>120	F	>120	F	4.4 0.006

**Notes:**  
\* = CMP, + = Regionally Significant Intersection, MV = Mountain View, SC = Santa Clara, County = County of Santa Clara  
">120" indicates this signalized intersection experiences lengthy delay that is beyond the reasonable calculation range of the HCM 2000 methodology.  
**BOLD** indicates unacceptable level of service  
**BOLD** and boxed indicates an adverse cumulative impact



**Figure 17**  
Year 2035 Cumulative Conditions Intersection  
Levels of Service Summary

The ECRCSP shall require projects within the plan area to contribute to the TIF. In addition, projects within the plan area shall also be required to make a fair share contribution toward the cost of all identified improvements.

Most of the intersections impacted by the ECRCSP have been identified with impacts under the *City of Sunnyvale Land Use and Transportation (LUTE) Element Final Environmental Impact Report*. The following intersections impacted by the ECRCSP were not identified with an intersection impact under the LUTE:

- Pastoria Avenue & El Camino Real
- Sunnyvale Avenue & El Camino Real
- Wolfe Road & El Camino Real
- Ellis Street & Middlefield Road
- Wolfe Road & Arques Avenue
- Wolfe Road & Kifer Road
- Wolfe Road & Reed Avenue

Potential improvement strategies are discussed below.

## Potential Improvements Strategies for Intersection Impacts

Improvement options were studied for each intersection experiencing impacts under the year 2035 cumulative conditions when compared to cumulative no ECRCSP conditions. An intersection impact can be satisfactorily addressed by implementing measures that would restore intersection conditions to Cumulative no ECRCSP conditions. The LOS results under the improved year 2035 cumulative conditions are summarized in Table 9.

**Table 9**  
Intersection Impact Improvements Summary

# Intersection	Peak Hour	LOS Std.	Cumulative no ECRCSP		Cumulative Conditions			Cumulative Improved				
			Avg. Delay (sec)	LOS	Avg. Delay (sec)	LOS	In Crit. Delay (sec)	In Crit. V/C	Avg. Delay (sec)	LOS		
5 Pastoria Avenue & El Camino Real (+)	AM	E	69.4	E	72.3	E	6.2	0.018	62.0	E	-12.5	-0.038
	PM		<b>94.0</b>	F	<b>110.3</b>	F	<b>23.0</b>	<b>0.054</b>	<b>85.5</b>	F	<b>-22.3</b>	<b>-0.052</b>
6 Mathilda Avenue & El Camino Real (*)	AM	E	<b>84.3</b>	F	<b>97.7</b>	F	<b>33.1</b>	<b>0.083</b>	77.4	E-	-6.2	-0.018
	PM		71.3	E	76.2	E-	-2.4	-0.009	76.6	E-	16.7	0.046
7 Sunnyvale Avenue & El Camino Real (+)	AM	E	44.7	D	46.2	D	5.5	0.038	44.0	D	1.5	0.013
	PM		72.7	E	<b>85.1</b>	F	<b>19.0</b>	<b>0.053</b>	60.6	E	-23.3	-0.080
8 Fair Oaks Avenue & El Camino Real (*)	AM	E	55.9	E+	60.9	E	4.9	0.026	52.4	D-	-7.3	-0.050
	PM		<b>&gt;120</b>	F	<b>&gt;120</b>	F	<b>21.6</b>	<b>0.048</b>	<b>&gt;120</b>	F	<b>-38.8</b>	<b>-0.087</b>
9 Wolfe Road & El Camino Real (*)	AM	E	66.8	E	65.6	E	-4.0	-0.020	50.2	D	-25.0	-0.120
	PM		76.3	E-	<b>85.5</b>	F	<b>10.0</b>	<b>0.026</b>	71.0	E	3.5	0.031
14 Ellis Street & Middlefield Road (MV)	AM	D	<b>88.2</b>	F	<b>88.9</b>	F	<b>1.5</b>	<b>0.003</b>	42.1	D	-60.5	-0.200
	PM		<b>82.1</b>	F	<b>91.8</b>	F	<b>12.0</b>	<b>0.047</b>	<b>69.2</b>	E	<b>-21.0</b>	<b>-0.108</b>
15 Mary Avenue & Central Expressway (County*)	AM	E	<b>93.5</b>	F	<b>94.5</b>	F	<b>-0.5</b>	<b>-0.023</b>	<b>85.4</b>	F	<b>-0.5</b>	<b>-0.023</b>
	PM		<b>99.4</b>	F	<b>101.5</b>	F	<b>5.1</b>	<b>0.011</b>	<b>95.2</b>	F	<b>-10.9</b>	<b>-0.074</b>
19 Mary Avenue & Fremont Avenue	AM	D	<b>&gt;120</b>	F	<b>&gt;120</b>	F	<b>7.6</b>	<b>0.018</b>	No Feasible Improvement			
	PM		<b>&gt;120</b>	F	<b>&gt;120</b>	F	<b>14.2</b>	<b>0.032</b>				
21 SR 85 SB Ramps & Fremont Avenue	AM	D	87.6	F	<b>89.0</b>	F	1.1	0.002	<b>63.3</b>	E	0.3	-0.011
	PM		<b>&gt;120</b>	F	<b>&gt;120</b>	F	<b>13.7</b>	<b>0.031</b>	<b>&gt;120</b>	F	<b>-124.4</b>	<b>-0.280</b>
42 Fair Oaks Avenue & Arques Avenue	AM	D	<b>91.4</b>	F	<b>97.1</b>	F	<b>12.8</b>	<b>0.032</b>	<b>68.5</b>	E	<b>-33.9</b>	<b>-0.090</b>
	PM		<b>112.2</b>	F	<b>109.7</b>	F	<b>-10.0</b>	<b>-0.020</b>	<b>71.8</b>	E	<b>-50.8</b>	<b>-0.127</b>
43 Wolfe Road & Arques Avenue	AM	D	<b>86.4</b>	F	<b>90.6</b>	F	<b>5.5</b>	<b>0.012</b>	No Feasible Improvement			
	PM		<b>66.6</b>	E	<b>72.6</b>	E	<b>9.0</b>	<b>0.039</b>				
44 Wolfe Road & Kifer Road	AM	D	<b>&gt;120</b>	F	<b>&gt;120</b>	F	<b>-9.7</b>	<b>-0.020</b>	<b>&gt;120</b>	F	<b>-145.6</b>	<b>-0.321</b>
	PM		<b>&gt;120</b>	F	<b>&gt;120</b>	F	<b>6.1</b>	<b>0.013</b>	<b>91.5</b>	F	<b>-72.0</b>	<b>-0.162</b>
45 Wolfe Road & Reed Avenue	AM	D	<b>64.7</b>	E	<b>66.3</b>	E	<b>2.3</b>	<b>0.007</b>	<b>59.1</b>	E+	<b>-9.8</b>	<b>-0.038</b>
	PM		<b>54.8</b>	D-	<b>56.2</b>	E+	<b>3.2</b>	<b>0.018</b>	<b>47.8</b>	D	<b>-11.8</b>	<b>-0.050</b>
50 Lawrence Expressway & Arques Avenue (County*)	AM	E	<b>&gt;120</b>	F	<b>&gt;120</b>	F	<b>9.9</b>	<b>0.022</b>	Potential Future Interchange			
	PM		<b>&gt;120</b>	F	<b>&gt;120</b>	F	<b>-4.3</b>	<b>-0.014</b>				
54 Lawrence Expressway & Benton Street (County)	AM	E	<b>&gt;120</b>	F	<b>&gt;120</b>	F	<b>-19.1</b>	<b>-0.035</b>	Potential Future Interchange			
	PM		<b>&gt;120</b>	F	<b>&gt;120</b>	F	<b>15.0</b>	<b>0.023</b>				
55 Lawrence Expressway & Homestead Road (County*)	AM	E	<b>&gt;120</b>	F	<b>&gt;120</b>	F	<b>-8.4</b>	<b>-0.011</b>	Potential Future Interchange			
	PM		<b>117.5</b>	F	<b>&gt;120</b>	F	<b>11.2</b>	<b>0.028</b>				
56 Lawrence Expressway & Pruneridge Avenue (County)	AM	E	<b>&gt;120</b>	F	<b>&gt;120</b>	F	<b>9.5</b>	<b>0.037</b>	Potential Future Interchange			
	PM		<b>&gt;120</b>	F	<b>&gt;120</b>	F	<b>4.4</b>	<b>0.006</b>				

Notes:

\* = CMP, + = Regionally Significant Intersection, MV = Mountain View, SC = Santa Clara, County = County of Santa Clara

">120" indicates this signalized intersection experiences lengthy delay that is beyond the reasonable calculation range of the HCM 2000 methodology.

**BOLD** indicates unacceptable level of service

**BOLD** and boxed indicates an adverse cumulative impact

### Pastoria Avenue & El Camino Real (#5)

Under Cumulative no ECRCSP conditions, the LOS would be an unacceptable LOS F during the PM peak hour. The addition of ECRCSP traffic would increase both the critical-movement delay and V/C ratio sufficient to meet City of Sunnyvale's adverse intersection impact criteria.

**Potential Improvement:** Potential improvement would require restriping the southbound approach to include 2 left-turn lanes, one through lane and one right-turn lane. This improvement would not increase the pedestrian and bicycle exposure time to traffic at the intersection. No right-of-way acquisitions would be required.

With the proposed improvement, the intersection would remain operating at LOS F under cumulative conditions during the PM peak hour, but the intersection operations would improve in comparison to the Cumulative no ECRCSP conditions. The ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvements. However, this intersection is outside of City of Sunnyvale jurisdiction, so the City cannot ensure the implementation of the potential improvement.

### Mathilda Avenue & El Camino Real (#6) [CMP]

Under Cumulative no ECRCSP conditions, the LOS would be an unacceptable LOS F during the AM peak hour. The addition of ECRCSP traffic would increase both the critical-movement delay and V/C ratio sufficient to meet VTA's CMP adverse intersection impact criteria.

**Potential Improvement:** Potential improvement would require a third left-turn lane for the eastbound approach. This improvement would require signal modification and new vehicle detection, restriping, and removal of the raised median on the eastbound approach, including relocation of several median streetlights and utilities (e.g. electrical boxes and inlet). No right-of-way acquisitions would be required.

With the proposed improvement, the intersection would operate at an acceptable LOS E- under cumulative conditions during the AM peak hour. The ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvements. However, this intersection is in Caltrans' jurisdiction, so the City cannot ensure the implementation of the potential improvement.

### Sunnyvale Avenue & El Camino Real (#7)

Under Cumulative no ECRCSP conditions, the LOS would be an acceptable LOS E during the PM peak hour. With the addition of ECRCSP traffic, the intersection operations would deteriorate to an unacceptable LOS F, which would meet Sunnyvale's adverse intersection impact criteria.

**Potential Improvement:** Potential improvement would require reconfiguring the westbound approach to include a second left-turn lane. This improvement could potentially be accommodated within the existing right-of-way and would not increase the pedestrian and bicycle exposure time to traffic at the intersection.

With the proposed improvement, the intersection would operate at an acceptable LOS E under cumulative conditions during the PM peak hour. The ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvements. However, this intersection is in Caltrans' jurisdiction, so the City cannot ensure the implementation of the potential improvement.

## Fair Oaks Avenue & El Camino Real (#8) [CMP]

Under Cumulative no ECRCSP conditions, the LOS would be an unacceptable LOS F during the PM peak hour. The addition of ECRCSP traffic would increase both the critical-movement delay and V/C ratio sufficient to meet VTA's CMP adverse intersection impact criteria.

**Potential Improvement:** The improvement identified at this intersection is to widen eastbound and reconfigure westbound El Camino Real to include a second left-turn lane. The improvement would require widening both approaches by 11 feet. The east-west through lanes would also require re-alignment. The widened approach would increase traffic exposure time for pedestrians by 3 to 4 seconds and 1 to 2 seconds for bicyclists. This improvement would require obtaining additional right-of-way.


With the proposed improvement, the intersection would remain operating at LOS F under cumulative conditions during the PM peak hour, but the intersection operations would improve in comparison to the Cumulative no ECRCSP conditions. The ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvement.

## Wolfe Road & El Camino Real (#9)

Under Cumulative no ECRCSP conditions, the LOS would be an acceptable LOS E during the PM peak hour. With the addition of ECRCSP traffic, the intersection operations would deteriorate to an unacceptable LOS F, which would meet VTA's CMP significance intersection impact criteria.

**Potential Improvement:** The Sunnyvale City Council approved a concept on June 21, 2016 for a project to improve the Wolfe Road intersections with El Camino Real and with Fremont Avenue, as well as signalizing the intersection at Fremont Avenue and El Camino Real (see Figure 18). Right-of-way acquisition would be required. Bicycle improvements include the extension of bike lanes and installation of bike boxes, and they are detailed in the *Wolfe Road Corridor Traffic Improvement Study*, prepared by Kimley-Horn dated February. This improvement (Triangle – Refined Alternative 3) would require signal coordination between the two Wolfe Road intersections and the new signalized Fremont Avenue and El Camino Real intersection.

With the proposed improvement, the intersection would operate at an acceptable LOS E under cumulative conditions during the PM peak hour. Modification to this intersection will trigger modifications at the Wolfe Road and Fremont Avenue intersection and the Fremont Avenue and El Camino Real intersection as well. Therefore, the ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvements at all three intersections.



SOURCE: Wolfe Road Corridor Traffic Improvement Study, February, 2016.

**Figure 18**  
**Potential Improvement at Wolfe Road and Fremont Avenue**

### **Ellis Street & Middlefield Road (#14)**

Under Cumulative no ECRCSP conditions, the LOS would be an unacceptable LOS F during the PM peak hour. The addition of ECRCSP traffic would increase both the critical-movement delay and V/C ratio sufficient to meet the City of Mountain View's adverse intersection impact criteria.

**Potential Improvement:** Potential improvement would require reconfiguring the eastbound approach to include a second left-turn lane. This improvement could potentially be accommodated within the existing right-of-way and would not increase the pedestrian and bicycle exposure time to traffic at the intersection.

With the proposed improvement, the intersection would operate at an unacceptable LOS E under cumulative conditions during the PM peak hour, but the intersection operations would improve in comparison to the Cumulative no ECRCSP conditions. The ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvements. However, this intersection is in City of Mountain View jurisdiction, so the City cannot ensure the implementation of the potential improvement.

### **Mary Avenue & Central Expressway (#15) [CMP]**

Under Cumulative no ECRCSP conditions, the LOS would be an unacceptable LOS F during the PM peak hour. The addition of ECRCSP traffic would increase both the critical-movement delay and V/C ratio sufficient to meet VTA's CMP adverse intersection impact criteria.

**Potential Improvement:** The improvement identified at this intersection is to reconfigure westbound Central Expressway to include a third westbound left-turn lane. This improvement could potentially be accommodated within the existing right-of-way and would not increase the pedestrian and bicycle exposure time to traffic at the intersection.

With the proposed improvement, the intersection would remain operating at LOS F under cumulative conditions during the PM peak hour, but the intersection operations would improve in comparison to the Cumulative no ECRCSP conditions. The ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvement.

### **Mary Avenue & Fremont Avenue (#19)**

Under Cumulative no ECRCSP conditions, the LOS would be an unacceptable LOS F during both the AM and PM peak hours. The addition of ECRCSP traffic would increase both the critical-movement delay and V/C ratio sufficient to meet the City of Sunnyvale's adverse intersection impact criteria.

**Potential Improvement:** Potential improvement would require reconfiguring the eastbound and westbound approaches with 2 left-turn lanes, 2 through lanes and 1 shared through-right lane. This improvement mitigation would not increase the pedestrian and bicycle exposure time to traffic at the intersection. No right-of-way acquisitions would be required.

With the proposed improvement, the intersection would operate at LOS E during the AM peak hour and LOS F during the PM peak hour under cumulative conditions, but the intersection operations would improve in comparison to the Cumulative no ECRCSP conditions. However, this improvement would conflict with the City's recommendations for a future road diet and Class IV bike lanes on Fremont Avenue as stated in the Active Transportation Plan. For this reason, the proposed potential improvement is considered infeasible. The ECRCSP shall require projects within the plan area to contribute their fair share towards the future road diet, Class IV bike lanes, fiberoptic communications,

and advanced signal improvements. These improvements would promote alternative modes of travel and improve vehicular flow along Fremont Avenue.

### **SR 85 Southbound Ramps & Fremont Avenue (#21)**

Under Cumulative no ECRCSP conditions, the LOS would be an unacceptable LOS F during the PM peak hour. The addition of ECRCSP traffic would increase both the critical-movement delay and V/C ratio sufficient to meet the City of Sunnyvale's adverse intersection impact criteria.

**Potential Improvement:** Improvement would require reconfiguring the SR 85 off-ramp to include a left-turn lane, a shared left-through-right lane, and a right-turn lane. The eastbound leg would require restriping to include a bike box in advance of the stop-line to allow right-turn vehicles to bypass the through vehicles in the curb lane. The off-ramp would need to be reconfigured to the proposed three lanes approximately 370 feet back from the intersection. The length of the north sidewalk would not be lengthened, but the pedestrian refuge island would be removed. The off-ramp would also need to be realigned with the SR 85 southbound on-ramp. Reconfiguring the off-ramp could be accommodated within the existing right-of-way. Within the existing right-of-way, the required eastbound right-turn lane could be achieved via providing a bike box east of the stop-line to allow bicyclists to clear the right-turn area. The eastbound curb lane is 20 feet wide under existing conditions. With the bike box, right-turn vehicles would be able to bypass the through vehicles. The existing stop-line for the eastbound leg would need to be moved back by approximately 15 feet. This improvement is identified in the TIF.

With the proposed improvement, the intersection would remain operating at LOS F under cumulative conditions during the PM peak hour, but the intersection operations would improve in comparison to the Cumulative no ECRCSP conditions. The ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvement. However, this intersection is in Caltrans' jurisdiction, so the City cannot ensure the implementation of the potential improvement. Future project applicants within the ECRCSP area shall coordinate with Caltrans on these improvements.

### **Fair Oaks Avenue & Arques Avenue (#42)**

Under Cumulative no ECRCSP conditions, the LOS would be an unacceptable LOS F during the AM peak hour. The addition of ECRCSP traffic would increase both the critical-movement delay and V/C ratio sufficient to meet the City of Sunnyvale's adverse intersection impact criteria.

**Potential Improvement:** Improvement would require reconfiguring the eastbound and westbound approaches to include a separate right-turn lane. One eastbound receiving lane would need to be eliminated. This improvement can be accommodated within the existing right-of-way. However, the eastbound and westbound through movements would be offset with their receiving lanes and would require lane extensions to delineate the travel path for the eastbound and westbound through movements.

With the proposed improvement, the intersection would operate at LOS E under cumulative conditions during the AM peak hour, but the intersection operations would improve in comparison to the Cumulative no ECRCSP conditions. The ECRCSP shall require projects within the plan area to contribute their fair share towards the identified improvement.

### Wolfe Road & Arques Avenue (#43)

Under Cumulative no ECRCSP conditions, the LOS would be an unacceptable LOS F during the AM peak hour and an unacceptable LOS E during the PM peak hour. The addition of ECRCSP traffic would increase both the critical-movement delay and V/C ratio sufficient to meet the City of Sunnyvale's adverse intersection impact criteria.

**Potential Improvement:** Improvement would require restriping the northbound approach to include 2 left-turn lanes, 2 through lanes and 1 dedicated right-turn lane. The northbound bike lane would need to be moved to the west side of the proposed right-turn lane. The westbound approach would require restriping to include 2 left-turn lanes, 1 shared left-through lane and 1 shared through-right lane. Eastbound and westbound approaches would need to operate with split phasing. This improvement would not increase the pedestrian and bicycle exposure time to traffic at the intersection. No right-of-way acquisitions would be required. It should be noted that split phasing operates favorably to protected phasing only under certain circumstances. This improvement should be implemented only if cumulative volumes are realized.

With the proposed improvement, the intersection would operate at LOS E under cumulative conditions during both the AM and PM peak hours, but the intersection operations would improve in comparison to the Cumulative no ECRCSP conditions. However, this improvement would conflict with the City's recommendations in the Active Transportation Plan. For this reason, the proposed potential improvement is considered infeasible.

### Wolfe Road & Kifer Road (#44)

Under Cumulative no ECRCSP conditions, the LOS would be an unacceptable LOS F during the PM peak hour. The addition of ECRCSP traffic would increase both the critical-movement delay and V/C ratio sufficient to meet the City of Sunnyvale's adverse intersection impact criteria.

**Potential Improvement:** The improvement identified at this intersection is to widen the eastbound and westbound approaches and reconfigure the northbound and southbound approaches to include a second left-turn lane. Both legs of Kifer Road could require widening by up to 12 feet. The widened approaches would increase traffic exposure time for pedestrians by 3 to 5 seconds and 1 to 3 seconds for bicyclists crossing the intersection. Wolfe Road cannot be widened due to the future road diet and Class IV bike lanes as stated in the Active Transportation Plan. For this reason, the removal of the median would be required to reconfigure both legs of Wolfe Road. This improvement would require obtaining additional right-of-way.

With the proposed improvement, the intersection would remain operating at an unacceptable LOS F under cumulative conditions during the PM peak hour, but the intersection operations would improve in comparison to the Cumulative no ECRCSP conditions. The ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvement.

### Wolfe Road & Reed Avenue (#45)

Under Cumulative no ECRCSP conditions, the LOS would be an acceptable LOS D during the PM peak hour. With the addition of ECRCSP traffic, the intersection operations would deteriorate to an unacceptable LOS E, which would meet Sunnyvale's adverse intersection impact criteria.

**Potential Improvement:** Potential improvement would require restriping the westbound approach with 1 left-turn lane, 1 through lane, and 1 right-turn lane. This improvement mitigation would not increase the pedestrian and bicycle exposure time to traffic at the intersection. No right-of-way acquisitions would be required.

With the proposed improvement, the intersection would operate at an acceptable LOS D under cumulative conditions during the PM peak hour. The ECRCSP shall require projects within the plan area to contribute a fair share contribution towards the identified improvements.

### **Lawrence Expressway at Arques Avenue, Benton Street, at Homestead Road, and at Pruneridge Avenue (#50, 54, 55, 56)**

Under Cumulative no ECRCSP conditions, the LOS would be an unacceptable LOS F during the PM peak hour at all three intersections. The addition of ECRCSP traffic would increase both the critical-movement delay and V/C ratio sufficient to meet the City of Santa Clara's adverse intersection impact criteria.

**Potential Improvement:** The County of Santa Clara has identified a future project to provide a grade separation at all these intersections. These would significantly improve the north-south flow of traffic and potentially address the project's impacts.

The ECRCSP shall require projects within the plan area to contribute their fair share towards the cost of these grade separations. These intersections are under Santa Clara County's jurisdiction; therefore, it is up to the County to approve and advance the proposed improvement at the intersection. Future project applicants within the ECRCSP area shall coordinate with the County on these improvements.

## **Freeway Levels of Service**

In analyzing the freeway segments, the Sunnyvale Travel Demand Forecast Model (STFM) was used to project the increase in traffic volumes between existing and the year 2035 cumulative conditions. VTA CMP guidelines require freeway levels of service to be calculated based on density. However, congested freeway speed (used to measure density) cannot be accurately modeled. For the purpose of this study, freeway levels of service under the year 2035 cumulative conditions are instead calculated based on volume to capacity (V/C) ratio. A freeway segment is assumed to operate at LOS F under the year 2035 cumulative conditions if,

- The freeway segment already operates at LOS F under existing conditions, or
- The STFM forecasts the freeway segment to operate at a V/C ratio above 1 under the year 2035 cumulative conditions.

### **ECRCSP Freeway Impact Analysis**

VTA CMP guidelines define that a project would cause a freeway impact if the project deteriorates freeway levels of service from an acceptable level to an unacceptable level, or if the freeway already operates at an unacceptable level under existing conditions, the project would add traffic exceeding 1% of the capacity. To determine the ECRCSP potential freeway impacts, a select zone analysis within the Sunnyvale Travel Demand Forecast Model was performed to estimate the increase in ECRCSP traffic volume between the Cumulative no ECRCSP and cumulative conditions. Freeway segments that would experience an adverse ECRCSP impact are shown on Figures 19 to 22 and are identified below:

#### **Mixed Flow Lanes – AM Peak Hour**

- SR 85, northbound from Central Expressway to Moffett Boulevard
- SR 237, eastbound from Fair Oaks Avenue to Lawrence Expressway
- SR 237, eastbound from Great America Parkway to First Street


#### **Mixed-Flow Lanes – PM Peak Hour**

- SR 237, westbound from Zanker Road to Lawrence Expressway


The VTA's Valley Transportation Plan (VTP) 2040 identifies freeway express lane projects along SR 237 between N. First Street and SR 85, and along all of SR 85. On all identified freeway segments, the existing HOV lanes are proposed to be converted to express lanes. On SR 85 along the identified segments, a second express lane is proposed to be implemented for a total of two express lanes in each direction.

On SR 237, the existing HOV lanes would be operating over capacity under the year 2035 cumulative conditions. Converting the HOV lanes to express lanes would not address the project impact. On SR 85, converting the existing HOV lane to an express lane and adding an express lane in each direction would increase the capacity of the freeway and would fully address the freeway impacts. The ECRCSP shall require future projects within the proposed plan area to participate in VTA's Volunteer Freeway Contribution Program and contribute their fair-share to fund improvements along SR 85, which is not part of the TIF.

However, capacity improvements on freeways are beyond the capabilities of the City of Sunnyvale. Furthermore, freeways are under Caltrans jurisdiction. It should be noted that all of these freeways have been identified with impacts under the *City of Sunnyvale Land Use and Transportation (LUTE) Element Final Environmental Impact Report*, dated January 2017.





**Figure 19**  
ECRSP Freeway Impact Analysis Summary - AM Peak-Hour - Mixed-Flow Lanes

**LEGEND**

- [Yellow square] = City of Sunnyvale
- [Purple outline] = El Camino Real Specific Plan Study Area Boundary
- [Red line] = Unacceptable LOS (LOS F)
- [Green line] = Acceptable LOS (LOS E or Better)
- [Black line] = Cumulative Impact
- [Grey line] = Freeway Segment has No HOV Lanes

**Figure 20**  
**ECRSP Freeway Impact Analysis Summary - AM Peak-Hour - HOV Lanes**

Figure 21  
ECRSP Freeway Impact Analysis Summary - PM Peak-Hour - Mixed-Flow Lanes

**LEGEND**

- [Yellow Box] = City of Sunnyvale
- [Purple Box] = El Camino Real Specific Plan Study Area Boundary
- [Red Line] = Unacceptable LOS (LOS F)
- [Green Line] = Acceptable LOS (LOS E or Better)
- [Dark Grey Line] = Cumulative Impact
- [Grey Line] = Freeway Segment has No HOV Lanes

**Figure 22**  
**ECRSP Freeway Impact Analysis Summary - PM Peak-Hour - HOV Lanes**

## Freeway Ramp Capacity Analysis

### Definition of Adverse Freeway Ramp Impacts

For the purpose of this study, the ECRCSP is said to create an adverse impact on a freeway ramp if its implementation:

1. Causes the volume-to-capacity (V/C) ratio of the freeway ramp to exceed 1.0; or
2. Increases the amount of traffic on a freeway ramp that is already exceeding its capacity by more than one percent (1%) of the ramp's capacity.

The freeway ramp volumes under year 2035 cumulative conditions were estimated using the Sunnyvale Travel Demand Forecast Model. The study freeway ramps at the US 101/Lawrence Expressway and US 101/Fair Oaks Avenue interchanges are assumed the same as under existing conditions. The US 101/Mathilda Avenue interchange is proposed for reconfiguration. This interchange improvement is identified in the Valley Transportation Plan 2040 (project H33). At the US 101/Mathilda Avenue interchange, the interchange would be reconfigured to a partial cloverleaf interchange. The US 101 northbound and southbound off-ramps would be improved to allow full access onto Mathilda Avenue and the existing US 101 northbound off-ramp to southbound Mathilda Avenue would be demolished (see Figure 23).

As shown on Table 10, all study freeway ramps would continue to operate below capacity. Therefore, the ECRCSP would not create an adverse impact on freeway ramps.

**Table 10**  
**Year 2035 Cumulative Conditions Ramp Capacity Analysis**

Interchange	Ramp	Type	Peak Hour	Existing Conditions		Year 2035 Cumulative Conditions		
				Volume <sup>3</sup>	V/C	Volume	Capacity	V/C
US 101/Lawrence Expwy	SB On-Ramp fr. NB Lawrence Expwy	Diagonal	AM	584	0.32	800	1,800	0.44
			PM	352	0.20	884		0.49
	NB On-Ramp fr. NB Lawrence Expwy	Loop	AM	484	0.27	640	1,800	0.36
			PM	378	0.21	436		0.24
	NB Off-Ramp to Lawrence Expwy	Diagonal	AM	1,278	0.34	1,891	3,800	0.50
			PM	1,185	0.31	1,722		0.45
	SB Off-Ramp to Lawrence Expwy	Diagonal	AM	738	0.19	1,099	3,800	0.29
			PM	1,753	0.46	1,753		0.46
	SB On-Ramp fr. NB Fair Oaks Ave	Diagonal	AM	616	0.34	550	1,800	0.31
			PM	225	0.13	223		0.12
	NB Off-Ramp to Fair Oaks Ave	Diagonal	AM	414	0.21	1,083	2,000	0.54
			PM	894	0.45	1,153		0.58
US 101/Fair Oaks Ave	NB On-Ramp fr. Fair Oaks Ave	Diagonal	AM	1,057	0.59	1,156	1,800	0.64
			PM	416	0.23	1,131		0.63
	SB Off-Ramp to SB Fair Oaks Ave	Diagonal	AM	363	0.18	453	2,000	0.23
			PM	893	0.45	1,099		0.55
US 101/Mathilda Ave	SB On-Ramp fr. NB Mathilda Ave	Diagonal	AM	478	0.27	728	1,800	0.40
			PM	532	0.30	795		0.44
	NB On-Ramp fr. NB Mathilda Ave	Loop	AM	287	0.16	818	1,800	0.45
			PM	295	0.16	465		0.26
	NB Off-Ramp to Mathilda Ave *	Diagonal	AM		Future Ramp	1,607	3,800	0.42
			PM			1,043		0.27
	SB Off-Ramp to Mathilda Ave *	Diagonal	AM		Future Ramp	1,509	2,000	0.75
			PM			1,264		0.63

**Notes:**

NB = Northbound, SB = Southbound, fr. = from

\* Indicates newly constructed ramp under year 2035 conditions.

1. As a conservative approach, if an on-ramp has meter equipment present, the ramp is analyzed assuming it is metered.
2. Ramp capacities were obtained from *Highway Capacity Manual, 2000*, and considered the free-flow speed, the number of lanes on the ramp, and ramp metering.
3. Existing peak hour volumes are obtained through intersection counts and Caltrans.



**Figure 23**  
**Planned Improvement at Mathilda Avenue/US 101/SR 237 Interchanges**

## ECRCSP Impact to Transit Travel Time

Currently 6 VTA bus routes travel within the ECRCSP project area. To assess the transit travel time impacts, the bus route travel times in the study area under year 2035 cumulative conditions were compared to existing conditions. Bus route travel times are estimated using published schedules and adjusted based on delays experienced at study intersections. VTA does not have established criteria to determine impact to transit services. Therefore, this analysis is presented for information purposes only.

As shown on Table 11, The results show that all studied transit routes under year 2035 cumulative conditions are expected to experience increases in travel times of less than 2 minutes in comparison to cumulative no ECRCSP conditions. The Sunnyvale Traffic Impact Fee (TIF) contains many projects that are aimed at relieving congestion along major corridors. Projects within the ECRCSP study area would be required to pay the TIF and would constitute the ECRCSP fair share contribution to relieving traffic congestion and improving transit travel times.

The ECRCSP Draft Plan also identifies various policies prioritizing consideration of mass transit vehicles to single-occupant vehicles. These policies would shift the design and policy decisions regarding El Camino Real to reflect multimodal priorities, including transit.

## ECRCSP Impact to Pedestrian and Bicycle Facilities

The ECRCSP Draft Plan identifies various policies to improve pedestrian and bicycle facilities within the El Camino Real Corridor Specific Plan area. The relevant policies are listed below:

**Circ-1:** Promote modes of travel and actions that provide safe access to city streets and reduce single occupant vehicle trips and trip lengths locally and regionally.

The priority order of consideration of transportation users shall be:

- A. Pedestrians
- B. Non-automotive
- C. Mass transit vehicles
- D. Delivery Vehicles
- E. Single-occupant automobiles

**Circ-2:** Further develop El Camino Real as a Complete Street, with a focus on:

- A. Providing safe, convenient, accessible facilities for all modes including motor vehicles, transit, pedestrians and cyclists.
- ...
- C. Design and policy decisions regarding El Camino Real will reflect multimodal priorities and provide for safe, convenient and accessible travel by all modes of transportation including driving, walking, bicycling and riding transit.
- D. In making decisions regarding El Camino Real, the needs of more vulnerable road users such as children, seniors, and people with disabilities will be prioritized.
- E. Design and policy decisions regarding El Camino Real will seek to increase pedestrian activity, reduce pedestrian-related collisions, and enhance pedestrian-friendly conditions along the corridor.

The implementation of these policies would enhance pedestrian and bicycle safety, convenience and comfort levels. Therefore, the ECRCSP would not create an adverse cumulative impact on pedestrian or bicycle facilities.

**Table 11**  
**Transit Travel Time Analysis**

Route	Peak Hour	Existing		Delay in the Study Area (sec)	Cumulative no ECRCSP	Cumulative Conditions		Compared to Cumulative no ECRCSP Delay (min)	% Change
		Travel Time (min)	Delay in the Study Area (min)			Delay in the Study Area (min)	Compared to Cumulative no ECRCSP % Change		
<b>VTA 22</b>									
Eastbound	AM	120	8.2	8.2	8.3	0.1	0%	0.1	0%
	PM	155	7.2	15.8	17.0	1.2	1%		
Westbound	AM	135	7.9	11.3	11.3	0.0	0%	0.0	0%
	PM	135	7.0	10.6	12.1	1.5	1%		
<b>VTA 53</b>									
Northbound	AM	50	7.1	8.6	8.6	0.0	0%	0.0	0%
	PM	60	7.7	9.6	10.2	0.6	1%		
Southbound	AM	50	7.1	8.3	8.3	0.0	0%	0.0	0%
	PM	45	7.9	13.6	14.1	0.5	1%		
<b>VTA 55</b>									
Northbound	AM	60	5.1	11.3	11.5	0.2	0%	0.2	0%
	PM	65	4.9	7.2	7.7	0.5	1%		
Southbound	AM	50	5.1	6.2	6.3	0.1	0%	0.1	0%
	PM	50	5.0	8.8	8.8	0.0	0%		
<b>VTA 56</b>									
Northbound	AM	90	3.2	4.5	4.4	-0.1	0%	-0.1	0%
	PM	80	4.3	5.2	5.2	0.0	0%		
Southbound	AM	80	4.0	6.6	6.7	0.1	0%	0.1	0%
	PM	90	4.2	7	7.0	0.0	0%		
<b>VTA 522</b>									
Eastbound	AM	105	8.2	8.2	8.3	0.1	0%	0.1	0%
	PM	130	7.2	15.8	17.0	1.2	1%		
Westbound	AM	110	7.9	11.3	11.3	0.0	0%	0.0	0%
	PM	105	7.0	10.6	12.1	1.5	1%		
<b>VTA 523</b>									
Northbound	AM	95	5.4	9.3	9.7	0.4	0%	0.4	0%
	PM	115	7.1	9.6	10.1	0.5	0%		
Southbound	AM	95	6.8	7.4	7.5	0.1	0%	0.1	0%
	PM	100	6.6	12.6	12.8	0.2	0%		

# **El Camino Real Corridor Specific Plan**

## **Technical Appendices**

May 13, 2022

## **Appendix A**

### **Traffic Counts**



(303) 216-2439  
www.alltrafficdata.net


**Location:** 1 GRANT RD & EL CAMINO REAL AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 07:45 AM - 08:45 AM

**Peak 15-Minutes:** 07:45 AM - 08:00 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	EL CAMINO REAL Eastbound				EL CAMINO REAL Westbound				GRANT RD Northbound				SR 237 Southbound				Rolling Hour	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	3	97	119	2	2	49	169	5	0	12	123	30	0	34	230	194	1,069	5,510	5	0	1	1
7:15 AM	3	120	128	11	1	65	222	9	2	21	147	35	1	34	251	156	1,206	6,078	6	1	8	0
7:30 AM	2	156	208	6	1	75	332	5	0	21	172	26	0	33	306	186	1,529	6,530	4	0	1	1
7:45 AM	3	198	259	12	1	76	298	10	0	13	242	38	0	30	316	210	1,706	6,659	3	0	4	1
8:00 AM	2	174	271	6	5	75	283	18	0	25	253	63	0	29	247	186	1,637	6,493	4	1	3	0
8:15 AM	4	233	296	10	2	74	279	28	0	23	254	59	0	45	188	163	1,658	8	0	6	0	
8:30 AM	3	204	301	5	1	69	286	39	0	18	257	40	0	42	213	180	1,658	4	0	4	0	
8:45 AM	1	161	233	11	3	92	275	23	0	18	295	46	1	37	184	160	1,540	9	2	5	0	

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	2	5	0	0	0	1	0	0	0	0	1	0	2	1	1	13
Lights	12	791	1,103	31	9	291	1,117	93	0	78	1,000	198	0	141	940	715	6,519
Mediums	0	16	19	2	0	3	28	2	0	1	6	1	0	3	23	23	127
Total	12	809	1,127	33	9	294	1,146	95	0	79	1,006	200	0	146	964	739	6,659




(303) 216-2439  
www.alltrafficdata.net

**Location:** 2 SYLVIAN AVE & EL CAMINO REAL AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 08:00 AM - 09:00 AM  
**Peak 15-Minutes:** 08:45 AM - 09:00 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	EL CAMINO REAL Eastbound				EL CAMINO REAL Westbound				SYLVIAN AVE Northbound				SYLVIAN AVE Southbound				Rolling Total	Hour	Pedestrian Crossings			
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right			West	East	South	North
7:00 AM	3	8	97	51	1	6	208	18	0	53	26	4	0	4	8	43	530	2,982	0	6	1	1
7:15 AM	3	11	103	62	0	9	252	13	0	62	28	3	0	7	7	52	612	3,429	0	5	0	0
7:30 AM	6	16	129	78	0	15	346	12	0	178	33	5	0	7	5	62	892	3,888	0	6	1	1
7:45 AM	4	38	176	96	2	20	347	25	0	125	32	7	0	11	7	58	948	4,040	0	17	1	0
8:00 AM	5	31	161	107	1	20	373	37	0	106	51	8	0	15	12	50	977	4,176	0	5	0	0
8:15 AM	6	30	213	83	1	24	434	33	0	108	62	5	0	12	9	51	1,071	3	11	0	0	
8:30 AM	10	29	164	84	1	23	367	34	0	157	91	11	0	15	8	50	1,044	3	10	4	1	
8:45 AM	13	33	210	85	1	26	372	35	0	146	83	11	0	11	9	49	1,084	1	3	3	0	

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	1	0	3	1	0	0	1	0	0	0	0	0	0	0	0	0	6
Lights	33	123	722	358	4	93	1,518	137	0	512	286	35	0	53	38	198	4,110
Mediums	0	0	23	0	0	0	27	2	0	5	1	0	0	0	0	2	60
Total	34	123	748	359	4	93	1,546	139	0	517	287	35	0	53	38	200	4,176




(303) 216-2439  
www.alltrafficdata.net

**Location:** 2 SYLVIAN AVE & EL CAMINO REAL PM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 04:30 PM - 05:30 PM  
**Peak 15-Minutes:** 05:00 PM - 05:15 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	EL CAMINO REAL Eastbound				EL CAMINO REAL Westbound				SYLVIAN AVE Northbound				SYLVIAN AVE Southbound				Rolling Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		Hour	West	East	South	North
4:00 PM	9	32	380	76	2	9	225	21	0	74	17	35	0	23	11	25	939	4,053	2	9	0	0
4:15 PM	3	34	406	83	2	11	223	22	0	85	24	37	0	35	16	30	1,011	4,319	1	10	1	1
4:30 PM	8	32	435	71	3	11	209	15	0	99	30	28	0	32	19	40	1,032	4,381	2	12	0	4
4:45 PM	5	29	463	81	6	10	200	22	0	101	25	27	0	42	17	43	1,071	4,348	2	10	0	0
5:00 PM	2	31	509	82	7	6	270	23	0	106	34	34	0	47	22	32	1,205	4,378	2	5	1	3
5:15 PM	11	31	459	78	10	4	173	26	0	79	30	30	0	68	30	44	1,073		0	4	0	2
5:30 PM	2	24	284	86	8	11	261	29	0	94	28	32	0	67	32	41	999		1	11	0	1
5:45 PM	10	33	428	108	10	17	201	29	0	63	21	27	0	71	43	40	1,101		4	2	0	2

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	26	121	1,846	309	26	31	837	85	0	381	117	118	0	188	87	155	4,327
Mediums	0	2	20	3	0	0	15	1	0	4	2	1	0	1	1	4	54
Total	26	123	1,866	312	26	31	852	86	0	385	119	119	0	189	88	159	4,381



(303) 216-2439  
www.alltrafficdata.net


**Location:** 3 BERNARDO AVE & EL CAMINO REAL AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 08:00 AM - 09:00 AM

**Peak 15-Minutes:** 08:15 AM - 08:30 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	EL CAMINO REAL				EL CAMINO REAL				BERNARDO AVE				BERNARDO AVE				Pedestrian Crossings
	Eastbound		Westbound		Northbound		Southbound		Total		Hour		West	East	South	North	
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
7:00 AM	7	12	78	15	2	6	160	6	0	26	15	5	0	9	27	66	434
7:15 AM	10	14	82	10	3	17	217	11	0	42	22	0	0	15	51	100	594
7:30 AM	9	30	124	16	5	21	240	8	0	53	40	2	0	12	28	99	687
7:45 AM	11	29	118	10	7	18	300	18	0	72	37	6	0	17	40	74	757
8:00 AM	7	29	127	15	4	10	296	12	0	82	46	16	0	12	52	122	830
8:15 AM	12	25	137	16	6	12	372	13	0	72	63	25	0	23	10	110	896
8:30 AM	8	21	129	15	2	15	325	15	0	78	48	16	0	13	27	99	811
8:45 AM	15	29	161	21	2	18	274	12	0	65	37	14	0	10	35	102	795

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	1	1	0	0	0	2	0	0	0	0	0	0	0	0	0	4
Lights	42	102	528	66	14	55	1,238	48	0	296	193	71	0	56	122	431	3,262
Mediums	0	1	25	1	0	0	27	4	0	1	1	0	0	2	2	2	66
Total	42	104	554	67	14	55	1,267	52	0	297	194	71	0	58	124	433	3,332



(303) 216-2439  
www.alltrafficdata.net


**Location:** 3 BERNARDO AVE & EL CAMINO REAL PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 04:45 PM - 05:45 PM

**Peak 15-Minutes:** 05:00 PM - 05:15 PM

## Peak Hour - All Vehicles



## **Peak Hour - Pedestrians/Bicycles in Crosswalk**



Note: Total study counts contained in parentheses.

## Traffic Counts

Interval Start Time	EL CAMINO REAL				EL CAMINO REAL				BERNARDO AVE				BERNARDO AVE				Rolling Hour	Pedestrian Crossings				
	Eastbound				Westbound				Northbound				Southbound					West	East	South	North	
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		Total	3,602	12	1	0
4:00 PM	10	54	308	30	4	30	171	16	0	36	39	20	0	12	33	38	801	3,602	12	1	0	8
4:15 PM	9	46	346	39	6	34	158	15	0	41	53	16	0	20	48	50	881	3,858	5	0	0	7
4:30 PM	10	63	336	49	18	27	163	21	0	24	41	22	0	16	51	44	885	3,919	14	0	0	9
4:45 PM	9	69	389	43	6	33	213	19	0	57	36	21	0	28	66	46	1,035	3,987	4	1	0	4
5:00 PM	11	70	391	57	5	39	208	29	0	26	44	21	0	25	82	49	1,057	3,939	12	2	0	1
5:15 PM	12	75	326	38	7	27	192	28	0	41	32	16	0	22	77	49	942		2	0	0	3
5:30 PM	10	59	280	43	6	25	192	35	0	49	41	25	0	31	94	63	953		3	2	0	0
5:45 PM	13	78	353	59	8	37	152	39	0	43	41	27	0	21	75	41	987		11	2	0	1

## Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	42	273	1,376	180	24	123	797	111	0	172	152	83	0	106	318	206	3,963
Mediums	0	0	10	1	0	1	8	0	0	1	1	0	0	0	1	1	24
Total	42	273	1,386	181	24	124	805	111	0	173	153	83	0	106	319	207	3,987



(303) 216-2439  
www.alltrafficdata.net


**Location:** 4 MARY AVE & EL CAMINO REAL AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 07:45 AM - 08:45 AM

**Peak 15-Minutes:** 08:00 AM - 08:15 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	EL CAMINO REAL Eastbound				EL CAMINO REAL Westbound				MARY AVE Northbound				MARY AVE Southbound				Rolling Total	Hour	Pedestrian Crossings			
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right			West	East	South	North
7:00 AM	2	11	55	7	2	8	110	8	0	14	30	4	0	11	45	15	322	2,264	1	0	1	1
7:15 AM	1	16	56	12	1	10	180	13	0	27	45	8	0	14	83	29	495	2,895	1	2	1	3
7:30 AM	9	28	64	14	1	16	200	25	0	33	109	8	0	21	71	26	625	3,310	3	0	0	2
7:45 AM	5	24	82	15	3	25	289	36	0	33	146	15	0	18	99	32	822	3,542	2	1	0	3
8:00 AM	3	28	93	10	8	25	315	59	0	42	175	14	0	18	137	26	953	3,531	0	4	0	7
8:15 AM	9	36	108	14	5	14	260	55	0	47	208	20	0	31	68	35	910		0	3	0	5
8:30 AM	7	27	117	9	8	8	327	70	0	30	141	11	0	25	41	36	857		0	2	0	3
8:45 AM	4	29	98	15	8	15	259	72	0	33	161	12	0	22	48	35	811		0	1	0	1

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	1	0	0	0	3	0	0	0	0	0	0	0	1	0	5
Lights	24	114	383	48	24	70	1,161	216	0	151	664	59	0	89	340	128	3,471
Mediums	0	1	16	0	0	2	27	4	0	1	6	1	0	3	4	1	66
Total	24	115	400	48	24	72	1,191	220	0	152	670	60	0	92	345	129	3,542



(303) 216-2439  
www.alltrafficdata.net


**Location:** 5 PASTORIA AVE & EL CAMINO REAL AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 08:00 AM - 09:00 AM

**Peak 15-Minutes:** 08:00 AM - 08:15 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	EL CAMINO REAL Eastbound				EL CAMINO REAL Westbound				PASTORIA AVE Northbound				PASTORIA AVE Southbound				Rolling Total	Hour	Pedestrian Crossings			
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right			West	East	South	North
7:00 AM	2	3	78	5	3	8	126	8	0	10	21	27	0	5	17	8	321	2,133	5	2	0	1
7:15 AM	4	3	66	5	7	23	234	17	0	15	25	36	0	8	42	12	497	2,640	7	1	0	1
7:30 AM	3	5	96	12	6	20	265	13	0	14	44	48	0	8	32	9	575	2,955	7	0	3	0
7:45 AM	6	10	112	13	9	37	292	18	9	37	39	61	0	5	69	23	740	3,116	10	0	1	0
8:00 AM	1	8	115	12	9	21	292	19	0	57	99	70	0	13	87	25	828	3,125	36	0	4	2
8:15 AM	5	15	175	18	11	19	322	8	0	49	77	70	0	8	21	14	812	15	1	5	1	
8:30 AM	3	5	133	11	18	16	320	11	0	38	78	47	0	10	29	17	736	6	1	4	1	
8:45 AM	11	9	122	13	10	19	317	19	0	39	77	57	0	5	38	13	749	7	0	2	1	

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	2	0	0	1	1	0	0	0	0	0	0	0	0	0	4
Lights	20	36	519	53	48	73	1,216	57	0	181	327	242	0	35	172	68	3,047
Mediums	0	1	24	1	0	1	34	0	0	2	4	2	0	1	3	1	74
Total	20	37	545	54	48	75	1,251	57	0	183	331	244	0	36	175	69	3,125



(303) 216-2439  
www.alltrafficdata.net


**Location:** 5 PASTORIA AVE & EL CAMINO REAL PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 05:00 PM - 06:00 PM

**Peak 15-Minutes:** 05:15 PM - 05:30 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	EL CAMINO REAL				EL CAMINO REAL				PASTORIA AVE				PASTORIA AVE				Rolling Hour	Pedestrian Crossings				
	Eastbound		Westbound		Northbound		Southbound		Total	Hour	West	East	South	North								
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right						
4:00 PM	12	18	314	31	12	46	195	9	0	19	31	38	0	8	55	23	811	3,300	11	1	1	1
4:15 PM	5	12	327	27	17	33	164	11	0	20	23	34	0	10	59	17	759	3,407	11	5	0	0
4:30 PM	7	14	369	31	8	53	191	13	0	21	29	32	0	19	44	23	854	3,609	7	4	1	4
4:45 PM	8	16	329	30	15	62	197	12	0	21	33	32	0	19	82	20	876	3,660	8	6	0	3
5:00 PM	4	12	355	28	12	64	219	13	0	24	34	38	0	17	73	25	918	3,703	10	7	0	3
5:15 PM	5	19	353	36	16	56	185	11	0	38	52	39	0	15	101	35	961	8	1	0	2	
5:30 PM	4	19	303	29	18	70	184	8	0	29	55	39	0	24	105	18	905	13	1	0	2	
5:45 PM	9	16	317	37	24	53	198	15	0	24	55	47	0	16	82	26	919	3	2	0	1	

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	22	66	1,316	130	70	242	774	47	0	115	193	161	0	71	360	104	3,671
Mediums	0	0	12	0	0	1	12	0	0	0	3	2	0	1	1	0	32
Total	22	66	1,328	130	70	243	786	47	0	115	196	163	0	72	361	104	3,703



(303) 216-2439  
www.alltrafficdata.net


**Location:** 6 MATHILDA AVE & EL CAMINO REAL AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 08:00 AM - 09:00 AM

**Peak 15-Minutes:** 08:00 AM - 08:15 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	EL CAMINO REAL				EL CAMINO REAL				MATHILDA AVE				MATHILDA AVE				Rolling Hour	Pedestrian Crossings				
	Eastbound		Westbound		Northbound		Southbound		Total	Hour	West	East	South	North								
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right						
7:00 AM	3	36	55	6	0	4	94	22	1	39	172	1	1	22	83	18	557	3,353	0	1	2	0
7:15 AM	1	44	69	14	0	3	146	34	1	46	198	2	0	21	138	30	747	4,067	1	2	2	0
7:30 AM	0	53	78	13	0	2	224	48	4	56	315	3	0	25	80	43	944	4,580	2	4	3	1
7:45 AM	0	69	86	13	0	3	244	93	4	72	378	2	5	21	68	47	1,105	4,884	0	3	3	0
8:00 AM	0	88	108	17	0	2	221	70	1	77	529	6	0	34	83	35	1,271	4,990	0	1	0	0
8:15 AM	0	85	123	25	2	5	212	94	0	85	489	5	0	30	77	28	1,260		1	9	4	0
8:30 AM	3	74	151	20	0	6	251	69	0	75	491	2	0	21	62	23	1,248		3	4	2	0
8:45 AM	2	66	99	13	0	6	228	64	0	71	506	6	0	25	95	30	1,211		4	4	0	2

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	2	0	0	0	3	2	0	0	0	2	0	0	0	0	9
Lights	5	313	458	74	2	19	883	294	1	304	1,998	19	0	105	310	112	4,897
Mediums	0	0	21	1	0	0	26	1	0	4	15	0	0	5	7	4	84
Total	5	313	481	75	2	19	912	297	1	308	2,015	19	0	110	317	116	4,990



(303) 216-2439  
www.alltrafficdata.net


**Location:** 7 SUNNYVALE AVE & EL CAMINO REAL AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 08:00 AM - 09:00 AM

**Peak 15-Minutes:** 08:15 AM - 08:30 AM

## Peak Hour - All Vehicles



## **Peak Hour - Pedestrians/Bicycles in Crosswalk**



Note: Total study counts contained in parentheses.

## Traffic Counts

Interval Start Time	EL CAMINO REAL				EL CAMINO REAL				SUNNYVALE AVE				SUNNYVALE AVE				Rolling Hour				Pedestrian Crossings					
	Eastbound				Westbound				Northbound				Southbound				Total		West		East		South		North	
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North				
7:00 AM	1	17	65	3	0	13	116	16	0	4	62	8	0	13	65	5	388	1,977	0	3	0	0	0	0	0	0
7:15 AM	2	11	72	6	1	4	210	12	0	12	65	4	0	8	41	6	454	2,284	1	1	1	0	0	0	0	0
7:30 AM	1	17	63	7	3	7	228	26	0	18	72	9	0	14	36	11	512	2,527	5	1	0	7	0	0	0	0
7:45 AM	1	24	103	7	0	20	290	21	0	17	74	11	0	11	30	14	623	2,694	4	9	6	1	0	0	0	0
8:00 AM	4	30	105	5	2	11	303	30	0	19	96	9	0	19	51	11	695	2,751	3	5	4	0	0	0	0	0
8:15 AM	1	36	102	10	1	21	311	42	0	20	73	18	0	10	34	18	697		1	6	0	2	0	0	0	0
8:30 AM	1	29	116	17	0	18	277	48	0	22	78	7	0	17	37	12	679		0	8	2	2	0	0	0	0
8:45 AM	3	28	88	14	3	24	268	43	0	24	100	19	0	11	38	17	680		4	5	2	4	0	0	0	0

## Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	2	0	0	1	10	0	0	1	0	0	0	0	1	0	15
Lights	9	116	390	45	6	73	1,126	163	0	83	345	53	0	57	158	57	2,681
Mediums	0	7	19	1	0	0	23	0	0	1	2	0	0	0	1	1	55
Total	9	123	411	46	6	74	1,159	163	0	85	347	53	0	57	160	58	2,751



(303) 216-2439  
www.alltrafficdata.net


**Location:** 7 SUNNYVALE AVE & EL CAMINO REAL PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 05:00 PM - 06:00 PM

**Peak 15-Minutes:** 05:15 PM - 05:30 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	EL CAMINO REAL				EL CAMINO REAL				SUNNYVALE AVE				SUNNYVALE AVE				Rolling Hour Total	Pedestrian Crossings				
	Eastbound		Westbound		Northbound		Southbound		U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
4:00 PM	0	34	344	25	11	31	165	12	0	27	57	34	0	45	35	16	836	3,435	0	4	4	8
4:15 PM	2	33	326	23	7	24	177	17	0	23	63	21	0	41	62	7	826	3,563	0	10	7	2
4:30 PM	2	41	366	20	10	32	179	16	0	20	70	18	0	47	47	10	878	3,763	11	7	2	8
4:45 PM	0	41	343	22	8	25	183	16	0	29	66	22	0	62	68	10	895	3,794	6	9	7	0
5:00 PM	4	48	389	22	6	26	190	19	0	29	57	22	0	69	62	21	964	3,822	3	6	5	4
5:15 PM	0	48	402	24	13	34	197	24	0	38	76	35	0	54	61	20	1,026	3	7	4	3	
5:30 PM	1	35	321	20	6	32	193	32	0	28	70	27	0	61	63	20	909	5	5	8	2	
5:45 PM	4	50	314	28	5	43	214	21	0	25	96	23	0	41	45	14	923	6	8	8	3	

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
Lights	9	179	1,413	93	30	135	784	95	0	118	298	106	0	225	230	74	3,789
Mediums	0	2	13	1	0	0	9	1	0	2	1	1	0	0	1	1	32
Total	9	181	1,426	94	30	135	794	96	0	120	299	107	0	225	231	75	3,822



(303) 216-2439  
www.alltrafficdata.net


**Location:** 20 REMINGTON DR & EL CAMINO REAL AM

**Date and Start Time:** Tuesday, May 8, 2018


**Peak Hour:** 08:45 AM - 09:45 AM

**Peak 15-Minutes:** 09:15 AM - 09:30 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	EL CAMINO REAL				EL CAMINO REAL				REMINGTON DR				FAIR OAKS AVE				Rolling Hour	Pedestrian Crossings				
	Eastbound		Westbound		Northbound		Southbound		Total		Hour	West	East	South	North	West	East	South	North			
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North
7:00 AM	2	25	41	11	2	7	167	19	0	10	54	10	0	23	112	30	513	2,688	2	8	4	1
7:15 AM	0	14	60	8	7	14	207	35	0	9	76	22	0	22	173	22	669	3,041	2	7	1	7
7:30 AM	1	17	70	5	3	21	215	22	0	7	139	19	0	22	118	38	697	3,315	5	5	2	9
7:45 AM	4	19	64	8	6	15	336	26	0	8	118	18	0	20	131	36	809	3,480	3	5	2	4
8:00 AM	9	24	73	11	1	41	303	30	0	17	124	23	0	34	148	28	866	3,605	7	7	5	9
8:15 AM	2	35	98	24	6	23	334	35	0	17	182	21	0	19	101	46	943	3,648	6	8	2	5
8:30 AM	5	26	80	20	7	22	343	32	0	21	124	22	0	35	99	26	862	3,679	6	5	4	4
8:45 AM	4	32	80	16	3	36	298	37	0	31	187	25	0	23	129	33	934	3,709	26	8	32	7
9:00 AM	5	23	112	23	8	34	287	33	0	28	143	28	0	26	122	37	909	3,570	9	6	6	17
9:15 AM	6	33	104	12	12	32	310	36	0	26	146	47	0	28	133	49	974	8	6	6	8	
9:30 AM	9	36	126	17	12	31	316	36	0	19	118	27	0	27	85	33	892	9	8	4	21	
9:45 AM	8	30	113	19	10	31	238	31	0	30	83	30	0	26	99	47	795	11	10	3	9	

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	1	1	2	0	0	0	4	0	0	0	0	0	0	1	0	0	9
Lights	23	122	403	67	35	128	1,172	141	0	101	585	123	0	101	460	149	3,610
Mediums	0	1	17	1	0	5	35	1	0	3	9	4	0	2	9	3	90
Total	24	124	422	68	35	133	1,211	142	0	104	594	127	0	104	469	152	3,709




(303) 216-2439  
www.alltrafficdata.net

**Location:** 29 WOLFE RD & EL CAMINO REAL AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 08:00 AM - 09:00 AM  
**Peak 15-Minutes:** 08:45 AM - 09:00 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	EL CAMINO REAL Eastbound				EL CAMINO REAL Westbound				WOLFE RD Northbound				WOLFE RD Southbound				Rolling Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	1	4	48	22	0	97	106	25	0	31	82	6	0	12	91	1	526	3,230	3	2	0	1
7:15 AM	2	4	40	32	1	91	191	22	0	53	138	4	0	18	118	14	728	3,719	3	4	1	4
7:30 AM	0	6	46	41	8	95	222	36	0	51	180	4	0	32	125	18	864	4,076	1	5	3	5
7:45 AM	1	3	75	28	4	127	325	71	0	70	251	7	0	21	112	17	1,112	4,353	0	3	1	4
8:00 AM	1	9	61	37	2	96	218	86	1	70	256	6	0	17	141	14	1,015	4,387	0	4	2	2
8:15 AM	1	14	71	60	4	98	242	79	0	64	297	6	0	18	120	11	1,085		1	2	4	0
8:30 AM	5	18	79	61	1	86	237	64	0	79	344	5	0	23	115	24	1,141		1	1	1	0
8:45 AM	2	13	76	48	2	94	250	49	0	73	391	1	0	14	117	16	1,146		6	2	9	0

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	2	1	0	1	3	0	0	0	0	0	0	0	1	0	8
Lights	9	53	268	202	8	362	916	276	1	278	1,266	18	0	72	482	65	4,276
Mediums	0	1	17	3	1	11	28	2	0	8	22	0	0	0	10	0	103
Total	9	54	287	206	9	374	947	278	1	286	1,288	18	0	72	493	65	4,387




(303) 216-2439  
www.alltrafficdata.net

**Location:** 9 POPLAR AVE & EL CAMINO REAL AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 07:30 AM - 08:30 AM  
**Peak 15-Minutes:** 07:45 AM - 08:00 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	EL CAMINO REAL Eastbound				EL CAMINO REAL Westbound				POPLAR AVE Northbound				POPLAR AVE Southbound				Rolling Hour	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	5	8	82	1	6	9	225	4	0	2	1	6	0	9	4	14	376	2,355	2	2	2	1
7:15 AM	5	9	82	1	0	23	293	4	0	7	4	15	0	11	10	14	478	2,709	3	1	1	4
7:30 AM	6	13	101	4	2	45	383	8	0	17	11	26	0	12	40	23	691	2,896	5	2	0	2
7:45 AM	6	9	115	5	0	36	443	14	0	33	22	46	0	18	36	27	810	2,845	7	4	0	6
8:00 AM	6	16	145	1	1	7	465	15	0	12	6	8	0	16	8	24	730	2,682	0	0	2	1
8:15 AM	2	11	154	3	4	6	406	22	0	4	6	2	0	13	8	24	665	1	1	1	6	
8:30 AM	6	7	151	0	3	20	366	32	0	3	5	5	0	10	9	23	640	0	0	0	3	
8:45 AM	7	13	132	5	6	27	388	25	0	2	8	3	0	11	9	11	647	0	3	2	3	

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	1	0	2	0	0	0	6	0	0	0	0	0	0	0	0	0	9
Lights	19	49	493	13	7	93	1,653	55	0	65	45	82	0	59	92	96	2,821
Mediums	0	0	20	0	0	1	38	4	0	1	0	0	0	0	0	2	66
Total	20	49	515	13	7	94	1,697	59	0	66	45	82	0	59	92	98	2,896




(303) 216-2439  
www.alltrafficdata.net

**Location:** 9 POPLAR AVE & EL CAMINO REAL PM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 05:00 PM - 06:00 PM  
**Peak 15-Minutes:** 05:45 PM - 06:00 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



### Traffic Counts

Interval Start Time	EL CAMINO REAL Eastbound				EL CAMINO REAL Westbound				POPLAR AVE Northbound				POPLAR AVE Southbound				Rolling Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
4:00 PM	13	12	400	3	8	6	235	3	0	4	3	10	0	9	8	7	721	3,009	5	3	2	6
4:15 PM	12	12	446	6	7	8	215	4	0	4	7	7	0	15	0	7	750	3,104	2	1	4	7
4:30 PM	22	11	457	6	7	5	247	4	0	2	3	5	0	8	3	11	791	3,157	1	0	4	3
4:45 PM	15	15	458	7	7	6	195	3	0	2	1	7	0	8	0	23	747	3,126	1	1	4	1
5:00 PM	10	10	486	9	7	9	237	10	0	7	3	4	0	11	3	10	816	3,233	2	0	0	3
5:15 PM	16	6	452	13	11	15	236	7	0	6	5	12	0	10	4	10	803		3	1	0	4
5:30 PM	20	10	442	11	7	4	217	6	0	4	4	7	0	12	4	12	760		0	0	0	3
5:45 PM	23	12	447	10	11	9	287	10	0	6	6	5	0	7	10	11	854		1	2	0	3

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	69	38	1,811	42	35	37	962	33	0	23	18	28	0	39	21	43	3,199
Mediums	0	0	16	1	1	0	15	0	0	0	0	0	0	1	0	0	34
Total	69	38	1,827	43	36	37	977	33	0	23	18	28	0	40	21	43	3,233



(303) 216-2439  
www.alltrafficdata.net


**Location:** 10 HENDERSON AVE & EL CAMINO REAL AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 07:30 AM - 08:30 AM

**Peak 15-Minutes:** 07:45 AM - 08:00 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	EL CAMINO REAL				EL CAMINO REAL				HENDERSON AVE				HENDERSON AVE				Pedestrian Crossings
	Eastbound		Westbound		Northbound		Southbound		Total		Hour		West		East		
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	South	North	
7:00 AM	1	1	91	4	17	1	257	11	0	4	3	4	0	18	4	16	432
7:15 AM	0	4	100	0	8	13	313	8	0	7	9	9	0	14	16	20	521
7:30 AM	0	7	112	2	8	40	430	19	0	13	20	41	0	19	33	23	767
7:45 AM	3	10	136	4	20	19	449	22	0	19	28	38	0	21	13	24	806
8:00 AM	3	10	150	3	21	5	431	23	0	8	3	4	0	26	1	21	709
8:15 AM	2	8	141	0	13	10	431	28	0	11	0	6	0	14	5	18	687
8:30 AM	3	12	162	0	19	11	412	40	0	8	0	11	0	16	4	17	715
8:45 AM	0	14	114	0	21	9	371	47	0	9	7	5	0	14	3	23	637

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	1	4	0	0	0	6	0	0	0	0	0	0	0	0	0	11
Lights	8	34	520	9	59	73	1,693	88	0	51	51	89	0	77	52	86	2,890
Mediums	0	0	15	0	3	1	42	4	0	0	0	0	0	3	0	0	68
Total	8	35	539	9	62	74	1,741	92	0	51	51	89	0	80	52	86	2,969



(303) 216-2439  
www.alltrafficdata.net


**Location:** 10 HENDERSON AVE & EL CAMINO REAL PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 05:00 PM - 06:00 PM

**Peak 15-Minutes:** 05:15 PM - 05:30 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	EL CAMINO REAL				EL CAMINO REAL				HENDERSON AVE				HENDERSON AVE				Rolling Hour Total	Pedestrian Crossings				
	Eastbound		Westbound		Northbound		Southbound		Total		Hour	West	East	South	North		West	East	South	North		
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right						
4:00 PM	4	12	397	6	35	11	211	30	0	14	2	14	0	20	7	13	776	3,194	1	3	3	2
4:15 PM	7	19	408	5	22	12	190	18	0	13	3	15	0	22	2	21	757	3,256	1	9	2	22
4:30 PM	13	18	448	4	22	15	214	20	0	16	3	13	0	22	8	16	832	3,389	3	8	1	2
4:45 PM	5	16	461	3	30	18	201	25	0	16	3	14	0	13	10	14	829	3,436	0	8	0	0
5:00 PM	2	20	435	4	28	13	216	28	0	9	8	23	0	33	10	9	838	3,446	1	5	4	3
5:15 PM	3	18	442	6	28	24	228	31	0	19	10	24	0	25	19	13	890	4	2	5	0	
5:30 PM	5	18	437	3	28	16	244	27	0	13	7	17	0	25	22	17	879	2	4	3	2	
5:45 PM	7	19	405	9	26	31	212	18	0	10	10	21	0	30	19	22	839	1	6	2	2	

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	5
Lights	17	74	1,701	22	110	83	886	104	0	51	35	85	0	112	70	61	3,411
Mediums	0	1	13	0	0	1	14	0	0	0	0	0	0	1	0	0	30
Total	17	75	1,719	22	110	84	900	104	0	51	35	85	0	113	70	61	3,446



(303) 216-2439  
www.alltrafficdata.net


**Location:** 11 HALFORD AVE & EL CAMINO REAL AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 07:45 AM - 08:45 AM

**Peak 15-Minutes:** 07:45 AM - 08:00 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	EL CAMINO REAL				EL CAMINO REAL				HALFORD AVE				HALFORD AVE				Rolling Hour	Pedestrian Crossings				
	Eastbound		Westbound		Northbound		Southbound		Total		West		East		South			West	East	South	North	
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	West	East	South	North	
7:00 AM	3	5	114	1	1	6	219	12	0	7	4	18	0	7	1	15	413	2,421	1	1	1	0
7:15 AM	2	10	111	4	8	17	266	12	0	6	8	35	0	9	5	10	503	2,746	3	3	3	8
7:30 AM	0	17	137	6	8	25	391	11	0	7	11	33	0	21	11	35	713	2,999	5	2	0	5
7:45 AM	3	15	200	8	6	27	422	8	0	16	6	33	0	13	9	26	792	3,078	1	2	3	7
8:00 AM	1	12	154	9	5	18	450	11	0	16	4	27	0	12	4	15	738	3,037	3	3	2	6
8:15 AM	3	17	167	8	3	26	421	16	0	11	7	36	0	17	10	14	756		1	2	3	9
8:30 AM	1	7	151	7	7	17	489	30	0	17	7	28	1	11	2	17	792		0	3	1	5
8:45 AM	1	11	139	6	13	18	442	18	0	22	13	26	0	12	5	25	751		3	5	0	8

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	1	0	0	2	9	0	0	0	0	1	0	0	0	0	13
Lights	8	51	656	30	21	82	1,731	62	0	57	24	123	1	51	25	70	2,992
Mediums	0	0	15	2	0	4	42	3	0	3	0	0	0	2	0	2	73
Total	8	51	672	32	21	88	1,782	65	0	60	24	124	1	53	25	72	3,078



(303) 216-2439  
www.alltrafficdata.net


**Location:** 11 HALFORD AVE & EL CAMINO REAL PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 05:00 PM - 06:00 PM

**Peak 15-Minutes:** 05:15 PM - 05:30 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	EL CAMINO REAL				EL CAMINO REAL				HALFORD AVE				HALFORD AVE				Pedestrian Crossings
	Eastbound		Westbound		Northbound		Southbound		Total	Hour	Rolling	West	East	South	North		
4:00 PM	7	38	362	15	9	22	228	21	0	16	13	15	0	15	13	16	790 3,280 6 2 2 7
4:15 PM	8	30	414	14	13	23	221	30	0	9	16	17	1	17	5	14	832 3,367 5 0 3 8
4:30 PM	11	24	397	11	9	26	226	17	0	11	12	25	0	12	9	19	809 3,513 4 10 3 4
4:45 PM	5	26	458	11	5	21	213	19	0	7	14	23	0	20	11	16	849 3,563 5 10 2 5
5:00 PM	6	22	413	8	13	37	248	24	0	15	18	21	0	15	11	26	877 3,655 9 5 1 8
5:15 PM	8	29	501	20	9	33	248	23	0	6	15	28	0	21	15	22	978 1 1 0 5
5:30 PM	9	23	386	17	5	40	244	25	0	14	10	29	0	28	13	16	859 0 3 0 3
5:45 PM	5	28	408	21	5	46	274	32	0	11	18	27	0	30	18	18	941 6 5 2 7

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Lights	28	102	1,687	66	31	155	1,002	103	0	46	60	103	0	94	57	81	3,615
Mediums	0	0	19	0	1	1	12	1	0	0	1	2	0	0	0	1	38
Total	28	102	1,708	66	32	156	1,014	104	0	46	61	105	0	94	57	82	3,655



(303) 216-2439  
www.alltrafficdata.net


**Location:** 37 LAWRENCE EXPY & EL CAMINO REAL (W) AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 07:45 AM - 08:45 AM

**Peak 15-Minutes:** 08:00 AM - 08:15 AM

## Peak Hour - All Vehicles



## **Peak Hour - Pedestrians/Bicycles in Crosswalk**



Note: Total study counts contained in parentheses.

## Traffic Counts

Interval Start Time	EL CAMINO REAL (W)				EL CAMINO REAL (W)				LAWRENCE EXPY				LAWRENCE EXPY				Rolling Hour				Pedestrian Crossings			
	Eastbound				Westbound				Northbound				Southbound				Total	Hour	West	East	South	North		
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right								
7:00 AM	0	0	110	25	0	37	215	0	0	0	0	0	0	11	5	32	435	2,647	0	0	1	1		
7:15 AM	0	0	122	37	0	43	309	0	0	0	0	0	0	24	9	53	597	3,061	1	0	0	3		
7:30 AM	0	0	166	38	0	63	411	0	0	0	0	0	0	39	13	50	780	3,268	0	0	3	1		
7:45 AM	0	0	206	53	0	61	442	0	0	0	0	0	0	29	8	36	835	3,331	2	0	3	2		
8:00 AM	0	0	174	51	1	61	476	0	0	0	0	0	0	38	11	37	849	3,277	0	0	4	5		
8:15 AM	0	0	189	52	0	57	416	0	0	0	0	0	0	47	3	40	804		0	0	3	5		
8:30 AM	0	0	175	36	4	74	485	0	0	0	0	0	0	28	6	35	843		1	1	4	1		
8:45 AM	0	0	154	39	4	67	442	0	0	0	0	0	0	37	8	30	781		2	0	3	7		

## Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	1	1	0	0	6	0	0	0	0	0	0	1	0	2	11
Lights	0	0	727	183	5	248	1,772	0	0	0	0	0	0	140	28	142	3,245
Mediums	0	0	16	8	0	5	41	0	0	0	0	0	0	1	0	4	75
Total	0	0	744	192	5	253	1,819	0	0	0	0	0	0	142	28	148	3,331



(303) 216-2439  
www.alltrafficdata.net


**Location:** 38 LAWRENCE EXPY & EL CAMINO REAL (E) AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 07:30 AM - 08:30 AM

**Peak 15-Minutes:** 07:45 AM - 08:00 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	EL CAMINO REAL (E) Eastbound				EL CAMINO REAL (E) Westbound				LAWRENCE EXPY Northbound				LAWRENCE EXPY Southbound				Rolling Hour Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	0	52	103	0	0	0	238	54	0	67	14	16	0	0	0	0	544	2,962	0	0	3	1
7:15 AM	0	56	125	0	0	0	357	62	0	86	11	18	0	0	0	0	715	3,252	0	2	1	1
7:30 AM	0	75	149	0	0	0	404	56	0	111	13	34	0	0	0	0	842	3,366	0	1	1	1
7:45 AM	2	45	170	0	0	0	437	51	0	105	14	37	0	0	0	0	861	3,344	0	2	1	7
8:00 AM	0	38	191	0	0	0	389	52	0	125	10	29	0	0	0	0	834	3,286	0	0	1	3
8:15 AM	2	35	148	0	0	0	385	49	0	146	13	51	0	0	0	0	829		0	1	2	3
8:30 AM	0	34	166	0	0	0	381	44	0	143	11	41	0	0	0	0	820		0	2	2	4
8:45 AM	1	40	177	0	0	0	335	53	0	131	20	46	0	0	0	0	803		0	4	2	5

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	1	3	0	0	0	4	0	0	2	0	2	0	0	0	0	12
Lights	4	191	642	0	0	0	1,577	204	0	479	50	147	0	0	0	0	3,294
Mediums	0	1	13	0	0	0	34	4	0	6	0	2	0	0	0	0	60
Total	4	193	658	0	0	0	1,615	208	0	487	50	151	0	0	0	0	3,366




(303) 216-2439  
www.alltrafficdata.net

**Location:** 48 ELLIS ST & MIDDLEFIELD RD AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 08:00 AM - 09:00 AM  
**Peak 15-Minutes:** 08:45 AM - 09:00 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	MIDDLEFIELD RD				MIDDLEFIELD RD				ELLIS ST				Rolling Hour	Pedestrian Crossings				
	Eastbound		Westbound		Northbound		Southbound		U-Turn	Left	Thru	Right	Total	West	East	South	North	
U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North	
7:00 AM	0	28	37	0	0	0	80	58		0	12	0	15	230	1,251	0	0	2
7:15 AM	0	21	37	0	0	0	120	70		0	16	0	22	286	1,421	1	1	1
7:30 AM	0	38	56	0	0	0	117	93		0	16	0	13	333	1,599	3	0	5
7:45 AM	0	38	82	0	0	0	142	85		0	25	0	30	402	1,755	12	2	2
8:00 AM	1	45	58	0	0	0	140	114		0	15	0	27	400	1,872	12	1	3
8:15 AM	0	53	87	0	0	0	139	139		0	27	0	19	464	6	0	1	
8:30 AM	0	60	109	0	0	0	138	118		0	29	0	35	489	5	0	3	
8:45 AM	1	71	110	0	0	0	104	140		0	50	0	43	519	7	2	3	

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0		0	0	0	2	2			
Lights	2	221	360	0	0	0	506	508		0	115	0	115	1,827			
Mediums	0	8	4	0	0	0	15	3		0	6	0	7	43			
Total	2	229	364	0	0	0	521	511		0	121	0	124	1,872			




(303) 216-2439  
www.alltrafficdata.net

**Location:** 48 ELLIS ST & MIDDLEFIELD RD PM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 05:00 PM - 06:00 PM  
**Peak 15-Minutes:** 05:45 PM - 06:00 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	MIDDLEFIELD RD				MIDDLEFIELD RD				ELLIS ST				Rolling Hour	Pedestrian Crossings				
	Eastbound		Westbound		Northbound		Southbound							Total	West	East	South	North
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North
4:00 PM	0	25	128	0	0	0	62	27		0	118	0	45	405	1,832	5	1	2
4:15 PM	0	29	120	0	0	0	86	22		0	107	0	49	413	2,011	1	3	3
4:30 PM	0	30	141	0	0	0	107	31		0	118	0	61	488	2,178	1	0	1
4:45 PM	0	22	170	0	0	0	83	36		0	162	0	53	526	2,283	0	2	3
5:00 PM	0	44	163	0	0	0	128	25		0	136	0	88	584	2,386	2	4	3
5:15 PM	0	27	126	0	0	0	150	25		0	130	0	122	580	1	0	2	
5:30 PM	0	31	159	0	0	0	124	39		0	111	0	129	593	2	1	3	
5:45 PM	0	25	138	0	0	0	197	30		0	92	0	147	629	2	1	1	

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	1	0	0	0	0	0		0	0	0	0	0	0	0	1
Lights	0	121	577	0	0	0	594	117		0	465	0	484	2,358			
Mediums	0	6	8	0	0	0	5	2		0	4	0	2	27			
Total	0	127	586	0	0	0	599	119		0	469	0	486	2,386			




(303) 216-2439  
www.alltrafficdata.net

**Location:** 42 MARY AVE & CENTRAL EXPY AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 07:45 AM - 08:45 AM  
**Peak 15-Minutes:** 08:30 AM - 08:45 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	CENTRAL EXPY				CENTRAL EXPY				MARY AVE				MARY AVE				Rolling Hour	Pedestrian Crossings				
	Eastbound		Westbound		Northbound		Southbound		Total		West		East		South				West	East	South	North
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North
7:00 AM	0	6	87	0	1	45	439	0	0	61	15	54	0	5	9	26	748	3,634	1	5	0	1
7:15 AM	0	6	108	0	2	51	569	0	0	57	19	59	0	5	13	25	914	4,024	0	1	0	0
7:30 AM	0	15	120	0	1	56	456	0	0	101	33	97	1	1	24	22	927	4,231	0	0	0	0
7:45 AM	1	14	160	0	0	57	439	0	0	135	62	112	0	11	27	27	1,045	4,489	3	2	0	1
8:00 AM	0	22	191	4	0	52	510	0	0	123	64	110	2	10	29	21	1,138	4,281	0	7	3	4
8:15 AM	4	19	169	3	2	34	396	0	0	175	125	120	2	21	22	29	1,121		6	5	1	2
8:30 AM	0	30	193	1	2	34	425	1	0	180	127	121	0	12	26	33	1,185		4	8	3	7
8:45 AM	0	31	190	0	0	40	243	4	0	97	103	79	0	17	26	7	837		0	0	0	0

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	1	0	0	0	1	4	0	0	0	2	1	0	0	1	10
Lights	4	85	705	8	4	172	1,728	1	0	609	371	457	4	53	102	107	4,410
Mediums	1	0	7	0	0	4	38	0	0	4	5	5	0	1	1	3	69
Total	5	85	713	8	4	177	1,770	1	0	613	378	463	4	54	104	110	4,489




(303) 216-2439  
www.alltrafficdata.net

**Location:** 49 MARY AVE & EVELYN AVE AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 08:00 AM - 09:00 AM  
**Peak 15-Minutes:** 08:15 AM - 08:30 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	EVELYN AVE Eastbound				EVELYN AVE Westbound				MARY AVE Northbound				MARY AVE Southbound				Rolling Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	0	21	20	4	0	13	43	28	0	7	64	8	0	8	54	23	293	1,736	2	5	0	0
7:15 AM	0	24	16	1	0	5	60	12	0	10	93	6	0	10	74	39	350	2,128	0	2	3	0
7:30 AM	0	35	24	7	0	14	84	42	0	8	165	5	0	15	69	51	519	2,537	1	2	2	0
7:45 AM	0	38	33	1	0	22	88	50	0	15	179	8	0	12	85	43	574	2,669	0	4	4	0
8:00 AM	0	45	46	8	0	16	115	52	0	22	211	7	0	8	113	42	685	2,806	6	4	8	0
8:15 AM	0	52	48	9	0	12	128	79	0	29	279	12	0	8	65	38	759	6	4	2	0	
8:30 AM	0	40	29	6	0	7	111	65	0	34	249	6	0	12	52	40	651	5	6	2	0	
8:45 AM	0	70	34	8	0	13	113	67	0	34	260	8	0	5	50	49	711	3	4	4	0	

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	3	0	0	0	0	1	0	0	0	0	0	0	0	1	1	6
Lights	0	197	156	29	0	48	457	259	0	119	990	30	0	33	276	160	2,754
Mediums	0	7	1	2	0	0	9	4	0	0	9	3	0	0	3	8	46
Total	0	207	157	31	0	48	467	263	0	119	999	33	0	33	280	169	2,806




(303) 216-2439  
www.alltrafficdata.net

**Location:** 49 MARY AVE & EVELYN AVE PM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 05:00 PM - 06:00 PM  
**Peak 15-Minutes:** 05:00 PM - 05:15 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	EVELYN AVE Eastbound				EVELYN AVE Westbound				MARY AVE Northbound				MARY AVE Southbound				Rolling Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
4:00 PM	0	64	69	15	0	11	32	27	0	13	71	3	0	30	163	34	532	2,384	0	0	0	0
4:15 PM	0	64	67	14	0	7	40	21	0	6	90	7	0	41	148	53	558	2,776	0	3	3	1
4:30 PM	0	58	102	14	0	6	48	23	0	5	80	6	0	35	205	52	634	2,985	1	3	0	0
4:45 PM	0	82	126	24	0	24	60	22	0	7	73	7	0	38	161	36	660	3,205	3	4	4	0
5:00 PM	0	82	132	24	0	15	51	27	0	7	127	13	0	38	346	62	924	3,358	1	2	3	2
5:15 PM	0	87	154	29	0	12	70	22	0	8	81	4	0	52	201	47	767	0	1	1	0	
5:30 PM	0	110	145	28	0	22	62	27	0	8	96	5	0	47	245	59	854	2	0	1	0	
5:45 PM	0	94	164	27	0	17	54	20	0	9	87	3	0	38	251	49	813	0	1	2	0	

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	366	588	108	0	66	233	96	0	32	387	25	0	175	1,040	216	3,332
Mediums	0	7	7	0	0	0	4	0	0	0	4	0	0	0	3	1	26
Total	0	373	595	108	0	66	237	96	0	32	391	25	0	175	1,043	217	3,358




(303) 216-2439  
www.alltrafficdata.net

**Location:** 50 MARY AVE & WASHINGTON AVE AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 08:00 AM - 09:00 AM  
**Peak 15-Minutes:** 08:00 AM - 08:15 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	WASHINGTON AVE Eastbound				WASHINGTON AVE Westbound				MARY AVE Northbound				MARY AVE Southbound				Rolling Hour Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	0	8	3	5	0	6	3	6	0	5	66	2	0	2	49	9	164	1,069	7	0	1	1
7:15 AM	0	7	3	11	0	7	8	12	0	2	93	1	0	3	70	5	222	1,420	0	1	3	1
7:30 AM	0	9	5	7	0	12	10	7	0	8	151	5	0	4	86	9	313	1,651	0	0	1	0
7:45 AM	0	18	11	5	0	21	13	7	0	13	164	13	0	5	94	6	370	1,736	4	1	7	2
8:00 AM	0	21	17	7	0	37	22	15	0	6	226	11	0	12	127	14	515	1,803	2	0	1	1
8:15 AM	0	27	7	7	0	18	18	15	0	13	257	13	0	5	67	6	453		1	0	2	5
8:30 AM	0	19	10	4	0	10	20	11	0	4	231	14	0	2	66	7	398		3	3	9	0
8:45 AM	0	23	14	7	0	12	17	10	0	6	264	10	0	5	65	4	437		1	0	1	2

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	90	46	25	0	76	75	51	0	28	971	48	0	24	320	31	1,785
Mediums	0	0	2	0	0	1	2	0	0	1	7	0	0	0	5	0	18
Total	0	90	48	25	0	77	77	51	0	29	978	48	0	24	325	31	1,803




(303) 216-2439  
www.alltrafficdata.net

**Location:** 50 MARY AVE & WASHINGTON AVE PM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 05:00 PM - 06:00 PM  
**Peak 15-Minutes:** 05:30 PM - 05:45 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	WASHINGTON AVE Eastbound				WASHINGTON AVE Westbound				MARY AVE Northbound				MARY AVE Southbound				Rolling Total	Hour	Pedestrian Crossings			
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right			West	East	South	North
4:00 PM	0	10	4	3	0	10	11	12	0	7	74	14	0	7	160	4	316	1,400	0	1	0	4
4:15 PM	0	8	12	3	0	16	14	6	0	7	92	13	0	11	142	12	336	1,588	1	1	3	0
4:30 PM	0	8	13	8	0	15	12	7	0	2	51	12	0	10	192	4	334	1,700	4	1	4	2
4:45 PM	0	7	16	5	0	19	13	9	0	7	92	15	0	12	211	8	414	1,876	2	1	5	2
5:00 PM	0	15	19	9	0	21	16	9	0	12	90	15	0	22	263	13	504	1,959	3	2	2	0
5:15 PM	0	12	17	6	0	23	16	3	0	7	70	23	0	11	249	11	448	3	2	6	1	
5:30 PM	0	11	25	15	0	14	31	13	0	6	84	15	0	18	262	16	510	1	3	6	1	
5:45 PM	0	2	30	2	0	25	19	7	0	11	91	15	0	21	261	13	497	2	1	4	1	

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	40	90	32	0	83	81	32	0	35	334	68	0	71	1,032	53	1,951
Mediums	0	0	1	0	0	0	1	0	0	1	1	0	0	1	3	0	8
Total	0	40	91	32	0	83	82	32	0	36	335	68	0	72	1,035	53	1,959




(303) 216-2439  
www.alltrafficdata.net

**Location:** 51 MARY AVE & REMINGTON AVE AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 07:45 AM - 08:45 AM  
**Peak 15-Minutes:** 08:00 AM - 08:15 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	REMINGTON AVE Eastbound				REMINGTON AVE Westbound				MARY AVE Northbound				MARY AVE Southbound				Rolling Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		Hour	West	East	South	North
7:00 AM	0	0	4	8	0	13	17	2	0	2	28	3	0	3	55	3	138	1,203	0	0	0	0
7:15 AM	0	1	10	10	0	23	23	10	0	10	51	8	0	4	145	4	299	1,657	1	0	0	2
7:30 AM	0	0	12	11	0	18	49	9	0	20	127	7	0	10	81	13	357	1,857	0	0	0	1
7:45 AM	0	7	23	7	0	30	51	28	0	23	138	7	0	15	64	16	409	1,864	7	2	3	4
8:00 AM	0	25	53	13	0	36	92	17	0	24	116	21	0	48	102	45	592	1,823	21	5	5	14
8:15 AM	0	38	49	13	0	31	53	16	0	8	106	20	0	42	105	18	499		3	1	4	0
8:30 AM	0	12	27	10	0	16	45	14	0	9	137	16	0	2	73	3	364		2	0	1	0
8:45 AM	0	17	13	10	0	28	33	10	0	14	144	15	0	12	68	4	368		3	1	1	1

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	82	150	40	0	109	239	75	0	62	491	64	0	105	342	82	1,841
Mediums	0	0	2	3	0	4	2	0	0	2	6	0	0	2	2	0	23
Total	0	82	152	43	0	113	241	75	0	64	497	64	0	107	344	82	1,864




(303) 216-2439  
www.alltrafficdata.net

**Location:** 51 MARY AVE & REMINGTON AVE PM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 05:00 PM - 06:00 PM  
**Peak 15-Minutes:** 05:15 PM - 05:30 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	REMINGTON AVE Eastbound				REMINGTON AVE Westbound				MARY AVE Northbound				MARY AVE Southbound				Rolling Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		Hour	West	East	South	North
4:00 PM	0	0	25	14	0	22	27	4	0	16	103	27	0	16	94	6	354	1,425	2	0	0	0
4:15 PM	0	4	28	15	0	16	21	9	0	12	63	26	0	11	99	8	312	1,493	4	0	6	0
4:30 PM	0	2	29	16	0	19	28	7	0	9	72	25	0	15	102	9	333	1,662	1	1	2	1
4:45 PM	0	9	46	17	0	27	18	3	0	7	83	23	0	28	152	13	426	1,789	6	0	3	4
5:00 PM	0	4	47	21	0	30	31	7	0	12	64	33	0	31	134	8	422	1,803	1	1	4	3
5:15 PM	0	4	52	20	0	29	23	11	0	19	80	31	0	26	174	12	481	2	2	0	1	
5:30 PM	0	12	41	9	0	40	40	17	0	9	63	32	0	19	171	7	460		0	1	0	0
5:45 PM	0	6	39	20	0	34	30	9	0	6	55	27	0	23	174	17	440		4	0	2	0

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	26	179	66	0	131	123	44	0	45	261	116	0	99	651	44	1,785
Mediums	0	0	0	4	0	2	1	0	0	1	1	7	0	0	2	0	18
Total	0	26	179	70	0	133	124	44	0	46	262	123	0	99	653	44	1,803




(303) 216-2439  
www.alltrafficdata.net

**Location:** 28 MARY AVE & FREMONT AVE AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 07:30 AM - 08:30 AM  
**Peak 15-Minutes:** 08:00 AM - 08:15 AM

## Peak Hour - All Vehicles



## **Peak Hour - Pedestrians/Bicycles in Crosswalk**



Note: Total study counts contained in parentheses.

## Traffic Counts

Interval Start Time	FREMONT AVE Eastbound				FREMONT AVE Westbound				MARY AVE Northbound				MARY AVE Southbound				Rolling Hour		Pedestrian Crossings			
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North
7:00 AM	10	15	50	1	1	6	133	12	0	17	12	2	0	10	15	24	308	2,297	0	1	0	1
7:15 AM	16	13	52	7	1	13	154	18	0	25	34	10	0	6	104	35	488	2,749	0	1	1	2
7:30 AM	9	22	83	19	1	20	269	34	0	34	96	12	0	13	105	31	748	2,890	0	1	0	0
7:45 AM	7	30	93	15	0	9	209	31	0	70	161	35	0	30	31	32	753	2,800	0	0	0	0
8:00 AM	16	38	121	19	5	17	238	65	5	37	75	24	0	29	25	46	760	2,739	3	1	0	0
8:15 AM	8	21	76	24	2	8	197	32	0	42	72	17	0	35	49	46	629		4	0	2	0
8:30 AM	11	28	78	11	9	9	224	42	3	33	99	15	0	22	32	42	658		4	0	1	0
8:45 AM	6	38	95	13	2	11	207	55	3	36	98	17	0	36	32	43	692		3	0	3	1

## Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	1	0	0	0	3	1	0	0	0	0	0	0	0	0	5
Lights	39	111	370	76	8	53	906	159	5	180	403	88	0	107	206	151	2,862
Mediums	1	0	2	1	0	1	4	2	0	3	1	0	0	0	4	4	23
Total	40	111	373	77	8	54	913	162	5	183	404	88	0	107	210	155	2,890




(303) 216-2439  
www.alltrafficdata.net

**Location:** 28 MARY AVE & FREMONT AVE PM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 05:00 PM - 06:00 PM  
**Peak 15-Minutes:** 05:45 PM - 06:00 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	FREMONT AVE Eastbound				FREMONT AVE Westbound				MARY AVE Northbound				MARY AVE Southbound				Rolling Total	Hour	Pedestrian Crossings			
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right			West	East	South	North
4:00 PM	15	32	248	47	6	19	92	29	0	54	85	18	0	45	67	37	794	3,008	1	0	0	1
4:15 PM	16	37	224	47	7	24	108	26	0	18	45	19	0	38	65	23	697	3,035	5	4	1	0
4:30 PM	15	36	229	33	6	13	101	20	0	43	42	14	0	42	80	32	706	3,175	5	6	2	0
4:45 PM	19	39	256	35	6	19	108	20	0	21	42	24	0	52	119	51	811	3,367	1	4	0	0
5:00 PM	22	37	295	51	10	22	101	38	0	18	37	19	0	45	87	39	821	3,461	0	0	0	0
5:15 PM	14	32	253	41	7	19	100	33	0	31	57	13	0	60	131	46	837	1	0	0	0	
5:30 PM	9	31	301	38	8	22	133	26	0	31	58	27	0	43	139	32	898	1	0	0	0	
5:45 PM	11	29	294	34	18	25	134	23	0	39	56	19	0	60	115	48	905	0	0	0	0	

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	56	128	1,137	164	43	87	467	118	0	118	207	77	0	206	471	163	3,442
Mediums	0	1	6	0	0	1	1	2	0	1	1	1	0	2	1	2	19
Total	56	129	1,143	164	43	88	468	120	0	119	208	78	0	208	472	165	3,461




(303) 216-2439  
www.alltrafficdata.net

**Location:** 55 MARY AVE & HOMESTEAD RD AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 07:15 AM - 08:15 AM  
**Peak 15-Minutes:** 07:30 AM - 07:45 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	HOMESTEAD RD				HOMESTEAD RD				MARY AVE				MARY AVE				Rolling Hour	Pedestrian Crossings				
	Eastbound		Westbound		Northbound		Southbound		Total		West		East		South			Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North
7:00 AM	0	2	33	4	0	21	111	16	0	3	3	0	0	12	9	9	223	2,077	2	3	1	2
7:15 AM	0	6	70	49	0	33	138	23	0	16	39	7	0	39	49	14	483	2,314	14	14	16	11
7:30 AM	0	19	153	82	0	37	179	33	0	55	48	17	0	87	39	27	776	2,231	59	16	91	146
7:45 AM	0	26	130	7	0	8	275	48	0	23	18	17	0	27	3	13	595	1,911	3	2	7	4
8:00 AM	0	25	137	1	0	5	157	55	0	1	3	3	0	51	2	20	460	1,727	1	0	2	1
8:15 AM	0	13	84	3	0	1	183	57	0	2	3	0	0	34	3	17	400	1	0	1	1	
8:30 AM	0	25	102	0	0	4	188	69	0	0	6	1	0	46	2	13	456	1	1	1	2	
8:45 AM	0	39	95	0	0	0	194	48	0	0	0	0	0	23	0	12	411	2	1	1	3	

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	2	0	0	0	1	0	0	0	0	0	0	0	0	0	3
Lights	0	75	478	139	0	83	730	156	0	95	108	44	0	200	93	74	2,275
Mediums	0	1	10	0	0	0	18	3	0	0	0	0	0	4	0	0	36
Total	0	76	490	139	0	83	749	159	0	95	108	44	0	204	93	74	2,314



(303) 216-2439  
www.alltrafficdata.net


**Location:** 55 MARY AVE & HOMESTEAD RD PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 05:00 PM - 06:00 PM

**Peak 15-Minutes:** 05:30 PM - 05:45 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	HOMESTEAD RD Eastbound				HOMESTEAD RD Westbound				MARY AVE Northbound				MARY AVE Southbound				Rolling Hour	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
4:00 PM	0	14	189	5	0	4	95	26	0	6	15	12	0	75	8	18	467	1,897	1	8	10	2
4:15 PM	0	16	220	2	0	1	84	32	0	3	6	8	0	73	10	13	468	1,964	2	2	3	0
4:30 PM	0	15	217	0	0	0	97	44	0	4	3	3	0	69	2	19	473	2,072	1	2	2	0
4:45 PM	0	9	247	4	0	5	78	35	0	4	0	9	0	77	6	15	489	2,180	0	2	0	3
5:00 PM	0	16	230	6	0	1	100	31	0	5	1	3	0	114	3	24	534	2,228	0	1	2	2
5:15 PM	0	19	237	3	0	2	111	59	1	2	0	3	0	107	6	26	576	2,244	1	1	3	2
5:30 PM	0	15	238	2	0	2	117	49	0	7	13	4	0	98	4	32	581	2,266	6	2	1	5
5:45 PM	0	10	229	11	0	3	107	46	0	0	1	2	0	93	13	22	537	2,283	2	2	3	1

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	60	929	22	0	8	434	184	1	14	15	12	0	410	26	104	2,219
Mediums	0	0	5	0	0	0	1	1	0	0	0	0	0	2	0	0	9
Total	0	60	934	22	0	8	435	185	1	14	15	12	0	412	26	104	2,228



(303) 216-2439  
www.alltrafficdata.net


**Location:** 26 SR 85 SB RAMPS & FREMONT AVE AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 07:30 AM - 08:30 AM

**Peak 15-Minutes:** 07:45 AM - 08:00 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	FREMONT AVE Eastbound				FREMONT AVE Westbound				SR 85 SB RAMPS Northbound				SR 85 SB RAMPS Southbound				Rolling Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		Hour	West	East	South	North
7:00 AM	0	0	92	49	0	86	163	0	0	0	0	0	0	34	0	72	496	2,882	0	0	0	0
7:15 AM	0	0	114	51	0	91	225	0	0	0	0	0	0	39	0	87	607	3,273	0	0	1	2
7:30 AM	0	0	181	107	0	96	300	0	0	0	0	0	0	40	0	129	853	3,417	0	0	0	0
7:45 AM	0	0	209	57	0	126	351	0	0	0	0	0	0	44	0	139	926	3,337	0	0	0	0
8:00 AM	0	0	252	82	0	136	245	0	0	0	0	0	0	76	0	96	887	3,122	0	0	0	0
8:15 AM	0	0	175	77	0	150	216	0	0	0	0	0	0	81	0	52	751	0	0	0	0	1
8:30 AM	0	0	194	87	0	149	225	0	0	0	0	0	0	63	2	53	773	0	0	0	0	1
8:45 AM	0	0	162	85	0	134	214	0	0	0	0	0	0	57	0	59	711	0	0	0	0	0

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	0	813	315	0	505	1,100	0	0	0	0	0	0	234	0	409	3,376
Mediums	0	0	4	8	0	3	12	0	0	0	0	0	0	7	0	7	41
Total	0	0	817	323	0	508	1,112	0	0	0	0	0	0	241	0	416	3,417



(303) 216-2439  
www.alltrafficdata.net


**Location:** 26 SR 85 SB RAMPS & FREMONT AVE PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 05:00 PM - 06:00 PM

**Peak 15-Minutes:** 05:45 PM - 06:00 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	FREMONT AVE Eastbound				FREMONT AVE Westbound				SR 85 SB RAMPS Northbound				SR 85 SB RAMPS Southbound				Rolling Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		Hour	West	East	South	North
4:00 PM	0	0	202	83	0	100	152	0	0	0	0	0	0	76	0	43	656	2,486	0	0	0	0
4:15 PM	0	0	196	77	0	76	146	0	0	0	0	0	0	72	1	38	606	2,475	0	0	0	1
4:30 PM	0	0	222	73	0	68	159	0	0	0	0	0	0	60	0	22	604	2,497	0	0	1	0
4:45 PM	0	0	222	48	0	65	175	0	0	0	0	0	0	81	0	29	620	2,490	0	0	1	0
5:00 PM	0	0	219	45	0	90	159	0	0	0	0	0	0	96	0	36	645	2,540	0	0	0	0
5:15 PM	0	0	213	58	0	90	164	0	0	0	0	0	0	82	0	21	628		0	0	0	1
5:30 PM	0	0	187	43	0	92	158	0	0	0	0	0	0	91	0	26	597		0	0	0	0
5:45 PM	0	0	226	33	0	99	191	0	0	0	0	0	0	95	0	26	670		0	0	0	0

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Lights	0	0	838	178	0	367	669	0	0	0	0	0	0	363	0	105	2,520
Mediums	0	0	6	1	0	4	3	0	0	0	0	0	0	1	0	4	19
Total	0	0	845	179	0	371	672	0	0	0	0	0	0	364	0	109	2,540



(303) 216-2439  
www.alltrafficdata.net


**Location:** 27 SR 85 NB RAMPS & FREMONT AVE AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 07:45 AM - 08:45 AM

**Peak 15-Minutes:** 08:00 AM - 08:15 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	FREMONT AVE Eastbound				FREMONT AVE Westbound				SR 85 NB RAMPS Northbound				SR 85 NB RAMPS Southbound				Rolling Total	Hour	Pedestrian Crossings			
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right			West	East	South	North
7:00 AM	0	73	48	0	0	0	180	109	0	72	0	61	0	0	0	0	543	2,939	0	0	0	0
7:15 AM	0	66	80	0	0	0	218	108	0	99	0	53	0	0	0	0	624	3,361	0	0	2	1
7:30 AM	0	88	128	0	0	0	298	145	0	99	0	57	0	0	0	0	815	3,588	0	0	0	0
7:45 AM	0	89	156	0	0	0	388	167	0	90	0	67	0	0	0	0	957	3,655	0	0	0	0
8:00 AM	0	93	217	0	0	0	333	194	0	65	0	63	0	0	0	0	965	3,455	0	0	0	0
8:15 AM	0	89	163	0	0	0	319	177	0	54	0	49	0	0	0	0	851	0	0	0	0	1
8:30 AM	0	94	162	0	0	0	321	202	0	56	0	47	0	0	0	0	882	0	0	0	0	1
8:45 AM	1	56	154	0	0	0	304	139	0	54	0	49	0	0	0	0	757	0	0	0	0	0

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	1	1	0	0	0	1	0	0	0	0	3
Lights	0	363	696	0	0	0	1,345	738	0	265	0	222	0	0	0	0	3,629
Mediums	0	2	2	0	0	0	15	1	0	0	0	3	0	0	0	0	23
Total	0	365	698	0	0	0	1,361	740	0	265	0	226	0	0	0	0	3,655



(303) 216-2439  
www.alltrafficdata.net


**Location:** 27 SR 85 NB RAMPS & FREMONT AVE PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 05:00 PM - 06:00 PM

**Peak 15-Minutes:** 05:45 PM - 06:00 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	FREMONT AVE Eastbound				FREMONT AVE Westbound				SR 85 NB RAMPS Northbound				SR 85 NB RAMPS Southbound				Rolling Total	Pedestrian Crossings			
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North
4:00 PM	0	41	233	0	0	0	194	59	0	56	0	145	0	0	0	0	728	2,862	0	0	0
4:15 PM	0	52	213	0	0	0	162	64	0	58	0	143	0	0	0	0	692	2,943	0	0	0
4:30 PM	1	39	233	0	0	0	172	70	0	55	0	133	0	0	0	0	703	3,015	0	0	0
4:45 PM	0	23	271	0	0	0	187	55	0	55	0	148	0	0	0	0	739	3,035	0	0	0
5:00 PM	0	44	294	0	0	0	211	77	0	45	0	138	0	0	0	0	809	3,123	0	0	0
5:15 PM	0	37	242	0	0	0	223	74	0	47	0	141	0	0	0	0	764	0	0	0	2
5:30 PM	0	27	246	0	0	0	201	58	0	47	1	143	0	0	0	0	723	0	0	0	0
5:45 PM	1	26	287	0	0	0	225	60	0	84	0	144	0	0	0	0	827	0	0	0	0

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Lights	1	130	1,063	0	0	0	855	268	0	221	1	564	0	0	0	0	3,103
Mediums	0	4	5	0	0	0	5	1	0	2	0	2	0	0	0	0	19
Total	1	134	1,069	0	0	0	860	269	0	223	1	566	0	0	0	0	3,123




(303) 216-2439  
www.alltrafficdata.net

**Location:** 53 MAXINE AVE & HOMESTEAD RD AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 07:30 AM - 08:30 AM  
**Peak 15-Minutes:** 07:45 AM - 08:00 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	HOMESTEAD RD				HOMESTEAD RD				MAXINE AVE				SR 85 SB RAMPS				Rolling Hour	Pedestrian Crossings				
	Eastbound		Westbound		Northbound		Southbound		Total		West	East	Total		West	East		North				
U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North	
7:00 AM	0	0	42	0	0	0	69	0	0	0	0	3	0	8	0	11	133	1,333	0	0	0	1
7:15 AM	0	0	83	1	0	0	123	0	1	0	0	3	0	22	0	13	246	1,674	0	0	7	2
7:30 AM	0	0	173	0	0	1	195	0	0	0	0	8	0	65	0	14	456	1,838	1	0	9	7
7:45 AM	0	0	191	2	0	3	229	0	0	1	0	4	0	32	0	36	498	1,787	24	0	0	55
8:00 AM	0	0	181	0	0	3	206	0	0	0	0	9	0	16	0	59	474	1,682	3	0	1	23
8:15 AM	0	0	144	0	0	4	183	0	0	2	0	11	0	21	2	43	410		2	0	5	4
8:30 AM	0	0	158	2	0	2	166	0	0	0	0	7	0	25	0	45	405		0	0	1	2
8:45 AM	0	0	136	3	0	2	174	0	0	3	0	3	0	25	1	46	393		0	0	3	1

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	2
Lights	0	0	679	2	0	11	799	0	0	3	0	32	0	130	2	142	1,800
Mediums	0	0	9	0	0	0	14	0	0	0	0	0	0	3	0	10	36
Total	0	0	689	2	0	11	813	0	0	3	0	32	0	134	2	152	1,838




(303) 216-2439  
www.alltrafficdata.net

**Location:** 53 MAXINE AVE & HOMESTEAD RD PM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 04:45 PM - 05:45 PM  
**Peak 15-Minutes:** 04:45 PM - 05:00 PM

## Peak Hour - All Vehicles



## **Peak Hour - Pedestrians/Bicycles in Crosswalk**



Note: Total study counts contained in parentheses.

## Traffic Counts

Interval Start Time	HOMESTEAD RD				HOMESTEAD RD				MAXINE AVE				SR 85 SB RAMPS				Pedestrian Crossings									
	Eastbound				Westbound				Northbound				Southbound				Rolling Hour		West		East		South		North	
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North				
4:00 PM	0	0	192	4	0	3	118	0	0	0	0	1	0	22	1	12	353	1,458	4	0	4	12				
4:15 PM	0	0	208	1	0	2	91	0	0	1	0	1	0	26	4	12	346	1,478	0	0	3	2				
4:30 PM	0	0	215	2	0	3	75	0	0	0	0	5	0	32	0	10	342	1,520	1	0	3	4				
4:45 PM	0	0	220	1	0	5	108	0	0	1	0	3	0	59	2	18	417	1,591	0	0	1	5				
5:00 PM	0	0	199	2	0	1	95	0	0	0	0	5	0	54	4	13	373	1,575	0	0	0	0				
5:15 PM	0	0	185	2	0	4	87	0	0	1	0	6	0	74	6	23	388		0	0	5	1				
5:30 PM	0	0	181	3	0	4	119	0	0	2	0	6	0	77	3	18	413		0	0	1	0				
5:45 PM	0	0	167	2	0	4	114	0	0	4	0	6	0	78	4	22	401		0	0	0	2				

## Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total	
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Lights	0	0	781	8	0	14	408	0	0	0	4	0	20	0	263	15	72	1,585
Mediums	0	0	4	0	0	0	1	0	0	0	0	0	0	1	0	0	6	
Total	0	0	785	8	0	14	409	0	0	0	4	0	20	0	264	15	72	1,591



(303) 216-2439  
www.alltrafficdata.net


**Location:** 54 SR 85 NB RAMPS & HOMESTEAD RD AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 07:30 AM - 08:30 AM

**Peak 15-Minutes:** 07:45 AM - 08:00 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	HOMESTEAD RD				HOMESTEAD RD				SR 85 NB RAMPS				BERNARDO AVE				Pedestrian Crossings					
	Eastbound		Westbound		Northbound		Southbound		Total	Hour	West	East	South	North								
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right						
7:00 AM	0	1	31	16	0	22	93	4	0	0	0	0	0	2	0	3	172	1,677	0	0	0	0
7:15 AM	0	10	105	23	0	34	120	14	0	0	0	0	0	10	1	6	323	2,012	0	0	8	0
7:30 AM	1	19	188	26	0	52	201	41	0	0	0	0	0	41	2	11	582	2,061	0	2	12	1
7:45 AM	0	70	115	43	0	39	218	78	0	0	0	0	0	18	4	15	600	1,896	0	0	4	1
8:00 AM	0	24	117	50	0	29	178	57	0	0	0	0	0	26	1	25	507	1,700	0	0	1	6
8:15 AM	0	11	99	58	0	23	161	5	0	0	0	0	0	2	0	13	372	0	0	5	0	
8:30 AM	0	25	124	42	0	31	163	16	0	0	0	0	0	3	0	13	417	0	0	1	2	
8:45 AM	1	20	125	22	0	28	156	34	0	0	0	0	0	1	1	16	404	0	0	2	1	

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	3
Lights	1	121	509	176	0	143	744	177	0	0	0	0	0	83	7	62	2,023
Mediums	0	2	8	1	0	0	14	4	0	0	0	0	0	4	0	2	35
Total	1	124	519	177	0	143	758	181	0	0	0	0	0	87	7	64	2,061



(303) 216-2439  
www.alltrafficdata.net


**Location:** 54 SR 85 NB RAMPS & HOMESTEAD RD PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 04:45 PM - 05:45 PM

**Peak 15-Minutes:** 05:30 PM - 05:45 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	HOMESTEAD RD Eastbound				HOMESTEAD RD Westbound				SR 85 NB RAMPS Northbound				BERNARDO AVE Southbound				Rolling Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		Hour	West	East	South	North
4:00 PM	1	14	168	24	0	18	93	15	0	0	0	0	0	16	4	25	378	1,502	0	0	7	0
4:15 PM	0	6	213	20	0	14	70	3	0	0	0	0	0	12	0	9	347	1,519	0	0	2	1
4:30 PM	0	9	224	17	0	18	81	7	0	0	0	0	0	14	1	11	382	1,571	0	0	3	2
4:45 PM	0	13	248	12	0	15	84	1	0	0	0	0	0	10	0	12	395	1,613	0	0	0	1
5:00 PM	1	7	242	18	0	13	79	9	0	0	0	0	0	17	0	9	395	1,609	0	0	1	0
5:15 PM	0	8	233	11	0	25	92	3	0	0	0	0	0	15	0	12	399	0	0	4	1	
5:30 PM	0	11	244	9	0	21	111	8	0	0	0	0	0	9	0	11	424	0	0	2	0	
5:45 PM	0	14	230	11	0	13	93	3	0	0	0	0	0	13	0	14	391	0	0	0	0	

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	1	39	959	49	0	74	365	21	0	0	0	0	0	51	0	44	1,603
Mediums	0	0	8	1	0	0	1	0	0	0	0	0	0	0	0	0	10
Total	1	39	967	50	0	74	366	21	0	0	0	0	0	51	0	44	1,613



(303) 216-2439  
www.alltrafficdata.net


**Location:** 52 HOLLOWBECK AVE & FREMONT AVE AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 07:30 AM - 08:30 AM

**Peak 15-Minutes:** 07:45 AM - 08:00 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	FREMONT AVE Eastbound				FREMONT AVE Westbound				HOLLOWBECK AVE Northbound				HOLLOWBECK AVE Southbound				Rolling Total	Hour	Pedestrian Crossings			
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right			West	East	South	North
7:00 AM	1	7	47	4	0	9	116	21	0	32	19	20	0	9	22	15	322	2,221	0	2	6	1
7:15 AM	0	11	53	6	0	11	133	45	0	37	43	21	0	22	58	25	465	2,605	0	0	1	1
7:30 AM	7	15	70	28	0	36	198	59	0	36	74	31	0	15	79	33	681	2,831	0	0	0	0
7:45 AM	1	22	89	29	0	51	210	52	0	42	88	51	0	33	59	26	753	2,803	0	0	0	0
8:00 AM	1	23	118	27	0	33	195	29	0	54	73	38	0	30	50	35	706	2,740	0	0	0	1
8:15 AM	3	23	85	22	0	38	202	19	0	43	105	38	0	26	52	35	691	0	1	0	1	
8:30 AM	2	15	100	14	0	28	199	23	0	60	90	43	0	20	36	23	653	0	2	1	3	
8:45 AM	0	15	95	27	0	26	198	43	0	40	115	51	0	21	32	27	690	0	0	0	0	

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	1	0	0	0	4	0	0	0	0	0	0	0	0	0	5
Lights	12	83	358	106	0	156	792	156	0	175	335	155	0	104	235	129	2,796
Mediums	0	0	3	0	0	2	9	3	0	0	5	3	0	0	5	0	30
Total	12	83	362	106	0	158	805	159	0	175	340	158	0	104	240	129	2,831



(303) 216-2439  
www.alltrafficdata.net


**Location:** 52 HOLLENBECK AVE & FREMONT AVE PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 05:00 PM - 06:00 PM

**Peak 15-Minutes:** 05:45 PM - 06:00 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	FREMONT AVE Eastbound				FREMONT AVE Westbound				HOLLENBECK AVE Northbound				HOLLENBECK AVE Southbound				Rolling Total	Hour	Pedestrian Crossings			
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right			West	East	South	North
4:00 PM	3	42	214	46	0	27	92	19	0	17	71	43	0	13	63	24	674	2,741	1	0	1	1
4:15 PM	0	28	194	46	4	36	109	17	0	15	60	47	0	25	55	21	657	2,872	0	0	0	0
4:30 PM	2	23	221	47	1	28	109	16	0	20	48	34	0	16	67	17	649	3,059	2	0	0	0
4:45 PM	2	33	256	50	0	32	132	11	0	25	52	41	0	18	90	19	761	3,276	1	0	0	0
5:00 PM	2	43	225	41	2	57	91	23	0	37	65	54	0	23	122	20	805	3,410	0	0	0	3
5:15 PM	1	33	267	45	13	52	121	50	0	30	61	37	0	28	92	14	844	1	7	0	1	
5:30 PM	1	39	241	43	5	53	129	53	0	27	56	47	0	42	98	32	866	1	0	0	0	
5:45 PM	6	45	223	54	8	51	142	45	0	19	56	42	0	50	106	48	895	0	0	0	0	

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Lights	10	158	953	180	28	213	481	169	0	113	236	180	0	143	415	114	3,393
Mediums	0	2	2	3	0	0	2	2	0	0	2	0	0	0	3	0	16
Total	10	160	956	183	28	213	483	171	0	113	238	180	0	143	418	114	3,410



(303) 216-2439  
www.alltrafficdata.net


**Location:** 56 HOLLOWBECK AVE & HOMESTEAD RD AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 07:30 AM - 08:30 AM

**Peak 15-Minutes:** 07:45 AM - 08:00 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	HOMESTEAD RD				HOMESTEAD RD				HOLLENBECK AVE				HOLLENBECK AVE				Pedestrian Crossings
	Eastbound		Westbound		Northbound		Southbound		Total	Hour	West	East	South	North			
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
7:00 AM	0	1	33	20	0	27	98	23	0	33	29	23	0	20	32	8	347 2,552 0 5 2 3
7:15 AM	0	15	46	19	0	30	158	22	0	47	47	30	0	21	29	34	498 3,071 5 13 10 8
7:30 AM	0	37	115	29	0	36	195	56	0	64	87	48	0	40	40	82	829 3,407 8 31 65 12
7:45 AM	0	28	130	50	0	60	188	43	0	65	83	65	0	65	66	35	878 3,403 4 3 5 0
8:00 AM	0	23	148	59	0	69	145	32	0	76	85	72	0	43	95	19	866 3,340 0 9 10 0
8:15 AM	0	11	95	41	0	78	163	40	0	82	127	72	0	32	81	12	834 1 2 3 0
8:30 AM	0	13	92	51	0	68	137	31	0	112	145	64	0	32	68	12	825 3 8 3 1
8:45 AM	0	13	75	52	0	52	143	44	0	108	157	50	0	32	77	12	815 3 0 4 1

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	99	478	173	0	234	675	168	0	284	377	253	0	179	279	145	3,344
Mediums	0	0	10	6	0	9	16	3	0	3	5	4	0	1	3	3	63
Total	0	99	488	179	0	243	691	171	0	287	382	257	0	180	282	148	3,407



(303) 216-2439  
www.alltrafficdata.net


**Location:** 56 HOLLOWBECK AVE & HOMESTEAD RD PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 05:00 PM - 06:00 PM

**Peak 15-Minutes:** 05:30 PM - 05:45 PM

## Peak Hour - All Vehicles



## **Peak Hour - Pedestrians/Bicycles in Crosswalk**



Note: Total study counts contained in parentheses.

## Traffic Counts

Interval Start Time	HOMESTEAD RD				HOMESTEAD RD				HOLLENBECK AVE				HOLLENBECK AVE				Rolling Hour				Pedestrian Crossings					
	Eastbound				Westbound				Northbound				Southbound				Total		West		East		South		North	
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North				
4:00 PM	0	35	190	62	0	52	79	40	0	42	53	64	0	42	105	17	781	3,221	56	33	33	29				
4:15 PM	0	16	195	82	0	38	83	49	0	41	84	55	0	43	89	15	790	3,406	11	10	9	11				
4:30 PM	0	16	200	87	0	61	91	35	0	44	53	51	0	47	79	14	778	3,587	4	9	12	13				
4:45 PM	0	14	207	98	0	59	82	36	0	55	75	49	0	58	128	11	872	3,789	9	4	18	5				
5:00 PM	0	17	234	107	0	43	109	32	0	63	82	62	0	52	144	21	966	3,886	1	7	1	11				
5:15 PM	0	13	209	133	0	53	108	36	0	50	81	70	0	61	140	17	971		6	3	9	6				
5:30 PM	0	16	219	112	0	51	109	38	0	68	93	68	0	51	137	18	980		2	2	2	2				
5:45 PM	0	9	202	111	0	58	119	49	0	73	71	79	0	55	132	11	969		4	7	1	7				

## Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	54	855	462	0	202	445	155	0	253	325	277	0	219	549	67	3,863
Mediums	0	1	9	1	0	3	0	0	0	1	2	2	0	0	4	0	23
Total	0	55	864	463	0	205	445	155	0	254	327	279	0	219	553	67	3,886




(303) 216-2439  
www.alltrafficdata.net

**Location:** 12 MATHILDA AVE & ALMANOR AVE AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 07:45 AM - 08:45 AM  
**Peak 15-Minutes:** 08:30 AM - 08:45 AM

## Peak Hour - All Vehicles



## **Peak Hour - Pedestrians/Bicycles in Crosswalk**



Note: Total study counts contained in parentheses.

## Traffic Counts

Interval Start Time	ALMANOR AVE				ALMANOR AVE				MATHILDA AVE				MATHILDA AVE				Rolling Hour	Pedestrian Crossings				
	Eastbound				Westbound				Northbound				Southbound					West	East	South	North	
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right						
7:00 AM	0	8	0	1	0	11	2	68	3	1	290	4	3	11	232	54	688	3,455	0	1	8	0
7:15 AM	0	13	2	1	0	13	6	57	3	4	346	9	4	12	240	47	757	3,837	0	3	4	0
7:30 AM	0	12	1	3	0	10	7	60	3	3	451	6	7	12	254	46	875	4,227	0	5	3	1
7:45 AM	0	14	4	5	0	13	11	92	3	4	602	7	9	18	311	42	1,135	4,564	0	0	2	0
8:00 AM	0	20	2	3	0	12	7	69	5	8	582	6	10	16	279	51	1,070	4,563	0	3	6	0
8:15 AM	0	26	2	4	0	8	11	51	5	13	655	4	11	15	285	57	1,147		0	0	3	0
8:30 AM	0	23	4	4	0	17	10	74	6	15	654	11	6	10	305	73	1,212		0	1	0	0
8:45 AM	0	18	0	6	0	14	10	56	2	10	584	8	17	11	328	70	1,134		0	0	4	0

## Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total	
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		
Articulated Trucks	0	2	0	0	0	0	0	0	0	0	0	9	0	0	1	7	0	19
Lights	0	76	12	16	0	49	39	284	19	40	2,459	28	36	55	1,148	221	4,482	
Mediums	0	5	0	0	0	1	0	2	0	0	25	0	0	3	25	2	63	
Total	0	83	12	16	0	50	39	286	19	40	2,493	28	36	59	1,180	223	4,564	



(303) 216-2439  
www.alltrafficdata.net


**Location:** 12 MATHILDA AVE & ALMANOR AVE PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 04:45 PM - 05:45 PM

**Peak 15-Minutes:** 05:00 PM - 05:15 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	ALMANOR AVE Eastbound				ALMANOR AVE Westbound				MATHILDA AVE Northbound				MATHILDA AVE Southbound				Rolling Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
4:00 PM	0	79	11	14	0	7	2	29	6	0	276	7	6	28	392	12	869	4,064	0	2	6	0
4:15 PM	0	44	9	11	0	10	3	27	9	2	284	13	13	32	533	23	1,013	4,398	0	1	2	0
4:30 PM	0	72	19	13	0	4	1	24	3	0	253	16	6	37	580	22	1,050	4,426	0	2	5	0
4:45 PM	0	87	22	25	0	11	1	16	6	3	313	20	8	24	571	25	1,132	4,462	0	1	3	0
5:00 PM	0	70	17	15	0	4	2	20	4	2	339	19	9	41	631	30	1,203	4,386	0	0	1	0
5:15 PM	0	102	40	9	0	9	1	16	1	4	317	30	8	34	425	45	1,041		0	1	1	0
5:30 PM	0	89	39	10	0	3	2	31	0	2	309	34	13	50	449	55	1,086		0	0	5	0
5:45 PM	0	66	21	12	0	7	2	16	5	3	288	22	13	56	462	83	1,056		0	2	1	0

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	343	117	59	0	27	6	82	11	11	1,250	103	38	149	2,054	152	4,402
Mediums	0	5	1	0	0	0	0	1	0	0	28	0	0	0	22	3	60
Total	0	348	118	59	0	27	6	83	11	11	1,278	103	38	149	2,076	155	4,462



(303) 216-2439  
www.alltrafficdata.net


**Location:** 13 MATHILDA AVE & SAN ALESO AVE AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 08:00 AM - 09:00 AM

**Peak 15-Minutes:** 08:30 AM - 08:45 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	DWY				SAN ALESO AVE				MATHILDA AVE				MATHILDA AVE				Pedestrian Crossings
	Eastbound		Westbound		Northbound		Southbound		Total		Hour		West		East		
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	South	North	
7:00 AM	0	3	0	0	0	0	2	0	5	2	0	272	15	5	1	228	1
7:15 AM	0	2	0	0	0	11	0	2	2	0	361	7	6	2	258	1	652
7:30 AM	0	1	0	0	0	10	0	2	1	0	415	10	9	2	258	3	711
7:45 AM	0	0	0	3	0	6	0	3	2	0	605	12	7	1	321	0	960
8:00 AM	0	0	0	0	0	5	0	6	8	0	638	11	7	6	298	1	980
8:15 AM	0	0	0	1	0	1	0	2	1	1	654	7	11	1	287	0	966
8:30 AM	0	1	1	0	0	3	1	4	3	0	701	3	8	3	308	2	1,038
8:45 AM	0	1	0	0	0	2	0	3	5	0	662	9	8	1	346	0	1,037

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total	
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	7	0	0	0	7	0	14
Lights	0	2	1	1	0	11	1	15	17	1	2,621	30	34	11	1,199	3	3,947	
Mediums	0	0	0	0	0	0	0	0	0	0	27	0	0	0	33	0	60	
Total	0	2	1	1	0	11	1	15	17	1	2,655	30	34	11	1,239	3	4,021	



(303) 216-2439  
www.alltrafficdata.net


**Location:** 13 MATHILDA AVE & SAN ALESO AVE PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 04:45 PM - 05:45 PM

**Peak 15-Minutes:** 05:00 PM - 05:15 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	DWY				SAN ALESO AVE				MATHILDA AVE				MATHILDA AVE				Pedestrian Crossings					
	Eastbound		Westbound		Northbound		Southbound		Total	Hour	West	East	South	North								
U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right							
4:00 PM	0	4	1	0	0	6	0	3	1	0	279	6	3	2	422	0	727	3,412	0	2	0	1
4:15 PM	0	4	0	0	0	2	0	6	4	0	276	12	14	4	524	0	846	3,708	3	3	1	1
4:30 PM	0	3	0	1	0	4	1	8	1	1	264	5	17	8	572	0	885	3,735	2	4	1	1
4:45 PM	0	4	2	0	0	6	0	6	1	1	314	18	11	4	586	1	954	3,767	4	1	1	2
5:00 PM	0	3	1	1	0	8	0	2	4	0	337	19	13	6	628	1	1,023	3,655	0	0	0	0
5:15 PM	0	7	1	1	0	5	0	5	4	1	341	28	11	5	458	6	873		3	4	0	2
5:30 PM	0	5	1	0	0	6	0	3	2	0	374	25	14	12	474	1	917		0	1	0	0
5:45 PM	0	9	2	4	0	4	0	9	3	0	291	21	23	13	459	4	842		0	4	0	1

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	18	5	2	0	25	0	15	11	2	1,345	90	49	26	2,128	9	3,725
Mediums	0	1	0	0	0	0	0	1	0	0	21	0	0	1	18	0	42
Total	0	19	5	2	0	25	0	16	11	2	1,366	90	49	27	2,146	9	3,767




(303) 216-2439  
www.alltrafficdata.net

**Location:** 14 MATHILDA AVE & MAUDE AVE AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 08:00 AM - 09:00 AM  
**Peak 15-Minutes:** 08:45 AM - 09:00 AM

## Peak Hour - All Vehicles



## **Peak Hour - Pedestrians/Bicycles in Crosswalk**



Note: Total study counts contained in parentheses.

## Traffic Counts

Interval Start Time	MAUDE AVE Eastbound				MAUDE AVE Westbound				MATHILDA AVE Northbound				MATHILDA AVE Southbound				Rolling Hour	Pedestrian Crossings					
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	West	East	South	North		
7:00 AM	0	14	9	11	0	42	56	51	5	44	268	11	2	28	140	39	720	3,853	0	0	2	2	2
7:15 AM	0	8	15	3	0	37	74	49	6	70	341	16	3	28	159	53	862	4,440	1	6	2	5	5
7:30 AM	0	8	17	13	0	30	102	70	13	80	403	17	1	44	169	65	1,032	4,835	5	2	3	3	3
7:45 AM	0	18	16	23	0	40	80	66	9	122	572	13	4	29	190	57	1,239	5,159	3	10	2	1	1
8:00 AM	0	21	15	15	0	33	102	76	9	150	629	15	0	28	156	58	1,307	5,305	2	5	6	3	3
8:15 AM	0	21	17	17	0	25	116	67	7	128	597	10	4	22	147	79	1,257		2	7	6	7	7
8:30 AM	0	18	25	22	0	43	126	67	18	137	597	12	8	33	187	63	1,356		7	16	4	9	9
8:45 AM	0	24	15	13	0	50	149	63	18	154	607	9	3	34	160	86	1,385		4	6	6	4	4

## Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	1	0	0	0	0	0	1	0	0	5	1	0	2	4	0	14
Lights	0	81	71	63	0	145	486	267	52	558	2,402	43	15	106	621	284	5,194
Mediums	0	2	1	4	0	6	7	5	0	11	23	2	0	9	25	2	97
Total	0	84	72	67	0	151	493	273	52	569	2,430	46	15	117	650	286	5,305




(303) 216-2439  
www.alltrafficdata.net

**Location:** 15 MATHILDA AVE & INDIO WAY AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 08:00 AM - 09:00 AM  
**Peak 15-Minutes:** 08:00 AM - 08:15 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	INDIO WAY Eastbound				INDIO WAY Westbound				MATHILDA AVE Northbound				MATHILDA AVE Southbound				Rolling Hour Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	0	2	0	61	0	9	0	58	6	4	213	13	3	2	164	13	548	3,143	0	1	3	1
7:15 AM	0	2	1	58	0	13	0	83	4	4	295	12	3	0	205	14	694	3,708	3	0	1	0
7:30 AM	0	2	1	81	0	9	0	92	7	3	454	3	8	0	191	14	865	4,086	2	0	0	1
7:45 AM	0	4	0	71	0	40	1	114	10	10	532	20	6	0	211	17	1,036	4,295	6	1	0	3
8:00 AM	0	5	0	60	0	36	1	173	0	8	550	27	4	1	233	15	1,113	4,332	1	9	0	0
8:15 AM	0	6	0	39	0	38	5	167	9	10	537	30	5	1	208	17	1,072	0	17	0	1	
8:30 AM	0	3	0	39	0	27	3	154	2	14	573	35	5	0	198	21	1,074	0	8	1	6	
8:45 AM	0	4	0	36	0	38	8	128	6	19	561	40	7	0	203	23	1,073	0	10	1	3	

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	1	0	0	0	0	6	1	0	0	3	0	11
Lights	0	16	0	170	0	137	17	616	17	51	2,198	120	21	1	797	73	4,234
Mediums	0	2	0	4	0	1	0	6	0	0	17	11	0	1	42	3	87
Total	0	18	0	174	0	139	17	622	17	51	2,221	132	21	2	842	76	4,332



(303) 216-2439  
www.alltrafficdata.net


**Location:** 15 MATHILDA AVE & INDIO WAY PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 04:30 PM - 05:30 PM

**Peak 15-Minutes:** 05:00 PM - 05:15 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	INDIO WAY Eastbound				INDIO WAY Westbound				MATHILDA AVE Northbound				MATHILDA AVE Southbound				Rolling Hour Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
4:00 PM	0	10	0	33	0	7	0	21	0	5	214	22	9	2	570	16	909	4,014	6	2	1	6
4:15 PM	0	3	0	55	0	13	1	9	5	3	201	25	9	2	560	15	901	4,224	2	2	1	6
4:30 PM	0	6	0	70	0	17	0	17	3	6	213	31	5	4	701	13	1,086	4,384	2	3	1	3
4:45 PM	0	9	0	74	0	8	0	12	4	5	227	21	10	4	731	13	1,118	4,345	2	11	2	4
5:00 PM	0	12	0	99	0	19	0	21	0	4	236	28	10	2	667	21	1,119	4,160	6	4	2	1
5:15 PM	0	10	1	132	0	24	0	22	5	2	250	26	7	4	564	14	1,061	2	3	1	3	
5:30 PM	0	17	0	131	0	30	0	23	6	6	261	29	8	4	514	18	1,047	2	13	1	1	
5:45 PM	0	9	2	144	0	21	0	20	1	2	229	28	7	8	449	13	933	5	7	5	1	

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	37	1	373	0	67	0	71	12	17	910	102	32	14	2,637	59	4,332
Mediums	0	0	0	2	0	1	0	1	0	0	16	4	0	0	26	2	52
Total	0	37	1	375	0	68	0	72	12	17	926	106	32	14	2,663	61	4,384



(303) 216-2439  
www.alltrafficdata.net


**Location:** 16 MATHILDA AVE & CALIFORNIA AVE AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 08:00 AM - 09:00 AM

**Peak 15-Minutes:** 08:45 AM - 09:00 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	CALIFORNIA AVE Eastbound				CALIFORNIA AVE Westbound				MATHILDA AVE Northbound				MATHILDA AVE Southbound				Rolling Total	Hour	Pedestrian Crossings			
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right			West	East	South	North
7:00 AM	0	9	1	9	0	14	8	24	0	9	216	33	0	10	171	36	540	3,210	2	5	0	1
7:15 AM	0	8	5	13	0	12	9	38	0	13	291	32	5	6	214	44	690	3,773	4	4	3	2
7:30 AM	0	8	6	14	0	19	20	32	0	18	466	40	6	10	204	50	893	4,192	4	5	0	2
7:45 AM	0	18	2	20	0	24	16	53	0	29	520	67	3	18	262	55	1,087	4,370	10	3	0	3
8:00 AM	0	16	9	25	0	26	33	48	0	15	569	67	9	6	235	45	1,103	4,488	1	11	1	3
8:15 AM	0	7	4	24	0	17	26	46	0	35	625	73	4	9	183	56	1,109	4	13	5	1	
8:30 AM	0	11	3	23	0	10	27	44	0	21	579	82	2	7	204	58	1,071	1	5	2	4	
8:45 AM	0	18	5	50	0	26	46	47	0	46	627	82	6	6	183	63	1,205	14	12	6	2	

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	2	0	1	3	0	0	1	5	0	12
Lights	0	50	21	112	0	75	131	177	0	109	2,372	300	19	26	757	216	4,365
Mediums	0	2	0	10	0	4	1	6	0	7	25	4	2	1	43	6	111
Total	0	52	21	122	0	79	132	185	0	117	2,400	304	21	28	805	222	4,488



(303) 216-2439  
www.alltrafficdata.net


**Location:** 16 MATHILDA AVE & CALIFORNIA AVE PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 04:45 PM - 05:45 PM

**Peak 15-Minutes:** 05:15 PM - 05:30 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	CALIFORNIA AVE Eastbound				CALIFORNIA AVE Westbound				MATHILDA AVE Northbound				MATHILDA AVE Southbound				Rolling Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		Hour	West	East	South	North
4:00 PM	0	24	15	34	0	10	11	26	0	15	197	47	4	26	365	76	850	4,236	0	5	0	2
4:15 PM	1	31	17	49	0	13	8	24	0	15	176	43	6	39	477	70	969	4,648	0	1	1	1
4:30 PM	0	34	16	49	0	6	9	23	0	15	214	54	5	32	633	82	1,172	4,998	1	0	1	0
4:45 PM	0	44	26	65	0	9	7	17	2	13	215	58	5	54	624	106	1,245	5,078	11	9	2	3
5:00 PM	0	31	37	76	0	14	8	23	1	17	210	64	3	56	626	96	1,262	5,067	4	5	7	3
5:15 PM	0	39	50	85	0	21	10	25	0	21	229	61	6	43	669	60	1,319	2	5	3	1	
5:30 PM	0	41	36	89	0	26	19	36	1	27	208	73	2	43	572	79	1,252	0	14	8	3	
5:45 PM	0	16	30	78	0	12	11	25	1	27	219	74	4	53	613	71	1,234	1	7	10	1	

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Lights	0	151	148	310	0	70	43	96	4	74	842	253	15	193	2,481	339	5,019
Mediums	0	4	1	5	0	0	1	5	0	4	20	3	1	3	9	1	57
Total	0	155	149	315	0	70	44	101	4	78	862	256	16	196	2,491	341	5,078



(303) 216-2439  
www.alltrafficdata.net


**Location:** 17 MATHILDA AVE & WASHINGTON AVE AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 08:00 AM - 09:00 AM

**Peak 15-Minutes:** 08:00 AM - 08:15 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	WASHINGTON AVE Eastbound				WASHINGTON AVE Westbound				MATHILDA AVE Northbound				MATHILDA AVE Southbound				Rolling Hour Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	0	19	3	1	0	10	4	23	1	2	225	13	4	11	131	13	460	2,818	0	2	0	4
7:15 AM	0	23	8	9	0	7	4	29	0	1	300	10	12	30	188	21	642	3,488	0	2	0	3
7:30 AM	0	31	8	2	0	10	11	27	0	2	463	5	10	21	131	25	746	3,869	0	3	1	0
7:45 AM	0	35	7	10	0	12	15	39	0	7	578	17	10	24	171	45	970	4,040	1	2	0	9
8:00 AM	0	53	6	13	0	6	27	41	1	7	666	11	15	35	187	62	1,130	4,170	0	3	0	0
8:15 AM	0	47	14	8	0	15	18	39	1	4	677	15	11	25	121	28	1,023		2	0	0	1
8:30 AM	0	60	7	5	0	5	18	29	1	2	579	10	7	27	140	27	917		2	1	2	2
8:45 AM	0	45	19	8	0	8	11	30	0	4	719	14	14	38	164	26	1,100		0	4	1	0

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	1	0	0	0	0	0	0	4	0	0	1	0	1	7
Lights	0	203	44	30	0	33	74	134	3	17	2,610	47	46	110	592	138	4,081
Mediums	0	2	2	3	0	1	0	5	0	0	27	3	1	14	20	4	82
Total	0	205	46	34	0	34	74	139	3	17	2,641	50	47	125	612	143	4,170



(303) 216-2439  
www.alltrafficdata.net


**Location:** 17 MATHILDA AVE & WASHINGTON AVE PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 05:00 PM - 06:00 PM

**Peak 15-Minutes:** 05:15 PM - 05:30 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	WASHINGTON AVE Eastbound				WASHINGTON AVE Westbound				MATHILDA AVE Northbound				MATHILDA AVE Southbound				Rolling Hour Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
4:00 PM	0	17	19	4	0	24	17	41	2	8	202	14	1	32	388	28	797	3,689	0	3	2	2
4:15 PM	0	13	12	9	0	15	14	24	0	10	169	11	5	44	502	39	867	3,999	0	3	0	2
4:30 PM	0	21	16	7	0	20	19	31	0	8	242	17	0	50	552	26	1,009	4,286	0	2	4	7
4:45 PM	0	30	25	14	0	18	11	40	2	12	205	19	3	65	542	30	1,016	4,396	1	5	6	0
5:00 PM	0	40	26	5	0	22	22	42	2	6	201	10	2	64	617	48	1,107	4,498	3	4	2	10
5:15 PM	0	25	43	13	0	20	19	39	3	8	237	23	3	70	585	66	1,154		0	2	4	6
5:30 PM	0	49	52	23	0	23	28	46	3	8	218	26	2	84	510	47	1,119		2	8	3	7
5:45 PM	0	35	46	21	0	14	12	49	2	11	216	17	1	86	542	66	1,118		3	4	1	1

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	146	163	62	0	78	81	175	9	33	854	74	8	300	2,246	226	4,455
Mediums	0	3	4	0	0	1	0	1	1	0	18	2	0	4	8	1	43
Total	0	149	167	62	0	79	81	176	10	33	872	76	8	304	2,254	227	4,498



(303) 216-2439  
www.alltrafficdata.net


**Location:** 18 MATHILDA AVE & MCKINLEY AVE AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 08:00 AM - 09:00 AM

**Peak 15-Minutes:** 08:00 AM - 08:15 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	MCKINLEY AVE				MCKINLEY AVE				MATHILDA AVE				MATHILDA AVE				Rolling Hour	Pedestrian Crossings				
	Eastbound		Westbound		Northbound		Southbound		Total		West	East	South	North								
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right						
7:00 AM	0	5	1	2	0	0	0	9	1	1	235	5	1	1	135	5	401	2,356	0	1	0	0
7:15 AM	0	4	0	4	0	1	0	8	0	0	282	5	0	1	198	4	507	2,953	0	5	1	1
7:30 AM	0	2	0	5	0	1	0	12	2	4	454	9	1	2	134	7	633	3,361	0	1	0	1
7:45 AM	0	10	1	3	0	1	0	8	1	8	588	10	1	1	164	19	815	3,524	3	3	5	3
8:00 AM	0	19	11	5	0	5	0	22	2	13	689	24	2	10	168	28	998	3,681	0	4	1	1
8:15 AM	0	22	2	3	0	7	0	20	0	6	668	31	3	8	139	6	915		0	2	2	0
8:30 AM	0	8	2	4	0	6	0	14	1	2	595	14	1	5	136	8	796		0	4	2	0
8:45 AM	0	13	3	6	0	7	0	17	4	4	705	32	1	13	159	8	972		0	2	1	1

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Lights	0	62	18	18	0	18	0	59	7	24	2,633	99	5	31	574	50	3,598
Mediums	0	0	0	0	0	7	0	14	0	1	20	2	2	5	27	0	78
Total	0	62	18	18	0	25	0	73	7	25	2,657	101	7	36	602	50	3,681



(303) 216-2439  
www.alltrafficdata.net


**Location:** 18 MATHILDA AVE & MCKINLEY AVE PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 04:45 PM - 05:45 PM

**Peak 15-Minutes:** 05:00 PM - 05:15 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	MCKINLEY AVE Eastbound				MCKINLEY AVE Westbound				MATHILDA AVE Northbound				MATHILDA AVE Southbound				Rolling Hour Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
4:00 PM	0	6	4	13	0	18	0	24	1	6	187	10	5	13	400	2	689	3,207	2	3	2	0
4:15 PM	0	7	1	7	0	14	0	16	0	6	164	18	3	13	532	7	788	3,427	1	1	2	2
4:30 PM	0	16	4	14	0	25	0	21	1	8	199	6	3	11	553	6	867	3,513	1	1	1	0
4:45 PM	0	14	10	12	1	16	0	21	0	6	193	11	1	12	559	7	863	3,554	4	0	1	3
5:00 PM	0	10	0	12	0	18	1	28	0	10	185	15	6	5	608	11	909	3,463	0	5	1	2
5:15 PM	0	23	17	14	0	19	0	17	2	5	204	8	6	15	535	9	874		3	2	1	3
5:30 PM	0	22	22	11	0	23	0	16	0	5	222	11	2	14	549	11	908		0	7	2	1
5:45 PM	0	13	16	13	0	17	0	16	0	3	187	9	2	10	480	6	772		0	6	2	1

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Lights	0	68	49	49	1	73	1	72	2	26	788	45	12	46	2,237	37	3,506
Mediums	0	1	0	0	0	3	0	10	0	0	16	0	3	0	13	1	47
Total	0	69	49	49	1	76	1	82	2	26	804	45	15	46	2,251	38	3,554




(303) 216-2439  
www.alltrafficdata.net

**Location:** 19 MATHILDA AVE & IOWA AVE AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 08:00 AM - 09:00 AM  
**Peak 15-Minutes:** 08:45 AM - 09:00 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	IOWA AVE Eastbound				IOWA AVE Westbound				MATHILDA AVE Northbound				MATHILDA AVE Southbound				Rolling Hour Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	0	5	1	3	0	1	0	2	0	1	235	3	0	7	129	4	391	2,340	0	0	0	0
7:15 AM	0	4	2	5	0	0	3	1	0	2	286	2	0	0	201	2	508	2,873	0	1	1	0
7:30 AM	0	3	4	7	0	0	0	9	0	4	453	1	1	1	138	2	623	3,223	0	0	0	0
7:45 AM	0	17	10	4	0	4	12	14	1	10	583	6	0	4	144	9	818	3,415	3	0	2	1
8:00 AM	0	21	10	7	1	3	5	13	0	2	670	9	0	3	166	14	924	3,523	0	0	0	2
8:15 AM	0	19	7	5	1	4	5	14	0	3	647	3	0	8	138	4	858		0	0	2	0
8:30 AM	0	17	13	3	0	6	7	15	0	6	592	10	0	6	134	6	815		0	0	2	0
8:45 AM	0	14	8	3	3	6	8	20	0	5	687	7	2	9	146	8	926		0	0	0	1

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	4
Lights	0	70	35	18	4	19	25	61	0	16	2,571	29	2	25	568	27	3,470
Mediums	0	1	3	0	1	0	0	1	0	0	21	0	0	1	16	5	49
Total	0	71	38	18	5	19	25	62	0	16	2,596	29	2	26	584	32	3,523




(303) 216-2439  
www.alltrafficdata.net

**Location:** 19 MATHILDA AVE & IOWA AVE PM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 04:45 PM - 05:45 PM  
**Peak 15-Minutes:** 05:30 PM - 05:45 PM

## Peak Hour - All Vehicles



## **Peak Hour - Pedestrians/Bicycles in Crosswalk**



Note: Total study counts contained in parentheses.

## Traffic Counts

Interval Start Time	IOWA AVE Eastbound				IOWA AVE Westbound				MATHILDA AVE Northbound				MATHILDA AVE Southbound				Rolling Hour		Pedestrian Crossings			
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North
4:00 PM	0	19	14	7	0	15	14	5	4	2	181	11	0	10	423	3	708	3,097	2	0	4	2
4:15 PM	0	8	8	6	1	19	11	7	3	10	163	11	1	13	496	2	759	3,297	0	0	2	1
4:30 PM	0	13	19	5	1	17	9	14	4	4	189	13	0	10	490	6	794	3,402	1	0	0	1
4:45 PM	0	9	9	11	0	18	13	10	2	3	184	4	3	21	536	13	836	3,518	2	0	4	0
5:00 PM	0	13	15	3	0	15	13	13	0	2	178	11	0	17	619	9	908	3,485	2	0	4	1
5:15 PM	0	10	22	20	0	12	16	12	1	6	198	6	1	16	532	12	864		2	1	4	1
5:30 PM	0	11	23	9	2	21	14	14	1	7	215	9	2	19	547	16	910		0	0	2	1
5:45 PM	0	7	30	13	1	17	8	18	4	5	182	12	0	17	480	9	803		2	0	2	4

## Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	41	69	43	2	66	56	48	4	18	763	30	6	73	2,218	50	3,487
Mediums	0	2	0	0	0	0	0	1	0	0	12	0	0	0	16	0	31
Total	0	43	69	43	2	66	56	49	4	18	775	30	6	73	2,234	50	3,518




(303) 216-2439  
www.alltrafficdata.net

**Location:** 20 MATHILDA AVE & OLIVE AVE AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 08:00 AM - 09:00 AM  
**Peak 15-Minutes:** 08:00 AM - 08:15 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	OLIVE AVE Eastbound				OLIVE AVE Westbound				MATHILDA AVE Northbound				MATHILDA AVE Southbound				Rolling Hour	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	0	4	3	4	0	2	4	3	0	5	231	1	1	2	113	7	380	2,359	0	1	0	0
7:15 AM	0	8	1	3	0	4	8	5	4	2	280	4	0	4	184	8	515	2,893	2	2	1	0
7:30 AM	0	12	4	6	0	9	12	12	0	13	425	2	1	2	121	15	634	3,271	0	1	0	0
7:45 AM	0	15	14	5	0	4	31	13	1	11	569	3	0	1	133	30	830	3,450	0	3	0	3
8:00 AM	0	19	5	7	0	5	32	5	0	21	651	6	1	4	138	20	914	3,478	0	3	2	0
8:15 AM	0	22	12	3	0	3	19	20	0	12	648	5	2	2	134	11	893		3	5	1	0
8:30 AM	0	22	9	7	0	6	24	17	2	9	594	8	4	2	93	16	813		1	5	0	4
8:45 AM	0	23	6	9	0	5	23	19	1	9	607	5	5	3	128	15	858		0	3	1	4

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	4
Lights	0	82	31	25	0	18	98	61	3	51	2,479	24	12	11	469	59	3,423
Mediums	0	4	1	1	0	1	0	0	0	0	17	0	0	0	24	3	51
Total	0	86	32	26	0	19	98	61	3	51	2,500	24	12	11	493	62	3,478




(303) 216-2439  
www.alltrafficdata.net

**Location:** 20 MATHILDA AVE & OLIVE AVE PM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 04:45 PM - 05:45 PM  
**Peak 15-Minutes:** 05:30 PM - 05:45 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	OLIVE AVE Eastbound				OLIVE AVE Westbound				MATHILDA AVE Northbound				MATHILDA AVE Southbound				Rolling Hour Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
4:00 PM	0	26	13	23	0	9	21	14	2	6	162	7	5	10	416	20	734	3,242	1	3	0	2
4:15 PM	0	13	12	17	0	7	12	11	1	8	178	8	12	8	526	21	834	3,426	2	6	2	3
4:30 PM	0	20	21	31	0	6	17	11	6	14	153	8	13	15	474	22	811	3,459	2	1	2	1
4:45 PM	0	11	13	24	0	7	13	10	3	8	182	11	4	6	550	21	863	3,584	1	4	1	3
5:00 PM	0	15	30	35	0	12	20	10	2	7	157	10	3	14	583	20	918	3,572	1	3	1	3
5:15 PM	0	24	34	32	0	8	19	8	2	2	171	11	3	12	515	26	867	0	9	2	3	
5:30 PM	0	19	32	15	0	6	19	10	2	7	202	8	5	15	565	31	936	1	6	0	5	
5:45 PM	0	23	24	28	0	6	16	12	3	13	157	13	1	7	523	25	851	0	4	3	1	

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	68	108	105	0	33	70	38	9	24	700	40	14	47	2,206	97	3,559
Mediums	0	1	1	1	0	0	1	0	0	0	12	0	1	0	7	1	25
Total	0	69	109	106	0	33	71	38	9	24	712	40	15	47	2,213	98	3,584



(303) 216-2439  
www.alltrafficdata.net


**Location:** 21 MATHILDA AVE & SUNNYVALE-SARATOGA RD AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 08:00 AM - 09:00 AM

**Peak 15-Minutes:** 08:30 AM - 08:45 AM

## Peak Hour - All Vehicles



## **Peak Hour - Pedestrians/Bicycles in Crosswalk**



Note: Total study counts contained in parentheses.

## Traffic Counts

Interval Start Time	SUNNYVALE-SARATOGA RD								MATHILDA AVE				MATHILDA AVE				Rolling Hour	Pedestrian Crossings				
	Eastbound				Westbound				Northbound				Southbound					West	East	South	North	
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right						
7:00 AM	0	4	2	7	0	51	0	3	3	1	205	50	1	3	92	2	424	2,393	0	3	1	0
7:15 AM	0	2	3	7	0	78	1	2	6	0	260	55	0	1	176	1	592	2,754	1	2	0	0
7:30 AM	0	5	2	3	0	51	0	6	1	0	374	71	5	1	109	1	629	2,963	1	1	3	0
7:45 AM	0	6	1	4	0	43	0	6	5	3	510	56	8	5	101	0	748	3,188	0	1	0	0
8:00 AM	0	3	1	8	0	65	0	4	3	1	527	47	5	6	112	3	785	3,242	0	2	1	0
8:15 AM	0	5	3	2	0	61	1	7	3	4	489	115	6	1	103	1	801		0	1	0	0
8:30 AM	0	3	1	4	0	66	0	8	4	5	505	152	3	6	96	1	854		0	0	1	2
8:45 AM	0	4	2	1	0	53	1	2	3	2	520	82	6	4	119	3	802		2	0	2	0

## Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	2	0	0	0	0	1	0	0	0	0	0	3
Lights	0	15	7	15	0	241	2	21	13	12	2,030	396	20	17	416	8	3,213
Mediums	0	0	0	0	0	2	0	0	0	0	10	0	0	0	14	0	26
Total	0	15	7	15	0	245	2	21	13	12	2,041	396	20	17	430	8	3,242



(303) 216-2439  
www.alltrafficdata.net


**Location:** 21 MATHILDA AVE & SUNNYVALE-SARATOGA RD PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 05:00 PM - 06:00 PM

**Peak 15-Minutes:** 05:30 PM - 05:45 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	SUNNYVALE-SARATOGA RD						MATHILDA AVE						Pedestrian Crossings									
	Eastbound			Westbound			Northbound			Southbound				Rolling Hour	West	East	South	North				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total									
4:00 PM	0	2	2	3	0	82	2	13	2	0	120	96	1	9	366	4	702	3,033	0	1	0	0
4:15 PM	0	2	2	1	0	75	2	4	2	5	124	99	2	13	386	2	719	3,094	1	2	2	2
4:30 PM	0	2	3	7	0	97	3	8	7	2	114	69	3	7	451	3	776	3,254	1	1	0	3
4:45 PM	0	2	2	4	0	97	5	11	6	3	114	74	2	12	502	2	836	3,378	0	3	1	0
5:00 PM	0	1	0	2	0	109	4	4	9	4	102	56	2	8	457	5	763	3,382	1	0	1	3
5:15 PM	0	2	1	2	0	82	0	7	5	5	151	119	1	17	482	5	879	1	1	0	1	
5:30 PM	0	2	3	2	0	125	4	8	11	0	145	92	2	18	478	10	900	0	2	1	7	
5:45 PM	0	4	0	9	0	91	6	14	7	2	144	60	4	16	478	5	840	0	2	0	1	

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	9	4	15	0	405	14	33	32	11	538	327	9	59	1,883	25	3,364
Mediums	0	0	0	0	0	2	0	0	0	4	0	0	0	0	12	0	18
Total	0	9	4	15	0	407	14	33	32	11	542	327	9	59	1,895	25	3,382



(303) 216-2439  
www.alltrafficdata.net


**Location:** 22 SUNNYVALE-SARATOGA RD & REMINGTON DR AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 08:00 AM - 09:00 AM

**Peak 15-Minutes:** 08:15 AM - 08:30 AM

## Peak Hour - All Vehicles



## **Peak Hour - Pedestrians/Bicycles in Crosswalk**



Note: Total study counts contained in parentheses.

## Traffic Counts

Interval Start Time	REMINGTON DR				REMINGTON DR				SUNNYVALE-SARATOGA RD								SUNNYVALE-SARATOGA RD					
	Eastbound				Westbound				Northbound				Southbound				Rolling Hour		Pedestrian Crossings			
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	West	East	South	North	
7:00 AM	0	9	16	18	0	76	18	8	13	10	248	36	0	8	119	11	590	3,403	1	2	17	0
7:15 AM	0	21	30	29	0	106	38	8	8	24	304	60	0	5	206	20	859	3,990	1	5	15	1
7:30 AM	0	53	53	23	0	90	58	9	6	25	430	68	0	10	134	7	966	4,342	0	2	1	4
7:45 AM	0	28	54	17	0	75	69	6	5	39	518	46	1	4	99	27	988	4,523	0	2	0	3
8:00 AM	0	47	85	25	0	85	96	11	9	46	558	54	0	7	105	49	1,177	4,673	0	0	3	4
8:15 AM	0	51	102	22	0	102	71	17	8	26	592	60	1	7	135	17	1,211		0	0	1	1
8:30 AM	0	42	56	20	0	74	43	15	9	14	645	72	1	6	133	17	1,147		0	0	0	1
8:45 AM	0	30	55	20	0	100	58	22	13	25	581	71	0	9	139	15	1,138		3	2	3	0

## Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	1	0	0	0	1	1	0	0	0	1	0	4
Lights	0	170	291	85	0	350	263	64	39	109	2,353	247	2	29	500	94	4,596
Mediums	0	0	7	2	0	10	5	1	0	1	22	10	0	0	11	4	73
Total	0	170	298	87	0	361	268	65	39	111	2,376	257	2	29	512	98	4,673



(303) 216-2439  
www.alltrafficdata.net


**Location:** 23 SUNNYVALE-SARATOGA RD & FREMONT AVE AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 08:00 AM - 09:00 AM

**Peak 15-Minutes:** 08:00 AM - 08:15 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	FREMONT AVE Eastbound				FREMONT AVE Westbound				SUNNYVALE-SARATOGA RD Northbound				SUNNYVALE-SARATOGA RD Southbound				Rolling Hour Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	0	38	44	13	0	26	122	29	0	44	237	14	21	23	115	71	797	4,496	4	4	7	26
7:15 AM	1	63	85	32	0	24	179	19	0	56	364	17	30	31	166	129	1,196	5,170	7	20	6	101
7:30 AM	2	69	80	25	0	30	160	36	0	61	413	23	28	22	143	92	1,184	5,360	0	2	2	12
7:45 AM	0	72	102	28	0	39	241	49	0	72	474	35	7	9	127	64	1,319	5,588	0	6	8	10
8:00 AM	3	85	124	34	0	49	167	38	1	51	599	28	11	17	195	69	1,471	5,686	2	4	0	3
8:15 AM	4	73	91	30	1	38	151	52	0	53	604	29	10	16	172	62	1,386		3	1	0	4
8:30 AM	5	85	105	24	1	52	194	53	0	69	539	38	10	14	164	59	1,412		0	4	3	7
8:45 AM	4	70	92	28	0	35	192	45	1	78	568	34	10	20	166	74	1,417		4	7	3	13

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	1	0	0	0	0	0	1	2	1	0	0	1	0	6
Lights	16	313	412	113	2	172	699	186	2	247	2,278	127	41	66	685	260	5,616
Mediums	0	3	0	2	0	2	5	2	0	3	30	1	0	1	11	4	64
Total	16	313	412	116	2	174	704	188	2	251	2,310	129	41	67	697	264	5,686



(303) 216-2439  
www.alltrafficdata.net


**Location:** 24 SUNNYVALE-SARATOGA RD & HOMESTEAD RD AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 08:00 AM - 09:00 AM

**Peak 15-Minutes:** 08:00 AM - 08:15 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	HOMESTEAD RD				HOMESTEAD RD				SUNNYVALE-SARATOGA RD				SUNNYVALE-SARATOGA RD				Rolling Total	Hour	Pedestrian Crossings			
	Eastbound		Westbound		Northbound		Southbound		Eastbound		Westbound		Northbound		Southbound					West	East	South
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right						
7:00 AM	1	18	31	42	1	50	88	37	15	49	188	18	5	11	124	9	687	4,340	1	0	1	1
7:15 AM	0	31	21	54	4	103	98	70	15	75	271	32	0	25	194	13	1,006	5,168	1	0	0	1
7:30 AM	7	45	57	83	0	105	140	67	13	48	310	33	5	31	278	19	1,241	5,583	2	0	2	2
7:45 AM	8	86	84	98	0	141	180	74	13	50	377	27	12	25	216	15	1,406	5,794	2	1	9	6
8:00 AM	3	72	59	100	3	123	146	83	11	64	419	25	7	30	338	32	1,515	5,833	1	0	1	1
8:15 AM	3	68	77	81	4	125	204	87	16	64	320	24	6	31	291	20	1,421		1	0	3	1
8:30 AM	1	62	72	106	1	138	176	77	11	70	404	27	6	21	260	20	1,452		1	1	2	1
8:45 AM	3	70	47	78	9	111	167	97	4	56	421	34	3	30	291	24	1,445		3	0	5	0

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	1	0	0	0	3	0	0	0	3	0	0	0	2	1	10
Lights	10	269	251	362	17	483	672	342	42	249	1,539	110	22	109	1,154	93	5,724
Mediums	0	3	3	3	0	14	18	2	0	5	22	0	0	3	24	2	99
Total	10	272	255	365	17	497	693	344	42	254	1,564	110	22	112	1,180	96	5,833



(303) 216-2439  
www.alltrafficdata.net


**Location:** 25 SUNNYVALE AVE & MCKINLEY AVE AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 08:00 AM - 09:00 AM

**Peak 15-Minutes:** 08:45 AM - 09:00 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	MCKINLEY AVE				MCKINLEY AVE				SUNNYVALE AVE				SUNNYVALE AVE				Pedestrian Crossings		
	Eastbound		Westbound		Northbound		Southbound		Total		Rolling Hour	West	East	South	North				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right			
7:00 AM	0	1	0	0	0	1	4	3	0	3	80	0	0	0	60	1	153	539	1 1 0 3
7:15 AM	0	0	1	1	0	3	2	1	0	4	42	4	0	0	45	3	106	574	1 2 3 1
7:30 AM	0	2	1	1	0	2	7	3	0	4	79	1	0	0	29	4	133	675	5 2 3 0
7:45 AM	0	0	1	4	0	5	8	5	0	10	59	3	0	0	47	5	147	754	1 4 2 9
8:00 AM	0	6	4	3	0	4	17	4	0	11	75	3	0	0	54	7	188	832	4 3 8 4
8:15 AM	0	6	3	6	0	3	18	8	0	20	89	6	0	0	43	5	207	3 3 3 4	
8:30 AM	0	7	3	4	0	5	8	7	0	12	106	3	0	0	49	8	212	1 4 3 5	
8:45 AM	0	7	6	3	0	3	15	5	0	13	115	2	0	0	48	8	225	5 3 3 6	

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
Lights	0	26	16	14	0	15	58	24	0	54	373	14	0	0	186	28	808
Mediums	0	0	0	1	0	0	0	0	0	2	12	0	0	0	8	0	23
Total	0	26	16	16	0	15	58	24	0	56	385	14	0	0	194	28	832



(303) 216-2439  
www.alltrafficdata.net


**Location:** 25 SUNNYVALE AVE & MCKINLEY AVE PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 05:00 PM - 06:00 PM

**Peak 15-Minutes:** 05:30 PM - 05:45 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	MCKINLEY AVE Eastbound				MCKINLEY AVE Westbound				SUNNYVALE AVE Northbound				SUNNYVALE AVE Southbound				Rolling Hour Total	Pedestrian Crossings			
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North
4:00 PM	0	13	8	22	0	5	6	6	0	3	70	1	0	3	71	13	221	909	10	1	1
4:15 PM	0	10	7	18	0	8	6	2	0	8	76	3	0	1	68	9	216	949	2	1	3
4:30 PM	0	11	5	23	0	6	4	4	0	12	69	3	0	5	70	10	222	1,003	6	2	1
4:45 PM	0	9	10	23	0	5	6	1	0	10	83	6	0	0	87	10	250	1,100	5	6	6
5:00 PM	0	12	8	22	0	4	16	3	0	14	63	5	0	3	97	14	261	1,142	5	0	3
5:15 PM	0	12	23	22	0	4	4	2	0	6	83	5	0	6	94	9	270	4	1	6	6
5:30 PM	0	13	23	27	0	7	4	3	0	10	84	7	0	7	123	11	319	3	6	5	6
5:45 PM	0	13	19	11	0	6	9	2	0	10	90	5	0	3	106	18	292	6	6	5	5

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	50	73	82	0	21	32	10	0	40	314	22	0	19	414	52	1,129
Mediums	0	0	0	0	0	0	1	0	0	0	6	0	0	0	6	0	13
Total	0	50	73	82	0	21	33	10	0	40	320	22	0	19	420	52	1,142



(303) 216-2439  
www.alltrafficdata.net


**Location:** 12 FAIR OAKS AVE & DUANE AVE AM

**Date and Start Time:** Tuesday, May 8, 2018


**Peak Hour:** 07:45 AM - 08:45 AM

**Peak 15-Minutes:** 07:45 AM - 08:00 AM

## Peak Hour - All Vehicles



## **Peak Hour - Pedestrians/Bicycles in Crosswalk**



Note: Total study counts contained in parentheses.

## Traffic Counts

Interval Start Time	DUANE AVE Eastbound				DUANE AVE Westbound				FAIR OAKS AVE Northbound				FAIR OAKS AVE Southbound				Rolling Hour	Pedestrian Crossings				
	U-Turn		Left	Thru	Right	U-Turn		Left	Thru	Right	U-Turn		Left	Thru	Right	Total	West	East	South	North		
7:00 AM	0	17	4	2	0	43	8	14	0	1	107	12	0	13	155	4	380	2,256	0	2	0	4
7:15 AM	0	19	15	1	0	35	18	24	0	1	140	24	1	17	154	10	459	2,558	1	3	0	10
7:30 AM	0	32	29	3	0	50	35	47	0	2	173	43	0	48	170	10	642	2,723	2	0	5	7
7:45 AM	0	31	34	2	0	54	41	75	0	1	216	65	0	58	179	19	775	2,790	2	1	1	10
8:00 AM	0	31	31	4	0	33	30	52	0	1	230	43	0	24	192	11	682	2,724	0	4	1	0
8:15 AM	0	10	19	5	0	36	24	51	0	4	211	46	0	36	172	10	624	2,667	4	5	2	1
8:30 AM	0	27	18	2	0	44	26	59	0	0	286	47	0	35	157	8	709	2,699	2	4	5	1
8:45 AM	0	22	17	3	0	53	27	75	0	2	300	24	0	26	148	12	709	2,579	1	1	2	3
9:00 AM	0	20	12	1	0	31	26	42	0	3	264	28	0	19	168	11	625	2,444	2	1	1	5
9:15 AM	0	17	5	7	0	41	19	57	0	2	312	24	0	9	154	9	656		0	2	2	1
9:30 AM	0	21	9	4	0	40	14	51	0	3	263	28	0	18	136	2	589		0	3	1	1
9:45 AM	0	15	6	5	0	41	21	32	0	3	252	27	0	10	155	7	574		0	1	2	3

## Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	1	0	0	3	0	0	0	0	0	4
Lights	0	97	102	12	0	159	119	235	0	6	921	196	0	152	675	45	2,719
Mediums	0	2	0	1	0	8	2	1	0	0	19	5	0	1	25	3	67
Total	0	99	102	13	0	167	121	237	0	6	943	201	0	153	700	48	2,790



(303) 216-2439  
www.alltrafficdata.net


**Location:** 12 FAIR OAKS AVE & DUANE AVE PM

**Date and Start Time:** Tuesday, May 8, 2018


**Peak Hour:** 05:00 PM - 06:00 PM

**Peak 15-Minutes:** 05:15 PM - 05:30 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	DUANE AVE Eastbound				DUANE AVE Westbound				FAIR OAKS AVE Northbound				FAIR OAKS AVE Southbound				Rolling Hour	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
4:00 PM	0	6	17	3	0	51	22	26	0	2	136	39	0	19	234	21	576	2,576	0	0	2	4
4:15 PM	0	16	15	4	0	42	15	18	0	3	151	39	0	39	254	22	618	2,897	2	1	0	2
4:30 PM	0	10	19	9	0	30	13	30	0	0	144	49	0	43	285	18	650	3,242	0	4	2	4
4:45 PM	0	9	17	4	0	44	13	16	0	6	178	43	0	47	336	19	732	3,553	2	7	6	1
5:00 PM	0	11	25	5	0	58	26	32	0	3	169	42	0	50	455	21	897	3,784	0	4	6	3
5:15 PM	0	16	23	9	0	58	25	43	0	1	178	47	0	54	482	27	963	3,709	3	6	1	3
5:30 PM	0	11	32	5	0	61	25	34	0	0	171	39	0	77	482	24	961	3,529	3	8	3	2
5:45 PM	0	25	19	7	0	51	34	34	0	0	174	51	0	44	502	22	963	3,263	1	5	6	3
6:00 PM	0	12	17	10	0	52	28	29	0	3	169	22	0	27	427	26	822	2,940	3	2	4	5
6:15 PM	0	14	16	6	0	47	17	20	0	4	174	37	0	27	393	28	783	1	5	3	2	
6:30 PM	0	11	12	5	0	35	20	12	0	1	171	39	0	18	350	21	695	2	4	1	4	
6:45 PM	0	14	10	4	0	35	15	20	0	4	156	35	0	28	294	25	640	4	1	2	8	

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2
Lights	0	63	99	26	0	224	110	142	0	4	687	175	0	224	1,907	94	3,755
Mediums	0	0	0	0	0	4	0	0	0	0	4	4	0	1	14	0	27
Total	0	63	99	26	0	228	110	143	0	4	692	179	0	225	1,921	94	3,784



(303) 216-2439  
www.alltrafficdata.net


**Location:** 15 FAIR OAKS AVE & E ARQUES AVE AM

**Date and Start Time:** Tuesday, May 8, 2018


**Peak Hour:** 08:15 AM - 09:15 AM

**Peak 15-Minutes:** 08:15 AM - 08:30 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	E ARQUES AVE Eastbound				E ARQUES AVE Westbound				FAIR OAKS AVE Northbound				FAIR OAKS AVE Southbound				Rolling Hour	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	0	3	10	7	0	33	35	8	0	35	63	10	0	5	137	31	377	1,918	1	2	0	2
7:15 AM	0	13	14	8	0	36	33	4	0	50	98	21	0	4	124	26	431	2,058	0	0	0	4
7:30 AM	0	18	15	8	0	46	47	11	0	50	133	24	0	3	124	35	514	2,244	0	0	0	0
7:45 AM	0	20	23	11	0	56	64	23	0	51	151	34	0	3	130	30	596	2,305	1	0	0	2
8:00 AM	0	13	16	4	0	50	54	10	0	45	123	31	0	8	135	28	517	2,288	3	2	3	0
8:15 AM	0	21	22	16	0	40	46	15	0	60	186	44	0	4	138	25	617	2,363	1	4	1	1
8:30 AM	0	13	23	21	0	52	42	10	0	57	184	31	0	2	121	19	575	2,341	0	2	1	1
8:45 AM	0	15	22	13	0	46	45	9	0	51	181	44	0	5	119	29	579	2,328	1	0	1	2
9:00 AM	0	11	22	16	0	50	54	13	0	62	166	46	0	9	117	26	592	2,303	1	2	1	3
9:15 AM	0	5	33	17	0	51	48	17	0	71	185	48	0	7	92	21	595		1	1	0	4
9:30 AM	0	10	26	14	0	42	42	12	0	74	177	52	0	5	86	22	562		3	1	2	4
9:45 AM	0	13	22	13	0	35	46	15	0	72	148	57	0	11	98	24	554		4	2	1	1

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	59	89	63	0	180	181	46	0	227	705	164	0	19	482	96	2,311
Mediums	0	1	0	3	0	8	6	1	0	3	12	1	0	1	13	3	52
Total	0	60	89	66	0	188	187	47	0	230	717	165	0	20	495	99	2,363



(303) 216-2439  
www.alltrafficdata.net


**Location:** 15 FAIR OAKS AVE & E ARQUES AVE PM

**Date and Start Time:** Tuesday, May 8, 2018


**Peak Hour:** 05:15 PM - 06:15 PM

**Peak 15-Minutes:** 05:30 PM - 05:45 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	E ARQUES AVE Eastbound				E ARQUES AVE Westbound				FAIR OAKS AVE Northbound				FAIR OAKS AVE Southbound				Rolling Hour	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
4:00 PM	0	15	20	23	0	36	15	11	0	31	108	26	0	14	148	25	472	2,090	2	0	0	0
4:15 PM	0	22	29	24	0	40	28	8	0	34	90	25	0	4	161	13	478	2,263	0	2	0	3
4:30 PM	0	21	23	29	0	55	19	14	0	33	108	35	0	9	185	15	546	2,564	2	0	0	2
4:45 PM	0	28	33	27	0	64	28	12	0	42	115	32	0	8	185	20	594	2,804	1	0	0	2
5:00 PM	0	22	30	37	0	75	52	14	0	38	97	46	0	14	204	16	645	2,950	2	6	2	0
5:15 PM	0	23	30	38	0	124	45	16	0	39	127	41	0	14	253	29	779	3,002	3	0	0	1
5:30 PM	0	23	33	53	0	134	48	9	0	40	135	30	0	14	239	28	786	2,847	2	5	2	4
5:45 PM	0	33	40	32	0	92	49	7	0	44	115	40	0	13	258	17	740	2,662	0	3	0	1
6:00 PM	0	27	28	44	0	90	40	18	0	27	89	40	0	14	250	30	697	2,535	1	2	1	5
6:15 PM	0	24	33	31	0	65	32	10	0	33	110	47	0	14	197	28	624		0	0	1	2
6:30 PM	0	14	26	29	0	70	43	7	0	38	115	38	0	16	185	20	601		0	0	0	1
6:45 PM	0	29	39	35	0	67	36	8	0	36	112	45	0	8	182	16	613		0	0	0	1

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
Lights	0	106	129	167	0	438	182	50	0	150	463	149	0	55	993	104	2,986
Mediums	0	0	2	0	0	1	0	0	0	0	3	2	0	0	7	0	15
Total	0	106	131	167	0	440	182	50	0	150	466	151	0	55	1,000	104	3,002




(303) 216-2439  
www.alltrafficdata.net

**Location:** 45 WOLFE RD & ARQUES AVE AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 08:00 AM - 09:00 AM  
**Peak 15-Minutes:** 08:30 AM - 08:45 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	ARQUES AVE Eastbound				ARQUES AVE Westbound				WOLFE RD Northbound				WOLFE RD Southbound				Rolling Hour Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	0	13	25	0	0	22	30	18	1	3	64	22	0	8	45	1	252	1,349	0	0	0	0
7:15 AM	0	8	25	3	0	17	10	14	0	2	82	20	0	12	46	2	241	1,533	1	0	0	1
7:30 AM	0	21	34	1	0	15	33	21	0	1	133	29	1	16	50	5	360	1,751	0	0	0	1
7:45 AM	0	11	41	5	0	32	54	20	0	3	182	59	0	14	68	7	496	1,974	1	0	0	2
8:00 AM	0	12	33	3	0	19	45	18	0	10	147	52	1	19	71	6	436	2,057	1	0	0	1
8:15 AM	0	17	44	3	0	20	43	26	0	2	169	66	0	22	44	3	459	1	0	0	0	
8:30 AM	0	17	42	3	0	23	33	13	0	3	277	72	0	25	65	10	583	1	0	0	2	
8:45 AM	0	18	57	1	0	29	44	28	0	6	230	80	0	25	53	8	579	0	0	0	1	

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	2	0	3	0	0	2	1	0	1	0	0	9
Lights	0	64	174	9	0	83	156	79	0	20	806	263	1	85	227	26	1,993
Mediums	0	0	2	1	0	6	9	3	0	1	15	6	0	5	6	1	55
Total	0	64	176	10	0	91	165	85	0	21	823	270	1	91	233	27	2,057




(303) 216-2439  
www.alltrafficdata.net

**Location:** 45 WOLFE RD & ARQUES AVE PM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 05:00 PM - 06:00 PM  
**Peak 15-Minutes:** 05:45 PM - 06:00 PM

## Peak Hour - All Vehicles



## **Peak Hour - Pedestrians/Bicycles in Crosswalk**



Note: Total study counts contained in parentheses.

## Traffic Counts

Interval Start Time	ARQUES AVE Eastbound				ARQUES AVE Westbound				WOLFE RD Northbound				WOLFE RD Southbound				Rolling Hour	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		Total	West	East	South	North
4:00 PM	0	16	42	4	0	40	37	16	0	3	79	42	1	28	141	4	453	2,171	0	0	1	2
4:15 PM	0	13	51	5	0	30	52	19	0	4	93	43	2	31	170	4	517	2,457	2	0	0	3
4:30 PM	0	19	52	2	0	39	66	21	1	7	74	42	1	28	175	12	539	2,686	0	0	0	3
4:45 PM	0	17	41	6	0	40	74	17	0	1	77	32	2	44	307	4	662	2,880	0	0	0	1
5:00 PM	0	20	75	10	0	31	131	19	0	2	107	37	0	44	258	5	739	2,976	0	0	0	1
5:15 PM	0	20	65	6	0	45	127	24	0	6	93	25	2	26	291	16	746		1	0	0	6
5:30 PM	0	16	56	11	0	30	112	27	0	6	119	30	3	27	289	7	733		0	0	0	2
5:45 PM	0	29	66	10	0	41	122	33	0	11	106	35	0	32	266	7	758		1	0	0	3

## Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Lights	0	83	256	36	0	146	485	103	0	25	403	124	5	129	1,102	34	2,931
Mediums	0	2	6	1	0	1	7	0	0	0	21	3	0	0	2	1	44
Total	0	85	262	37	0	147	492	103	0	25	425	127	5	129	1,104	35	2,976



(303) 216-2439  
www.alltrafficdata.net


**Location:** 46 WOLFE RD & KIFER RD AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 08:00 AM - 09:00 AM

**Peak 15-Minutes:** 08:30 AM - 08:45 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	KIFER RD Eastbound				KIFER RD Westbound				WOLFE RD Northbound				WOLFE RD Southbound				Rolling Hour Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	0	2	16	3	0	14	42	17	1	12	127	24	4	7	55	27	351	1,948	0	0	0	0
7:15 AM	0	3	11	5	0	9	39	8	0	14	187	30	2	8	76	16	408	2,280	0	0	0	0
7:30 AM	0	3	25	7	0	8	49	19	0	26	253	38	2	8	70	22	530	2,654	2	0	0	0
7:45 AM	0	9	30	9	0	13	56	12	0	8	343	52	1	8	91	27	659	3,072	0	0	3	0
8:00 AM	0	3	21	6	0	12	68	10	0	22	345	55	6	21	96	18	683	3,335	0	0	0	0
8:15 AM	0	10	37	10	0	13	74	18	0	25	411	55	8	21	78	22	782	2,280	2	0	0	1
8:30 AM	0	8	37	8	0	6	46	10	0	29	596	79	3	14	84	28	948	3,335	1	0	1	0
8:45 AM	0	8	47	6	0	10	56	13	0	38	530	86	4	24	78	22	922	2,280	1	0	0	2

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	1	1	0	0	0	0	0	0	0	0	0	1	1	0	0	4
Lights	0	24	139	28	0	39	237	49	0	113	1,873	274	20	76	329	89	3,290
Mediums	0	4	2	2	0	2	7	2	0	1	9	1	0	3	7	1	41
Total	0	29	142	30	0	41	244	51	0	114	1,882	275	21	80	336	90	3,335



(303) 216-2439  
www.alltrafficdata.net


**Location:** 46 WOLFE RD & KIFER RD PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 05:00 PM - 06:00 PM

**Peak 15-Minutes:** 05:15 PM - 05:30 PM

## **Peak Hour - All Vehicles**



## **Peak Hour - Pedestrians/Bicycles in Crosswalk**



Note: Total study counts contained in parentheses.

## Traffic Counts

Interval Start Time	KIFER RD Eastbound				KIFER RD Westbound				WOLFE RD Northbound				WOLFE RD Southbound				Rolling Hour		Pedestrian Crossings			
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North
4:00 PM	0	19	81	30	0	28	54	14	0	11	107	20	9	36	300	16	725	3,199	1	1	0	1
4:15 PM	0	13	63	30	0	36	32	31	1	13	105	15	7	45	328	13	732	3,509	0	0	0	0
4:30 PM	0	21	80	33	0	46	39	27	0	2	83	13	4	51	386	19	804	3,869	1	0	0	0
4:45 PM	0	4	73	33	0	38	46	15	0	10	96	16	4	36	557	10	938	4,157	2	0	0	0
5:00 PM	0	11	75	41	0	63	85	34	1	14	106	10	6	34	546	9	1,035	4,310	0	0	3	3
5:15 PM	0	14	90	49	0	52	59	42	1	7	87	17	5	25	627	17	1,092		0	0	1	1
5:30 PM	0	19	68	79	0	43	73	35	1	17	112	9	9	20	602	5	1,092		0	0	2	2
5:45 PM	0	19	65	54	0	62	84	28	0	9	97	22	6	35	592	18	1,091		0	0	0	0

## Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Lights	0	61	296	223	0	219	301	137	3	47	400	58	26	110	2,364	49	4,294
Mediums	0	2	1	0	0	1	0	2	0	0	2	0	0	4	3	0	15
Total	0	63	298	223	0	220	301	139	3	47	402	58	26	114	2,367	49	4,310



(303) 216-2439  
www.alltrafficdata.net


**Location:** 47 WOLFE RD & REED AVE AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 08:00 AM - 09:00 AM

**Peak 15-Minutes:** 08:30 AM - 08:45 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	REED AVE Eastbound				REED AVE Westbound				WOLFE RD Northbound				WOLFE RD Southbound				Rolling Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	0	19	29	8	0	24	35	14	1	5	91	11	0	4	62	13	316	1,871	0	0	0	0
7:15 AM	0	10	35	7	0	34	47	14	2	6	139	26	0	0	82	10	412	2,231	0	0	0	1
7:30 AM	0	9	27	14	0	25	71	20	4	5	221	12	0	4	94	6	512	2,534	2	0	1	1
7:45 AM	0	20	34	13	0	25	92	17	7	7	299	16	0	2	77	22	631	2,880	0	0	0	2
8:00 AM	0	30	52	12	0	22	86	18	6	16	273	12	0	9	114	26	676	3,074	2	1	0	5
8:15 AM	0	33	71	11	0	24	86	18	6	13	326	17	0	8	76	26	715	1	0	2	1	
8:30 AM	0	33	68	8	0	27	97	37	9	9	428	22	0	5	98	17	858	2	0	2	1	
8:45 AM	0	24	41	12	0	27	60	17	6	18	484	10	0	5	110	11	825	1	0	1	2	

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	118	230	39	0	98	326	88	27	51	1,497	60	0	25	385	77	3,021
Mediums	0	2	2	4	0	2	3	2	0	5	14	1	0	2	13	3	53
Total	0	120	232	43	0	100	329	90	27	56	1,511	61	0	27	398	80	3,074



(303) 216-2439  
www.alltrafficdata.net


**Location:** 47 WOLFE RD & REED AVE PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 05:00 PM - 06:00 PM

**Peak 15-Minutes:** 05:15 PM - 05:30 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	REED AVE Eastbound				REED AVE Westbound				WOLFE RD Northbound				WOLFE RD Southbound				Rolling Hour Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
4:00 PM	0	15	81	12	0	22	53	7	6	10	93	26	0	27	233	25	610	2,860	1	3	8	0
4:15 PM	0	23	80	10	0	20	33	17	6	14	102	21	0	28	296	36	686	3,153	0	6	2	2
4:30 PM	0	21	76	10	0	19	44	8	4	11	84	25	0	29	338	34	703	3,416	0	0	1	0
4:45 PM	0	10	112	18	0	19	61	7	6	15	99	31	3	49	404	27	861	3,660	1	1	3	3
5:00 PM	0	23	115	15	0	26	52	10	9	13	87	28	0	60	434	31	903	3,699	0	0	0	0
5:15 PM	0	22	105	14	0	25	47	8	10	13	85	32	0	47	487	54	949	0	0	2	0	
5:30 PM	0	15	156	19	0	21	57	11	9	18	99	31	0	47	416	48	947	0	0	1	3	
5:45 PM	0	16	122	17	0	30	61	9	15	12	99	26	0	37	397	59	900	0	1	0	2	1

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	75	495	62	0	101	217	36	43	54	367	117	0	189	1,725	192	3,673
Mediums	0	1	3	3	0	1	0	2	0	2	3	0	0	2	9	0	26
Total	0	76	498	65	0	102	217	38	43	56	370	117	0	191	1,734	192	3,699




(303) 216-2439  
www.alltrafficdata.net

**Location:** 30 WOLFE RD & FREMONT AVE AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 08:00 AM - 09:00 AM  
**Peak 15-Minutes:** 08:30 AM - 08:45 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	FREMONT AVE Eastbound				FREMONT AVE Westbound				WOLFE RD Northbound				WOLFE RD Southbound				Rolling Hour Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	0	30	27	15	0	1	7	7	0	12	82	2	0	2	93	119	397	2,332	1	0	3	0
7:15 AM	0	67	37	35	0	2	11	8	0	21	98	3	0	4	145	113	544	2,716	0	2	1	1
7:30 AM	0	61	33	38	0	1	10	16	0	36	174	2	0	20	154	103	648	2,986	2	0	1	2
7:45 AM	0	64	35	36	0	2	15	22	0	29	228	8	0	21	144	139	743	3,239	2	0	1	0
8:00 AM	0	68	67	51	0	2	15	18	0	22	251	6	0	4	144	133	781	3,383	4	0	4	1
8:15 AM	0	102	41	38	0	1	16	31	0	29	269	5	0	6	147	129	814	4	0	2	3	
8:30 AM	1	97	55	35	0	0	18	72	0	25	308	7	0	7	163	113	901	3	0	1	1	
8:45 AM	0	96	39	25	0	4	24	78	0	24	274	11	0	5	163	144	887	0	4	1	0	

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	1	0	0	0	0	0	0	0	2	0	0	0	1	0	4
Lights	1	361	198	148	0	7	72	199	0	98	1,088	29	0	22	591	511	3,325
Mediums	0	2	3	1	0	0	1	0	0	2	12	0	0	0	25	8	54
Total	1	363	202	149	0	7	73	199	0	100	1,102	29	0	22	617	519	3,383



(303) 216-2439  
www.alltrafficdata.net


**Location:** 30 WOLFE RD & FREMONT AVE PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 05:00 PM - 06:00 PM

**Peak 15-Minutes:** 05:30 PM - 05:45 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	FREMONT AVE Eastbound				FREMONT AVE Westbound				WOLFE RD Northbound				WOLFE RD Southbound				Rolling Hour Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
4:00 PM	0	68	86	58	0	2	4	8	0	24	94	26	0	17	247	110	744	3,275	1	7	7	1
4:15 PM	0	76	87	69	0	1	5	7	0	26	134	16	0	13	253	83	770	3,502	1	2	2	0
4:30 PM	0	80	87	67	0	0	7	5	0	27	126	16	0	13	296	117	841	3,751	1	3	1	0
4:45 PM	1	78	100	81	0	3	10	7	0	34	140	12	0	4	357	93	920	3,971	1	1	1	1
5:00 PM	0	78	118	91	0	1	7	9	0	31	124	7	0	16	366	123	971	4,069	0	0	5	0
5:15 PM	0	106	104	101	0	5	7	6	0	33	164	10	1	8	356	118	1,019	0	2	0	3	
5:30 PM	0	95	103	112	0	2	8	13	0	42	192	13	1	13	326	141	1,061	3	1	2	2	
5:45 PM	0	79	109	99	0	5	11	16	0	36	193	8	0	17	315	130	1,018	0	3	5	2	

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Lights	0	353	432	402	0	13	33	44	0	142	665	38	2	54	1,355	506	4,039
Mediums	0	4	2	1	0	0	0	0	0	0	8	0	0	0	8	6	29
Total	0	358	434	403	0	13	33	44	0	142	673	38	2	54	1,363	512	4,069




(303) 216-2439  
www.alltrafficdata.net

**Location:** 31 WOLFE RD & HOMESTEAD AVE AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 08:00 AM - 09:00 AM  
**Peak 15-Minutes:** 08:30 AM - 08:45 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	HOMESTEAD AVE Eastbound				HOMESTEAD AVE Westbound				WOLFE RD Northbound				WOLFE RD Southbound				Rolling Hour Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	0	6	35	27	0	70	129	5	5	30	65	43	0	9	112	3	539	3,184	0	1	1	0
7:15 AM	0	20	64	36	0	88	170	12	5	23	92	62	0	14	138	11	735	3,668	2	1	4	0
7:30 AM	0	17	72	40	0	84	195	16	8	39	142	78	0	22	165	8	886	4,019	0	1	0	0
7:45 AM	0	33	105	39	0	86	234	18	5	36	184	77	0	19	170	18	1,024	4,302	3	3	2	2
8:00 AM	0	34	97	50	0	88	208	4	3	51	166	99	0	15	186	22	1,023	4,395	2	0	4	0
8:15 AM	0	42	95	48	0	77	226	14	10	48	215	103	0	41	149	18	1,086	1	0	0	0	
8:30 AM	0	47	99	60	0	80	232	23	1	59	243	106	0	29	167	23	1,169	1	0	0	2	
8:45 AM	0	37	82	33	0	102	218	29	6	61	269	104	0	20	136	20	1,117	3	0	1	2	

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	1	0	0	0	1	0	0	0	0	0	1	0	0	2	0	5
Lights	0	152	369	181	0	334	867	64	20	214	868	399	0	103	621	79	4,271
Mediums	0	7	4	10	0	12	17	6	0	5	25	12	0	2	15	4	119
Total	0	160	373	191	0	347	884	70	20	219	893	412	0	105	638	83	4,395




(303) 216-2439  
www.alltrafficdata.net

**Location:** 31 WOLFE RD & HOMESTEAD AVE PM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 05:00 PM - 06:00 PM  
**Peak 15-Minutes:** 05:45 PM - 06:00 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	HOMESTEAD AVE Eastbound				HOMESTEAD AVE Westbound				WOLFE RD Northbound				WOLFE RD Southbound				Rolling Hour Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
4:00 PM	0	16	248	53	0	92	128	22	4	21	94	45	0	26	187	24	960	4,141	1	4	0	1
4:15 PM	0	23	242	52	0	91	116	24	6	28	131	58	0	36	238	16	1,061	4,272	0	5	5	1
4:30 PM	0	25	246	54	0	102	158	29	16	31	96	55	0	32	181	21	1,046	4,362	4	2	3	1
4:45 PM	0	23	205	67	0	91	120	26	11	33	111	69	0	43	266	9	1,074	4,485	3	1	5	3
5:00 PM	0	24	215	62	0	100	128	12	13	35	128	59	0	30	265	20	1,091	4,634	0	0	1	0
5:15 PM	0	29	197	71	0	120	151	19	9	48	150	66	0	32	246	13	1,151	4	0	4	0	
5:30 PM	1	31	186	101	0	111	138	16	10	53	158	59	0	28	252	25	1,169	1	0	4	0	
5:45 PM	1	25	205	96	0	124	144	24	13	53	170	90	1	46	205	26	1,223	3	0	6	0	

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total	
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		
Articulated Trucks	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	3	0	4
Lights	2	109	790	327	0	454	560	71	44	186	604	250	1	134	958	84	4,574	
Mediums	0	0	13	3	0	1	1	0	0	3	2	24	0	2	7	0	56	
Total	2	109	803	330	0	455	561	71	45	189	606	274	1	136	968	84	4,634	




(303) 216-2439  
www.alltrafficdata.net

**Location:** 57 TANTAU AVE & HOMESTEAD RD AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 08:00 AM - 09:00 AM  
**Peak 15-Minutes:** 08:15 AM - 08:30 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	HOMESTEAD RD				HOMESTEAD RD				TANTAU AVE				QUIAL AVE				Rolling Hour	Pedestrian Crossings				
	Eastbound		Westbound		Northbound		Southbound		Total		West		East		South				West	East	South	North
U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North	
7:00 AM	0	0	57	18	0	16	167	8	0	14	6	8	0	4	3	8	309	1,988	2	0	1	1
7:15 AM	0	1	109	34	0	14	226	10	0	15	4	12	0	12	3	7	447	2,281	1	0	3	0
7:30 AM	0	1	143	44	0	22	284	20	0	17	16	13	0	26	10	10	606	2,542	0	1	0	0
7:45 AM	0	2	165	54	0	26	269	4	0	34	10	18	0	28	4	12	626	2,613	0	2	0	0
8:00 AM	0	5	160	37	0	26	263	6	0	37	17	17	0	7	12	15	602	2,695	2	1	0	0
8:15 AM	0	2	201	48	0	34	296	6	0	23	14	26	0	24	10	24	708	2	0	0	0	0
8:30 AM	0	2	151	61	0	42	285	8	0	41	16	31	0	16	13	11	677	0	3	1	1	1
8:45 AM	0	4	154	67	0	42	294	9	0	59	20	25	0	10	13	11	708	0	0	0	0	3

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	1	0	0	0	1	0	1	0	0	0	0	3
Lights	0	12	658	206	0	139	1,116	29	0	153	67	91	0	57	48	61	2,637
Mediums	0	1	8	7	0	4	22	0	0	6	0	7	0	0	0	0	55
Total	0	13	666	213	0	144	1,138	29	0	160	67	99	0	57	48	61	2,695




(303) 216-2439  
www.alltrafficdata.net

**Location:** 57 TANTAU AVE & HOMESTEAD RD PM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 05:00 PM - 06:00 PM  
**Peak 15-Minutes:** 05:15 PM - 05:30 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	HOMESTEAD RD Eastbound				HOMESTEAD RD Westbound				TANTAU AVE Northbound				QUIAL AVE Southbound				Rolling Hour	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
4:00 PM	0	4	251	64	0	11	159	4	0	63	10	49	0	12	12	11	650	2,659	0	1	3	1
4:15 PM	0	10	264	54	0	13	163	7	0	55	9	34	0	19	11	7	646	2,686	0	1	4	0
4:30 PM	0	7	256	42	0	14	196	11	0	91	6	37	0	17	13	5	695	2,790	2	0	0	0
4:45 PM	0	5	248	59	0	19	193	9	0	53	15	34	0	13	12	8	668	2,805	0	0	0	0
5:00 PM	0	11	231	57	0	18	141	8	0	86	18	54	0	17	26	10	677	2,863	1	0	0	0
5:15 PM	0	7	229	62	0	29	205	7	0	75	12	31	0	16	45	32	750	0	1	7	0	
5:30 PM	0	9	227	50	0	19	193	3	0	60	12	29	0	19	57	32	710	0	0	5	0	
5:45 PM	0	7	248	46	0	22	193	10	0	62	20	26	0	10	58	24	726	0	1	0	1	0

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	34	901	214	0	87	731	28	0	282	62	133	0	62	186	97	2,817
Mediums	0	0	34	1	0	1	1	0	0	1	0	7	0	0	0	1	46
Total	0	34	935	215	0	88	732	28	0	283	62	140	0	62	186	98	2,863



# Lawrence Expy E Duane Ave



Date: 05-23-2019

Count Period: 7:00 AM to 9:00 AM

Peak Hour: 8:00 AM to 9:00 AM



## Two-Hour Count Summaries

Interval Start	E Duane Ave				Oakmead Pkwy				Lawrence Expy				Lawrence Expy				15-min Total	Rolling One Hour	
	Eastbound		Westbound		Northbound		Southbound		UT		LT		TH		RT				
7:00 AM	0	24	12	10	1	4	11	29	2	27	445	5	1	60	262	82	975	0	
7:15 AM	0	49	14	32	0	12	13	40	3	28	544	10	2	44	372	92	1,255	0	
7:30 AM	0	64	13	36	0	5	30	43	1	16	594	16	1	41	399	84	1,343	0	
7:45 AM	0	79	17	42	0	10	41	38	1	42	703	5	0	51	406	149	1,584	5,157	
8:00 AM	0	87	18	62	0	15	48	59	5	58	656	6	2	70	418	167	1,671	5,853	
8:15 AM	0	124	34	45	0	16	56	52	3	45	641	3	0	68	368	161	1,616	6,214	
8:30 AM	0	105	26	52	0	19	49	72	2	40	737	9	3	54	449	146	1,763	6,634	
8:45 AM	0	104	32	37	0	29	30	66	4	42	602	8	0	68	487	111	1,620	6,670	
Count Total	0	636	166	316	1	110	278	399	21	298	4,922	62	9	456	3,161	992	11,827	0	
Peak Hour	All	0	420	110	196	0	79	183	249	14	185	2,636	26	5	260	1,722	585	6,670	0
	HV	0	9	0	1	0	1	0	3	0	0	67	1	0	9	59	18	168	0
	HV%	-	2%	0%	1%	-	1%	0%	1%	0%	0%	3%	4%	0%	3%	3%	3%	3%	0

Note: Two-hour count summary volumes include heavy vehicles but exclude bicycles in overall count.

Interval Start	Heavy Vehicle Totals					Bicycles					Pedestrians (Crossing Leg)				
	EB	WB	NB	SB	Total	EB	WB	NB	SB	Total	East	West	North	South	Total
7:00 AM	1	2	13	24	40	0	0	0	1	1	0	1	1	1	3
7:15 AM	2	1	12	22	37	0	0	1	0	1	0	1	3	0	4
7:30 AM	3	2	10	23	38	0	0	0	0	0	0	1	3	2	6
7:45 AM	3	2	11	22	38	0	0	0	1	1	0	1	3	1	5
8:00 AM	3	0	14	18	35	0	0	0	0	0	0	1	2	0	3
8:15 AM	4	0	14	20	38	0	0	0	0	0	0	0	3	0	3
8:30 AM	0	1	21	19	41	0	1	0	0	1	0	0	2	0	2
8:45 AM	3	3	19	29	54	0	0	0	1	1	0	1	1	2	4
Count Total	19	11	114	177	321	0	1	1	3	5	0	6	18	6	30
Peak Hour	10	4	68	86	168	0	1	0	1	2	0	2	8	2	12

Two-Hour Count Summaries - Heavy Vehicles																				
Interval Start	E Duane Ave				Oakmead Pkwy				Lawrence Expy				Lawrence Expy				15-min Total	Rolling One Hour		
	Eastbound				Westbound				Northbound				Southbound							
	UT	LT	TH	RT	UT	LT	TH	RT	UT	LT	TH	RT	UT	LT	TH	RT				
7:00 AM	0	1	0	0	0	0	1	1	0	0	13	0	0	0	21	3	40	0		
7:15 AM	0	2	0	0	0	0	0	1	1	0	11	0	0	1	19	2	37	0		
7:30 AM	0	1	2	0	0	1	0	1	0	0	10	0	0	1	17	5	38	0		
7:45 AM	0	3	0	0	0	0	0	2	0	0	11	0	0	1	18	3	38	153		
<b>8:00 AM</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>14</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>11</b>	<b>6</b>	<b>35</b>	<b>148</b>		
<b>8:15 AM</b>	<b>0</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>14</b>	<b>0</b>	<b>0</b>	<b>4</b>	<b>11</b>	<b>5</b>	<b>38</b>	<b>149</b>		
<b>8:30 AM</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>21</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>15</b>	<b>2</b>	<b>41</b>	<b>152</b>		
<b>8:45 AM</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>18</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>22</b>	<b>5</b>	<b>54</b>	<b>168</b>		
Count Total	0	16	2	1	0	2	1	8	1	0	112	1	0	12	134	31	321	0		
<b>Peak Hour</b>	<b>0</b>	<b>9</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>67</b>	<b>1</b>	<b>0</b>	<b>9</b>	<b>59</b>	<b>18</b>	<b>168</b>	<b>0</b>		
Two-Hour Count Summaries - Bikes																				
Interval Start	E Duane Ave				Oakmead Pkwy				Lawrence Expy				Lawrence Expy				15-min Total	Rolling One Hour		
	Eastbound				Westbound				Northbound				Southbound							
	LT	TH	RT		LT	TH	RT		LT	TH	RT		LT	TH	RT					
7:00 AM	0	0	0		0	0	0		0	0	0		0	1	0		1	0		
7:15 AM	0	0	0		0	0	0		0	1	0		0	0	0		1	0		
7:30 AM	0	0	0		0	0	0		0	0	0		0	0	0		0	0		
7:45 AM	0	0	0		0	0	0		0	0	0		0	1	0		1	3		
<b>8:00 AM</b>	<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>2</b>		
<b>8:15 AM</b>	<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>1</b>		
<b>8:30 AM</b>	<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>1</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>1</b>	<b>2</b>		
<b>8:45 AM</b>	<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>1</b>	<b>0</b>		<b>1</b>	<b>2</b>		
Count Total	0	0	0		0	0	1		0	1	0		0	3	0		5	0		
<b>Peak Hour</b>	<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>1</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>1</b>	<b>0</b>		<b>2</b>	<b>0</b>		

Note: U-Turn volumes for bikes are included in Left-Turn, if any.



# Lawrence Expy E Duane Ave



Date: 05-23-2019

Count Period: 4:00 PM to 6:00 PM

Peak Hour: 5:00 PM to 6:00 PM



## Two-Hour Count Summaries

Interval Start	E Duane Ave				Oakmead Pkwy				Lawrence Expy				Lawrence Expy				15-min Total	Rolling One Hour	
	Eastbound		Westbound		Northbound		Southbound		UT		LT		TH		RT				
4:00 PM	0	82	36	46	0	12	13	67	3	43	272	9	2	80	701	79	1,445	0	
4:15 PM	0	90	40	47	1	9	14	54	1	40	312	5	1	75	716	95	1,500	0	
4:30 PM	0	91	39	45	0	17	10	58	4	38	355	10	4	65	758	111	1,605	0	
4:45 PM	0	107	45	43	0	13	23	43	7	51	344	13	1	69	668	105	1,532	6,082	
5:00 PM	0	148	68	48	0	8	31	91	8	48	302	6	0	90	629	131	1,608	6,245	
5:15 PM	0	134	60	45	0	15	32	76	2	46	357	19	5	94	705	116	1,706	6,451	
5:30 PM	0	111	46	44	0	11	28	64	0	52	376	14	11	124	626	178	1,685	6,531	
5:45 PM	0	116	55	30	0	9	41	70	1	51	359	13	6	131	543	189	1,614	6,613	
Count Total	0	879	389	348	1	94	192	523	26	369	2,677	89	30	728	5,346	1,004	12,695	0	
Peak Hour	All	0	509	229	167	0	43	132	301	11	197	1,394	52	22	439	2,503	614	6,613	0
	HV	0	8	1	0	0	0	3	0	0	22	0	0	3	23	11	71	0	
	HV%	-	2%	0%	0%	-	0%	0%	1%	0%	0%	2%	0%	0%	1%	1%	2%	1%	

Note: Two-hour count summary volumes include heavy vehicles but exclude bicycles in overall count.

Interval Start	Heavy Vehicle Totals					Bicycles					Pedestrians (Crossing Leg)				
	EB	WB	NB	SB	Total	EB	WB	NB	SB	Total	East	West	North	South	Total
4:00 PM	3	2	9	7	21	0	0	0	0	0	0	0	7	2	9
4:15 PM	2	1	4	14	21	0	0	0	0	0	0	3	4	0	7
4:30 PM	5	2	4	10	21	0	0	0	0	0	0	3	1	9	13
4:45 PM	1	0	5	7	13	0	1	0	0	1	0	0	2	1	3
5:00 PM	3	1	7	10	21	1	0	0	1	2	0	1	2	1	4
5:15 PM	3	1	7	12	23	0	1	0	0	1	0	5	6	1	12
5:30 PM	2	0	5	9	16	0	0	0	0	0	0	2	5	5	12
5:45 PM	1	1	3	6	11	0	1	0	0	1	0	2	2	11	15
Count Total	20	8	44	75	147	1	3	0	1	5	0	16	29	30	75
Peak Hour	9	3	22	37	71	1	2	0	1	4	0	10	15	18	43

Two-Hour Count Summaries - Heavy Vehicles																				
Interval Start	E Duane Ave				Oakmead Pkwy				Lawrence Expy				Lawrence Expy				15-min Total	Rolling One Hour		
	Eastbound				Westbound				Northbound				Southbound							
	UT	LT	TH	RT	UT	LT	TH	RT	UT	LT	TH	RT	UT	LT	TH	RT				
4:00 PM	0	3	0	0	0	0	0	2	0	0	9	0	0	2	4	1	21	0		
4:15 PM	0	2	0	0	0	0	0	1	0	0	4	0	0	2	10	2	21	0		
4:30 PM	0	5	0	0	0	0	0	2	0	0	4	0	0	1	6	3	21	0		
4:45 PM	0	1	0	0	0	0	0	0	0	2	3	0	0	0	5	2	13	76		
<b>5:00 PM</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>9</b>	<b>1</b>	<b>21</b>	<b>76</b>		
<b>5:15 PM</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>6</b>	<b>5</b>	<b>23</b>	<b>78</b>		
<b>5:30 PM</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>5</b>	<b>2</b>	<b>16</b>	<b>73</b>		
<b>5:45 PM</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>3</b>	<b>11</b>	<b>71</b>		
Count Total	0	19	1	0	0	0	0	8	0	2	42	0	0	8	48	19	147	0		
Peak Hour	0	8	1	0	0	0	0	3	0	0	22	0	0	3	23	11	71	0		
Two-Hour Count Summaries - Bikes																				
Interval Start	E Duane Ave				Oakmead Pkwy				Lawrence Expy				Lawrence Expy				15-min Total	Rolling One Hour		
	Eastbound				Westbound				Northbound				Southbound							
	LT	TH	RT		LT	TH	RT		LT	TH	RT		LT	TH	RT					
4:00 PM	0	0	0		0	0	0		0	0	0		0	0	0		0	0		
4:15 PM	0	0	0		0	0	0		0	0	0		0	0	0		0	0		
4:30 PM	0	0	0		0	0	0		0	0	0		0	0	0		0	0		
4:45 PM	0	0	0		0	0	1		0	0	0		0	0	0		1	1		
<b>5:00 PM</b>	<b>0</b>	<b>1</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>1</b>	<b>0</b>		<b>2</b>	<b>3</b>		
<b>5:15 PM</b>	<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>1</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>1</b>	<b>4</b>		
<b>5:30 PM</b>	<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>4</b>		
<b>5:45 PM</b>	<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>1</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>0</b>	<b>0</b>		<b>1</b>	<b>4</b>		
Count Total	0	1	0		0	2	1		0	0	0		0	1	0		5	0		
Peak Hour	0	1	0		0	2	0		0	0	0		0	1	0		4	0		

Note: U-Turn volumes for bikes are included in Left-Turn, if any.

## Lawrence/Arques


	Lawrence SB				Arques WB				Lawrence NB				Arques EB				Total
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT	Total	
7:00	9	302	78	16	37	10	29	419	17	20	16	27	980			4/4/2017	
7:15	23	375	55	17	42	22	56	515	34	20	12	19	1190				
7:30	21	347	44	38	52	21	54	649	52	42	26	24	1370				
7:45	28	347	75	28	98	30	55	727	68	34	29	38	1557				
8:00	24	371	74	35	86	11	94	746	88	31	31	41	1632				
8:15	22	328	75	25	85	17	86	709	95	34	45	40	1561				
8:30	17	318	90	32	77	15	92	796	64	36	35	38	1610				
8:45	34	277	84	33	84	16	82	756	54	36	44	34	1534				
7:00-8:00	81	1371	252	99	229	83	194	2310	171	116	83	108	5097				
7:15-8:15	96	1440	248	118	278	84	259	2637	242	127	98	122	5749				
7:30-8:30	95	1393	268	126	321	79	289	2831	303	141	131	143	6120				
7:45-8:45	91	1364	314	120	346	73	327	2978	315	135	140	157	6360				
8:00-9:00	97	1294	323	125	332	59	354	3007	301	137	155	153	6337				




(303) 216-2439  
www.alltrafficdata.net

**Location:** 1 LAWRENCE EXPY & KIFER RD AM  
**Date and Start Time:** Wednesday, March 7, 2018  
**Peak Hour:** 08:00 AM - 09:00 AM  
**Peak 15-Minutes:** 08:45 AM - 09:00 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	KIFER RD Eastbound				KIFER RD Westbound				LAWRENCE EXPY Northbound				LAWRENCE EXPY Southbound				Rolling Hour	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	0	10	14	38	0	11	43	32	0	44	531	80	1	34	278	82	1,198	6,072	1	0	0	0
7:15 AM	0	16	12	34	0	16	54	33	0	51	661	82	2	35	276	78	1,350	6,621	0	2	0	0
7:30 AM	0	26	17	23	0	18	85	47	0	44	937	108	2	33	284	92	1,716	7,059	3	1	0	0
7:45 AM	0	22	28	26	0	18	83	48	0	61	962	89	1	30	334	106	1,808	7,167	0	0	0	0
8:00 AM	1	21	29	29	0	24	77	46	0	69	879	91	0	56	319	106	1,747	7,274	5	5	0	0
8:15 AM	0	33	39	33	0	19	86	60	0	52	975	77	0	43	275	96	1,788	7,152	3	3	0	1
8:30 AM	0	28	36	26	0	21	88	68	0	51	946	112	0	33	292	123	1,824	7,095	0	1	0	0
8:45 AM	0	32	37	28	0	6	94	64	0	66	1,077	94	0	44	248	125	1,915	7,095	4	1	2	0

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	3	0	0	0	0	0	1	0	0	5	1	0	0	5	0	15
Lights	1	107	137	112	0	60	338	230	0	237	3,851	371	0	175	1,095	438	7,152
Mediums	0	4	4	4	0	10	7	7	0	1	21	2	0	1	34	12	107
Total	1	114	141	116	0	70	345	238	0	238	3,877	374	0	176	1,134	450	7,274




(303) 216-2439  
www.alltrafficdata.net

**Location:** 1 LAWRENCE EXPY & KIFER RD PM  
**Date and Start Time:** Wednesday, March 7, 2018  
**Peak Hour:** 04:15 PM - 05:15 PM  
**Peak 15-Minutes:** 04:30 PM - 04:45 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	KIFER RD Eastbound				KIFER RD Westbound				LAWRENCE EXPY Northbound				LAWRENCE EXPY Southbound				Rolling Hour	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
4:00 PM	0	37	162	185	0	67	38	74	2	16	289	97	0	69	782	30	1,848	7,572	3	1	2	0
4:15 PM	0	37	114	156	0	63	40	75	2	7	356	99	2	94	845	27	1,917	7,657	1	1	0	0
4:30 PM	0	48	130	161	0	74	28	68	1	13	300	90	5	87	935	28	1,968	7,650	1	0	2	1
4:45 PM	0	45	147	175	0	77	48	57	2	20	272	66	3	68	838	21	1,839	7,542	3	1	1	1
5:00 PM	0	48	112	160	0	87	63	77	1	22	301	93	4	68	879	18	1,933	7,586	1	2	0	0
5:15 PM	0	38	117	139	0	66	66	80	0	10	344	87	4	60	879	20	1,910		5	1	2	0
5:30 PM	0	38	110	133	0	71	48	82	1	11	297	102	2	74	857	34	1,860		4	4	0	0
5:45 PM	0	47	131	129	0	75	55	82	0	15	303	95	6	60	868	17	1,883		3	2	2	0

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	1	1	0	0	0	0	1	0	0	3	0	0	0	0	3	9
Lights	0	175	499	651	0	301	175	273	6	62	1,214	339	14	315	3,475	86	7,585
Mediums	0	2	3	1	0	0	4	3	0	0	12	9	0	2	19	8	63
Total	0	178	503	652	0	301	179	277	6	62	1,229	348	14	317	3,497	94	7,657


**Location:** 2 LAWRENCE EXPY & MONROE ST AM

**Date and Start Time:** Wednesday, March 7, 2018


**Peak Hour:** 08:00 AM - 09:00 AM

**Peak 15-Minutes:** 08:45 AM - 09:00 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	REED AVE Eastbound				MONROE ST Westbound				LAWRENCE EXPY Northbound				LAWRENCE EXPY Southbound				Rolling Hour	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	0	52	76	39	0	33	54	106	1	28	510	39	1	47	175	41	1,202	6,260	1	0	7	0
7:15 AM	0	88	99	27	0	69	110	143	0	21	612	66	0	32	266	38	1,571	6,936	0	4	4	0
7:30 AM	0	85	34	44	0	83	82	116	0	43	854	22	0	26	329	37	1,755	7,193	0	1	1	0
7:45 AM	0	112	33	57	0	55	90	126	1	48	847	26	0	28	279	30	1,732	7,140	1	0	3	0
8:00 AM	0	111	44	65	0	53	82	106	1	31	988	26	0	25	302	44	1,878	7,297	0	0	1	0
8:15 AM	0	78	42	62	0	57	78	129	0	28	987	33	0	34	249	51	1,828		0	1	2	0
8:30 AM	0	130	50	44	0	67	71	152	0	19	829	19	1	14	259	47	1,702		0	3	2	0
8:45 AM	0	89	40	44	0	58	79	114	0	20	1,075	26	0	16	271	57	1,889		1	0	1	0

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	2	0	2	0	0	0	2	0	2	2	0	0	0	4	5	19
Lights	0	401	173	210	0	231	304	496	1	95	3,860	100	1	89	1,039	190	7,190
Mediums	0	5	3	3	0	4	6	3	0	1	17	4	0	0	38	4	88
Total	0	408	176	215	0	235	310	501	1	98	3,879	104	1	89	1,081	199	7,297



(303) 216-2439  
www.alltrafficdata.net


**Location:** 3 LAWRENCE EXPY & CABRILLO AVE AM

**Date and Start Time:** Wednesday, March 7, 2018


**Peak Hour:** 08:00 AM - 09:00 AM

**Peak 15-Minutes:** 08:00 AM - 08:15 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	POINCIANA DR				CABRILLO AVE				LAWRENCE EXPY				LAWRENCE EXPY				Rolling Hour	Pedestrian Crossings				
	Eastbound		Westbound		Northbound		Southbound		Total		Hour	West	East	South	North	West	East	South	North			
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North
7:00 AM	0	36	14	17	0	24	10	24	0	2	528	23	0	5	206	5	894	4,772	0	0	0	0
7:15 AM	0	30	25	21	0	45	20	22	1	3	671	37	0	14	307	20	1,216	5,477	0	0	0	0
7:30 AM	0	48	16	15	0	49	27	37	1	11	751	12	1	18	312	20	1,318	5,802	0	0	0	0
7:45 AM	0	42	24	21	0	28	19	25	3	7	802	26	0	22	301	24	1,344	5,960	0	0	4	0
8:00 AM	0	33	12	38	0	30	23	33	0	14	975	21	4	11	388	17	1,599	6,090	0	0	2	0
8:15 AM	0	40	26	35	0	33	13	38	0	14	971	23	0	9	329	10	1,541		0	0	3	0
8:30 AM	0	27	21	30	0	34	10	45	1	11	892	15	0	7	369	14	1,476		0	0	0	0
8:45 AM	0	31	32	38	0	27	19	38	2	8	913	21	1	5	330	9	1,474		0	0	1	1

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8	12
Lights	0	129	87	141	0	122	65	154	3	47	3,726	77	5	31	1,373	46	6,006
Mediums	0	2	4	0	0	2	0	0	0	0	21	3	0	1	35	4	72
Total	0	131	91	141	0	124	65	154	3	47	3,751	80	5	32	1,416	50	6,090



(303) 216-2439  
www.alltrafficdata.net


**Location:** 3 LAWRENCE EXPY & CABRILLO AVE PM

**Date and Start Time:** Wednesday, March 7, 2018


**Peak Hour:** 05:00 PM - 06:00 PM

**Peak 15-Minutes:** 05:45 PM - 06:00 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	POINCIANA DR				CABRILLO AVE				LAWRENCE EXPY				LAWRENCE EXPY				Rolling Hour	Pedestrian Crossings				
	Eastbound		Westbound		Northbound		Southbound		U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	Total	Hour	West	East	South	North
4:00 PM	0	25	9	14	0	13	8	7	4	21	378	33	2	25	954	33	1,526	6,232	0	2	2	0
4:15 PM	0	24	11	13	0	16	10	17	3	23	396	42	1	24	944	32	1,556	6,311	0	0	0	0
4:30 PM	0	17	18	32	0	21	21	9	4	17	323	47	2	31	952	33	1,527	6,343	0	0	2	0
4:45 PM	0	16	13	16	0	17	14	12	0	20	356	38	3	35	1,050	33	1,623	6,485	1	0	0	0
5:00 PM	0	20	15	18	0	15	13	7	0	19	384	45	1	29	1,012	27	1,605	6,560	0	0	2	1
5:15 PM	0	18	19	23	0	20	26	13	0	25	379	45	2	28	952	38	1,588		0	0	2	0
5:30 PM	0	24	19	17	0	22	20	10	0	16	397	49	1	28	1,032	34	1,669		0	0	0	0
5:45 PM	0	13	13	15	0	12	14	15	0	18	426	44	0	27	1,048	53	1,698		0	0	3	2

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lights	0	74	66	73	0	69	73	45	0	76	1,568	182	4	109	4,030	151	6,520
Mediums	0	1	0	0	0	0	0	0	0	2	18	1	0	3	14	1	40
Total	0	75	66	73	0	69	73	45	0	78	1,586	183	4	112	4,044	152	6,560




(303) 216-2439  
www.alltrafficdata.net

**Location:** 39 LAWRENCE EXPY & BENTON ST AM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 07:30 AM - 08:30 AM  
**Peak 15-Minutes:** 07:45 AM - 08:00 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	BENTON ST Eastbound				BENTON ST Westbound				LAWRENCE EXPY Northbound				LAWRENCE EXPY Southbound				Rolling Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
7:00 AM	0	28	12	13	0	46	12	73	0	13	479	14	2	30	229	8	959	5,254	0	0	0	2
7:15 AM	0	39	20	26	0	65	22	96	2	15	614	27	0	24	277	28	1,255	5,835	0	0	0	1
7:30 AM	0	35	27	20	0	68	48	80	3	23	755	25	2	29	321	24	1,460	5,848	0	0	0	1
7:45 AM	0	22	30	21	0	67	30	115	0	14	925	27	1	36	289	3	1,580	5,666	0	4	0	0
8:00 AM	0	36	29	27	0	66	36	118	1	15	725	30	0	41	409	7	1,540	5,147	0	0	0	3
8:15 AM	0	21	21	37	0	68	47	120	1	21	460	34	2	37	385	14	1,268		0	0	0	1
8:30 AM	0	22	27	24	0	70	56	117	2	19	447	29	2	22	437	4	1,278		0	0	0	1
8:45 AM	0	20	20	18	0	72	53	81	3	18	373	23	3	24	348	5	1,061		1	0	0	1

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	1	0	0	5	0	0	1	4	0	11
Lights	0	114	106	105	0	262	161	429	4	72	2,829	115	5	140	1,359	48	5,749
Mediums	0	0	1	0	0	7	0	3	1	1	31	1	0	2	41	0	88
Total	0	114	107	105	0	269	161	433	5	73	2,865	116	5	143	1,404	48	5,848




(303) 216-2439  
www.alltrafficdata.net

**Location:** 39 LAWRENCE EXPY & BENTON ST PM  
**Date and Start Time:** Tuesday, November 14, 2017  
**Peak Hour:** 04:30 PM - 05:30 PM  
**Peak 15-Minutes:** 05:00 PM - 05:15 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	BENTON ST Eastbound				BENTON ST Westbound				LAWRENCE EXPY Northbound				LAWRENCE EXPY Southbound				Rolling Hour Total	Pedestrian Crossings				
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		West	East	South	North	
4:00 PM	0	9	42	7	0	30	24	28	2	18	398	55	5	51	652	18	1,339	5,591	0	0	0	5
4:15 PM	0	8	25	8	0	21	17	33	1	22	385	70	2	71	784	15	1,462	5,787	1	2	0	6
4:30 PM	0	19	47	14	0	26	27	34	1	19	356	67	4	81	711	24	1,430	5,805	0	0	0	6
4:45 PM	0	23	51	12	0	28	42	43	1	24	361	69	3	74	612	17	1,360	5,752	0	1	0	2
5:00 PM	0	19	50	14	0	27	27	41	3	23	441	73	8	102	680	27	1,535	5,798	0	0	0	1
5:15 PM	0	14	86	21	0	29	32	43	1	20	412	81	3	103	614	21	1,480		0	2	0	0
5:30 PM	0	23	81	27	0	45	38	51	2	21	398	67	4	69	536	15	1,377		0	1	0	4
5:45 PM	0	24	81	18	0	35	32	33	0	26	471	102	8	71	491	14	1,406		0	0	0	2

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total	
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right		
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	3
Lights	0	75	233	61	0	110	128	159	6	86	1,550	288	18	358	2,606	89	5,767	
Mediums	0	0	1	0	0	0	0	2	0	0	19	2	0	2	9	0	35	
Total	0	75	234	61	0	110	128	161	6	86	1,570	290	18	360	2,617	89	5,805	



(303) 216-2439  
www.alltrafficdata.net


**Location:** 40 LAWRENCE EXPY & HOMESTEAD RD AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 08:00 AM - 09:00 AM

**Peak 15-Minutes:** 08:30 AM - 08:45 AM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	HOMESTEAD RD				HOMESTEAD RD				LAWRENCE EXPY				LAWRENCE EXPY				Rolling Hour	Pedestrian Crossings				
	Eastbound		Westbound		Northbound		Southbound		Total	Hour	West	East	South	North								
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right						
7:00 AM	0	28	20	15	0	70	121	53	0	38	432	33	0	14	244	67	1,135	6,009	0	1	1	0
7:15 AM	0	39	28	28	0	75	200	68	0	52	563	33	0	18	338	99	1,541	6,662	0	0	0	0
7:30 AM	0	62	55	43	0	95	231	100	0	62	540	44	2	20	329	127	1,710	6,753	0	1	4	1
7:45 AM	0	41	68	29	0	78	187	65	0	61	569	62	0	38	316	109	1,623	6,837	0	1	4	7
8:00 AM	0	58	61	22	0	81	176	55	0	45	754	41	2	42	312	139	1,788	6,959	0	3	2	0
8:15 AM	0	65	76	25	0	76	191	61	0	47	589	51	1	44	278	128	1,632	6,837	0	3	4	3
8:30 AM	0	43	89	27	0	86	205	70	0	57	698	37	0	20	320	142	1,794	6,959	0	5	6	2
8:45 AM	0	47	63	21	0	70	154	49	0	77	764	41	1	17	297	144	1,745	6,959	0	9	10	0

### Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	2	0	1	1	0	0	1	2	0	0	1	2	2	12
Lights	0	210	284	93	0	310	716	232	0	222	2,792	168	3	119	1,173	535	6,857
Mediums	0	3	5	0	0	2	9	3	0	3	11	2	1	3	32	16	90
Total	0	213	289	95	0	313	726	235	0	226	2,805	170	4	123	1,207	553	6,959



(303) 216-2439  
www.alltrafficdata.net


**Location:** 41 LAWRENCE EXPY & PRUNERIDGE RD AM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 07:30 AM - 08:30 AM

**Peak 15-Minutes:** 07:45 AM - 08:00 AM

## Peak Hour - All Vehicles



## **Peak Hour - Pedestrians/Bicycles in Crosswalk**



Note: Total study counts contained in parentheses.

## Traffic Counts

Interval Start Time	PRUNERIDGE RD				PRUNERIDGE RD				LAWRENCE EXPY				LAWRENCE EXPY				Rolling Hour	Pedestrian Crossings				
	Eastbound				Westbound				Northbound				Southbound					West	East	South	North	
	U-Turn	Left	Thru	Right																		
7:00 AM	0	22	5	11	0	106	26	102	0	8	466	8	0	7	232	12	1,005	5,467	0	0	0	1
7:15 AM	0	17	18	43	0	127	75	124	2	18	518	30	1	16	253	12	1,254	5,916	0	0	0	0
7:30 AM	0	18	22	24	0	112	74	137	0	10	718	19	0	27	321	9	1,491	6,109	0	0	0	1
7:45 AM	0	28	17	20	0	135	50	158	0	14	908	22	0	28	329	8	1,717	5,941	0	0	0	1
8:00 AM	0	17	34	47	0	102	92	146	0	11	660	25	0	19	282	19	1,454	5,581	0	2	0	1
8:15 AM	0	20	56	21	0	86	84	160	0	27	636	30	0	31	269	27	1,447		0	1	0	0
8:30 AM	0	34	20	29	0	101	107	117	0	24	526	31	0	28	283	23	1,323		0	0	4	1
8:45 AM	0	32	18	30	0	94	57	146	2	15	551	45	0	21	319	27	1,357		0	0	0	1

## Peak Rolling Hour Flow Rates

Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	6	0	0	0	2	0	8
Lights	0	82	124	111	0	432	296	595	0	62	2,899	94	0	104	1,177	63	6,039
Mediums	0	1	5	1	0	3	4	6	0	0	17	2	0	1	22	0	62
Total	0	83	129	112	0	435	300	601	0	62	2,922	96	0	105	1,201	63	6,109



(303) 216-2439  
www.alltrafficdata.net


**Location:** 41 LAWRENCE EXPY & PRUNERIDGE RD PM

**Date and Start Time:** Tuesday, November 14, 2017


**Peak Hour:** 04:30 PM - 05:30 PM

**Peak 15-Minutes:** 05:00 PM - 05:15 PM

### Peak Hour - All Vehicles



### Peak Hour - Pedestrians/Bicycles in Crosswalk



Note: Total study counts contained in parentheses.

### Traffic Counts

Interval Start Time	PRUNERIDGE RD				PRUNERIDGE RD				LAWRENCE EXPY				LAWRENCE EXPY				Rolling Hour Total	Pedestrian Crossings				
	Eastbound		Westbound		Northbound		Southbound		Total		West	East	South	North								
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right						
4:00 PM	0	39	44	16	0	40	16	27	0	12	366	46	0	123	454	11	1,194	5,362	0	0	0	0
4:15 PM	0	31	41	21	0	26	15	18	0	18	374	45	0	148	543	21	1,301	5,771	0	2	0	5
4:30 PM	0	41	56	24	0	47	16	34	0	18	370	46	2	125	602	19	1,400	5,948	0	0	0	0
4:45 PM	0	48	76	34	0	51	26	34	0	15	373	35	1	162	596	16	1,467	5,945	0	0	0	0
5:00 PM	0	31	67	48	0	61	44	41	1	24	353	69	0	154	687	23	1,603	5,918	0	0	0	0
5:15 PM	0	51	91	48	0	50	27	44	1	16	356	51	0	110	611	22	1,478		0	0	0	1
5:30 PM	0	41	82	48	0	72	36	45	2	13	316	37	0	95	586	24	1,397		0	0	0	0
5:45 PM	0	23	78	34	0	85	34	48	5	16	354	54	0	155	533	21	1,440		0	0	0	0

### Peak Rolling Hour Flow Rates


Vehicle Type	Eastbound				Westbound				Northbound				Southbound				Total
	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	U-Turn	Left	Thru	Right	
Articulated Trucks	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Lights	0	170	290	154	0	206	113	152	2	73	1,441	201	3	549	2,489	80	5,923
Mediums	0	1	0	0	0	3	0	1	0	0	10	0	0	2	7	0	24
Total	0	171	290	154	0	209	113	153	2	73	1,452	201	3	551	2,496	80	5,948

## **Appendix B**

### **Level of Service Calculations**

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

## Intersection #1: SR 237 &amp; El Camino Real




Street Name:															
SR 237				El Camino Real											
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	7	10	10	7	10	10
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Volume Module: >> Count Date: 14 Nov 2017 << 7:45 AM - 8:45 AM															
Base Vol:	79	1006	200	146	964	739	821	1127	33	303	1146	95			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	79	1006	200	146	964	739	821	1127	33	303	1146	95			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	79	1006	200	146	964	739	821	1127	33	303	1146	95			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	79	1006	200	146	964	739	821	1127	33	303	1146	95			
Reducet Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	79	1006	200	146	964	739	821	1127	33	303	1146	95			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	79	1006	200	146	964	739	821	1127	33	303	1146	95			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	0.98	0.95	0.83	0.99	0.95			
Lanes:	2.00	3.00	1.00	2.00	3.00	1.00	2.00	2.91	0.09	2.00	2.76	0.24			
Final Sat.:	3150	5700	1750	3150	5700	1750	3150	5440	159	3150	5171	429			
Capacity Analysis Module:															
Vol/Sat:	0.03	0.18	0.11	0.05	0.17	0.42	0.26	0.21	0.21	0.10	0.22	0.22			
Crit Moves:	****			****	****					****					
Green Time:	7.0	65.8	65.8	17.3	76.1	76.1	47.0	59.3	59.3	27.6	39.9	39.9			
Volume/Cap:	0.65	0.49	0.32	0.49	0.40	1.01	1.01	0.64	0.64	0.64	1.01	1.01			
Uniform Del:	86.3	45.0	41.9	78.2	37.1	53.0	67.5	52.1	52.1	72.5	71.0	71.0			
IncremntDel:	12.0	0.2	0.3	1.3	0.1	35.8	34.1	0.7	0.7	2.8	28.1	28.1			
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	98.3	45.2	42.2	79.4	37.2	88.7	101.6	52.9	52.9	75.3	99.2	99.2			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	98.3	45.2	42.2	79.4	37.2	88.7	101.6	52.9	52.9	75.3	99.2	99.2			
LOS by Move:	F	D	D	E-	D+	F	F	D-	D-	E-	F	F			
HCM2kAvgQ:	4	14	8	5	12	51	33	19	19	9	26	26			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #1: SR 237 & El Camino Real



Street Name: SR 237 El Camino Real														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Min. Green:	7 10		10 7		10 7		10 7		10 7		10 7		10 7	
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0	
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Volume Module: >> Count Date: 14 Nov 2017 << 7:45 AM - 8:45 AM														
Base Vol:	117 1050		476 244		1179 739		979 1448		45 393		1264 119			
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
Initial Bse:	117 1050		476 244		1179 739		979 1448		45 393		1264 119			
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0			
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0			
Initial Fut:	117 1050		476 244		1179 739		979 1448		45 393		1264 119			
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
PHF Volume:	117 1050		476 244		1179 739		979 1448		45 393		1264 119			
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0			
Reduced Vol:	117 1050		476 244		1179 739		979 1448		45 393		1264 119			
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
FinalVolume:	117 1050		476 244		1179 739		979 1448		45 393		1264 119			
Saturation Flow Module:														
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900			
Adjustment:	0.83 1.00		0.92 0.83		1.00 1.00		0.92 0.83		1.00 0.92		0.83 0.99			
Lanes:	2.00 3.00		1.00 2.00		3.00 3.00		1.00 2.00		3.00 3.00		1.00 2.00			
Final Sat.:	3150 5700		1750 3150		5700 5700		1750 3150		5700 5118		482 482			
Capacity Analysis Module:														
Vol/Sat:	0.04 0.18		0.27 0.08		0.21 0.21		0.42 0.31		0.25 0.25		0.03 0.12			
Crit Moves:	****		****		****		****		****		****			
Green Time:	7.0 60.1		60.1 17.1		70.2 51.7		62.2 69.2		30.6 41.1		41.1			
Volume/Cap:	0.97 0.56		0.82 0.82		0.54 0.54		1.09 1.09		0.74 0.74		1.09 1.09			
Uniform Del:	87.4 50.0		56.1 81.0		43.3 55.9		55.2 59.2		52.8 59.2		35.9 59.2			
IncremntDel:	70.8 0.4		9.3 16.8		0.3 0.3		63.2 59.2		1.6 1.6		0.0 0.0			
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0			
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
Delay/Veh:	158.2 50.4		65.4 97.7		43.5 43.5		119.1 119.1		124.3 124.3		54.4 54.4			
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
AdjDel/Veh:	158.2 50.4		65.4 97.7		43.5 43.5		119.1 119.1		124.3 124.3		54.4 54.4			
LOS by Move:	F D E F D F F D- D+ E- F F		F D E F D F F D- D+ E- F F		F D- D+ E- F F		F D- D+ E- F F		F D- D+ E- F F		F D- D+ E- F F			
HCM2kAvgQ:	6 16		28 10		17 56		42 42		24 24		2 2			
Note: Queue reported is the number of cars per lane.														


Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

Intersection #1: SR 237 & El Camino Real



Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

## Intersection #2: Sylvan Ave &amp; El Camino Real




Street Name: Sylvan Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7		10	10		7	10		10	7		10	10		
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	517	287	35	53	38	200	157	748	359	97	1546	139			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	517	287	35	53	38	200	157	748	359	97	1546	139			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	517	287	35	53	38	200	157	748	359	97	1546	139			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	517	287	35	53	38	200	157	748	359	97	1546	139			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	517	287	35	53	38	200	157	748	359	97	1546	139			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	517	287	35	53	38	200	157	748	359	97	1546	139			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	0.95	0.95	0.92	1.00	0.92	0.92	1.00	0.92	0.83	0.99	0.95			
Lanes:	2.00	0.89	0.11	1.00	1.00	1.00	1.00	3.00	1.00	2.00	2.74	0.26			
Final Sat.:	3150	1604	196	1750	1900	1750	1750	5700	1750	3150	5137	462			
Capacity Analysis Module:															
Vol/Sat:	0.16	0.18	0.18	0.03	0.02	0.11	0.09	0.13	0.21	0.03	0.30	0.30			
Crit Moves:	****			****		****	****			****					
Green Time:	34.9	35.1	35.1	9.8	10.0	29.1	19.1	60.2	95.1	22.9	64.0	64.0			
Volume/Cap:	0.66	0.71	0.71	0.43	0.28	0.55	0.66	0.31	0.30	0.19	0.66	0.66			
Uniform Del:	47.2	47.9	47.9	62.4	61.6	49.6	57.4	26.2	9.1	50.5	29.5	29.5			
IncremntDel:	2.1	5.3	5.3	2.4	1.1	1.8	6.6	0.1	0.1	0.2	0.6	0.6			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	49.2	53.2	53.2	64.9	62.7	51.4	64.0	26.3	9.2	50.7	30.1	30.1			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	49.2	53.2	53.2	64.9	62.7	51.4	64.0	26.3	9.2	50.7	30.1	30.1			
LOS by Move:	D	D-	D-	E	E	D-	E	C	A	D	C	C			
HCM2kAvgQ:	13	14	14	3	2	9	7	7	6	2	18	18			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

## Intersection #2: Sylvan Ave &amp; El Camino Real




Street Name: Sylvan Ave El Camino Real															
Approach: North Bound			South Bound			East Bound			West Bound						
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	517	287	135	130	40	201	223	1694	359	103	1854	204			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	517	287	135	130	40	201	223	1694	359	103	1854	204			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	517	287	135	130	40	201	223	1694	359	103	1854	204			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	517	287	135	130	40	201	223	1694	359	103	1854	204			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	517	287	135	130	40	201	223	1694	359	103	1854	204			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	517	287	135	130	40	201	223	1694	359	103	1854	204			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	0.95	0.95	0.92	1.00	0.92	0.92	1.00	0.92	0.83	0.99	0.95			
Lanes:	2.00	0.68	0.32	1.00	1.00	1.00	1.00	3.00	1.00	2.00	2.69	0.31			
Final Sat.:	3150	1224	576	1750	1900	1750	1750	5700	1750	3150	5044	555			
Capacity Analysis Module:															
Vol/Sat:	0.16	0.23	0.23	0.07	0.02	0.11	0.13	0.30	0.21	0.03	0.37	0.37			
Crit Moves:	****			****			****			****					
Green Time:	34.3	37.3	37.3	11.8	14.9	35.2	20.3	67.5	101.7	11.4	58.5	58.5			
Volume/Cap:	0.67	0.88	0.88	0.88	0.20	0.46	0.88	0.62	0.28	0.40	0.88	0.88			
Uniform Del:	47.8	49.2	49.2	63.4	57.1	44.3	58.7	26.7	6.6	61.1	37.5	37.5			
IncremntDel:	2.3	16.8	16.8	40.8	0.5	0.8	27.6	0.4	0.1	1.0	4.2	4.2			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	50.1	66.0	66.0	104.2	57.6	45.1	86.2	27.2	6.7	62.1	41.7	41.7			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	50.1	66.0	66.0	104.2	57.6	45.1	86.2	27.2	6.7	62.1	41.7	41.7			
LOS by Move:	D	E	E	F	E+	D	F	C	A	E	D	D			
HCM2kAvgQ:	13	21	21	9	2	8	11	17	5	2	27	27			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


## Intersection #2: Sylvan Ave &amp; El Camino Real



Street Name: Sylvan Ave El Camino Real																	
Approach:	North Bound			South Bound			East Bound			West Bound							
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R		
Min. Green:	7		10	10		7	10		10	7		10	10				
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0				
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																	
Base Vol:	517		287	139		133	40		201	218		1720	359		99	1866	213
Growth Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00	1.00
Initial Bse:	517		287	139		133	40		201	218		1720	359		99	1866	213
Added Vol:	0		0	0		0	0		0	0		0	0		0	0	0
PasserByVol:	0		0	0		0	0		0	0		0	0		0	0	0
Initial Fut:	517		287	139		133	40		201	218		1720	359		99	1866	213
User Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00	1.00
PHF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00	1.00
PHF Volume:	517		287	139		133	40		201	218		1720	359		99	1866	213
Reduc Vol:	0		0	0		0	0		0	0		0	0		0	0	0
Reduced Vol:	517		287	139		133	40		201	218		1720	359		99	1866	213
PCE Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00	1.00
MLF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00	1.00
FinalVolume:	517		287	139		133	40		201	218		1720	359		99	1866	213
Saturation Flow Module:																	
Sat/Lane:	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	1900	1900
Adjustment:	0.83		0.95	0.95		0.92	1.00		0.92	0.92		1.00	0.92		0.83	0.99	0.95
Lanes:	2.00		0.67	0.33		1.00	1.00		1.00	1.00		3.00	1.00		2.00	2.68	0.32
Final Sat.:	3150		1213	587		1750	1900		1750	1750		5700	1750		3150	5026	574
Capacity Analysis Module:																	
Vol/Sat:	0.16		0.24	0.24		0.08	0.02		0.11	0.12		0.30	0.21		0.03	0.37	0.37
Crit Moves:	****		****	****		****	****		****	****		****	****		****	****	****
Green Time:	34.5		37.5	37.5		12.0	15.0		34.7	19.7		67.3	101.8		11.2	58.8	58.8
Volume/Cap:	0.67		0.88	0.88		0.20	0.46		0.88	0.63		0.28	0.39		0.88	0.88	0.88
Uniform Del:	47.6		49.2	49.2		63.3	57.0		44.7	59.0		27.0	6.5		61.2	37.5	37.5
IncremntDel:	2.2		17.4	17.4		41.5	0.5		0.8	29.2		0.5	0.1		1.0	4.4	4.4
InitQueueDel:	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0	0.0
Delay Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00	1.00
Delay/Veh:	49.8		66.6	66.6		104.8	57.5		45.5	88.2		27.5	6.7		62.2	41.9	41.9
User DelAdj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00	1.00
AdjDel/Veh:	49.8		66.6	66.6		104.8	57.5		45.5	88.2		27.5	6.7		62.2	41.9	41.9
LOS by Move:	D		E	E		F	F		D	F		C	A		E	D	D
HCM2kAvgQ:	13		21	21		9	2		8	10		17	5		2	27	27
Note: Queue reported is the number of cars per lane.																	

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


## Intersection #3: Bernardo Ave &amp; El Camino Real



Street Name: Bernardo Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	297	194	71	58	124	433	146	554	67	69	1267	52			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	297	194	71	58	124	433	146	554	67	69	1267	52			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	297	194	71	58	124	433	146	554	67	69	1267	52			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	297	194	71	58	124	433	146	554	67	69	1267	52			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	297	194	71	58	124	433	146	554	67	69	1267	52			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Final Volume:	297	194	71	58	124	433	146	554	67	69	1267	52			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.83	1.00	0.92	0.92	1.00	0.92	0.92	0.99	0.95	0.92	0.98				
Lanes:	2.00	1.00	1.00	1.00	1.00	1.00	1.00	2.66	0.34	1.00	2.88				
Final Sat.:	3150	1900	1750	1750	1900	1750	1750	4995	604	1750	5379				
Capacity Analysis Module:															
Vol/Sat:	0.09	0.10	0.04	0.03	0.07	0.25	0.08	0.11	0.11	0.04	0.24				
Crit Moves:	****			****	****					****					
Green Time:	18.3	44.4	63.6	21.8	47.9	47.9	16.2	42.6	42.6	19.2	45.6				
Volume/Cap:	0.72	0.32	0.09	0.21	0.19	0.72	0.72	0.36	0.36	0.29	0.72				
Uniform Del:	58.4	36.3	21.7	51.6	32.4	40.2	59.8	38.1	38.1	54.3	41.6				
IncremntDel:	6.2	0.3	0.0	0.4	0.0	3.4	12.1	0.1	0.1	0.7	1.5				
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Delay/Veh:	64.6	36.6	21.8	52.0	32.4	43.6	71.9	38.2	38.2	54.9	43.1				
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
AdjDel/Veh:	64.6	36.6	21.8	52.0	32.4	43.6	71.9	38.2	38.2	54.9	43.1				
LOS by Move:	E	D+	C+	D-	C-	D	E	D+	D+	D-	D				
HCM2kAvgQ:	9	6	2	2	4	18	7	7	7	3	17				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


## Intersection #3: Bernardo Ave &amp; El Camino Real



Street Name: Bernardo Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	428 252		140 128		151 445		211 1506		118 121		1411 270				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	428 252		140 128		151 445		211 1506		118 121		1411 270				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	428 252		140 128		151 445		211 1506		118 121		1411 270				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	428 252		140 128		151 445		211 1506		118 121		1411 270				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	428 252		140 128		151 445		211 1506		118 121		1411 270				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	428 252		140 128		151 445		211 1506		118 121		1411 270				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.83 1.00		0.92 0.92		1.00 1.00		0.92 0.92		0.99 0.99		0.95 0.95				
Lanes:	2.00 1.00		1.00 1.00		1.00 1.00		2.77 0.23		0.23 1.00		2.50 1.00				
Final Sat.:	3150 1900		1750 1750		1900 1750		1750 1750		5193 407		407 1750				
Capacity Analysis Module:															
Vol/Sat:	0.14 0.13		0.08 0.08		0.07 0.08		0.25 0.25		0.12 0.12		0.29 0.29				
Crit Moves:	****		****		****		****		****		****				
Green Time:	21.4 39.7		52.5 21.9		40.1 40.1		40.1 19.0		53.6 53.6		53.6 12.8				
Volume/Cap:	0.89 0.47		0.21 0.47		0.28 0.28		0.89 0.89		0.76 0.76		0.76 0.76				
Uniform Del:	58.1 41.4		29.7 53.8		38.7 38.7		47.8 59.4		37.5 37.5		37.5 62.1				
IncremntDel:	17.8 0.6		0.2 1.3		0.1 13.6		1.6 30.4		1.6 1.6		1.6 18.6				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	75.9 42.1		29.9 55.0		38.8 38.8		61.4 89.9		39.1 39.1		39.1 80.7				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	75.9 42.1		29.9 55.0		38.8 38.8		61.4 89.9		39.1 39.1		39.1 80.7				
LOS by Move:	E- D		C E+		D+ E		F F		D D		F D				
HCM2kAvgQ:	14 9		4 6		5 23		10 10		20 20		5 22				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


## Intersection #3: Bernardo Ave &amp; El Camino Real



Street Name: Bernardo Ave El Camino Real																			
Approach:	North Bound			South Bound			East Bound			West Bound									
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
Min. Green:	7		10	10		7	10		10	7		10	10		10				
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0				
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																			
Base Vol:	423		259	148		138	150		450	216		1548	130		134	1427		313	
Growth Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
Initial Bse:	423		259	148		138	150		450	216		1548	130		134	1427		313	
Added Vol:	0		0	0		0	0		0	0		0	0		0	0		0	
PasserByVol:	0		0	0		0	0		0	0		0	0		0	0		0	
Initial Fut:	423		259	148		138	150		450	216		1548	130		134	1427		313	
User Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
PHF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
PHF Volume:	423		259	148		138	150		450	216		1548	130		134	1427		313	
Reducet Vol:	0		0	0		0	0		0	0		0	0		0	0		0	
Reduced Vol:	423		259	148		138	150		450	216		1548	130		134	1427		313	
PCE Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
MLF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
FinalVolume:	423		259	148		138	150		450	216		1548	130		134	1427		313	
Saturation Flow Module:																			
Sat/Lane:	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	
Adjustment:	0.83		1.00	0.92		0.92	1.00		0.92	0.92		0.99	0.95		0.92	0.99		0.95	
Lanes:	2.00		1.00	1.00		1.00	1.00		1.00	1.00		2.76	0.24		1.00	2.44		0.56	
Final Sat.:	3150		1900	1750		1750	1900		1750	1750		5166	434		1750	4591		1007	
Capacity Analysis Module:																			
Vol/Sat:	0.13		0.14	0.08		0.08	0.08		0.26	0.12		0.30	0.30		0.08	0.31		0.31	
Crit Moves:	****			****			****			****			****			****			
Green Time:	20.8		38.4	52.1		22.2	39.9		39.9	19.1		53.6	53.6		13.7	48.2		48.2	
Volume/Cap:	0.90		0.50	0.23		0.50	0.28		0.90	0.90		0.78	0.78		0.78	0.90		0.90	
Uniform Del:	58.6		42.6	30.1		53.8	38.9		48.2	59.5		38.1	38.1		61.7	43.7		43.7	
IncremntDel:	20.6		0.7	0.2		1.4	0.1		15.7	33.5		1.9	1.9		20.5	6.4		6.4	
InitQueueDel:	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	
Delay Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
Delay/Veh:	79.2		43.4	30.3		55.2	39.0		63.9	93.0		40.0	40.0		82.2	50.1		50.1	
User DelAdj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
AdjDel/Veh:	79.2		43.4	30.3		55.2	39.0		63.9	93.0		40.0	40.0		82.2	50.1		50.1	
LOS by Move:	E-		D	C		E+	D+		E	F		D	D		F	D		D	
HCM2kAvgQ:	14		9	5		6	5		23	11		21	21		6	23		23	
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


#### **Intersection #4: Mary Ave & El Camino Real**



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


#### Intersection #4: Mary Ave & El Camino Real



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


## Intersection #4: Mary Ave &amp; El Camino Real



Street Name: Mary Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 7		10 7		10 7		10 7		10 7		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 7:45 AM - 8:45 AM															
Base Vol:	174 800		76 255		345 342		327 1417		107 140		1191 523				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	174 800		76 255		345 342		327 1417		107 140		1191 523				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	174 800		76 255		345 342		327 1417		107 140		1191 523				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	174 800		76 255		345 342		327 1417		107 140		1191 523				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	174 800		76 255		345 342		327 1417		107 140		1191 523				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	174 800		76 255		345 342		327 1417		107 140		1191 523				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 0.98		0.95 0.92		1.00 1.00		0.95 0.92		0.99 0.95		0.92 0.92				
Lanes:	1.00 1.82		0.18 1.00		1.00 1.00		1.00 1.00		2.78 0.22		1.00 2.05				
Final Sat.:	1750 3379		321 1750		1900 1800		1800 1750		5206 393		393 1750				
Capacity Analysis Module:															
Vol/Sat:	0.10 0.24		0.24 0.15		0.18 0.19		0.19 0.19		0.27 0.27		0.08 0.08				
Crit Moves:	****		****		****		****		****		****				
Green Time:	19.2 34.6		34.6 21.3		36.7 36.7		27.3 27.3		55.7 55.7		55.7 16.4				
Volume/Cap:	0.72 0.96		0.96 0.96		0.69 0.72		0.68 0.96		0.68 0.68		0.96 0.96				
Uniform Del:	57.9 52.0		52.0 58.9		46.6 47.0		55.8 55.8		34.9 34.9		59.3 59.3				
IncremntDel:	10.5 20.2		20.2 43.5		2.1 2.1		2.8 37.5		0.9 0.9		0.9 9.2				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	68.3 72.1		72.1 102.4		48.7 49.9		93.2 93.2		35.8 35.8		68.5 68.5				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	68.3 72.1		72.1 102.4		48.7 49.9		93.2 93.2		35.8 35.8		68.5 68.5				
LOS by Move:	E E		E F		D D		F D+		D+ D+		E E				
HCM2kAvgQ:	7 19		19 14		13 14		16 17		17 17		6 23				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

## Intersection #5: Pastoria Ave &amp; El Camino Real




Street Name: Pastoria Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	183	331	244	36	175	69	57	545	54	123	1251	57			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	183	331	244	36	175	69	57	545	54	123	1251	57			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	183	331	244	36	175	69	57	545	54	123	1251	57			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	183	331	244	36	175	69	57	545	54	123	1251	57			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	183	331	244	36	175	69	57	545	54	123	1251	57			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	183	331	244	36	175	69	57	545	54	123	1251	57			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.99	0.95	0.92	1.00	0.92	0.92	0.99	0.95	0.83	0.98	0.95			
Lanes:	1.00	1.13	0.87	1.00	2.00	1.00	1.00	2.72	0.28	2.00	2.86	0.14			
Final Sat.:	1750	2129	1569	1750	3800	1750	1750	5094	505	3150	5356	244			
Capacity Analysis Module:															
Vol/Sat:	0.10	0.16	0.16	0.02	0.05	0.04	0.03	0.11	0.11	0.04	0.23	0.23			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	30.7	44.6	44.6	7.0	21.0	30.3	9.3	52.1	52.1	24.3	67.0	67.0			
Volume/Cap:	0.48	0.49	0.49	0.41	0.31	0.18	0.49	0.29	0.29	0.22	0.49	0.49			
Uniform Del:	47.7	38.5	38.5	64.5	53.1	44.7	63.0	30.9	30.9	49.7	24.8	24.8			
IncremntDel:	0.9	0.3	0.3	3.1	0.3	0.2	3.2	0.1	0.1	0.2	0.1	0.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	48.6	38.8	38.8	67.6	53.4	45.0	66.2	31.0	31.0	49.9	25.0	25.0			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	48.6	38.8	38.8	67.6	53.4	45.0	66.2	31.0	31.0	49.9	25.0	25.0			
LOS by Move:	D	D+	D+	E	D-	D	E	C	C	D	C	C			
HCM2kAvgQ:	8	10	10	2	3	3	3	6	6	3	12	12			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

## Intersection #5: Pastoria Ave &amp; El Camino Real




Street Name: Pastoria Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	183	384	638	199	214	199	351	1487	65	215	1323	242			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	183	384	638	199	214	199	351	1487	65	215	1323	242			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	183	384	638	199	214	199	351	1487	65	215	1323	242			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	183	384	638	199	214	199	351	1487	65	215	1323	242			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	183	384	638	199	214	199	351	1487	65	215	1323	242			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	183	384	638	199	214	199	351	1487	65	215	1323	242			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	1.00	0.92	0.92	1.00	0.92	0.92	0.98	0.95	0.83	0.99	0.95			
Lanes:	1.00	1.00	1.00	2.00	1.00	1.00	2.87	0.13	2.00	2.52	0.48				
Final Sat.:	1750	1900	1750	3800	1750	1750	5365	235	3150	4733	866				
Capacity Analysis Module:															
Vol/Sat:	0.10	0.20	0.36	0.11	0.06	0.11	0.20	0.28	0.28	0.07	0.28	0.28			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	38.0	48.7	48.7	15.2	25.9	52.7	26.8	51.5	51.5	12.7	37.3	37.3			
Volume/Cap:	0.39	0.58	1.05	1.05	0.30	0.30	1.05	0.75	0.75	0.75	1.05	1.05			
Uniform Del:	41.5	37.3	45.7	62.4	49.2	30.7	56.6	38.7	38.7	62.1	51.3	51.3			
IncremntDel:	0.5	0.5	42.3	78.6	0.2	0.3	62.4	1.6	1.6	10.9	37.1	37.1			
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	42.1	37.8	88.0	141.0	49.5	31.0	119.0	40.4	40.4	73.0	88.4	88.4			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	42.1	37.8	88.0	141.0	49.5	31.0	119.0	40.4	40.4	73.0	88.4	88.4			
LOS by Move:	D	D+	F	F	D	C	F	D	D	E	F	F			
HCM2kAvgQ:	7	14	38	14	4	6	20	19	19	5	25	25			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

## Intersection #5: Pastoria Ave &amp; El Camino Real




Street Name: Pastoria Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	183	414	643	202	220	216	372	1525	70	219	1331	234			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	183	414	643	202	220	216	372	1525	70	219	1331	234			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	183	414	643	202	220	216	372	1525	70	219	1331	234			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	183	414	643	202	220	216	372	1525	70	219	1331	234			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	183	414	643	202	220	216	372	1525	70	219	1331	234			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	183	414	643	202	220	216	372	1525	70	219	1331	234			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	1.00	0.92	0.92	1.00	0.92	0.92	0.98	0.95	0.83	0.99	0.95			
Lanes:	1.00	1.00	1.00	2.00	1.00	1.00	2.86	0.14	2.00	2.53	0.47				
Final Sat.:	1750	1900	1750	1750	3800	1750	1750	5354	246	3150	4762	837			
Capacity Analysis Module:															
Vol/Sat:	0.10	0.22	0.37	0.12	0.06	0.12	0.21	0.28	0.28	0.07	0.28	0.28			
Crit Moves:	****			****			****			****					
Green Time:	37.7	48.2	48.2	15.2	25.7	53.6	27.9	51.9	51.9	12.7	36.7	36.7			
Volume/Cap:	0.39	0.63	1.07	1.07	0.32	0.32	1.07	0.77	0.77	0.77	1.07	1.07			
Uniform Del:	41.8	38.4	45.9	62.4	49.5	30.4	56.0	38.7	38.7	62.2	51.7	51.7			
IncremntDel:	0.5	0.8	48.0	84.1	0.3	0.3	66.9	1.8	1.8	11.9	43.4	43.4			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	42.3	39.2	93.9	146.5	49.8	30.7	122.9	40.5	40.5	74.1	95.1	95.1			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	42.3	39.2	93.9	146.5	49.8	30.7	122.9	40.5	40.5	74.1	95.1	95.1			
LOS by Move:	D	D	F	F	D	C	F	D	D	E	F	F			
HCM2kAvgQ:	7	15	40	15	4	7	22	20	20	6	28	28			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

Intersection #6: Mathilda Ave & El Camino Real




Street Name: Mathilda Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	309	2015	19	110	317	116	318	481	75	21	912	297			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	309	2015	19	110	317	116	318	481	75	21	912	297			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	309	2015	19	110	317	116	318	481	75	21	912	297			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	309	2015	19	110	317	116	318	481	75	21	912	297			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	309	2015	19	110	317	116	318	481	75	21	912	297			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	309	2015	19	110	317	116	318	481	75	21	912	297			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	0.98	0.95	0.83	1.00	0.92	0.83	0.99	0.95	0.92	1.00	0.92			
Lanes:	2.00	2.97	0.03	2.00	3.00	1.00	2.00	2.58	0.42	1.00	3.00	1.00			
Final Sat.:	3150	5548	52	3150	5700	1750	3150	4844	755	1750	5700	1750			
Capacity Analysis Module:															
Vol/Sat:	0.10	0.36	0.36	0.03	0.06	0.07	0.10	0.10	0.10	0.01	0.16	0.17			
Crit Moves:	****			****			****			****					
Green Time:	59.7	87.1	87.1	8.4	35.8	60.0	24.2	44.2	44.2	18.3	38.4	46.7			
Volume/Cap:	0.28	0.71	0.71	0.71	0.26	0.19	0.71	0.38	0.38	0.11	0.71	0.62			
Uniform Del:	39.7	31.8	31.8	79.6	56.1	38.1	69.5	51.7	51.7	68.5	60.7	53.8			
IncremntDel:	0.1	0.8	0.8	14.1	0.1	0.1	5.2	0.2	0.2	0.3	1.9	2.4			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	39.8	32.6	32.6	93.7	56.2	38.3	74.7	51.8	51.8	68.7	62.5	56.3			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	39.8	32.6	32.6	93.7	56.2	38.3	74.7	51.8	51.8	68.7	62.5	56.3			
LOS by Move:	D	C-	C-	F	E+	D+	E	D-	D-	E	E	E+			
HCM2kAvgQ:	7	27	27	4	4	4	10	8	8	1	14	14			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #6: Mathilda Ave & El Camino Real



Street Name: Mathilda Ave El Camino Real																
Approach:	North Bound			South Bound			East Bound			West Bound						
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	
Min. Green:	7		10		10		7		10		10		7		10	
Y+R:	4.0		4.0		4.0		4.0		4.0		4.0		4.0		4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																
Base Vol:	736	2015	114	353	362	228	936	1124	291	62	1079	553				
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Initial Bse:	736	2015	114	353	362	228	936	1124	291	62	1079	553				
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0				
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0				
Initial Fut:	736	2015	114	353	362	228	936	1124	291	62	1079	553				
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
PHF Volume:	736	2015	114	353	362	228	936	1124	291	62	1079	553				
Reducet Vol:	0	0	0	0	0	0	0	0	0	0	0	0				
Reduced Vol:	736	2015	114	353	362	228	936	1124	291	62	1079	553				
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
FinalVolume:	736	2015	114	353	362	228	936	1124	291	62	1079	553				
Saturation Flow Module:																
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.83	0.98	0.95	0.83	1.00	0.92	0.83	0.99	0.95	0.92	1.00	0.92				
Lanes:	2.00	2.83	0.17	2.00	3.00	1.00	2.00	2.36	0.64	1.00	3.00	1.00				
Final Sat.:	3150	5300	300	3150	5700	1750	3150	4447	1151	1750	5700	1750				
Capacity Analysis Module:																
Vol/Sat:	0.23	0.38	0.38	0.11	0.06	0.13	0.30	0.25	0.25	0.04	0.19	0.32				
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****				
Green Time:	61.6	60.5	60.5	17.8	16.7	64.0	47.3	68.5	68.5	11.2	32.4	50.3				
Volume/Cap:	0.65	1.07	1.07	1.07	0.65	0.35	1.07	0.63	0.63	0.54	0.99	1.07				
Uniform Del:	45.1	54.8	54.8	76.1	73.8	38.0	61.4	40.5	40.5	76.9	68.7	59.9				
IncremntDel:	1.3	41.4	41.4	69.0	2.6	0.3	50.5	0.6	0.6	5.1	25.3	59.2				
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Delay/Veh:	46.4	96.2	96.2	145.1	76.4	38.3	111.9	41.1	41.1	82.0	93.9	119.1				
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
AdjDel/Veh:	46.4	96.2	96.2	145.1	76.4	38.3	111.9	41.1	41.1	82.0	93.9	119.1				
LOS by Move:	D	F	F	F	E-	D+	F	D	D	F	F	F				
HCM2kAvgQ:	18	45	45	14	6	9	35	19	19	3	21	37				
Note: Queue reported is the number of cars per lane.																

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


Intersection #6: Mathilda Ave & El Camino Real



Street Name: Mathilda Ave El Camino Real																		
Approach:	North Bound			South Bound			East Bound			West Bound								
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R			
Min. Green:	7		10	10		7	10		10	7		10	10					
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0					
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																		
Base Vol:	854		2015	115		388	365		203	959		1168	328		70	981		675
Growth Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Initial Bse:	854		2015	115		388	365		203	959		1168	328		70	981		675
Added Vol:	0		0	0		0	0		0	0		0	0		0	0		0
PasserByVol:	0		0	0		0	0		0	0		0	0		0	0		0
Initial Fut:	854		2015	115		388	365		203	959		1168	328		70	981		675
User Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Volume:	854		2015	115		388	365		203	959		1168	328		70	981		675
Reduc Vol:	0		0	0		0	0		0	0		0	0		0	0		0
Reduced Vol:	854		2015	115		388	365		203	959		1168	328		70	981		675
PCE Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
MLF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
FinalVolume:	854		2015	115		388	365		203	959		1168	328		70	981		675
Saturation Flow Module:																		
Sat/Lane:	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900
Adjustment:	0.83		0.98	0.95		0.83	1.00		0.92	0.83		0.99	0.95		0.92	1.00		0.92
Lanes:	2.00		2.83	0.17		2.00	3.00		1.00	2.00		2.32	0.68		1.00	3.00		1.00
Final Sat.:	3150		5297	302		3150	5700		1750	3150		4371	1227		1750	5700		1750
Capacity Analysis Module:																		
Vol/Sat:	0.27		0.38	0.38		0.12	0.06		0.12	0.30		0.27	0.27		0.04	0.17		0.39
Crit Moves:	****		****	****		****	****		****	****		****	****		****	****		****
Green Time:	60.1		56.1	56.1		18.2	14.2		59.1	44.9		72.5	72.5		11.2	38.7		56.9
Volume/Cap:	0.77		1.15	1.15		1.15	0.77		0.33	1.15		0.63	0.63		0.61	0.76		1.15
Uniform Del:	48.7		56.9	56.9		75.9	76.3		40.9	62.5		38.2	38.2		77.3	61.2		56.5
IncremntDel:	3.3		75.1	75.1		96.9	7.3		0.3	82.0		0.5	0.5		9.1	2.6		86.7
InitQueueDel:	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0
Delay Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Delay/Veh:	52.0		132	132.0		172.8	83.6		41.2	144.5		38.7	38.7		86.4	63.8		143.2
User DelAdj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
AdjDel/Veh:	52.0		132	132.0		172.8	83.6		41.2	144.5		38.7	38.7		86.4	63.8		143.2
LOS by Move:	D-		F	F		F	F		D	F		D+	D+		F	E		F
HCM2kAvgQ:	23		49	49		17	7		8	39		20	20		4	16		50
Note: Queue reported is the number of cars per lane.																		

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

## Intersection #7: Sunnyvale Ave &amp; El Camino Real




Street Name: Sunnyvale Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	85	347	53	57	160	58	132	411	46	80	1159	163			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	85	347	53	57	160	58	132	411	46	80	1159	163			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	85	347	53	57	160	58	132	411	46	80	1159	163			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	85	347	53	57	160	58	132	411	46	80	1159	163			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	85	347	53	57	160	58	132	411	46	80	1159	163			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	85	347	53	57	160	58	132	411	46	80	1159	163			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.98	0.95	0.83	0.98	0.95	0.83	0.99	0.95	0.92	0.99	0.95			
Lanes:	1.00	1.73	0.27	2.00	1.45	0.55	2.00	2.69	0.31	1.00	2.62	0.38			
Final Sat.:	1750	3209	490	3150	2715	984	3150	5036	564	1750	4909	690			
Capacity Analysis Module:															
Vol/Sat:	0.05	0.11	0.11	0.02	0.06	0.06	0.04	0.08	0.08	0.05	0.24	0.24			
Crit Moves:	****			****			****			****					
Green Time:	17.3	35.0	35.0	7.0	24.7	24.7	13.6	56.4	56.4	33.6	76.4	76.4			
Volume/Cap:	0.40	0.44	0.44	0.37	0.34	0.34	0.44	0.21	0.21	0.20	0.44	0.44			
Uniform Del:	58.6	46.3	46.3	66.4	52.5	52.5	61.7	29.0	29.0	44.4	20.8	20.8			
IncremntDel:	1.3	0.4	0.4	1.5	0.3	0.3	1.1	0.0	0.0	0.2	0.1	0.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	59.9	46.6	46.6	67.9	52.8	52.8	62.7	29.1	29.1	44.6	20.9	20.9			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	59.9	46.6	46.6	67.9	52.8	52.8	62.7	29.1	29.1	44.6	20.9	20.9			
LOS by Move:	E+	D	D	E	D-	D-	E	C	C	D	C+	C+			
HCM2kAvgQ:	4	8	8	2	4	4	3	4	4	3	12	12			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

Intersection #7: Sunnyvale Ave & El Camino Real




Street Name: Sunnyvale Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7		10	10		7	10		10	7		10	10		10
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	159	347	145	178	256	210	341	1014	152	258	1196	287			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	159	347	145	178	256	210	341	1014	152	258	1196	287			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	159	347	145	178	256	210	341	1014	152	258	1196	287			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	159	347	145	178	256	210	341	1014	152	258	1196	287			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	159	347	145	178	256	210	341	1014	152	258	1196	287			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	159	347	145	178	256	210	341	1014	152	258	1196	287			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.98	0.95	0.83	1.00	0.95	0.83	0.99	0.95	0.92	0.99	0.95			
Lanes:	1.00	1.39	0.61	2.00	1.07	0.93	2.00	2.59	0.41	1.00	2.40	0.60			
Final Sat.:	1750	2609	1090	3150	2031	1666	3150	4869	730	1750	4515	1083			
Capacity Analysis Module:															
Vol/Sat:	0.09	0.13	0.13	0.06	0.13	0.13	0.11	0.21	0.21	0.15	0.26	0.26			
Crit Moves:	****			****			****			****					
Green Time:	20.3	34.1	34.1	14.5	28.2	28.2	24.2	48.9	48.9	34.6	59.3	59.3			
Volume/Cap:	0.64	0.56	0.56	0.56	0.64	0.64	0.64	0.61	0.61	0.61	0.64	0.64			
Uniform Del:	58.4	48.4	48.4	61.7	53.3	53.3	55.9	39.7	39.7	48.7	33.9	33.9			
IncremntDel:	5.7	0.8	0.8	2.3	2.0	2.0	2.7	0.6	0.6	2.7	0.6	0.6			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	64.1	49.3	49.3	64.1	55.3	55.3	58.6	40.3	40.3	51.4	34.5	34.5			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	64.1	49.3	49.3	64.1	55.3	55.3	58.6	40.3	40.3	51.4	34.5	34.5			
LOS by Move:	E	D	D	E	E+	E+	E+	D	D	D-	C-	C-			
HCM2kAvgQ:	8	10	10	5	10	10	8	14	14	10	17	17			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

## Intersection #7: Sunnyvale Ave &amp; El Camino Real




Street Name: Sunnyvale Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	193	347	183	180	259	202	341	1088	163	292	1206	244			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	193	347	183	180	259	202	341	1088	163	292	1206	244			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	193	347	183	180	259	202	341	1088	163	292	1206	244			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	193	347	183	180	259	202	341	1088	163	292	1206	244			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	193	347	183	180	259	202	341	1088	163	292	1206	244			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	193	347	183	180	259	202	341	1088	163	292	1206	244			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	0.99	0.95	0.83	0.99	0.95	0.83	0.99	0.95	0.92	0.99				
Lanes:	1.00	1.29	0.71	2.00	1.10	0.90	2.00	2.59	0.41	1.00	2.48	0.52			
Final Sat.:	1750	2422	1277	3150	2078	1620	3150	4869	730	1750	4656	942			
Capacity Analysis Module:															
Vol/Sat:	0.11	0.14	0.14	0.06	0.12	0.12	0.11	0.22	0.22	0.17	0.26	0.26			
Crit Moves:	****			****			****			****					
Green Time:	23.3	35.5	35.5	14.1	26.3	26.3	24.3	47.2	47.2	35.2	58.1	58.1			
Volume/Cap:	0.68	0.58	0.58	0.58	0.68	0.68	0.64	0.68	0.68	0.68	0.64	0.64			
Uniform Del:	56.9	47.7	47.7	62.1	54.9	54.9	55.8	41.9	41.9	49.3	34.6	34.6			
IncremntDel:	6.7	1.0	1.0	2.8	2.9	2.9	2.7	1.1	1.1	4.5	0.6	0.6			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	63.5	48.7	48.7	64.9	57.8	57.8	58.5	43.0	43.0	53.8	35.2	35.2			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	63.5	48.7	48.7	64.9	57.8	57.8	58.5	43.0	43.0	53.8	35.2	35.2			
LOS by Move:	E	D	D	E	E+	E+	E+	D	D	D-	D+	D+			
HCM2kAvgQ:	10	11	11	5	11	11	8	16	16	12	16	16			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

## Intersection #10: Poplar Ave &amp; El Camino Real




Street Name: Poplar Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 10		10 10		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM															
Base Vol:	66	45	82	59	92	98	69	515	13	101	1697	59			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	66	45	82	59	92	98	69	515	13	101	1697	59			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	66	45	82	59	92	98	69	515	13	101	1697	59			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	66	45	82	59	92	98	69	515	13	101	1697	59			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	66	45	82	59	92	98	69	515	13	101	1697	59			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	66	45	82	59	92	98	69	515	13	101	1697	59			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.95	0.95	0.92	0.95	0.95	0.92	0.92	0.98	0.95	0.92	0.98	0.95			
Lanes:	0.59	0.41	1.00	0.39	0.61	1.00	1.00	2.92	0.08	1.00	2.90	0.10			
Final Sat.:	1070	730	1750	703	1097	1750	1750	5462	138	1750	5412	188			
Capacity Analysis Module:															
Vol/Sat:	0.06	0.06	0.05	0.08	0.08	0.06	0.04	0.09	0.09	0.06	0.31	0.31			
Crit Moves:	*****						*****								
Green Time:	23.2	23.2	60.4	23.2	23.2	34.2	10.9	60.6	60.6	37.1	86.8	86.8			
Volume/Cap:	0.35	0.35	0.10	0.47	0.47	0.21	0.47	0.20	0.20	0.20	0.47	0.47			
Uniform Del:	46.7	46.7	19.6	47.9	47.9	37.4	56.8	20.4	20.4	35.2	10.4	10.4			
IncremntDel:	0.6	0.6	0.1	1.1	1.1	0.2	2.4	0.0	0.0	0.2	0.1	0.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	47.4	47.4	19.6	48.9	48.9	37.7	59.1	20.5	20.5	35.4	10.5	10.5			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	47.4	47.4	19.6	48.9	48.9	37.7	59.1	20.5	20.5	35.4	10.5	10.5			
LOS by Move:	D	D	B-	D	D	D+	E+	C+	C+	D+	B+	B+			
HCM2kAvgQ:	4	4	2	6	6	3	3	4	4	3	11	11			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

## Intersection #10: Poplar Ave &amp; El Camino Real




Street Name: Poplar Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10	10	10	10	10	10	7	10	10	7	10	10			
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0			
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM															
Base Vol:	146	78	82	110	103	98	102	895	28	101	1828	81			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	146	78	82	110	103	98	102	895	28	101	1828	81			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	146	78	82	110	103	98	102	895	28	101	1828	81			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	146	78	82	110	103	98	102	895	28	101	1828	81			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	146	78	82	110	103	98	102	895	28	101	1828	81			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	146	78	82	110	103	98	102	895	28	101	1828	81			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.95	0.95	0.92	0.95	0.95	0.92	0.92	0.98	0.95	0.92	0.98	0.95			
Lanes:	0.65	0.35	1.00	0.52	0.48	1.00	1.00	2.91	0.09	1.00	2.87	0.13			
Final Sat.:	1173	627	1750	930	870	1750	1750	5430	170	1750	5362	238			
Capacity Analysis Module:															
Vol/Sat:	0.12	0.12	0.05	0.12	0.12	0.06	0.06	0.16	0.16	0.06	0.34	0.34			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	28.8	28.8	52.7	28.8	28.8	42.2	13.5	68.3	68.3	23.9	78.8	78.8			
Volume/Cap:	0.56	0.56	0.12	0.53	0.53	0.17	0.56	0.31	0.31	0.31	0.56	0.56			
Uniform Del:	45.0	45.0	24.1	44.7	44.7	31.4	55.5	17.5	17.5	45.9	15.3	15.3			
IncremntDel:	1.8	1.8	0.1	1.4	1.4	0.1	4.0	0.1	0.1	0.6	0.2	0.2			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	46.9	46.9	24.2	46.1	46.1	31.5	59.5	17.6	17.6	46.5	15.5	15.5			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	46.9	46.9	24.2	46.1	46.1	31.5	59.5	17.6	17.6	46.5	15.5	15.5			
LOS by Move:	D	D	C	D	D	C	E+	B	B	D	B	B			
HCM2kAvgQ:	9	9	2	8	8	3	5	7	7	4	15	15			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

## Intersection #10: Poplar Ave &amp; El Camino Real




Street Name: Poplar Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 10		10 10		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM															
Base Vol:	150	69	82	119	106	98	105	961	23	105	1817	82			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	150	69	82	119	106	98	105	961	23	105	1817	82			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	150	69	82	119	106	98	105	961	23	105	1817	82			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	150	69	82	119	106	98	105	961	23	105	1817	82			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	150	69	82	119	106	98	105	961	23	105	1817	82			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	150	69	82	119	106	98	105	961	23	105	1817	82			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.95	0.95	0.92	0.95	0.95	0.92	0.92	0.98	0.95	0.92	0.98	0.95			
Lanes:	0.68	0.32	1.00	0.53	0.47	1.00	1.00	2.93	0.07	1.00	2.87	0.13			
Final Sat.:	1233	567	1750	952	848	1750	1750	5469	131	1750	5358	242			
Capacity Analysis Module:															
Vol/Sat:	0.12	0.12	0.05	0.13	0.13	0.06	0.06	0.18	0.18	0.06	0.34	0.34			
Crit Moves:	*****						*****								
Green Time:	28.9	28.9	52.3	28.9	28.9	42.7	13.9	68.7	68.7	23.5	78.3	78.3			
Volume/Cap:	0.55	0.55	0.12	0.56	0.56	0.17	0.56	0.33	0.33	0.33	0.56	0.56			
Uniform Del:	44.8	44.8	24.4	45.0	45.0	31.0	55.2	17.5	17.5	46.4	15.6	15.6			
IncremntDel:	1.6	1.6	0.1	1.8	1.8	0.1	3.9	0.1	0.1	0.6	0.2	0.2			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	46.4	46.4	24.4	46.8	46.8	31.2	59.1	17.6	17.6	47.1	15.8	15.8			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	46.4	46.4	24.4	46.8	46.8	31.2	59.1	17.6	17.6	47.1	15.8	15.8			
LOS by Move:	D	D	C	D	D	C	E+	B	B	D	B	B			
HCM2kAvgQ:	9	9	2	9	9	3	5	7	7	4	15	15			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


Intersection #11: Henderson Ave & El Camino Real



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

Intersection #11: Henderson Ave & El Camino Real




Street Name: Henderson Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10		10		10		10		10		10		10		
Y+R:	4.0		4.0		4.0		4.0		4.0		4.0		4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM															
Base Vol:	52	68	95	120	54	90	72	950	9	151	1888	108			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	52	68	95	120	54	90	72	950	9	151	1888	108			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	52	68	95	120	54	90	72	950	9	151	1888	108			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	52	68	95	120	54	90	72	950	9	151	1888	108			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	52	68	95	120	54	90	72	950	9	151	1888	108			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	52	68	95	120	54	90	72	950	9	151	1888	108			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.95	0.95	0.92	0.95	0.95	0.92	0.92	0.98	0.95	0.92	0.98	0.95			
Lanes:	0.43	0.57	1.00	0.69	0.31	1.00	1.00	2.97	0.03	1.00	2.83	0.17			
Final Sat.:	780	1020	1750	1241	559	1750	1750	5547	53	1750	5297	303			
Capacity Analysis Module:															
Vol/Sat:	0.07	0.07	0.05	0.10	0.10	0.05	0.04	0.17	0.17	0.09	0.36	0.36			
Crit Moves:	*****						*****								
Green Time:	23.7	23.7	56.3	23.7	23.7	33.7	10.1	64.7	64.7	32.6	87.3	87.3			
Volume/Cap:	0.37	0.37	0.13	0.53	0.53	0.20	0.53	0.34	0.34	0.34	0.53	0.53			
Uniform Del:	46.6	46.6	22.1	48.1	48.1	37.6	57.7	19.8	19.8	39.9	10.9	10.9			
IncremntDel:	0.7	0.7	0.1	1.7	1.7	0.2	4.0	0.1	0.1	0.5	0.1	0.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	47.3	47.3	22.2	49.8	49.8	37.8	61.7	19.8	19.8	40.4	11.1	11.1			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	47.3	47.3	22.2	49.8	49.8	37.8	61.7	19.8	19.8	40.4	11.1	11.1			
LOS by Move:	D	D	C+	D	D	D+	E	B-	B-	D	B+	B+			
HCM2kAvgQ:	5	5	2	7	7	3	3	8	8	5	13	13			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

Intersection #11: Henderson Ave & El Camino Real




Street Name: Henderson Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 10		10 10		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM															
Base Vol:	54	66	94	116	57	109	72	1023	9	152	1862	127			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	54	66	94	116	57	109	72	1023	9	152	1862	127			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	54	66	94	116	57	109	72	1023	9	152	1862	127			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	54	66	94	116	57	109	72	1023	9	152	1862	127			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	54	66	94	116	57	109	72	1023	9	152	1862	127			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	54	66	94	116	57	109	72	1023	9	152	1862	127			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.95	0.95	0.92	0.95	0.95	0.92	0.92	0.98	0.95	0.92	0.98	0.95			
Lanes:	0.45	0.55	1.00	0.67	0.33	1.00	1.00	2.97	0.03	1.00	2.80	0.20			
Final Sat.:	810	990	1750	1207	593	1750	1750	5551	49	1750	5242	358			
Capacity Analysis Module:															
Vol/Sat:	0.07	0.07	0.05	0.10	0.10	0.06	0.04	0.18	0.18	0.09	0.36	0.36			
Crit Moves:	*****						*****								
Green Time:	23.6	23.6	54.8	23.6	23.6	33.7	10.1	66.2	66.2	31.2	87.3	87.3			
Volume/Cap:	0.37	0.37	0.13	0.53	0.53	0.24	0.53	0.36	0.36	0.36	0.53	0.53			
Uniform Del:	46.6	46.6	23.0	48.2	48.2	38.0	57.7	19.2	19.2	41.1	10.9	10.9			
IncremntDel:	0.7	0.7	0.1	1.6	1.6	0.3	3.9	0.1	0.1	0.5	0.1	0.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	47.3	47.3	23.1	49.8	49.8	38.3	61.5	19.3	19.3	41.7	11.0	11.0			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	47.3	47.3	23.1	49.8	49.8	38.3	61.5	19.3	19.3	41.7	11.0	11.0			
LOS by Move:	D	D	C	D	D	D+	E	B-	B-	D	B+	B+			
HCM2kAvgQ:	5	5	2	7	7	4	3	8	8	5	13	13			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


Intersection #12: Halford Ave & El Camino Real



Street Name: Halford Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 7:45 AM - 8:45 AM															
Base Vol:	60 24		124 54		25 72		59 672		32 109		1782 65				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	60 24		124 54		25 72		59 672		32 109		1782 65				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	60 24		124 54		25 72		59 672		32 109		1782 65				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	60 24		124 54		25 72		59 672		32 109		1782 65				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	60 24		124 54		25 72		59 672		32 109		1782 65				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	60 24		124 54		25 72		59 672		32 109		1782 65				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 1.00		0.92 1.00		0.92 1.00		0.83 0.98		0.95 0.83		1.00 0.92				
Lanes:	1.00 1.00		1.00 1.00		1.00 1.00		2.00 2.86		0.14 2.00		3.00 1.00				
Final Sat.:	1750 1900		1750 1900		1750 1900		3150 5345		255 3150		5700 1750				
Capacity Analysis Module:															
Vol/Sat:	0.03 0.01		0.07 0.01		0.03 0.01		0.04 0.02		0.13 0.13		0.03 0.31				
Crit Moves:	*****		*****		*****		*****		*****		*****				
Green Time:	11.2 19.0		19.0 8.3		16.0 16.0		7.0 63.5		63.5 27.2		83.8 92.0				
Volume/Cap:	0.40 0.09		0.49 0.49		0.11 0.33		0.35 0.26		0.26 0.17		0.49 0.49				
Uniform Del:	56.2 48.0		51.0 58.8		50.6 52.1		59.3 19.4		19.4 42.1		12.0 5.8				
IncremntDel:	1.7 0.0		1.2 3.3		0.1 0.7		1.2 0.1		0.1 0.1		0.1 0.0				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	57.9 48.0		52.2 62.1		50.7 52.8		60.5 19.5		19.5 42.2		12.1 5.8				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	57.9 48.0		52.2 62.1		50.7 52.8		60.5 19.5		19.5 42.2		12.1 5.8				
LOS by Move:	E+ D		D- E		D- E		B- B-		B- D		B A				
HCM2kAvgQ:	3 1		5 3		1 5		1 5		5 2		12 1				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #12: Halford Ave & El Camino Real



Street Name: Halford Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 7:45 AM - 8:45 AM															
Base Vol:	63 70		139 108		64 72		119 1221		78 222		1920 65				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	63 70		139 108		64 72		119 1221		78 222		1920 65				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	63 70		139 108		64 72		119 1221		78 222		1920 65				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	63 70		139 108		64 72		119 1221		78 222		1920 65				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	63 70		139 108		64 72		119 1221		78 222		1920 65				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	63 70		139 108		64 72		119 1221		78 222		1920 65				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 1.00		0.92 1.00		0.92 1.00		0.83 0.98		0.95 0.83		1.00 1.00				
Lanes:	1.00 1.00		1.00 1.00		1.00 1.00		2.00 2.81		0.19 2.00		3.00 1.00				
Final Sat.:	1750 1900		1750 1900		1750 1900		3150 5263		336 3150		5700 1750				
Capacity Analysis Module:															
Vol/Sat:	0.04 0.04		0.08 0.06		0.03 0.04		0.04 0.04		0.23 0.23		0.07 0.07				
Crit Moves:	****		****		****		****		****		****				
Green Time:	13.3 18.2		18.2 14.1		19.0 19.0		8.6 65.7		65.7 20.0		77.1 20.0				
Volume/Cap:	0.35 0.26		0.57 0.23		0.28 0.57		0.46 0.46		0.46 0.46		0.57 0.57				
Uniform Del:	54.3 49.9		52.2 55.0		49.0 49.4		58.9 20.7		20.7 50.1		16.3 16.3				
IncremntDel:	1.2 0.2		2.1 4.0		0.2 0.2		0.3 3.7		0.1 0.1		0.7 0.7				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	55.5 50.1		54.3 59.1		49.2 49.7		62.5 20.8		20.8 50.8		16.5 16.5				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	55.5 50.1		54.3 59.1		49.2 49.7		62.5 20.8		20.8 50.8		16.5 16.5				
LOS by Move:	E+ D		D- E+		D E		C+ C		D B		A A				
HCM2kAvgQ:	3 3		6 5		2 3		3 3		11 11		15 5				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

Intersection #12: Halford Ave & El Camino Real




Street Name: Halford Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 7:45 AM - 8:45 AM															
Base Vol:	61 71		148 118		77 72		122 1300		68 231		1915 65				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	61 71		148 118		77 72		122 1300		68 231		1915 65				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	61 71		148 118		77 72		122 1300		68 231		1915 65				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	61 71		148 118		77 72		122 1300		68 231		1915 65				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	61 71		148 118		77 72		122 1300		68 231		1915 65				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	61 71		148 118		77 72		122 1300		68 231		1915 65				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 1.00		0.92 1.00		0.95 0.83		0.98 0.95		0.98 0.83		1.00 0.92				
Lanes:	1.00 1.00		1.00 1.01		0.99 2.00		2.85 0.15		0.15 2.00		3.00 1.00				
Final Sat.:	1750 1900		1750 1911		1787 3150		5321 278		278 3150		5700 1750				
Capacity Analysis Module:															
Vol/Sat:	0.03 0.04		0.08 0.07		0.04 0.04		0.24 0.24		0.24 0.07		0.34 0.34				
Crit Moves:	*****		*****		*****		*****		*****		*****				
Green Time:	14.0 18.9		18.9 15.1		20.0 20.0		20.0 8.7		64.6 64.6		75.3 19.4				
Volume/Cap:	0.32 0.26		0.58 0.26		0.26 0.58		0.49 0.49		0.58 0.49		0.05 0.49				
Uniform Del:	53.6 49.3		51.8 54.4		48.5 48.5		48.5 58.9		21.8 21.8		50.8 50.8				
IncremntDel:	1.0 0.2		2.3 4.2		0.2 0.2		0.2 4.0		0.1 0.1		0.3 0.8				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	54.6 49.4		54.1 58.6		48.7 48.7		48.7 62.9		21.9 21.9		17.6 51.6				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	54.6 49.4		54.1 58.6		48.7 48.7		48.7 62.9		21.9 21.9		17.6 51.6				
LOS by Move:	D-	D	D-	E+	D	D	E	C+	C+	D-	B	A			
HCM2kAvgQ:	3	3	7	6	3	3	3	12	12	5	15	1			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


Intersection #14: Ellis St & Middlefield Rd



Street Name: Ellis St Middlefield Rd														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Min. Green:	0 0		0 10		0 10		7 10		0 0		0 10		0 10	
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM														
Base Vol:	0 0		0 121		0 124		231 364		0 0		0 521		0 511	
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00	
Initial Bse:	0 0		0 121		0 124		231 364		0 0		0 521		0 511	
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0		0 0	
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0		0 0	
Initial Fut:	0 0		0 121		0 124		231 364		0 0		0 521		0 511	
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00	
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00	
PHF Volume:	0 0		0 121		0 124		231 364		0 0		0 521		0 511	
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0		0 0	
Reduced Vol:	0 0		0 121		0 124		231 364		0 0		0 521		0 511	
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00	
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00	
FinalVolume:	0 0		0 121		0 124		231 364		0 0		0 521		0 511	
Saturation Flow Module:														
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900	
Adjustment:	0.92 1.00		0.92 0.83		1.00 1.00		0.92 0.92		1.00 1.00		0.92 0.92		1.00 0.95	
Lanes:	0.00 0.00		0.00 2.00		0.00 0.00		1.00 1.00		2.00 2.00		0.00 0.00		1.00 1.00	
Final Sat.:	0 0		0 3150		0 1750		1750 1750		3800 3800		0 0		1899 1800	
Capacity Analysis Module:														
Vol/Sat:	0.00 0.00		0.00 0.04		0.00 0.07		0.13 0.10		0.00 0.00		0.00 0.27		0.28 ***	
Crit Moves:														
Green Time:	0.0 0.0		0.0 11.4		0.0 30.9		19.6 61.6		0.0 0.0		42.1 42.1		42.1 ***	
Volume/Cap:	0.00 0.00		0.00 0.28		0.00 0.19		0.55 0.13		0.00 0.00		0.53 0.53		0.55 ***	
Uniform Del:	0.0 0.0		0.0 31.6		0.0 17.1		27.4 2.8		0.0 0.0		0.0 13.4		13.6 ***	
IncremntDel:	0.0 0.0		0.0 0.3		0.0 0.1		1.6 0.0		0.0 0.0		0.0 0.3		0.4 ***	
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0	
Delay Adj:	0.00 0.00		0.00 1.00		1.00 0.00		1.00 1.00		1.00 0.00		0.00 0.00		1.00 1.00	
Delay/Veh:	0.0 0.0		0.0 32.0		0.0 17.2		29.0 2.8		0.0 0.0		0.0 13.7		13.9 ***	
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00	
AdjDel/Veh:	0.0 0.0		0.0 32.0		0.0 17.2		29.0 2.8		0.0 0.0		0.0 13.7		13.9 ***	
LOS by Move:	A A		A C		B C		A A		A A		B B		B B	
HCM2kAvgQ:	0 0		0 2		0 2		6 1		0 0		9 10		10 10	
Note: Queue reported is the number of cars per lane.														

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #14: Ellis St & Middlefield Rd



Street Name: Ellis St Middlefield Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Movement:		-----		-----		-----		-----		-----					
Min. Green:		0 0		0 10		0 10		7 10		0 0		0 10		10 10	
Y+R:		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:		0 0		0 129		0 540		719 687		0 0		0 721		647	
Growth Adj:		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00	
Initial Bse:		0 0		0 0		0 540		719 687		0 0		0 721		647	
Added Vol:		0 0		0 0		0 0		0 0		0 0		0 0		0 0	
PasserByVol:		0 0		0 0		0 0		0 0		0 0		0 0		0 0	
Initial Fut:		0 0		0 0		0 540		719 687		0 0		0 721		647	
User Adj:		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00	
PHF Adj:		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00	
PHF Volume:		0 0		0 0		0 540		719 687		0 0		0 721		647	
Reduc Vol:		0 0		0 0		0 0		0 0		0 0		0 0		0 0	
Reduced Vol:		0 0		0 0		0 540		719 687		0 0		0 721		647	
PCE Adj:		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00	
MLF Adj:		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00	
FinalVolume:		0 0		0 129		0 540		719 687		0 0		0 721		647	
Saturation Flow Module:															
Sat/Lane:		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900	
Adjustment:		0.92 1.00		0.92 0.83		1.00 1.00		0.92 0.92		1.00 1.00		0.92 0.92		1.00 0.95	
Lanes:		0.00 0.00		0.00 2.00		0.00 1.00		1.00 1.00		2.00 2.00		0.00 0.00		1.03 0.97	
Final Sat.:		0 0		0 3150		0 1750		1750 1750		3800 3800		0 0		1949 1749	
Capacity Analysis Module:															
Vol/Sat:		0.00 0.00		0.00 0.04		0.00 0.00		0.31 0.41		0.18 0.00		0.00 0.00		0.37 0.37	
Crit Moves:		***** *****										*****			
Green Time:		0.0 0.0		20.7 0.0		48.2 27.5		52.3 0.0		0.0 0.0		24.8 24.8		24.8 24.8	
Volume/Cap:		0.00 0.00		0.00 0.16		0.00 0.52		0.28 1.22		0.00 0.00		1.22 1.22		1.22 1.22	
Uniform Del:		0.0 0.0		0.0 23.9		0.0 10.1		27.2 6.6		0.0 0.0		0.0 0.0		28.6 28.6	
IncremntDel:		0.0 0.0		0.0 0.1		0.0 0.5		115.3 0.1		0.0 0.0		0.0 0.0		109 109	
InitQueueDel:		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0	
Delay Adj:		0.00 0.00		0.00 1.00		1.00 0.00		1.00 1.00		1.00 1.00		0.00 0.00		1.00 1.00	
Delay/Veh:		0.0 0.0		0.0 24.0		0.0 10.6		142.5 6.6		0.0 0.0		0.0 0.0		137 137	
User DelAdj:		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00	
AdjDel/Veh:		0.0 0.0		0.0 24.0		0.0 10.6		142.5 6.6		0.0 0.0		0.0 0.0		137 137	
LOS by Move:		A A		A C		A B+		F A		A A		A F		F F	
HCM2kAvgQ:		0													

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


Intersection #14: Ellis St & Middlefield Rd



Street Name: Ellis St Middlefield Rd														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Movement:														
Min. Green:		0 0		0 10		0 10		7 10		0 0		10 10		
Y+R:		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM														
Base Vol:		0 0		0 121		0 535		711 720		0 0		760 646		
Growth Adj:		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
Initial Bse:		0 0		0 121		0 535		711 720		0 0		760 646		
Added Vol:		0 0		0 0		0 0		0 0		0 0		0 0		
PasserByVol:		0 0		0 0		0 0		0 0		0 0		0 0		
Initial Fut:		0 0		0 121		0 535		711 720		0 0		760 646		
User Adj:		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
PHF Adj:		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
PHF Volume:		0 0		0 121		0 535		711 720		0 0		760 646		
Reduc Vol:		0 0		0 0		0 0		0 0		0 0		0 0		
Reduced Vol:		0 0		0 121		0 535		711 720		0 0		760 646		
PCE Adj:		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
MLF Adj:		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
FinalVolume:		0 0		0 121		0 535		711 720		0 0		760 646		
Saturation Flow Module:														
Sat/Lane:		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		
Adjustment:		0.92 1.00		0.92 0.83		1.00 1.00		0.92 0.92		1.00 1.00		0.92 0.92		
Lanes:		0.00 0.00		0.00 2.00		0.00 1.00		2.00 2.00		0.00 0.00		1.06 0.94		
Final Sat.:		0 0		0 3150		0 1750		1750 1750		3800 0		0 1999		
Capacity Analysis Module:														
Vol/Sat:		0.00 0.00		0.00 0.04		0.00 0.31		0.00 0.41		0.00 0.19		0.00 0.00		
Crit Moves:														
Green Time:		0.0 0.0		0.0 20.4		0.0 47.6		27.2 52.6		0.0 0.0		25.4 25.4		
Volume/Cap:		0.00 0.00		0.00 0.15		0.00 0.53		1.23 0.30		0.00 0.00		1.23 1.23		
Uniform Del:		0.0 0.0		0.0 24.0		0.0 10.4		27.4 6.5		0.0 0.0		28.3 28.3		
IncremntDel:		0.0 0.0		0.0 0.1		0.0 0.5		116.8 0.1		0.0 0.0		110 110.0		
InitQueueDel:		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		
Delay Adj:		0.00 0.00		0.00 1.00		0.00 1.00		1.00 1.00		1.00 0.00		1.00 1.00		
Delay/Veh:		0.0 0.0		0.0 24.1		0.0 10.9		144.2 6.6		0.0 0.0		138 138.3		
User DelAdj:		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
AdjDel/Veh:		0.0 0.0		0.0 24.1		0.0 10.9		144.2 6.6		0.0 0.0		138 138.3		
LOS by Move:		A A		A C		B+ F		A A		A A		F F		
HCM2kAvgQ:		0 0		0 1		0 9		40 4		0 0		37 37		
Note: Queue reported is the number of cars per lane.														

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

## Intersection #16: Mary Ave &amp; Evelyn Ave




Street Name: Mary Ave Evelyn Ave														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10	
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM														
Base Vol:	119 999		33 33		280 169		207 157		31 48		467 263			
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
Initial Bse:	119 999		33 33		280 169		207 157		31 48		467 263			
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0			
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0			
Initial Fut:	119 999		33 33		280 169		207 157		31 48		467 263			
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
PHF Volume:	119 999		33 33		280 169		207 157		31 48		467 263			
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0			
Reduced Vol:	119 999		33 33		280 169		207 157		31 48		467 263			
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
FinalVolume:	119 999		33 33		280 169		207 157		31 48		467 263			
Saturation Flow Module:														
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900			
Adjustment:	0.83 0.98		0.95 0.83		1.00 1.00		0.92 0.92		0.98 0.95		0.92 0.92			
Lanes:	2.00 2.90		0.10 2.00		2.00 2.00		1.00 1.00		1.66 1.66		0.34 0.34			
Final Sat.:	3150 5421		179 3150		3800 3800		1750 1750		3089 3089		610 610			
Capacity Analysis Module:														
Vol/Sat:	0.04 0.18		0.18 0.01		0.07 0.07		0.10 0.10		0.12 0.12		0.05 0.05			
Crit Moves:	****		****		****		****		****		****			
Green Time:	17.3 42.4		42.4 7.0		32.1 32.1		27.2 27.2		42.7 42.7		29.9 29.9			
Volume/Cap:	0.29 0.58		0.58 0.20		0.31 0.31		0.40 0.40		0.16 0.16		0.12 0.12			
Uniform Del:	52.8 38.4		38.4 60.8		41.9 41.9		42.9 48.3		32.8 32.8		32.8 41.6			
IncremntDel:	0.4 0.5		0.5 0.6		0.1 0.1		0.2 2.5		0.1 0.1		0.1 0.1			
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0			
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
Delay/Veh:	53.2 38.9		38.9 61.4		42.0 42.0		43.2 50.7		32.8 32.8		32.8 41.7			
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
AdjDel/Veh:	53.2 38.9		38.9 61.4		42.0 42.0		43.2 50.7		32.8 32.8		32.8 41.7			
LOS by Move:	D-	D+	D+	E	D	D	D	D	C-	C-	D	D+	D+	
HCM2kAvgQ:	3	12	12	1	5	6	9	3	3	3	2	12	12	

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

Intersection #16: Mary Ave & Evelyn Ave




Street Name: Mary Ave Evelyn Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	119	1554	33	104	602	445	328	414	50	62	467	544			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	119	1554	33	104	602	445	328	414	50	62	467	544			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	119	1554	33	104	602	445	328	414	50	62	467	544			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	119	1554	33	104	602	445	328	414	50	62	467	544			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	119	1554	33	104	602	445	328	414	50	62	467	544			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	119	1554	33	104	602	445	328	414	50	62	467	544			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	0.98	0.95	0.83	1.00	0.92	0.92	0.98	0.95	0.92	1.00	0.92			
Lanes:	2.00	2.94	0.06	2.00	2.00	1.00	1.00	1.78	0.22	1.00	1.00	1.00			
Final Sat.:	3150	5483	116	3150	3800	1750	1750	3301	399	1750	1900	1750			
Capacity Analysis Module:															
Vol/Sat:	0.04	0.28	0.28	0.03	0.16	0.25	0.19	0.13	0.13	0.04	0.25	0.31			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	8.3	41.7	41.7	7.0	40.4	40.4	27.6	51.8	51.8	21.6	45.7	45.7			
Volume/Cap:	0.61	0.91	0.91	0.63	0.53	0.84	0.91	0.32	0.32	0.22	0.72	0.91			
Uniform Del:	61.3	44.4	44.4	62.2	38.8	43.8	52.0	28.9	28.9	48.9	38.5	42.2			
IncremntDel:	5.5	7.6	7.6	7.7	0.3	5.4	26.4	0.1	0.1	0.4	1.8	11.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	66.8	52.0	52.0	70.0	39.1	49.3	78.4	29.0	29.0	49.3	40.4	53.3			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	66.8	52.0	52.0	70.0	39.1	49.3	78.4	29.0	29.0	49.3	40.4	53.3			
LOS by Move:	E	D-	D-	E	D	D	E-	C	C	D	D	D-			
HCM2kAvgQ:	3	21	21	3	10	19	18	7	7	2	16	23			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

### **Intersection #16: Mary Ave & Evelyn Ave**




---

Traffic 9.0.0715 Copyright (c) 2008 Dowling Associates

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


## Intersection #17: Mary Ave &amp; Washington Ave



Street Name: Mary Ave Washington Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		10 10		10 10		10 10		10 10		10
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	29 978		48 24		325 31		90 48		25 77		77 51				
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
Initial Bse:	29	978	48	24	325	31	90	48	25	77	77	51			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	29	978	48	24	325	31	90	48	25	77	77	51			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	29	978	48	24	325	31	90	48	25	77	77	51			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	29	978	48	24	325	31	90	48	25	77	77	51			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	29	978	48	24	325	31	90	48	25	77	77	51			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	0.97	0.95	0.92	0.98	0.95	0.92	0.92	0.92	0.92	0.92				
Lanes:	1.00	1.90	0.10	1.00	1.82	0.18	0.56	0.29	0.15	0.37	0.38				
Final Sat.:	1750	3527	173	1750	3378	322	966	515	268	657	657				
Capacity Analysis Module:															
Vol/Sat:	0.02	0.28	0.28	0.01	0.10	0.10	0.09	0.09	0.09	0.12	0.12				
Crit Moves:	****			****						****					
Green Time:	15.6	30.9	30.9	7.0	22.3	22.3	13.1	13.1	13.1	13.1	13.1				
Volume/Cap:	0.06	0.54	0.54	0.12	0.26	0.26	0.43	0.43	0.43	0.54	0.54				
Uniform Del:	16.7	9.7	9.7	23.7	13.1	13.1	20.2	20.2	20.2	20.8	20.8				
IncremntDel:	0.1	0.3	0.3	0.3	0.1	0.1	0.8	0.8	0.8	1.5	1.5				
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Delay/Veh:	16.7	10.1	10.1	24.0	13.2	13.2	21.0	21.0	21.0	22.3	22.3				
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
AdjDel/Veh:	16.7	10.1	10.1	24.0	13.2	13.2	21.0	21.0	21.0	22.3	22.3				
LOS by Move:	B	B+	B+	C	B	B	C+	C+	C+	C+	C+				
HCM2kAvgQ:	0	6	6	0	2	2	3	3	3	4	4				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #17: Mary Ave & Washington Ave



Street Name: Mary Ave Washington Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		10 10		10 10		10 10		10 10		10
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	41 1505		96 62		375 31		90 162		26 86		141 125				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	41 1505		96 62		375 31		90 162		26 86		141 125				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	41 1505		96 62		375 31		90 162		26 86		141 125				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	41 1505		96 62		375 31		90 162		26 86		141 125				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	41 1505		96 62		375 31		90 162		26 86		141 125				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	41 1505		96 62		375 31		90 162		26 86		141 125				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 0.98		0.95 0.92		0.98 0.95		0.95 0.92		0.92 0.92		0.92 0.92				
Lanes:	1.00 1.88		0.12 1.00		1.84 0.16		0.32 0.59		0.09 0.24		0.40 0.36				
Final Sat.:	1750 3478		222 1750		3417 282		567 1020		164 428		701 621				
Capacity Analysis Module:															
Vol/Sat:	0.02 0.43		0.43 0.04		0.11 0.11		0.16 0.16		0.16 0.16		0.20 0.20				
Crit Moves:	****		****								****				
Green Time:	15.3 30.0		30.0 7.0		21.8 21.8		14.0 14.0		14.0 14.0		14.0 14.0				
Volume/Cap:	0.09 0.86		0.86 0.30		0.30 0.30		0.68 0.68		0.68 0.68		0.86 0.86				
Uniform Del:	17.1 13.2		13.2 24.3		13.7 13.7		21.0 21.0		21.0 22.1		22.1 22.1				
IncremntDel:	0.1 4.5		4.5 0.8		0.1 0.1		4.7 4.7		4.7 4.7		17.2 17.2				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	17.2 17.7		17.7 25.1		13.8 13.8		25.7 25.7		25.7 39.3		39.3 39.3				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	17.2 17.7		17.7 25.1		13.8 13.8		25.7 25.7		25.7 39.3		39.3 39.3				
LOS by Move:	B B		B C		B B		C C		C C		D D				
HCM2kAvgQ:	1 13		13 1		3 3		7 7		7 7		10 10				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


## Intersection #17: Mary Ave &amp; Washington Ave



Street Name: Mary Ave Washington Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		10 10		10 10		10 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	42 1520		104 56		388 31		90 172		25 99		152 107				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	42 1520		104 56		388 31		90 172		25 99		152 107				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	42 1520		104 56		388 31		90 172		25 99		152 107				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	42 1520		104 56		388 31		90 172		25 99		152 107				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	42 1520		104 56		388 31		90 172		25 99		152 107				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	42 1520		104 56		388 31		90 172		25 99		152 107				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 0.98		0.95 0.92		0.98 0.95		0.92 0.92		0.92 0.92		0.92 0.92				
Lanes:	1.00 1.87		0.13 1.00		1.85 0.15		0.31 0.60		0.09 0.09		0.28 0.42				
Final Sat.:	1750 3463		237 1750		3426 274		549 1049		152 152		484 743				
Capacity Analysis Module:															
Vol/Sat:	0.02 0.44		0.44 0.03		0.11 0.11		0.16 0.16		0.16 0.16		0.20 0.20				
Crit Moves:	****		****								****				
Green Time:	15.2 30.0		30.0 7.0		21.8 21.8		21.8 14.0		14.0 14.0		14.0 14.0				
Volume/Cap:	0.09 0.88		0.88 0.27		0.31 0.31		0.70 0.70		0.70 0.70		0.88 0.88				
Uniform Del:	17.1 13.4		13.4 24.2		13.7 13.7		21.1 21.1		21.1 22.2		22.2 22.2				
IncremntDel:	0.1 5.1		5.1 0.7		0.1 0.1		5.5 5.5		5.5 5.5		18.9 18.9				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	17.2 18.5		18.5 24.9		13.9 13.9		26.6 26.6		26.6 26.6		41.1 41.1				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	17.2 18.5		18.5 24.9		13.9 13.9		26.6 26.6		26.6 26.6		41.1 41.1				
LOS by Move:	B B-		B- C		B C		C C		C D		D D				
HCM2kAvgQ:	1 13		13 1		3 3		7 7		7 11		11 11				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

Intersection #18: Mary Ave & Remington Dr




Street Name: Mary Ave Remington Dr															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7		10	10		7	10		10	7		10	10		
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 7:45 AM - 8:45 AM															
Base Vol:	64	497	64	107	344	82	82	152	43	113	241	75			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	64	497	64	107	344	82	82	152	43	113	241	75			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	64	497	64	107	344	82	82	152	43	113	241	75			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	64	497	64	107	344	82	82	152	43	113	241	75			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	64	497	64	107	344	82	82	152	43	113	241	75			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	64	497	64	107	344	82	82	152	43	113	241	75			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.95	0.95	0.92	0.95	0.95	0.92	0.95	0.95	0.92	0.95	0.95			
Lanes:	1.00	0.89	0.11	1.00	0.81	0.19	1.00	0.78	0.22	1.00	0.76	0.24			
Final Sat.:	1750	1595	205	1750	1454	346	1750	1403	397	1750	1373	427			
Capacity Analysis Module:															
Vol/Sat:	0.04	0.31	0.31	0.06	0.24	0.24	0.05	0.11	0.11	0.06	0.18	0.18			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	12.5	44.9	44.9	8.8	41.3	41.3	7.0	19.5	19.5	12.8	25.3	25.3			
Volume/Cap:	0.29	0.68	0.68	0.68	0.56	0.56	0.66	0.55	0.55	0.49	0.68	0.68			
Uniform Del:	38.8	20.9	20.9	43.2	21.5	21.5	44.3	35.3	35.3	39.6	32.7	32.7			
IncremntDel:	0.7	2.3	2.3	11.5	1.0	1.0	12.0	1.8	1.8	1.7	4.1	4.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	39.5	23.2	23.2	54.7	22.5	22.5	56.3	37.1	37.1	41.2	36.8	36.8			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	39.5	23.2	23.2	54.7	22.5	22.5	56.3	37.1	37.1	41.2	36.8	36.8			
LOS by Move:	D	C	C	D-	C+	C+	E+	D+	D+	D	D+	D+			
HCM2kAvgQ:	2	14	14	3	10	10	4	6	6	4	10	10			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

Intersection #18: Mary Ave & Remington Dr




Street Name: Mary Ave Remington Dr																		
Approach:	North Bound			South Bound			East Bound			West Bound								
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R			
Min. Green:	7		10	10		7	10		10	7		10	10					
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0					
Volume Module: >> Count Date: 14 Nov 2017 << 7:45 AM - 8:45 AM																		
Base Vol:	66		572	259		107	392		84	126		218	43		149	251		101
Growth Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Initial Bse:	66		572	259		107	392		84	126		218	43		149	251		101
Added Vol:	0		0	0		0	0		0	0		0	0		0	0		0
PasserByVol:	0		0	0		0	0		0	0		0	0		0	0		0
Initial Fut:	66		572	259		107	392		84	126		218	43		149	251		101
User Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Volume:	66		572	259		107	392		84	126		218	43		149	251		101
Reduc Vol:	0		0	0		0	0		0	0		0	0		0	0		0
Reduced Vol:	66		572	259		107	392		84	126		218	43		149	251		101
PCE Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
MLF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
FinalVolume:	66		572	259		107	392		84	126		218	43		149	251		101
Saturation Flow Module:																		
Sat/Lane:	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900
Adjustment:	0.92		0.95	0.95		0.92	0.95		0.95	0.92		0.95	0.92		0.95	0.95		0.95
Lanes:	1.00		0.69	0.31		1.00	0.82		0.18	1.00		0.84	0.16		1.00	0.71		0.29
Final Sat.:	1750		1239	561		1750	1482		318	1750		1503	297		1750	1284		516
Capacity Analysis Module:																		
Vol/Sat:	0.04		0.46	0.46		0.06	0.26		0.26	0.07		0.15	0.15		0.09	0.20		0.20
Crit Moves:	****		****	****		****	****		****	****		****	****		****	****		****
Green Time:	12.1		50.0	50.0		7.0	44.9		44.9	7.8		18.3	18.3		10.7	21.2		21.2
Volume/Cap:	0.30		0.90	0.90		0.86	0.58		0.58	0.90		0.78	0.78		0.78	0.90		0.90
Uniform Del:	39.1		21.8	21.8		45.0	19.6		19.6	44.7		37.9	37.9		42.5	37.4		37.4
IncremntDel:	0.8		12.2	12.2		40.5	1.0		1.0	48.7		11.0	11.0		18.1	23.9		23.9
InitQueueDel:	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0
Delay Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Delay/Veh:	39.9		34.1	34.1		85.5	20.6		20.6	93.4		48.9	48.9		60.6	61.3		61.3
User DelAdj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
AdjDel/Veh:	39.9		34.1	34.1		85.5	20.6		20.6	93.4		48.9	48.9		60.6	61.3		61.3
LOS by Move:	D	C-	C-	F	C+	C+	F	D	D	E	E	E	D	E	E	E	E	
HCM2kAvgQ:	2	22	22	4	11	11	7	10	10	7	15	15						

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

Intersection #18: Mary Ave & Remington Dr




NOTE: Queue reported is the number of cars per lane.

---

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

## Intersection #19: Mary Ave &amp; Fremont Ave




Street Name: Mary Ave Fremont Ave														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10	
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM														
Base Vol:	188	404	88	107	210	155	151	373	77	62	913	162		
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Initial Bse:	188	404	88	107	210	155	151	373	77	62	913	162		
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0		
Initial Fut:	188	404	88	107	210	155	151	373	77	62	913	162		
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Volume:	188	404	88	107	210	155	151	373	77	62	913	162		
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
Reduced Vol:	188	404	88	107	210	155	151	373	77	62	913	162		
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
FinalVolume:	188	404	88	107	210	155	151	373	77	62	913	162		
Saturation Flow Module:														
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900		
Adjustment:	0.92	0.98	0.95	0.92	0.99	0.95	0.92	0.99	0.95	0.92	0.99	0.95		
Lanes:	1.00	1.63	0.37	1.00	1.13	0.87	1.00	2.47	0.53	1.00	2.53	0.47		
Final Sat.:	1750	3038	662	1750	2128	1570	1750	4641	958	1750	4755	844		
Capacity Analysis Module:														
Vol/Sat:	0.11	0.13	0.13	0.06	0.10	0.10	0.09	0.08	0.08	0.04	0.19	0.19		
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****		
Green Time:	28.2	37.0	37.0	17.0	25.9	25.9	22.6	44.9	44.9	28.1	50.3	50.3		
Volume/Cap:	0.53	0.50	0.50	0.50	0.53	0.53	0.53	0.25	0.25	0.18	0.53	0.53		
Uniform Del:	49.5	43.1	43.1	57.0	51.1	51.1	53.3	34.7	34.7	45.9	35.0	35.0		
IncremntDel:	1.5	0.4	0.4	1.8	0.8	0.8	1.9	0.1	0.1	0.2	0.3	0.3		
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Delay/Veh:	51.0	43.5	43.5	58.8	51.9	51.9	55.2	34.7	34.7	46.1	35.3	35.3		
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
AdjDel/Veh:	51.0	43.5	43.5	58.8	51.9	51.9	55.2	34.7	34.7	46.1	35.3	35.3		
LOS by Move:	D-	D	D	E+	D-	D-	E+	C-	C-	D	D+	D+		
HCM2kAvgQ:	8	9	9	4	7	7	7	5	5	2	12	12		

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

## Intersection #19: Mary Ave &amp; Fremont Ave




Street Name: Mary Ave Fremont Ave														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10	
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0	
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM														
Base Vol:	231	739	115	162	303	473	806	735	104	93	1070	420		
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Initial Bse:	231	739	115	162	303	473	806	735	104	93	1070	420		
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0		
Initial Fut:	231	739	115	162	303	473	806	735	104	93	1070	420		
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Volume:	231	739	115	162	303	473	806	735	104	93	1070	420		
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
Reduced Vol:	231	739	115	162	303	473	806	735	104	93	1070	420		
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
FinalVolume:	231	739	115	162	303	473	806	735	104	93	1070	420		
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Saturation Flow Module:														
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900		
Adjustment:	0.92	0.98	0.95	0.92	1.00	0.92	0.92	0.99	0.95	0.92	1.00	0.95		
Lanes:	1.00	1.72	0.28	1.00	1.00	1.00	1.00	2.61	0.39	1.00	2.12	0.88		
Final Sat.:	1750	3201	498	1750	1900	1750	1750	4905	694	1750	4019	1578		
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Capacity Analysis Module:														
Vol/Sat:	0.13	0.23	0.23	0.09	0.16	0.27	0.46	0.15	0.15	0.05	0.27	0.27		
Crit Moves:	****			****	****					****				
Green Time:	14.8	32.3	32.3	13.0	30.4	30.4	51.8	60.3	60.3	21.4	29.9	29.9		
Volume/Cap:	1.24	0.99	0.99	0.99	0.73	1.24	1.24	0.35	0.35	0.35	1.24	1.24		
Uniform Del:	62.1	53.2	53.2	63.0	50.5	54.3	43.6	26.2	26.2	52.5	54.5	54.5		
IncremntDel:143.4	29.0	68.4	2.6	119.4	119.0	0.1	0.1	0.8	0.8	113	113.4			
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Delay/Veh:	205.5	82.2	82.2	131.4	53.1	173.7	162.6	26.3	26.3	53.3	168	167.9		
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
AdjDel/Veh:	205.5	82.2	82.2	131.4	53.1	173.7	162.6	26.3	26.3	53.3	168	167.9		
LOS by Move:	F	F	F	F	D-	F	F	C	C	D-	F	F		
HCM2kAvgQ:	17	21	21	9	12	34	59	8	8	4	33	33		

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

### Intersection #19: Mary Ave & Fremont Ave




---

Traffic 8.0.0715 Copyright (c) 2008 Dowling Associates

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


Intersection #20: Mary Ave & Homestead Rd



Street Name: Mary Ave Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 10		10 10		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 7:15 AM - 8:15 AM															
Base Vol:	95 108		44 204		93 74		76 490		139 83		749 159				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	95 108		44 204		93 74		76 490		139 83		749 159				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	95 108		44 204		93 74		76 490		139 83		749 159				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	95 108		44 204		93 74		76 490		139 83		749 159				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	95 108		44 204		93 74		76 490		139 83		749 159				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	95 108		44 204		93 74		76 490		139 83		749 159				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 0.95		0.95 0.93		0.95 0.92		0.98 0.92		0.95 0.95		0.98 0.92				
Lanes:	1.00 0.71		0.29 1.38		0.62 1.00		1.00 1.00		1.55 1.55		0.45 1.00				
Final Sat.:	1750 1279		521 2438		1112 1750		1750 1750		2882 2882		817 817				
Capacity Analysis Module:															
Vol/Sat:	0.05 0.08		0.08 0.08		0.08 0.08		0.04 0.04		0.17 0.17		0.17 0.17				
Crit Moves:	****		****		****		****		****		****				
Green Time:	25.5 25.5		25.5 25.3		38.4 13.1		68.2 68.2		68.2 19.0		74.1 74.1				
Volume/Cap:	0.32 0.50		0.50 0.50		0.50 0.50		0.17 0.50		0.37 0.37		0.50 0.50				
Uniform Del:	54.6 56.4		56.4 56.6		56.6 56.6		43.4 65.3		26.9 26.9		60.0 60.0				
IncremntDel:	0.6 1.3		1.3 0.7		0.7 0.7		0.2 2.5		0.1 0.1		1.1 1.1				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	55.3 57.7		57.7 57.2		57.2 57.2		43.5 67.8		27.0 27.0		61.1 61.1				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	55.3 57.7		57.7 57.2		57.2 57.2		43.5 67.8		27.0 27.0		61.1 61.1				
LOS by Move:	E+ E+		E+ E+		D D		E E		C C		C C				
HCM2kAvgQ:	4 7		7 6		6 3		4 9		9 9		4 14				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #20: Mary Ave & Homestead Rd



Street Name: Mary Ave Homestead Rd																								
Approach:	North Bound			South Bound			East Bound			West Bound														
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
Min. Green:	10		10		10		10		10		10		10											
Y+R:	4.0		4.0		4.0		4.0		4.0		4.0		4.0											
Volume Module: >> Count Date: 14 Nov 2017 << 7:15 AM - 8:15 AM																								
Base Vol:	95		108		44		213		93		207		239		864		139		83		756		472	
Growth Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00			
Initial Bse:	95		108		44		213		93		207		239		864		139		83		756		472	
Added Vol:	0		0		0		0		0		0		0		0		0		0		0		0	
PasserByVol:	0		0		0		0		0		0		0		0		0		0		0		0	
Initial Fut:	95		108		44		213		93		207		239		864		139		83		756		472	
User Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Volume:	95		108		44		213		93		207		239		864		139		83		756		472	
Reduc Vol:	0		0		0		0		0		0		0		0		0		0		0		0	
Reduced Vol:	95		108		44		213		93		207		239		864		139		83		756		472	
PCE Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
MLF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
FinalVolume:	95		108		44		213		93		207		239		864		139		83		756		472	
Saturation Flow Module:																								
Sat/Lane:	1900		1900		1900		1900		1900		1900		1900		1900		1900		1900		1900		1900	
Adjustment:	0.92		0.95		0.95		0.93		0.95		0.92		0.92		0.98		0.95		0.92		0.99		0.95	
Lanes:	1.00		0.71		0.29		1.40		0.60		1.00		1.00		1.72		0.28		1.00		1.21		0.79	
Final Sat.:	1750		1279		521		2471		1079		1750		1750		3187		513		1750		2277		1421	
Capacity Analysis Module:																								
Vol/Sat:	0.05		0.08		0.08		0.09		0.09		0.12		0.14		0.27		0.27		0.05		0.33		0.33	
Crit Moves:	****		****		****		****		****		****		****		****		****		****		****		****	
Green Time:	18.2		18.2		18.2		18.6		18.6		48.1		29.5		86.1		86.1		15.1		71.7		71.7	
Volume/Cap:	0.45		0.69		0.69		0.69		0.69		0.37		0.69		0.47		0.47		0.47		0.69		0.69	
Uniform Del:	61.2		63.2		63.2		63.0		63.0		39.3		56.1		18.7		18.7		63.7		30.6		30.6	
IncremntDel:	1.5		9.3		9.3		4.8		4.8		0.4		6.1		0.2		0.2		2.0		1.2		1.2	
InitQueueDel:	0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	
Delay Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Delay/Veh:	62.7		72.5		72.5		67.8		67.8		39.7		62.1		18.8		18.8		65.7		31.8		31.8	
User DelAdj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
AdjDel/Veh:	62.7		72.5		72.5		67.8																	

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

Intersection #20: Mary Ave & Homestead Rd




Street Name: Mary Ave Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10	10	10	10	10	10	7	10	10	7	10	10			
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0			
Volume Module: >> Count Date: 14 Nov 2017 << 7:15 AM - 8:15 AM															
Base Vol:	95	108	44	220	93	244	205	895	139	83	749	514			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	95	108	44	220	93	244	205	895	139	83	749	514			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	95	108	44	220	93	244	205	895	139	83	749	514			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	95	108	44	220	93	244	205	895	139	83	749	514			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	95	108	44	220	93	244	205	895	139	83	749	514			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	95	108	44	220	93	244	205	895	139	83	749	514			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.95	0.95	0.93	0.95	0.92	0.92	0.98	0.95	0.92	0.99	0.95			
Lanes:	1.00	0.71	0.29	1.41	0.59	1.00	1.00	1.72	0.28	1.00	1.16	0.84			
Final Sat.:	1750	1279	521	2495	1055	1750	1750	3202	497	1750	2193	1505			
Capacity Analysis Module:															
Vol/Sat:	0.05	0.08	0.08	0.09	0.09	0.14	0.12	0.28	0.28	0.05	0.34	0.34			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	18.5	18.5	18.5	19.3	19.3	44.9	25.6	85.7	85.7	14.5	74.7	74.7			
Volume/Cap:	0.44	0.69	0.69	0.69	0.69	0.47	0.69	0.49	0.49	0.49	0.69	0.69			
Uniform Del:	61.0	63.0	63.0	62.5	62.5	42.8	58.4	19.1	19.1	64.2	28.7	28.7			
IncremntDel:	1.4	8.7	8.7	4.3	4.3	0.7	6.5	0.2	0.2	2.2	1.1	1.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	62.4	71.7	71.7	66.8	66.8	43.5	64.9	19.3	19.3	66.4	29.8	29.8			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	62.4	71.7	71.7	66.8	66.8	43.5	64.9	19.3	19.3	66.4	29.8	29.8			
LOS by Move:	E	E	E	E	E	D	E	B-	B-	E	C	C			
HCM2kAvgQ:	5	8	8	7	7	9	9	14	14	4	22	22			

Note: Queue reported is the number of cars per lane.


Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

## Intersection #21: SR 85 SB Ramps &amp; Fremont Ave




Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

## Intersection #21: SR 85 SB Ramps &amp; Fremont Ave



Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

#### Intersection #21: SR 85 SB Ramps & Fremont Ave




Note: Queue reported is the number of cars per lane.

---

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

## Intersection #22: SR 85 NB Ramps &amp; Fremont Ave




Street Name: SR 85 NB Ramps Fremont Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10	10	10	0	0	0	7	10	10	7	10	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module:															
Base Vol:	265	0	226	0	0	0	365	698	0	0	1361	740			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	265	0	226	0	0	0	365	698	0	0	1361	740			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	265	0	226	0	0	0	365	698	0	0	1361	740			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00			
PHF Volume:	265	0	226	0	0	0	365	698	0	0	1361	0			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	265	0	226	0	0	0	365	698	0	0	1361	0			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00			
FinalVolume:	265	0	226	0	0	0	365	698	0	0	1361	0			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.95	0.95	0.92	0.92	1.00	0.92	0.92	1.00	0.92	0.92	1.00	0.92			
Lanes:	1.00	0.00	1.00	0.00	0.00	0.00	1.00	2.00	0.00	0.00	3.00	1.00			
Final Sat.:	1800	0	1750	0	0	0	1750	3800	0	0	5700	1750			
Capacity Analysis Module:															
Vol/Sat:	0.15	0.00	0.13	0.00	0.00	0.00	0.21	0.18	0.00	0.00	0.24	0.00			
Crit Moves:	****					****				****					
Green Time:	17.6	0.0	17.6	0.0	0.0	0.0	24.9	53.4	0.0	0.0	28.5	0.0			
Volume/Cap:	0.67	0.00	0.59	0.00	0.00	0.00	0.67	0.28	0.00	0.00	0.67	0.00			
Uniform Del:	28.6	0.0	28.0	0.0	0.0	0.0	24.0	5.4	0.0	0.0	21.8	0.0			
IncremntDel:	4.4	0.0	2.4	0.0	0.0	0.0	3.2	0.1	0.0	0.0	0.9	0.0			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	0.00	1.00	0.00	0.00	0.00	1.00	1.00	0.00	0.00	1.00	0.00			
Delay/Veh:	33.0	0.0	30.3	0.0	0.0	0.0	27.2	5.5	0.0	0.0	22.6	0.0			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	33.0	0.0	30.3	0.0	0.0	0.0	27.2	5.5	0.0	0.0	22.6	0.0			
LOS by Move:	C-	A	C	A	A	A	C	A	A	A	C+	A			
HCM2kAvgQ:	8	0	6	0	0	0	10	4	0	0	10	0			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

Intersection #22: SR 85 NB Ramps & Fremont Ave




Street Name: SR 85 NB Ramps Fremont Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 10		10 0		0 0		0 7		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module:	<hr/>														
Base Vol:	358	57	728	0	0	0	427	980	0	0	1772	806			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	358	57	728	0	0	0	427	980	0	0	1772	806			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	358	57	728	0	0	0	427	980	0	0	1772	806			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00			
PHF Volume:	358	57	728	0	0	0	427	980	0	0	1772	0			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	358	57	728	0	0	0	427	980	0	0	1772	0			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00			
FinalVolume:	358	57	728	0	0	0	427	980	0	0	1772	0			
Saturation Flow Module:	<hr/>														
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.95	0.95	0.92	0.92	1.00	0.92	0.92	1.00	0.92	0.92	1.00	0.92			
Lanes:	0.86	0.14	1.00	0.00	0.00	0.00	1.00	2.00	0.00	0.00	3.00	1.00			
Final Sat.:	1553	247	1750	0	0	0	1750	3800	0	0	5700	1750			
Capacity Analysis Module:	<hr/>														
Vol/Sat:	0.23	0.23	0.42	0.00	0.00	0.00	0.24	0.26	0.00	0.00	0.31	0.00			
Crit Moves:	****														
Green Time:	30.4	30.4	30.4	0.0	0.0	0.0	17.8	40.6	0.0	0.0	22.7	0.0			
Volume/Cap:	0.61	0.61	1.09	0.00	0.00	0.00	1.09	0.51	0.00	0.00	1.09	0.00			
Uniform Del:	20.0	20.0	24.8	0.0	0.0	0.0	31.1	13.1	0.0	0.0	28.6	0.0			
IncremntDel:	1.6	1.6	63.3	0.0	0.0	0.0	73.3	0.2	0.0	0.0	52.7	0.0			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	0.00	0.00	0.00	1.00	1.00	0.00	0.00	1.00	0.00			
Delay/Veh:	21.5	21.5	88.1	0.0	0.0	0.0	104.3	13.3	0.0	0.0	81.3	0.0			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	21.5	21.5	88.1	0.0	0.0	0.0	104.3	13.3	0.0	0.0	81.3	0.0			
LOS by Move:	C+	C+	F	A	A	A	F	B	A	A	F	A			
HCM2kAvgQ:	9	9	33	0	0	0	21	8	0	0	25	0			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

## Intersection #22: SR 85 NB Ramps &amp; Fremont Ave




Street Name: SR 85 NB Ramps Fremont Ave															
Approach: North Bound				South Bound				East Bound				West Bound			
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10	10	10	0	0	0	7	10	10	7	10	10	7	10	10
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Volume Module:	----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Base Vol:	347	53	681	0	0	0	419	1012	0	0	1787	811			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	347	53	681	0	0	0	419	1012	0	0	1787	811			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	347	53	681	0	0	0	419	1012	0	0	1787	811			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	347	53	681	0	0	0	419	1012	0	0	1787	0			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	347	53	681	0	0	0	419	1012	0	0	1787	0			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	347	53	681	0	0	0	419	1012	0	0	1787	0			
Saturation Flow Module:	----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.95	0.95	0.92	0.92	1.00	0.92	0.92	1.00	0.92	0.92	1.00	0.92			
Lanes:	0.87	0.13	1.00	0.00	0.00	0.00	1.00	2.00	0.00	0.00	3.00	1.00			
Final Sat.:	1561	238	1750	0	0	0	1750	3800	0	0	5700	1750			
Capacity Analysis Module:	----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Vol/Sat:	0.22	0.22	0.39	0.00	0.00	0.00	0.24	0.27	0.00	0.00	0.31	0.00			
Crit Moves:	*****														
Green Time:	29.3	29.3	29.3	0.0	0.0	0.0	18.0	41.7	0.0	0.0	23.6	0.0			
Volume/Cap:	0.61	0.61	1.06	0.00	0.00	0.00	1.06	0.51	0.00	0.00	1.06	0.00			
Uniform Del:	20.6	20.6	25.3	0.0	0.0	0.0	31.0	12.5	0.0	0.0	28.2	0.0			
IncremntDel:	1.6	1.6	53.0	0.0	0.0	0.0	62.5	0.2	0.0	0.0	40.3	0.0			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	0.00	0.00	0.00	1.00	1.00	0.00	0.00	1.00	0.00			
Delay/Veh:	22.3	22.3	78.3	0.0	0.0	0.0	93.5	12.7	0.0	0.0	68.5	0.0			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	22.3	22.3	78.3	0.0	0.0	0.0	93.5	12.7	0.0	0.0	68.5	0.0			
LOS by Move:	C+	C+	E-	A	A	A	F	B	A	A	E	A			
HCM2kAvgQ:	9	9	29	0	0	0	19	8	0	0	24	0			

Note: Queue reported is the number of cars per lane.

**Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM**

Intersection #23: SR 85 SB Ramps & Homestead Rd




NOTE: Queue reported is the number of cars per lane.

---

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #23: SR 85 SB Ramps & Homestead Rd



Street Name: SR 85 SB Ramps Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 0		10 10		10 10		0 10		10 7		10 10				
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0				
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM															
Base Vol:	3 0		32 307		2 168		0 995		7 11		858 0				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	3 0		32 307		2 168		0 995		7 11		858 0				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	3 0		32 307		2 168		0 995		7 11		858 0				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	3 0		32 307		2 168		0 995		7 11		858 0				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	3 0		32 307		2 168		0 995		7 11		858 0				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	3 0		32 307		2 168		0 995		7 11		858 0				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 0.92		0.92 0.92		0.95 0.95		0.92 0.92		1.00 1.00		0.92 0.92				
Lanes:	0.09 0.00		0.91 1.00		0.01 0.01		0.99 0.00		1.00 1.00		1.00 2.00				
Final Sat.:	150 0		1600 1750		21 1779		0 1900		1750 1750		3800 0				
Capacity Analysis Module:															
Vol/Sat:	0.02 0.02		0.02 0.18		0.09 0.09		0.09 0.00		0.52 0.52		0.00 0.00				
Crit Moves:	****		****		****		****		****		****				
Green Time:	10.0 10.0		25.6 25.6		25.6 25.6		0.0 76.4		76.4 76.4		7.0 7.0				
Volume/Cap:	0.26 0.26		0.48 0.48		0.48 0.48		0.00 0.90		0.90 0.90		0.12 0.12				
Uniform Del:	57.0 57.0		51.4 51.4		46.8 46.8		46.8 46.8		0.0 23.9		23.9 11.4				
IncremntDel:	1.0 1.0		25.1 25.1		1.0 1.0		0.0 9.8		9.8 0.0		0.6 0.6				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	58.1 58.1		76.5 76.5		47.9 47.9		47.9 47.9		0.0 33.7		33.7 11.4				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	58.1 58.1		76.5 76.5		47.9 47.9		47.9 47.9		0.0 33.7		33.7 11.4				
LOS by Move:	E+ A		E+ D		D A		C- B+		B+ E+		B+ B+				
HCM2kAvgQ:	2 0		16 7		7 0		38 0		0 0		8 8				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

Intersection #23: SR 85 SB Ramps & Homestead Rd




Street Name: SR 85 SB Ramps Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10	0	10	10	10	10	0	10	10	7	10	0			
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0			
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM															
Base Vol:	3	0	32	301	2	159	0	998	7	11	885	0			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	3	0	32	301	2	159	0	998	7	11	885	0			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	3	0	32	301	2	159	0	998	7	11	885	0			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	3	0	32	301	2	159	0	998	7	11	885	0			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	3	0	32	301	2	159	0	998	7	11	885	0			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	3	0	32	301	2	159	0	998	7	11	885	0			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.92	0.92	0.92	0.95	0.95	0.92	1.00	0.92	0.92	1.00	0.92			
Lanes:	0.09	0.00	0.91	1.00	0.01	0.99	0.00	1.00	1.00	1.00	2.00	0.00			
Final Sat.:	150	0	1600	1750	22	1778	0	1900	1750	1750	3800	0			
Capacity Analysis Module:															
Vol/Sat:	0.02	0.00	0.02	0.17	0.09	0.09	0.00	0.53	0.00	0.01	0.23	0.00			
Crit Moves:	****		****		****		****		****		****				
Green Time:	10.0	0.0	10.0	25.2	25.2	25.2	0.0	76.8	76.8	7.0	83.8	0.0			
Volume/Cap:	0.26	0.00	0.26	0.90	0.47	0.47	0.00	0.90	0.01	0.12	0.36	0.00			
Uniform Del:	57.0	0.0	57.0	51.6	47.0	47.0	0.0	23.6	11.2	59.1	11.1	0.0			
IncremntDel:	1.0	0.0	1.0	25.0	1.0	1.0	0.0	9.6	0.0	0.6	0.1	0.0			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	0.00	1.00	1.00	1.00	1.00	0.00	1.00	1.00	1.00	1.00	0.00			
Delay/Veh:	58.1	0.0	58.1	76.6	47.9	47.9	0.0	33.2	11.2	59.6	11.2	0.0			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	58.1	0.0	58.1	76.6	47.9	47.9	0.0	33.2	11.2	59.6	11.2	0.0			
LOS by Move:	E+	A	E+	E-	D	D	A	C-	B+	E+	B+	A			
HCM2kAvgQ:	2	0	2	16	6	6	0	38	0	0	8	0			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

Intersection #24: SR 85 NB Ramps & Homestead Rd




Street Name: SR 85 NB Ramps Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:			0	0	0	10	10	10	7	10	10	7	10	10	
Y+R:			4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM															
Base Vol:			0	0	0	87	7	64	125	519	177	143	758	181	
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
Initial Bse:	0	0	0	87	7	64	125	519	177	143	758	181			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Initial Fut:	0	0	0	87	7	64	125	519	177	143	758	181			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
PHF Volume:	0	0	0	87	7	64	125	519	177	143	758	181			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Reduced Vol:	0	0	0	87	7	64	125	519	177	143	758	181			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
FinalVolume:	0	0	0	87	7	64	125	519	177	143	758	181			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900		
Adjustment:	0.92	1.00	0.92	0.95	0.95	0.92	0.92	1.00	0.92	0.92	0.98	0.95			
Lanes:	0.00	0.00	0.00	0.93	0.07	1.00	1.00	1.00	1.00	1.00	1.60	0.40			
Final Sat.:	0	0	0	1666	134	1750	1750	1900	1750	1750	2986	713			
Capacity Analysis Module:															
Vol/Sat:	0.00	0.00	0.00	0.05	0.05	0.04	0.07	0.27	0.10	0.08	0.25	0.25			
Crit Moves:				****			****			****					
Green Time:	0.0	0.0	0.0	18.0	18.0	44.8	26.8	93.9	93.9	28.1	95.2	95.2			
Volume/Cap:	0.00	0.00	0.00	0.43	0.43	0.12	0.40	0.43	0.16	0.43	0.40	0.40			
Uniform Del:	0.0	0.0	0.0	60.8	60.8	37.8	54.0	14.0	11.3	53.4	13.0	13.0			
IncremntDel:	0.0	0.0	0.0	1.4	1.4	0.1	0.8	0.3	0.1	0.9	0.1	0.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	0.00	0.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	0.0	0.0	0.0	62.2	62.2	38.0	54.8	14.2	11.4	54.3	13.1	13.1			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	0.0	0.0	0.0	62.2	62.2	38.0	54.8	14.2	11.4	54.3	13.1	13.1			
LOS by Move:	A	A	A	E	E	D+	D-	B	B+	D-	B	B			
HCM2kAvgQ:	0	0	0	5	5	2	5	12	3	6	10	10			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

Intersection #24: SR 85 NB Ramps & Homestead Rd




Street Name: SR 85 NB Ramps Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:			0	0	0	10	10	10	7	10	10	7	10	10	
Y+R:			4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM															
Base Vol:			0	0	0	87	16	86	147	1143	177	158	768	252	
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
Initial Bse:	0	0	0	87	16	86	147	1143	177	158	768	252			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Initial Fut:	0	0	0	87	16	86	147	1143	177	158	768	252			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
PHF Volume:	0	0	0	87	16	86	147	1143	177	158	768	252			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Reduced Vol:	0	0	0	87	16	86	147	1143	177	158	768	252			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
FinalVolume:	0	0	0	87	16	86	147	1143	177	158	768	252			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900		
Adjustment:	0.92	1.00	0.92	0.95	0.95	0.92	0.92	1.00	0.92	0.92	0.98	0.95			
Lanes:	0.00	0.00	0.00	0.84	0.16	1.00	1.00	1.00	1.00	1.00	1.49	0.51			
Final Sat.:	0	0	0	1520	280	1750	1750	1900	1750	1750	2785	914			
Capacity Analysis Module:															
Vol/Sat:	0.00	0.00	0.00	0.06	0.06	0.05	0.08	0.60	0.10	0.09	0.28	0.28			
Crit Moves:	*****			*****			*****			*****					
Green Time:	0.0	0.0	0.0	10.7	10.7	40.9	30.2	112	112.4	16.9	99.1	99.1			
Volume/Cap:	0.00	0.00	0.00	0.80	0.80	0.18	0.41	0.80	0.13	0.80	0.41	0.41			
Uniform Del:	0.0	0.0	0.0	68.1	68.1	41.2	51.7	11.3	5.0	64.4	11.5	11.5			
IncremntDel:	0.0	0.0	0.0	28.3	28.3	0.2	0.8	3.2	0.0	19.8	0.1	0.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	0.00	0.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	0.0	0.0	0.0	96.4	96.4	41.4	52.5	14.5	5.0	84.2	11.6	11.6			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	0.0	0.0	0.0	96.4	96.4	41.4	52.5	14.5	5.0	84.2	11.6	11.6			
LOS by Move:	A	A	A	F	F	D	D-	B	A	F	B+	B+			
HCM2kAvgQ:	0	0	0	7	7	3	6	31	2	8	11	11			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

Intersection #24: SR 85 NB Ramps & Homestead Rd




Street Name: SR 85 NB Ramps Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:			0	0	0	10	10	10	7	10	10	7	10	10	
Y+R:			4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM															
Base Vol:			0	0	0	87	14	99	144	1143	177	198	785	253	
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
Initial Bse:	0	0	0	87	14	99	144	1143	177	198	785	253			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Initial Fut:	0	0	0	87	14	99	144	1143	177	198	785	253			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
PHF Volume:	0	0	0	87	14	99	144	1143	177	198	785	253			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Reduced Vol:	0	0	0	87	14	99	144	1143	177	198	785	253			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
FinalVolume:	0	0	0	87	14	99	144	1143	177	198	785	253			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900		
Adjustment:	0.92	1.00	0.92	0.95	0.95	0.92	0.92	1.00	0.92	0.92	0.98	0.95			
Lanes:	0.00	0.00	0.00	0.86	0.14	1.00	1.00	1.00	1.00	1.00	1.50	0.50			
Final Sat.:	0	0	0	1550	250	1750	1750	1900	1750	1750	2797	902			
Capacity Analysis Module:															
Vol/Sat:	0.00	0.00	0.00	0.06	0.06	0.06	0.08	0.60	0.10	0.11	0.28	0.28			
Crit Moves:	*****						*****								
Green Time:	0.0	0.0	0.0	10.2	10.2	39.6	29.4	109	109.3	20.5	100	100.4			
Volume/Cap:	0.00	0.00	0.00	0.82	0.82	0.21	0.42	0.82	0.14	0.82	0.42	0.42			
Uniform Del:	0.0	0.0	0.0	68.5	68.5	42.6	52.3	13.3	5.9	62.4	11.0	11.0			
IncremntDel:	0.0	0.0	0.0	33.6	33.6	0.2	0.8	4.0	0.0	19.5	0.1	0.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	0.00	0.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	0.0	0.0	0.0	102.1	102	42.8	53.1	17.3	5.9	82.0	11.1	11.1			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	0.0	0.0	0.0	102.1	102	42.8	53.1	17.3	5.9	82.0	11.1	11.1			
LOS by Move:	A	A	A	F	F	D	D-	B	A	F	B+	B+			
HCM2kAvgQ:	0	0	0	7	7	4	6	33	2	10	11	11			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


Intersection #25: Hollenbeck Ave & Fremont Ave



Street Name: Hollenbeck Ave Fremont Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM															
Base Vol:	175	340	158	104	240	129	95	362	106	158	805	159			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	175	340	158	104	240	129	95	362	106	158	805	159			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	175	340	158	104	240	129	95	362	106	158	805	159			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	175	340	158	104	240	129	95	362	106	158	805	159			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	175	340	158	104	240	129	95	362	106	158	805	159			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	175	340	158	104	240	129	95	362	106	158	805	159			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	1.00	0.92	0.92	1.00	0.92	0.92	0.99	0.95	0.92	0.99	0.95			
Lanes:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.30	0.70	1.00	2.49	0.51			
Final Sat.:	1750	1900	1750	1750	1900	1750	1750	4330	1268	1750	4675	923			
Capacity Analysis Module:															
Vol/Sat:	0.10	0.18	0.09	0.06	0.13	0.07	0.05	0.08	0.08	0.09	0.17	0.17			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	27.9	47.3	78.5	15.7	35.2	49.6	14.4	28.8	28.8	31.1	45.6	45.6			
Volume/Cap:	0.48	0.51	0.16	0.51	0.48	0.20	0.51	0.39	0.39	0.39	0.51	0.51			
Uniform Del:	47.2	34.7	13.0	56.0	42.2	29.2	57.0	45.6	45.6	43.9	35.8	35.8			
IncremntDel:	1.0	0.7	0.1	2.2	0.7	0.2	2.4	0.2	0.2	0.6	0.2	0.2			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	48.3	35.3	13.1	58.2	43.0	29.3	59.3	45.8	45.8	44.6	36.0	36.0			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	48.3	35.3	13.1	58.2	43.0	29.3	59.3	45.8	45.8	44.6	36.0	36.0			
LOS by Move:	D	D+	B	E+	D	C	E+	D	D	D	D+	D+			
HCM2kAvgQ:	7	11	3	5	9	4	4	5	5	6	10	10			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #25: Hollenbeck Ave & Fremont Ave



Street Name: Hollenbeck Ave Fremont Ave																			
Approach:	North Bound			South Bound			East Bound			West Bound									
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10						
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0						
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM																			
Base Vol: 324 624 229 131 240 159 252 636 106 158 1111 185																			
Growth Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Initial Bse: 324 624 229 131 240 159 252 636 106 158 1111 185																			
Added Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
PasserByVol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Initial Fut: 324 624 229 131 240 159 252 636 106 158 1111 185																			
User Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Volume: 324 624 229 131 240 159 252 636 106 158 1111 185																			
Reduc Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Reduced Vol: 324 624 229 131 240 159 252 636 106 158 1111 185																			
PCE Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
MLF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
FinalVolume: 324 624 229 131 240 159 252 636 106 158 1111 185																			
Saturation Flow Module:																			
Sat/Lane: 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900																			
Adjustment: 0.92 1.00 0.92 0.92 1.00 0.92 0.92 0.99 0.95 0.92 0.99 0.95																			
Lanes: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 2.56 0.44 1.00 2.56 0.44																			
Final Sat.: 1750 1900 1750 1750 1900 1750 1750 4799 800 1750 4800 799																			
Capacity Analysis Module:																			
Vol/Sat: 0.19 0.33 0.13 0.07 0.13 0.09 0.14 0.13 0.13 0.09 0.23 0.23																			
Crit Moves: **** * **** * **** * **** * **** *																			
Green Time: 37.9 51.9 75.9 11.8 25.8 48.6 22.7 35.3 35.3 24.0 36.6 36.6																			
Volume/Cap: 0.66 0.85 0.23 0.85 0.66 0.25 0.85 0.51 0.51 0.51 0.85 0.85																			
Uniform Del: 42.9 38.1 14.9 60.7 50.5 30.4 54.5 42.5 42.5 50.1 46.7 46.7																			
IncremntDel: 3.3 9.7 0.1 34.7 4.4 0.2 20.9 0.3 0.3 1.4 5.0 5.0																			
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																			
Delay Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Delay/Veh: 46.2 47.8 15.0 95.4 55.0 30.6 75.4 42.8 42.8 51.5 51.7 51.7																			
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
AdjDel/Veh: 46.2 47.8 15.0 95.4 55.0 30.6 75.4 42.8 42.8 51.5 51.7 51.7																			
LOS by Move: D D B F D- C E- D D D- D-																			
HCM2kAvgQ: 13 26 5 8 10 5 12 9 9 6 17 17																			
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

Intersection #25: Hollenbeck Ave & Fremont Ave




Street Name: Hollenbeck Ave Fremont Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM															
Base Vol:	310	664	199	134	240	173	218	665	106	158	1150	191			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	310	664	199	134	240	173	218	665	106	158	1150	191			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	310	664	199	134	240	173	218	665	106	158	1150	191			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	310	664	199	134	240	173	218	665	106	158	1150	191			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	310	664	199	134	240	173	218	665	106	158	1150	191			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	310	664	199	134	240	173	218	665	106	158	1150	191			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	1.00	0.92	0.92	1.00	0.92	0.92	0.99	0.95	0.92	0.99	0.95			
Lanes:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.57	0.43	1.00	2.56	0.44			
Final Sat.:	1750	1900	1750	1750	1900	1750	1750	4829	770	1750	4801	797			
Capacity Analysis Module:															
Vol/Sat:	0.18	0.35	0.11	0.08	0.13	0.10	0.12	0.14	0.14	0.09	0.24	0.24			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	38.7	54.4	76.8	11.9	27.6	47.0	19.4	34.2	34.2	22.4	37.3	37.3			
Volume/Cap:	0.62	0.87	0.20	0.87	0.62	0.28	0.87	0.54	0.54	0.54	0.87	0.87			
Uniform Del:	41.7	37.0	14.1	60.8	48.9	31.8	56.5	43.6	43.6	51.6	46.5	46.5			
IncremntDel:	2.3	10.3	0.1	37.0	3.0	0.3	25.7	0.4	0.4	2.1	5.5	5.5			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	44.1	47.3	14.2	97.8	51.9	32.1	82.3	44.0	44.0	53.7	52.0	52.0			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	44.1	47.3	14.2	97.8	51.9	32.1	82.3	44.0	44.0	53.7	52.0	52.0			
LOS by Move:	D	D	B	F	D-	C-	F	D	D	D-	D-	D-			
HCM2kAvgQ:	12	28	4	8	10	5	10	9	9	6	17	17			

Note: Queue reported is the number of cars per lane.

**Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM**

Intersection #26: Hollenbeck Ave & Homestead Rd




Note: Queue reported is the number of cars per lane.

---

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

Intersection #26: Hollenbeck Ave & Homestead Rd




Street Name: Hollenbeck Ave Homestead Rd															
Approach: North Bound				South Bound				East Bound				West Bound			
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM															
Base Vol:	445	382	309	180	282	184	132	746	202	243	693	338			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	445	382	309	180	282	184	132	746	202	243	693	338			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	445	382	309	180	282	184	132	746	202	243	693	338			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	445	382	309	180	282	184	132	746	202	243	693	338			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	445	382	309	180	282	184	132	746	202	243	693	338			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	445	382	309	180	282	184	132	746	202	243	693	338			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	0.99	0.95	0.92	0.99	0.95	0.92	0.98	0.95	0.92	0.99	0.95			
Lanes:	2.00	1.08	0.92	1.00	1.19	0.81	1.00	1.56	0.44	1.00	1.33	0.67			
Final Sat.:	3150	2044	1654	1750	2238	1460	1750	2911	788	1750	2486	1213			
Capacity Analysis Module:															
Vol/Sat:	0.14	0.19	0.19	0.10	0.13	0.13	0.08	0.26	0.26	0.14	0.28	0.28			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	25.9	31.7	31.7	17.4	23.1	23.1	14.3	43.4	43.4	23.5	52.7	52.7			
Volume/Cap:	0.70	0.76	0.76	0.76	0.70	0.70	0.68	0.76	0.76	0.76	0.68	0.68			
Uniform Del:	47.4	44.6	44.6	53.2	49.1	49.1	54.7	37.6	37.6	49.5	30.7	30.7			
IncremntDel:	3.4	3.6	3.6	12.9	3.2	3.2	9.2	2.7	2.7	9.8	1.2	1.2			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	50.8	48.2	48.2	66.2	52.4	52.4	63.9	40.3	40.3	59.3	32.0	32.0			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	50.8	48.2	48.2	66.2	52.4	52.4	63.9	40.3	40.3	59.3	32.0	32.0			
LOS by Move:	D	D	D	E	D-	D-	E	D	D	E+	C	C			
HCM2kAvgQ:	11	14	14	9	10	10	5	17	17	9	16	16			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


Intersection #26: Hollenbeck Ave & Homestead Rd



Street Name: Hollenbeck Ave Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM															
Base Vol:	458	382	307	180	282	195	155	767	196	243	691	330			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	458	382	307	180	282	195	155	767	196	243	691	330			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	458	382	307	180	282	195	155	767	196	243	691	330			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	458	382	307	180	282	195	155	767	196	243	691	330			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	458	382	307	180	282	195	155	767	196	243	691	330			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	458	382	307	180	282	195	155	767	196	243	691	330			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	0.99	0.95	0.92	0.99	0.95	0.92	0.98	0.95	0.92	0.99	0.95			
Lanes:	2.00	1.08	0.92	1.00	1.16	0.84	1.00	1.58	0.42	1.00	1.34	0.66			
Final Sat.:	3150	2050	1648	1750	2186	1512	1750	2946	753	1750	2503	1195			
Capacity Analysis Module:															
Vol/Sat:	0.15	0.19	0.19	0.10	0.13	0.13	0.09	0.26	0.26	0.14	0.28	0.28			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	25.8	31.4	31.4	17.3	22.9	22.9	16.3	43.9	43.9	23.4	50.9	50.9			
Volume/Cap:	0.72	0.76	0.76	0.72	0.72	0.69	0.76	0.76	0.76	0.76	0.69	0.69			
Uniform Del:	47.7	44.8	44.8	53.3	49.5	49.5	53.4	37.4	37.4	49.6	32.1	32.1			
IncremntDel:	4.0	3.8	3.8	13.3	3.9	3.9	9.1	2.7	2.7	10.1	1.5	1.5			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	51.7	48.6	48.6	66.6	53.4	53.4	62.5	40.1	40.1	59.8	33.5	33.5			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	51.7	48.6	48.6	66.6	53.4	53.4	62.5	40.1	40.1	59.8	33.5	33.5			
LOS by Move:	D-	D	D	E	D-	D-	E	D	D	E+	C-	C-			
HCM2kAvgQ:	11	14	14	9	10	10	6	17	17	9	16	16			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

## Intersection #27: Mathilda Ave &amp; Almanor Ave




Street Name: Mathilda Ave Almanor Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 7:45 AM - 8:45 AM															
Base Vol:	59 2493		28 95		1180 223		83 12		16 50		39 286				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	59 2493		28 95		1180 223		83 12		16 50		39 286				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	59 2493		28 95		1180 223		83 12		16 50		39 286				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	59 2493		28 95		1180 223		83 12		16 50		39 286				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	59 2493		28 95		1180 223		83 12		16 50		39 286				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	59 2493		28 95		1180 223		83 12		16 50		39 286				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 1.00		0.92 0.99		0.95 0.83		0.95 0.95		0.95 0.92		1.00 0.92				
Lanes:	1.00 4.00		1.00 3.34		0.66 2.00		0.43 0.57		0.57 1.00		1.00 1.00				
Final Sat.:	1750 7600		1750 1750		6306 1192		3150 771		1029 1750		1900 1900				
Capacity Analysis Module:															
Vol/Sat:	0.03 0.33		0.02 0.05		0.19 0.19		0.19 0.03		0.02 0.02		0.02 0.03				
Crit Moves:	****		****		****		****		****		****				
Green Time:	21.0 98.8		115.6 16.4		94.2 94.2		7.9 7.9		24.0 24.0		24.0 16.8				
Volume/Cap:	0.27 0.56		0.02 0.56		0.33 0.33		0.56 0.56		0.11 0.11		0.29 0.29				
Uniform Del:	66.6 21.2		8.3 72.4		19.9 19.9		78.3 78.3		62.7 62.7		70.0 70.0				
IncremntDel:	0.7 0.2		0.0 4.1		0.0 0.0		0.0 4.7		0.2 0.2		0.9 0.9				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	67.2 21.4		8.3 76.4		20.0 20.0		83.0 83.0		62.9 62.9		70.9 70.9				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	67.2 21.4		8.3 76.4		20.0 20.0		83.0 83.0		62.9 62.9		70.9 70.9				
LOS by Move:	E	C+	A	E-	B-	B-	F	E	E	E	E+	D-			
HCM2kAvgQ:	3	19	0	6	9	9	3	1	1	3	2	13			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


## Intersection #27: Mathilda Ave &amp; Almanor Ave



Street Name: Mathilda Ave Almanor Ave																		
Approach:	North Bound			South Bound			East Bound			West Bound								
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R			
Min. Green:	7		10	10		7	10		10	7		10	10		10			
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0			
Volume Module: >> Count Date: 14 Nov 2017 << 7:45 AM - 8:45 AM																		
Base Vol:	95		3059	124		95	2524		486	140		16	16		81	82		402
Growth Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Initial Bse:	95		3059	124		95	2524		486	140		16	16		81	82		402
Added Vol:	0		0	0		0	0		0	0		0	0		0	0		0
PasserByVol:	0		0	0		0	0		0	0		0	0		0	0		0
Initial Fut:	95		3059	124		95	2524		486	140		16	16		81	82		402
User Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Volume:	95		3059	124		95	2524		486	140		16	16		81	82		402
Reduc Vol:	0		0	0		0	0		0	0		0	0		0	0		0
Reduced Vol:	95		3059	124		95	2524		486	140		16	16		81	82		402
PCE Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
MLF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
FinalVolume:	95		3059	124		95	2524		486	140		16	16		81	82		402
Saturation Flow Module:																		
Sat/Lane:	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900
Adjustment:	0.92		1.00	0.92		0.99	0.95		0.83	0.95		0.95	0.92		1.00	0.92		0.92
Lanes:	1.00		4.00	1.00		3.33	0.67		2.00	0.50		0.50	1.00		1.00	1.00		1.00
Final Sat.:	1750		7600	1750		6287	1211		3150	900		900	1750		1900	1750		
Capacity Analysis Module:																		
Vol/Sat:	0.05		0.40	0.07		0.05	0.40		0.40	0.04		0.02	0.02		0.05	0.04		0.23
Crit Moves:	****			****			****			****			****			****		
Green Time:	12.5		92.7	114.9		12.5	92.7		92.7	10.3		28.6	28.6		22.2	40.5		53.0
Volume/Cap:	0.73		0.73	0.10		0.73	0.73		0.73	0.73		0.10	0.10		0.35	0.18		0.73
Uniform Del:	76.1		28.2	9.0		76.1	28.2		28.2	77.5		58.9	58.9		66.3	50.6		51.1
IncremntDel:	18.5		0.7	0.0		18.7	0.7		0.7	13.1		0.2	0.2		0.9	0.2		4.9
InitQueueDel:	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0
Delay Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Delay/Veh:	94.6		28.9	9.1		94.8	28.9		28.9	90.6		59.1	59.1		67.2	50.7		55.9
User DelAdj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
AdjDel/Veh:	94.6		28.9	9.1		94.8	28.9		28.9	90.6		59.1	59.1		67.2	50.7		55.9
LOS by Move:	F		C	A		F	C		C	F		E+	E+		E	D		E+
HCM2kAvgQ:	5		29	2		7	29		29	6		1	1		4	3		20
Note: Queue reported is the number of cars per lane.																		

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

## Intersection #27: Mathilda Ave &amp; Almanor Ave




Street Name: Mathilda Ave Almanor Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 7:45 AM - 8:45 AM															
Base Vol:	97	3091	126	95	2523	490	140	16	16	81	81	399			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	97	3091	126	95	2523	490	140	16	16	81	81	399			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	97	3091	126	95	2523	490	140	16	16	81	81	399			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	97	3091	126	95	2523	490	140	16	16	81	81	399			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	97	3091	126	95	2523	490	140	16	16	81	81	399			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	97	3091	126	95	2523	490	140	16	16	81	81	399			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	1.00	0.92	0.99	0.95	0.83	0.95	0.95	0.92	1.00	0.92				
Lanes:	1.00	4.00	1.00	1.00	3.32	0.68	2.00	0.50	0.50	1.00	1.00				
Final Sat.:	1750	7600	1750	1750	6278	1219	3150	900	900	1750	1900				
Capacity Analysis Module:															
Vol/Sat:	0.06	0.41	0.07	0.05	0.40	0.40	0.04	0.02	0.02	0.05	0.04				
Crit Moves:	****			****			****			****					
Green Time:	12.8	93.2	115.2	12.4	92.8	92.8	10.3	28.3	28.3	22.0	40.1	52.6			
Volume/Cap:	0.73	0.73	0.10	0.73	0.73	0.73	0.73	0.11	0.11	0.35	0.18	0.73			
Uniform Del:	75.9	28.1	8.9	76.2	28.1	28.1	77.5	59.1	59.1	66.5	50.8	51.4			
IncremntDel:	18.1	0.7	0.0	19.3	0.7	0.7	13.0	0.2	0.2	0.9	0.2	4.9			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	94.0	28.8	9.0	95.5	28.8	28.8	90.5	59.3	59.3	67.4	51.0	56.3			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	94.0	28.8	9.0	95.5	28.8	28.8	90.5	59.3	59.3	67.4	51.0	56.3			
LOS by Move:	F	C	A	F	C	C	F	E+	E+	E	D-	E+			
HCM2kAvgQ:	5	29	2	7	29	29	6	1	1	4	3	20			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

Intersection #28: Mathilda Ave & San Aleso Ave




Street Name: Mathilda Ave San Aleso Ave																		
Approach:	North Bound			South Bound			East Bound			West Bound								
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R			
Min. Green:	7		10	10		7	10		10	10		10	10		10			
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0			
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																		
Base Vol:	18		2655	30		45	1239		3	2		1	1		11	1		15
Growth Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Initial Bse:	18		2655	30		45	1239		3	2		1	1		11	1		15
Added Vol:	0		0	0		0	0		0	0		0	0		0	0		0
PasserByVol:	0		0	0		0	0		0	0		0	0		0	0		0
Initial Fut:	18		2655	30		45	1239		3	2		1	1		11	1		15
User Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Volume:	18		2655	30		45	1239		3	2		1	1		11	1		15
Reduc Vol:	0		0	0		0	0		0	0		0	0		0	0		0
Reduced Vol:	18		2655	30		45	1239		3	2		1	1		11	1		15
PCE Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
MLF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
FinalVolume:	18		2655	30		45	1239		3	2		1	1		11	1		15
Saturation Flow Module:																		
Sat/Lane:	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900
Adjustment:	0.92		1.00	0.92		0.99	0.95		0.92	0.95		0.95	0.92		0.92	0.92		0.92
Lanes:	1.00		3.00	1.00		3.99	0.01		1.00	0.50		0.50	0.41		0.04	0.55		
Final Sat.:	1750		5700	1750		1750	7482		18	1750		900	900		713	65		972
Capacity Analysis Module:																		
Vol/Sat:	0.01		0.47	0.02		0.03	0.17		0.17	0.00		0.00	0.02		0.02	0.02		0.02
Crit Moves:	****		****	****		****	****		****	****		****	****		****	****		****
Green Time:	29.3		132	131.7		7.3	110		109.7	10.0		10.0	10.0		10.0	10.0		10.0
Volume/Cap:	0.06		0.56	0.02		0.56	0.24		0.24	0.02		0.02	0.24		0.24	0.24		0.24
Uniform Del:	52.9		4.1	2.2		73.8	8.9		8.9	69.4		69.4	69.4		70.4	70.4		70.4
IncremntDel:	0.1		0.2	0.0		8.5	0.0		0.0	0.1		0.1	1.1		1.1	1.1		1.1
InitQueueDel:	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0
Delay Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Delay/Veh:	53.0		4.2	2.2		82.3	8.9		8.9	69.5		69.5	69.5		71.6	71.6		71.6
User DelAdj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
AdjDel/Veh:	53.0		4.2	2.2		82.3	8.9		8.9	69.5		69.5	69.5		71.6	71.6		71.6
LOS by Move:	D-		A	A		F	A		A	E		E	E		E	E		E
HCM2kAvgQ:	1		13	0		2	5		5	0		0	0		2	2		2

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #28: Mathilda Ave & San Aleso Ave



Street Name: Mathilda Ave San Aleso Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		10 10		10 10		10 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	34 2846		85 122		2058 35		3 2		5 42		1 1		56		
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
Initial Bse:	34 2846		85 122		2058 35		3 2		5 42		1 1		56		
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0		0 0		
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0		0 0		
Initial Fut:	34 2846		85 122		2058 35		3 2		5 42		1 1		56		
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
PHF Volume:	34 2846		85 122		2058 35		3 2		5 42		1 1		56		
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0		0 0		
Reduced Vol:	34 2846		85 122		2058 35		3 2		5 42		1 1		56		
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
FinalVolume:	34 2846		85 122		2058 35		3 2		5 42		1 1		56		
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		
Adjustment:	0.92 1.00		0.92 0.99		0.95 0.92		0.95 0.95		0.95 0.95		0.92 0.92		0.92 0.92		
Lanes:	1.00 3.00		1.00 3.93		0.07 1.00		0.29 1.00		0.71 1.00		0.42 1.00		0.01 0.57		
Final Sat.:	1750 5700		1750 7374		125 1750		514 1286		1286 742		18 990				
Capacity Analysis Module:															
Vol/Sat:	0.02 0.50		0.05 0.05		0.07 0.28		0.28 0.00		0.00 0.00		0.00 0.06		0.06 0.06		
Crit Moves:	****		****								****				
Green Time:	18.6 119		118.9 16.6		117 117.0		13.5 13.5		13.5 13.5		13.5 13.5		13.5 13.5		
Volume/Cap:	0.17 0.66		0.06 0.66		0.66 0.38		0.38 0.02		0.05 0.05		0.66 0.66		0.66 0.66		
Uniform Del:	62.7 9.7		5.1 68.0		7.4 7.4		66.2 66.4		66.4 70.1		70.1 70.1		70.1 70.1		
IncremntDel:	0.4 0.4		0.0 0.0		8.8 0.0		0.0 0.1		0.1 0.1		10.7 10.7		10.7 10.7		
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
Delay/Veh:	63.1 10.0		5.1 76.8		7.4 7.4		66.3 66.5		66.5 80.8		80.8 80.8		80.8 80.8		
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
AdjDel/Veh:	63.1 10.0		5.1 76.8		7.4 7.4		66.3 66.5		66.5 80.8		80.8 80.8		80.8 80.8		
LOS by Move:	E B+		A E-		A A		E E		E E		F F		F F		
HCM2kAvgQ:	1 21		1 6		9 9		0 0		0 0		6 6		6 6		
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

Intersection #28: Mathilda Ave & San Aleso Ave




Street Name: Mathilda Ave San Aleso Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		10 10		10 10		10 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	34 2873		84 123		2061 35		3 2		5 41		1 1		56		
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
Initial Bse:	34 2873		84 123		2061 35		3 2		5 41		1 1		56		
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0		0 0		
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0		0 0		
Initial Fut:	34 2873		84 123		2061 35		3 2		5 41		1 1		56		
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
PHF Volume:	34 2873		84 123		2061 35		3 2		5 41		1 1		56		
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0		0 0		
Reduced Vol:	34 2873		84 123		2061 35		3 2		5 41		1 1		56		
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
FinalVolume:	34 2873		84 123		2061 35		3 2		5 41		1 1		56		
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		
Adjustment:	0.92 1.00		0.92 0.99		0.95 0.92		0.95 0.95		0.95 0.92		0.92 0.92		0.92 0.92		
Lanes:	1.00 3.00		1.00 3.93		0.07 1.00		0.29 0.29		0.71 0.42		0.01 0.01		0.57 0.57		
Final Sat.:	1750 5700		1750 1750		7375 125		1750 1750		514 1286		18 732		1000 1000		
Capacity Analysis Module:															
Vol/Sat:	0.02 0.50		0.05 0.05		0.07 0.28		0.28 0.00		0.00 0.00		0.00 0.06		0.06 0.06		
Crit Moves:	****		****								****				
Green Time:	18.6 119		119.1 16.6		117 117.2		13.2 13.2		13.2 13.2		13.2 13.2		13.2 13.2		
Volume/Cap:	0.17 0.67		0.06 0.67		0.67 0.38		0.38 0.02		0.05 0.05		0.67 0.67		0.67 0.67		
Uniform Del:	62.7 9.6		5.0 68.0		7.3 7.3		66.4 66.6		66.6 66.6		70.3 70.3		70.3 70.3		
IncremntDel:	0.4 0.4		0.0 9.1		0.0 0.0		0.1 0.1		0.1 0.1		11.3 11.3		11.3 11.3		
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
Delay/Veh:	63.1 10.0		5.0 77.1		7.4 7.4		66.5 66.7		66.7 66.7		81.5 81.5		81.5 81.5		
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
AdjDel/Veh:	63.1 10.0		5.0 77.1		7.4 7.4		66.5 66.7		66.7 66.7		81.5 81.5		81.5 81.5		
LOS by Move:	E	B+	A	E-	A	A	E	E	E	F	F	F	F		
HCM2kAvgQ:	1	21	1	6	9	9	0	0	0	6	6	6	6		
Note: Queue reported is the number of cars per lane.															

**Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM**

---


#### Intersection #29: Mathilda Ave & Maude Ave



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #29: Mathilda Ave & Maude Ave



Street Name: Mathilda Ave Maude Ave																			
Approach:	North Bound			South Bound			East Bound			West Bound									
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10						
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0						
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																			
Base Vol: 621 2607 58 328 1356 617 157 95 191 151 493 377																			
Growth Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Initial Bse: 621 2607 58 328 1356 617 157 95 191 151 493 377																			
Added Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
PasserByVol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Initial Fut: 621 2607 58 328 1356 617 157 95 191 151 493 377																			
User Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Volume: 621 2607 58 328 1356 617 157 95 191 151 493 377																			
Reduc Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Reduced Vol: 621 2607 58 328 1356 617 157 95 191 151 493 377																			
PCE Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
MLF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
FinalVolume: 621 2607 58 328 1356 617 157 95 191 151 493 377																			
Saturation Flow Module:																			
Sat/Lane: 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900																			
Adjustment: 0.83 0.98 0.95 0.83 1.00 0.92 0.83 1.00 0.92 0.92 0.99 0.95																			
Lanes: 2.00 2.93 0.07 2.00 4.00 1.00 2.00 1.00 1.00 1.00 1.11 0.89																			
Final Sat.: 3150 5478 122 3150 7600 1750 3150 1900 1750 1750 2095 1602																			
Capacity Analysis Module:																			
Vol/Sat: 0.20 0.48 0.48 0.10 0.18 0.35 0.05 0.05 0.11 0.09 0.24 0.24																			
Crit Moves: **** * * * * * * * * * * *																			
Green Time: 41.5 86.4 86.4 18.9 63.7 72.8 9.0 21.0 62.6 30.7 42.7 42.7																			
Volume/Cap: 0.80 0.93 0.93 0.93 0.47 0.82 0.93 0.40 0.29 0.48 0.93 0.93																			
Uniform Del: 59.9 38.5 38.5 74.4 39.9 42.3 79.7 68.2 37.6 61.9 61.7 61.7																			
IncremntDel: 6.1 6.3 6.3 30.9 0.1 7.0 49.5 1.1 0.3 1.1 15.5 15.5																			
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																			
Delay Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Delay/Veh: 65.9 44.9 44.9 105.3 40.0 49.3 129.2 69.3 37.9 63.1 77.2 77.2																			
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
AdjDel/Veh: 65.9 44.9 44.9 105.3 40.0 49.3 129.2 69.3 37.9 63.1 77.2 77.2																			
LOS by Move: E D D F D D F E D+ E E- E-																			
HCM2kAvgQ: 17 41 41 11 13 31 7 5 7 8 26 26																			
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

Intersection #29: Mathilda Ave & Maude Ave




Street Name: Mathilda Ave Maude Ave															
Approach: North Bound				South Bound				East Bound				West Bound			
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	621	2647	50	329	1338	639	156	98	189	151	493	367			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	621	2647	50	329	1338	639	156	98	189	151	493	367			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	621	2647	50	329	1338	639	156	98	189	151	493	367			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	621	2647	50	329	1338	639	156	98	189	151	493	367			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	621	2647	50	329	1338	639	156	98	189	151	493	367			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	621	2647	50	329	1338	639	156	98	189	151	493	367			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	0.98	0.95	0.83	1.00	0.92	0.83	1.00	0.92	0.92	0.99	0.95			
Lanes:	2.00	2.94	0.06	2.00	4.00	1.00	2.00	1.00	1.00	1.00	1.12	0.88			
Final Sat.:	3150	5496	104	3150	7600	1750	3150	1900	1750	1750	2120	1578			
Capacity Analysis Module:															
Vol/Sat:	0.20	0.48	0.48	0.10	0.18	0.37	0.05	0.05	0.11	0.09	0.23	0.23			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	40.7	87.1	87.1	18.9	65.2	74.2	9.0	20.8	61.5	30.3	42.1	42.1			
Volume/Cap:	0.82	0.93	0.93	0.93	0.46	0.83	0.93	0.42	0.30	0.48	0.93	0.93			
Uniform Del:	60.6	38.3	38.3	74.4	38.7	41.9	79.7	68.6	38.3	62.3	62.1	62.1			
IncremntDel:	6.9	6.5	6.5	31.5	0.1	7.7	50.7	1.2	0.3	1.2	16.1	16.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	67.6	44.8	44.8	106.0	38.8	49.6	130.4	69.8	38.6	63.5	78.3	78.3			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	67.6	44.8	44.8	106.0	38.8	49.6	130.4	69.8	38.6	63.5	78.3	78.3			
LOS by Move:	E	D	D	F	D+	D	F	E	D+	E	E-	E-			
HCM2kAvgQ:	17	41	41	12	12	32	7	5	7	8	26	26			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


Intersection #30: Mathilda Ave & Indio Way



Street Name: Mathilda Ave												Indio Way														
Approach: North Bound				South Bound				East Bound				West Bound														
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-		
Min. Green:	7	10	10	7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10		
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																										
Base Vol:	68	2221	132	23	842	76	18	0	174	139	17	622														
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Initial Bse:	68	2221	132	23	842	76	18	0	174	139	17	622														
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Initial Fut:	68	2221	132	23	842	76	18	0	174	139	17	622														
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Volume:	68	2221	132	23	842	76	18	0	174	139	17	622														
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Reduced Vol:	68	2221	132	23	842	76	18	0	174	139	17	622														
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
FinalVolume:	68	2221	132	23	842	76	18	0	174	139	17	622														
Saturation Flow Module:																										
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900		
Adjustment:	0.92	1.00	0.92	0.92	1.00	0.92	0.95	0.95	0.92	0.95	0.95	0.92	0.95	0.95	0.92	0.95	0.95	0.92	0.95	0.95	0.92					
Lanes:	1.00	3.00	1.00	1.00	3.00	1.00	1.00	0.00	1.00	0.89	0.11	1.00														
Final Sat.:	1750	5700	1750	1750	5700	1750	1800	0	1750	1604	196	1750														
Capacity Analysis Module:																										
Vol/Sat:	0.04	0.39	0.08	0.01	0.15	0.04	0.01	0.00	0.10	0.09	0.09	0.36														
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****														
Green Time:	20.1	84.7	84.7	7.0	71.6	71.6	68.3	0.0	88.4	68.3	68.3	75.3														
Volume/Cap:	0.33	0.78	0.15	0.32	0.35	0.10	0.02	0.00	0.19	0.21	0.21	0.80														
Uniform Del:	68.3	34.4	22.7	78.7	32.9	29.3	30.3	0.0	21.4	32.9	32.9	40.3														
IncremntDel:	0.9	1.4	0.1	2.5	0.1	0.1	0.0	0.0	0.1	0.1	0.1	5.8														
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0														
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00	1.00	1.00	1.00														
Delay/Veh:	69.2	35.8	22.8	81.2	33.0	29.4	30.3	0.0	21.5	33.0	33.0	46.1														
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00														
AdjDel/Veh:	69.2	35.8	22.8	81.2	33.0	29.4	30.3	0.0	21.5	33.0	33.0	46.1														
LOS by Move:	E	D+	C+	F	C-	C	C	A	C+	C-	C-	D														
HCM2kAvgQ:	3	31	4	1	9	2	1	0	5	5	5	31														
Note: Queue reported is the number of cars per lane.																										

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #30: Mathilda Ave & Indio Way



Street Name: Mathilda Ave												Indio Way													
Approach: North Bound				South Bound				East Bound				West Bound													
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	10	10	10	10	10	10	10	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																									
Base Vol:	198	2573	385	32	1497	76	34	6	216	195	17	622													
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
Initial Bse:	198	2573	385	32	1497	76	34	6	216	195	17	622													
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0													
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0													
Initial Fut:	198	2573	385	32	1497	76	34	6	216	195	17	622													
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
PHF Volume:	198	2573	385	32	1497	76	34	6	216	195	17	622													
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0													
Reduced Vol:	198	2573	385	32	1497	76	34	6	216	195	17	622													
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
FinalVolume:	198	2573	385	32	1497	76	34	6	216	195	17	622													
Saturation Flow Module:																									
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900													
Adjustment:	0.92	0.99	0.95	0.92	0.98	0.95	0.92	0.95	0.95	0.92	0.95	0.95													
Lanes:	1.00	2.60	0.40	1.00	2.85	0.15	1.00	0.03	0.97	1.00	0.03	0.97													
Final Sat.:	1750	4870	729	1750	5329	271	1750	49	1751	1750	48	1752													
Capacity Analysis Module:																									
Vol/Sat:	0.11	0.53	0.53	0.02	0.28	0.28	0.02	0.12	0.12	0.11	0.36	0.36													
Crit Moves:																									
Green Time:	26.6	85.5	85.5	7.0	66.0	66.0	7.0	33.9	60.4	30.6	57.5	64.5													
Volume/Cap:	0.72	1.04	1.04	0.44	0.72	0.72	0.47	0.62	0.34	0.62	1.04	0.93													
Uniform Del:	67.7	41.7	41.7	79.1	43.7	43.7	79.2	61.6	39.8	63.8	55.8	50.1													
IncremntDel:	8.9	29.8	29.8	4.2	1.2	1.2	4.7	3.2	0.3	3.6	48.3	19.3													
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0													
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
Delay/Veh:	76.6	71.5	71.5	83.3	44.9	44.9	83.9	64.8	40.1	67.4	104	69.4													
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
AdjDel/Veh:	76.6	71.5	71.5	83.3	44.9	44.9	83.9	64.8	40.1	67.4	104	69.4													
LOS by Move:	E-	E	E	F	D	D	F	E	D	E	F	E													
HCM2kAvgQ:	10	54	54	2	23	23	2	12	9	11	43	37													
Note: Queue reported is the number of cars per lane.																									

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


Intersection #30: Mathilda Ave & Indio Way



Street Name: Mathilda Ave Indio Way															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 7		10 7		10 10		10 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	220	2542	428	32	1483	76	34	6	215	193	17	634			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	220	2542	428	32	1483	76	34	6	215	193	17	634			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	220	2542	428	32	1483	76	34	6	215	193	17	634			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	220	2542	428	32	1483	76	34	6	215	193	17	634			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	220	2542	428	32	1483	76	34	6	215	193	17	634			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	220	2542	428	32	1483	76	34	6	215	193	17	634			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	0.99	0.95	0.92	0.98	0.95	0.92	0.95	0.95	0.92	0.95				
Lanes:	1.00	2.55	0.45	1.00	2.85	0.15	1.00	0.03	0.97	1.00	0.03				
Final Sat.:	1750	4792	807	1750	5327	273	1750	49	1751	1750	47				
Capacity Analysis Module:															
Vol/Sat:	0.13	0.53	0.53	0.02	0.28	0.28	0.02	0.12	0.12	0.11	0.36				
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****				
Green Time:	28.6	85.0	85.0	7.0	63.4	63.4	7.0	34.2	62.9	30.7	58.0				
Volume/Cap:	0.74	1.05	1.05	0.44	0.74	0.74	0.47	0.61	0.33	0.61	1.05				
Uniform Del:	66.7	42.0	42.0	79.1	45.7	45.7	79.2	61.3	38.0	63.6	55.5				
IncremntDel:	9.7	33.5	33.5	4.2	1.5	1.5	4.7	2.9	0.3	3.3	51.4				
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Delay/Veh:	76.3	75.5	75.5	83.3	47.2	47.2	83.9	64.2	38.3	66.9	107				
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
AdjDel/Veh:	76.3	75.5	75.5	83.3	47.2	47.2	83.9	64.2	38.3	66.9	107				
LOS by Move:	E-	E-	E-	F	D	D	F	E	D+	E	F				
HCM2kAvgQ:	11	55	55	2	23	23	2	11	8	10	44				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

Intersection #31: Mathilda Ave & California Ave




Street Name: Mathilda Ave California Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 7		10 7		10 7		10 7		10 7		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	117 2400		304 49		805 222		52 21		122 79		132 185				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	117 2400		304 49		805 222		52 21		122 79		132 185				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	117 2400		304 49		805 222		52 21		122 79		132 185				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	117 2400		304 49		805 222		52 21		122 79		132 185				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	117 2400		304 49		805 222		52 21		122 79		132 185				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	117 2400		304 49		805 222		52 21		122 79		132 185				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 0.99		0.95 0.92		1.00 1.00		0.92 0.92		1.00 0.92		1.00 0.92				
Lanes:	1.00 2.65		0.35 1.00		3.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Final Sat.:	1750 4970		629 1750		5700 5700		1750 1750		1900 1900		1750 1750				
Capacity Analysis Module:															
Vol/Sat:	0.07 0.48		0.48 0.03		0.14 0.13		0.01 0.03		0.07 0.07		0.05 0.05				
Crit Moves:	****		****		****		****		****		****				
Green Time:	42.5 125		125.1 7.3		89.8 97.5		7.7 7.7		14.5 57.0		11.2 11.2				
Volume/Cap:	0.27 0.66		0.66 0.27		0.22 0.66		0.13 0.13		0.21 0.69		0.66 0.66				
Uniform Del:	51.2 11.5		11.5 80.1		22.0 17.7		79.9 79.9		71.9 40.3		73.0 77.7				
IncremntDel:	0.3 0.4		0.4 19.3		0.0 0.0		0.1 0.1		0.4 0.4		0.2 0.2				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	51.6 11.9		11.9 99.4		22.1 22.1		17.8 98.1		72.2 40.5		80.7 93.9				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	51.6 11.9		11.9 99.4		22.1 22.1		17.8 98.1		72.2 40.5		80.7 93.9				
LOS by Move:	D-	B+	B+	F	C+	B	F	E	D	F	F	E-			
HCM2kAvgQ:	5	23	23	3	7	6	4	1	5	5	7	10			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

Intersection #31: Mathilda Ave & California Ave




Street Name: Mathilda Ave California Ave																								
Approach:	North Bound			South Bound			East Bound			West Bound														
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----																								
Min. Green:	7		10		10		7		10		10		7		10									
Y+R:	4.0		4.0		4.0		4.0		4.0		4.0		4.0		4.0									
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----																								
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																								
Base Vol:	117		3167		366		132		1476		272		110		24		176		79		423		185	
Growth Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00			
Initial Bse:	117		3167		366		132		1476		272		110		24		176		79		423		185	
Added Vol:	0		0		0		0		0		0		0		0		0		0		0		0	
PasserByVol:	0		0		0		0		0		0		0		0		0		0		0		0	
Initial Fut:	117		3167		366		132		1476		272		110		24		176		79		423		185	
User Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Volume:	117		3167		366		132		1476		272		110		24		176		79		423		185	
Reduc Vol:	0		0		0		0		0		0		0		0		0		0		0		0	
Reduced Vol:	117		3167		366		132		1476		272		110		24		176		79		423		185	
PCE Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
MLF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
FinalVolume:	117		3167		366		132		1476		272		110		24		176		79		423		185	
Saturation Flow Module:																								
Sat/Lane:	1900		1900		1900		1900		1900		1900		1900		1900		1900		1900		1900		1900	
Adjustment:	0.92		0.99		0.95		0.92		1.00		0.92		1.00		0.92		0.92		1.00		0.92		0.92	
Lanes:	1.00		2.68		0.32		1.00		3.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Final Sat.:	1750		5019		580		1750		5700		1750		1750		1900		1750		1750		1900		1750	
Capacity Analysis Module:																								
Vol/Sat:	0.07		0.63		0.63		0.08		0.26		0.16		0.06		0.01		0.10		0.05		0.22		0.11	
Crit Moves:	****		****		****		****		****		****		****		****		****		****		****		****	
Green Time:	23.1		101		100.5		12.0		89.4		99.4		10.0		25.7		48.8		19.7		35.5		47.5	
Volume/Cap:	0.49		1.07		1.07		1.07		0.49		0.27		1.07		0.08		0.35		0.39		1.07		0.38	
Uniform Del:	68.0		34.7		34.7		79.0		25.8		17.3		80.0		62.0		48.0		69.5		67.3		49.4	
IncremntDel:	1.6		37.3		37.3		100.1		0.1		0.1		108.0		0.1		0.4		1.2		64.2		0.5	
InitQueueDel:	0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	
Delay Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Delay/Veh:	69.6		72.0		72.0		179.1		25.9		17.5		187.9		62.1		48.4		70.8		131		49.9	
User DelAdj:	1.00																							

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

---


Intersection #31: Mathilda Ave & California Ave



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

Intersection #32: Mathilda Ave & Washington Ave




Street Name: Mathilda Ave Washington Ave															
Approach: North Bound				South Bound				East Bound				West Bound			
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	20	2641	50	172	612	143	205	46	34	34	74	139			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	20	2641	50	172	612	143	205	46	34	34	74	139			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	20	2641	50	172	612	143	205	46	34	34	74	139			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	20	2641	50	172	612	143	205	46	34	34	74	139			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	20	2641	50	172	612	143	205	46	34	34	74	139			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	20	2641	50	172	612	143	205	46	34	34	74	139			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.98	0.95	0.83	0.99	0.95	0.83	0.95	0.95	0.83	0.95	0.95			
Lanes:	1.00	2.94	0.06	2.00	2.41	0.59	2.00	0.58	0.42	2.00	0.35	0.65			
Final Sat.:	1750	5496	104	3150	4538	1060	3150	1035	765	3150	625	1175			
Capacity Analysis Module:															
Vol/Sat:	0.01	0.48	0.48	0.05	0.13	0.13	0.07	0.04	0.04	0.01	0.12	0.12			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	27.5	106	105.7	12.0	90.1	90.1	14.3	23.7	23.7	16.6	26.0	26.0			
Volume/Cap:	0.07	0.77	0.77	0.77	0.25	0.25	0.77	0.32	0.32	0.11	0.77	0.77			
Uniform Del:	60.4	23.4	23.4	77.7	21.7	21.7	76.3	65.9	65.9	70.0	69.2	69.2			
IncremntDel:	0.1	1.1	1.1	15.4	0.0	0.0	13.2	0.7	0.7	0.2	12.7	12.7			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	60.5	24.6	24.6	93.1	21.7	21.7	89.4	66.6	66.6	70.1	81.9	81.9			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	60.5	24.6	24.6	93.1	21.7	21.7	89.4	66.6	66.6	70.1	81.9	81.9			
LOS by Move:	E	C	C	F	C+	C+	F	E	E	E	F	F			
HCM2kAvgQ:	1	34	34	6	7	7	8	4	4	1	13	13			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

Intersection #32: Mathilda Ave & Washington Ave




Street Name: Mathilda Ave Washington Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	136	2778	132	463	1098	195	302	140	38	89	237	272			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	136	2778	132	463	1098	195	302	140	38	89	237	272			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	136	2778	132	463	1098	195	302	140	38	89	237	272			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	136	2778	132	463	1098	195	302	140	38	89	237	272			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	136	2778	132	463	1098	195	302	140	38	89	237	272			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	136	2778	132	463	1098	195	302	140	38	89	237	272			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.98	0.95	0.83	0.99	0.95	0.83	0.95	0.95	0.83	0.95	0.95			
Lanes:	1.00	2.86	0.14	2.00	2.53	0.47	2.00	0.79	0.21	2.00	0.47	0.53			
Final Sat.:	1750	5346	254	3150	4754	844	3150	1416	384	3150	838	962			
Capacity Analysis Module:															
Vol/Sat:	0.08	0.52	0.52	0.15	0.23	0.23	0.10	0.10	0.10	0.03	0.28	0.28			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	25.4	78.5	78.5	22.2	75.4	75.4	14.5	40.4	40.4	16.8	42.7	42.7			
Volume/Cap:	0.52	1.12	1.12	1.12	0.52	0.52	1.12	0.42	0.42	0.29	1.12	1.12			
Uniform Del:	66.7	45.7	45.7	73.9	34.2	34.2	77.8	54.8	54.8	71.0	63.6	63.6			
IncremntDel:	1.9	61.8	61.8	82.8	0.2	0.2	92.7	0.7	0.7	0.5	81.0	81.0			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	68.6	108	107.5	156.7	34.4	34.4	170.5	55.5	55.5	71.5	145	144.6			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	68.6	108	107.5	156.7	34.4	34.4	170.5	55.5	55.5	71.5	145	144.6			
LOS by Move:	E	F	F	F	C-	C-	F	E+	E+	E	F	F			
HCM2kAvgQ:	7	64	64	19	16	16	15	8	8	3	38	38			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

Intersection #32: Mathilda Ave & Washington Ave




Street Name: Mathilda Ave Washington Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	152	2793	137	468	1095	214	319	140	37	89	202	282			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	152	2793	137	468	1095	214	319	140	37	89	202	282			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	152	2793	137	468	1095	214	319	140	37	89	202	282			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	152	2793	137	468	1095	214	319	140	37	89	202	282			
Reducet Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	152	2793	137	468	1095	214	319	140	37	89	202	282			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	152	2793	137	468	1095	214	319	140	37	89	202	282			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.98	0.95	0.83	0.99	0.95	0.83	0.95	0.95	0.83	0.95	0.95			
Lanes:	1.00	2.85	0.15	2.00	2.49	0.51	2.00	0.79	0.21	2.00	0.42	0.58			
Final Sat.:	1750	5338	262	3150	4683	915	3150	1424	376	3150	751	1049			
Capacity Analysis Module:															
Vol/Sat:	0.09	0.52	0.52	0.15	0.23	0.23	0.10	0.10	0.10	0.03	0.27	0.27			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	27.6	79.3	79.3	22.5	74.3	74.3	15.4	39.6	39.6	16.6	40.8	40.8			
Volume/Cap:	0.54	1.12	1.12	1.12	0.54	0.54	1.12	0.42	0.42	0.29	1.12	1.12			
Uniform Del:	65.3	45.3	45.3	73.7	35.2	35.2	77.3	55.5	55.5	71.3	64.6	64.6			
IncremntDel:	2.0	60.3	60.3	81.3	0.2	0.2	90.0	0.7	0.7	0.5	80.6	80.6			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	67.3	106	105.6	155.0	35.4	35.4	167.3	56.2	56.2	71.8	145	145.2			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	67.3	106	105.6	155.0	35.4	35.4	167.3	56.2	56.2	71.8	145	145.2			
LOS by Move:	E	F	F	F	D+	D+	F	E+	E+	E	F	F			
HCM2kAvgQ:	7	64	64	19	16	16	15	8	8	3	36	36			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


Intersection #33: Mathilda Ave & McKinley Ave



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

Intersection #33: Mathilda Ave & McKinley Ave




Street Name: Mathilda Ave												McKinley Ave												
Approach: North Bound				South Bound				East Bound				West Bound												
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	7	10	10	7	10	10	7	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																								
Base Vol:	47	2762	327	210	937	55	74	22	18	167	0	255												
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
Initial Bse:	47	2762	327	210	937	55	74	22	18	167	0	255												
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Initial Fut:	47	2762	327	210	937	55	74	22	18	167	0	255												
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
PHF Volume:	47	2762	327	210	937	55	74	22	18	167	0	255												
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Reduced Vol:	47	2762	327	210	937	55	74	22	18	167	0	255												
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
FinalVolume:	47	2762	327	210	937	55	74	22	18	167	0	255												
Saturation Flow Module:																								
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	
Adjustment:	0.92	0.99	0.95	0.83	0.98	0.95	0.92	0.95	0.95	0.83	1.00	0.92												
Lanes:	1.00	2.67	0.33	2.00	2.83	0.17	1.00	0.55	0.45	2.00	0.00	1.00												
Final Sat.:	1750	5006	593	3150	5289	310	1750	990	810	3150	0	1750												
Capacity Analysis Module:																								
Vol/Sat:	0.03	0.55	0.55	0.07	0.18	0.18	0.04	0.02	0.02	0.05	0.00	0.15												
Crit Moves:																								
Green Time:	24.9	118	117.8	14.2	107	107.2	9.0	13.6	13.6	12.3	0.0	31.1												
Volume/Cap:	0.18	0.80	0.80	0.80	0.28	0.28	0.80	0.28	0.28	0.73	0.00	0.80												
Uniform Del:	63.6	17.8	17.8	76.5	14.1	14.1	79.6	73.5	73.5	77.3	0.0	66.4												
IncremntDel:	0.3	1.2	1.2	15.4	0.0	0.0	36.4	1.0	1.0	11.6	0.0	12.9												
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0												
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Delay/Veh:	64.0	19.1	19.1	91.8	14.2	14.2	116.0	74.6	74.6	88.9	0.0	79.3												
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
AdjDel/Veh:	64.0	19.1	19.1	91.8	14.2	14.2	116.0	74.6	74.6	88.9	0.0	79.3												
LOS by Move:	E	B-	B-	F	B	B	F	E	E	F	A	E-												
HCM2kAvgQ:	2	37	37	7	8	8	6	2	2	7	0	15												

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

Intersection #33: Mathilda Ave & McKinley Ave




Street Name: Mathilda Ave McKinley Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	55 2777		313 204		943 60		80 28		18 156		0 280				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	55 2777		313 204		943 60		80 28		18 156		0 280				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	55 2777		313 204		943 60		80 28		18 156		0 280				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	55 2777		313 204		943 60		80 28		18 156		0 280				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	55 2777		313 204		943 60		80 28		18 156		0 280				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	55 2777		313 204		943 60		80 28		18 156		0 280				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 0.99		0.95 0.83		0.98 0.95		0.95 0.92		0.95 0.95		0.83 1.00				
Lanes:	1.00 2.68		0.32 2.00		2.81 0.19		1.00 1.00		0.61 0.39		0.00 2.00				
Final Sat.:	1750 5032		567 3150		5265 335		1750 1750		1096 704		0 3150				
Capacity Analysis Module:															
Vol/Sat:	0.03 0.55		0.55 0.06		0.18 0.18		0.05 0.05		0.03 0.03		0.05 0.03				
Crit Moves:	*****		*****		*****		*****		*****		*****				
Green Time:	24.0 115		115.1 13.5		105 104.6		9.5 9.5		16.0 16.0		16.0 13.4				
Volume/Cap:	0.22 0.82		0.82 0.29		0.29 0.29		0.82 0.82		0.27 0.27		0.63 0.63				
Uniform Del:	64.7 19.8		19.8 77.0		15.3 15.3		79.4 79.4		71.6 71.6		75.9 75.9				
IncremntDel:	0.5 1.4		1.4 18.3		0.0 0.0		0.0 38.8		0.9 0.9		0.9 5.0				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	65.2 21.2		21.2 95.3		21.2 15.4		15.4 118.2		72.5 72.5		80.8 80.8				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	65.2 21.2		21.2 95.3		21.2 15.4		15.4 118.2		72.5 72.5		80.8 80.8				
LOS by Move:	E	C+	C+	F	B	B	F	E	E	F	A	E-			
HCM2kAvgQ:	3	39	39	7	8	8	6	2	2	6	0	17			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


Intersection #34: Mathilda Ave & Iowa Ave



Street Name: Mathilda Av Iowa Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 7		10 7		10 7		10 7		10 7		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	16 2596		29 28		584 32		71 38		18 24		25 62				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	16 2596		29 28		584 32		71 38		18 24		25 62				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	16 2596		29 28		584 32		71 38		18 24		25 62				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	16 2596		29 28		584 32		71 38		18 24		25 62				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	16 2596		29 28		584 32		71 38		18 24		25 62				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	16 2596		29 28		584 32		71 38		18 24		25 62				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 1.00		0.92 0.83		0.98 0.95		0.99 0.92		0.99 0.95		0.83 1.00				
Lanes:	1.00 3.00		1.00 2.00		2.84 0.16		1.34 1.00		0.66 1.00		2.00 1.00				
Final Sat.:	1750 5700		1750 3150		5309 291		1750 1750		2510 1189		3150 3150				
Capacity Analysis Module:															
Vol/Sat:	0.01 0.46		0.02 0.01		0.11 0.11		0.11 0.04		0.02 0.02		0.02 0.01				
Crit Moves:	****		****		****		****		****		****				
Green Time:	37.2 129		138.3 7.0		99.3 99.3		11.5 12.7		12.7 8.9		10.0 17.0				
Volume/Cap:	0.04 0.60		0.02 0.22		0.19 0.19		0.19 0.60		0.20 0.20		0.15 0.22				
Uniform Del:	52.4 8.9		3.0 78.8		16.5 16.5		16.5 77.0		73.9 73.9		77.0 76.3				
IncremntDel:	0.0 0.2		0.0 0.8		0.0 0.0		0.0 8.1		0.4 0.4		0.4 0.4				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	52.4 9.1		3.0 79.7		16.5 16.5		85.1 85.1		74.3 74.3		77.4 77.4				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	52.4 9.1		3.0 79.7		16.5 16.5		85.1 85.1		74.3 74.3		77.4 77.4				
LOS by Move:	D- A		A E-		B B		F F		E E		E E- E-				
HCM2kAvgQ:	1 19		0 1		5 5		5 5		2 2		1 1				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

Intersection #34: Mathilda Ave & Iowa Ave




Street Name: Mathilda Av Iowa Ave																								
Approach: North Bound				South Bound				East Bound				West Bound												
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
Min. Green:	7		10		10		7		10		10		7		10									
Y+R:	4.0		4.0		4.0		4.0		4.0		4.0		4.0		4.0									
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																								
Base Vol:	51		3014		260		69		999		48		71		151		95		34		85		62	
Growth Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00			
Initial Bse:	51		3014		260		69		999		48		71		151		95		34		85		62	
Added Vol:	0		0		0		0		0		0		0		0		0		0		0		0	
PasserByVol:	0		0		0		0		0		0		0		0		0		0		0		0	
Initial Fut:	51		3014		260		69		999		48		71		151		95		34		85		62	
User Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Volume:	51		3014		260		69		999		48		71		151		95		34		85		62	
Reduc Vol:	0		0		0		0		0		0		0		0		0		0		0		0	
Reduced Vol:	51		3014		260		69		999		48		71		151		95		34		85		62	
PCE Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
MLF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
FinalVolume:	51		3014		260		69		999		48		71		151		95		34		85		62	
Saturation Flow Module:																								
Sat/Lane:	1900		1900		1900		1900		1900		1900		1900		1900		1900		1900		1900		1900	
Adjustment:	0.92		1.00		0.92		0.83		0.98		0.95		0.92		0.99		0.95		0.83		1.00		0.92	
Lanes:	1.00		3.00		1.00		2.00		2.86		0.14		1.00		1.21		0.79		2.00		1.00		1.00	
Final Sat.:	1750		5700		1750		3150		5343		257		1750		2270		1428		3150		1900		1750	
Capacity Analysis Module:																								
Vol/Sat:	0.03		0.53		0.15		0.02		0.19		0.19		0.04		0.07		0.07		0.01		0.04		0.04	
Crit Moves:	****		****		****		****		****		****		****		****		****		****		****		****	
Green Time:	24.3		128		134.9		7.0		111		110.6		9.5		16.1		16.1		7.0		13.6		20.6	
Volume/Cap:	0.20		0.70		0.19		0.53		0.29		0.29		0.73		0.70		0.70		0.26		0.56		0.29	
Uniform Del:	64.3		11.1		4.3		79.9		12.8		12.8		79.0		74.6		74.6		79.0		75.3		68.1	
IncremntDel:	0.4		0.5		0.1		4.2		0.0		0.0		23.5		6.3		6.3		1.1		4.7		0.8	
InitQueueDel:	0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	
Delay Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Delay/Veh:	64.7		11.6		4.3		84.1		12.8		12.8		102.5		81.0		81.0		80.1		80.0		68.8	
User DelAdj:	1.00		1.00		1.00		1.00		1.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

---


#### Intersection #34: Mathilda Aye & Iowa Ave



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


## Intersection #35: Mathilda Ave &amp; Olive Ave



Street Name: Mathilda Ave Olive Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		10 10		10 10		10 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	54 2500		24 23		493 62		86 32		26 19		98 61				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	54 2500		24 23		493 62		86 32		26 19		98 61				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	54 2500		24 23		493 62		86 32		26 19		98 61				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	54 2500		24 23		493 62		86 32		26 19		98 61				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	54 2500		24 23		493 62		86 32		26 19		98 61				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	54 2500		24 23		493 62		86 32		26 19		98 61				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 0.98		0.95 0.92		1.00 1.00		0.92 0.95		0.95 0.95		0.92 0.92				
Lanes:	1.00 2.97		0.03 1.00		3.00 1.00		0.73 0.73		0.27 0.27		1.00 0.16				
Final Sat.:	1750 5547		53 1750		5700 1750		1750 1312		488 1750		292 292				
Capacity Analysis Module:															
Vol/Sat:	0.03 0.45		0.45 0.45		0.01 0.09		0.04 0.04		0.07 0.07		0.07 0.07				
Crit Moves:	****		****		****		****		****		0.03 0.03				
Green Time:	45.6 134.4		134.4 7.0		95.8 95.8		19.6 19.6		65.2 65.2		19.6 19.6				
Volume/Cap:	0.11 0.57		0.57 0.57		0.32 0.15		0.06 0.06		0.57 0.57		0.04 0.04				
Uniform Del:	46.9 6.8		6.8 79.2		17.7 17.7		16.8 71.2		71.2 71.2		32.8 32.8				
IncremntDel:	0.1 0.2		0.2 2.6		0.0 0.0		3.8 3.8		0.0 0.0		3.6 3.6				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	47.1 6.9		6.9 81.7		17.7 17.7		16.8 75.0		75.0 75.0		32.8 74.8				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	47.1 6.9		6.9 81.7		17.7 17.7		16.8 75.0		75.0 75.0		32.8 74.8				
LOS by Move:	D A		A F		B B		E E		C- E		E E				
HCM2kAvgQ:	2 16		16 1		4 2		7 7		1 7		7 7				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #35: Mathilda Ave & Olive Ave



Street Name: Mathilda Ave Olive Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		10 10		10 10		10 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	104 3105		144 86		853 206		158 102		42 54		196 61				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	104 3105		144 86		853 206		158 102		42 54		196 61				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	104 3105		144 86		853 206		158 102		42 54		196 61				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	104 3105		144 86		853 206		158 102		42 54		196 61				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	104 3105		144 86		853 206		158 102		42 54		196 61				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	104 3105		144 86		853 206		158 102		42 54		196 61				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 0.98		0.95 0.92		1.00 1.00		0.92 0.95		0.95 0.95		0.92 0.95				
Lanes:	1.00 2.86		0.14 1.00		3.00 1.00		0.61 0.39		1.00 0.22		0.78 1.00				
Final Sat.:	1750 5351		248 1750		5700 1750		1094 706		1750 1750		389 1411				
Capacity Analysis Module:															
Vol/Sat:	0.06 0.58		0.58 0.05		0.15 0.12		0.14 0.14		0.02 0.02		0.14 0.14				
Crit Moves:	****		****		****		****		****		0.03 0.03				
Green Time:	37.2 121		120.7 10.2		93.7 93.7		30.1 30.1		67.3 67.3		30.1 30.1				
Volume/Cap:	0.27 0.82		0.82 0.27		0.21 0.82		0.82 0.82		0.06 0.06		0.79 0.79				
Uniform Del:	55.1 17.0		17.0 79.0		20.1 19.4		67.3 67.3		31.8 31.8		66.9 66.9				
IncremntDel:	0.4 1.4		1.4 37.2		0.0 0.1		15.1 15.1		0.0 0.0		12.1 12.1				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	55.5 18.4		18.4 116.2		20.2 19.5		82.4 82.4		31.8 31.8		79.0 79.0				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	55.5 18.4		18.4 116.2		20.2 19.5		82.4 82.4		31.8 31.8		79.0 79.0				
LOS by Move:	E+ B-		B- F		C+ B-		F F		C		E- E-				
HCM2kAvgQ:	4 36		36 5		7 6		16 16		1 15		15 15				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


## Intersection #35: Mathilda Ave &amp; Olive Ave



Street Name: Mathilda Ave Olive Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		10 10		10 10		10 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	122 3119		144 88		859 187		196 115		50 67		206 61				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	122 3119		144 88		859 187		196 115		50 67		206 61				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	122 3119		144 88		859 187		196 115		50 67		206 61				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	122 3119		144 88		859 187		196 115		50 67		206 61				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	122 3119		144 88		859 187		196 115		50 67		206 61				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	122 3119		144 88		859 187		196 115		50 67		206 61				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 0.98		0.95 0.92		1.00 1.00		0.92 0.95		0.95 0.95		0.92 0.95				
Lanes:	1.00 2.86		0.14 1.00		3.00 1.00		0.63 0.37		1.00 0.25		0.75 0.75				
Final Sat.:	1750 5353		247 1750		5700 1750		1134 666		1750 1750		442 1358				
Capacity Analysis Module:															
Vol/Sat:	0.07 0.58		0.58 0.05		0.15 0.11		0.17 0.17		0.03 0.03		0.15 0.15				
Crit Moves:	****		****		****		****		****		0.03 0.03				
Green Time:	40.0 116		116.4 10.0		86.5 86.5		34.5 34.5		74.5 34.5		34.5 34.5				
Volume/Cap:	0.30 0.85		0.85 0.30		0.21 0.85		0.85 0.85		0.07 0.75		0.75 0.75				
Uniform Del:	53.4 20.2		20.2 79.2		24.2 23.0		65.3 65.3		27.6 63.6		63.6 63.6				
IncremntDel:	0.4 2.0		2.0 45.2		0.1 0.1		17.1 17.1		0.0 8.2		8.2 8.2				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	53.8 22.2		22.2 124.4		24.2 23.1		82.3 82.3		27.6 71.8		71.8 71.8				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	53.8 22.2		22.2 124.4		24.2 23.1		82.3 82.3		27.6 71.8		71.8 71.8				
LOS by Move:	D-	C+	C+	F	C	C	F	F	C	E	E	D			
HCM2kAvgQ:	5	40	40	5	8	6	19	19	2	15	15	3			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


Intersection #36: Mathilda Ave & Sunnyvale-Saratoga Rd



Street Name: Mathilda Ave Sunnyvale-Saratoga Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	25 2041		0 37		430 8		15 15		7 15		245 2		21		
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
Initial Bse:	25 2041		0 37		430 8		15 15		7 15		245 2		21		
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0		0 0		
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0		0 0		
Initial Fut:	25 2041		0 37		430 8		15 15		7 15		245 2		21		
User Adj:	1.00 1.00		0.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
PHF Adj:	1.00 1.00		0.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
PHF Volume:	25 2041		0 37		430 8		15 15		7 15		245 2		21		
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0		0 0		
Reduced Vol:	25 2041		0 37		430 8		15 15		7 15		245 2		21		
PCE Adj:	1.00 1.00		0.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
MLF Adj:	1.00 1.00		0.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		
FinalVolume:	25 2041		0 37		430 8		15 15		7 15		245 2		21		
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 1.00		0.92 0.98		0.95 0.95		0.92 0.95		0.95 0.83		0.95 0.95				
Lanes:	1.00 3.00		0.00 1.00		2.94 0.06		0.32 1.00		0.68 1.00		0.09 1.00				
Final Sat.:	1750 5700		0 1750		5498 102		1750 573		1227 3150		157 157				
Capacity Analysis Module:															
Vol/Sat:	0.01 0.36		0.00 0.02		0.08 0.08		0.01 0.01		0.01 0.01		0.08 0.01				
Crit Moves:	****		****		****		****		****		****				
Green Time:	42.6 117		0.0 7.0		81.9 81.9		14.6 10.0		10.0 25.5		20.9 20.9				
Volume/Cap:	0.06 0.52		0.00 0.52		0.16 0.16		0.10 0.21		0.21 0.52		0.11 0.11				
Uniform Del:	49.4 13.5		0.0 80.9		25.6 25.6		25.6 72.6		77.2 67.6		67.2 67.2				
IncremntDel:	0.1 0.1		0.0 6.7		0.0 0.0		0.3 1.0		1.0 1.1		0.2 0.2				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		0.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	49.4 13.6		0.0 87.5		25.6 25.6		72.9 78.2		78.2 68.7		67.4 67.4				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	49.4 13.6		0.0 87.5		25.6 25.6		72.9 78.2		78.2 68.7		67.4 67.4				
LOS by Move:	D	B	A	F	C	C	E	E-	E-	E	E	E			
HCM2kAvgQ:	1	17	0	2	4	4	1	1	1	8	1	1			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #36: Mathilda Ave & Sunnyvale-Saratoga Rd



Street Name: Mathilda Ave Sunnyvale-Saratoga Rd																
Approach: North Bound				South Bound				East Bound				West Bound				
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	
Min. Green:	7 10		10 7		10 10		10 7		10 10		10 7		10 10		10 10	
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																
Base Vol:	25 2460		0 0		66 622		8 15		7 15		349 2		27			
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
Initial Bse:	25 2460		0 0		66 622		8 15		7 15		349 2		27			
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0		0 0			
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0		0 0			
Initial Fut:	25 2460		0 0		66 622		8 15		7 15		349 2		27			
User Adj:	1.00 1.00		0.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
PHF Adj:	1.00 1.00		0.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
PHF Volume:	25 2460		0 0		66 622		8 15		7 15		349 2		27			
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0		0 0			
Reduced Vol:	25 2460		0 0		66 622		8 15		7 15		349 2		27			
PCE Adj:	1.00 1.00		0.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
MLF Adj:	1.00 1.00		0.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
FinalVolume:	25 2460		0 0		66 622		8 15		7 15		349 2		27			
Saturation Flow Module:																
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900			
Adjustment:	0.92 1.00		0.92 0.98		0.95 0.95		0.92 0.95		0.95 0.83		0.95 0.95		0.95 0.95			
Lanes:	1.00 3.00		0.00 1.00		2.96 0.04		0.32 1.00		0.68 1.00		2.00 1.00		0.07 1.00			
Final Sat.:	1750 5700		0 0		1750 5529		71 1750		573 1227		3150 3150		124 124			
Capacity Analysis Module:																
Vol/Sat:	0.01 0.43		0.00 0.04		0.11 0.11		0.01 0.01		0.01 0.01		0.11 0.11		0.02 0.02			
Crit Moves:	****		****		****		****		****		****		****			
Green Time:	32.2 112		0.0 9.8		89.1 89.1		15.9 15.9		10.0 10.0		10.0 28.6		22.7 22.7			
Volume/Cap:	0.08 0.67		0.00 0.67		0.22 0.22		0.22 0.09		0.21 0.21		0.12 0.67		0.12 0.12			
Uniform Del:	57.6 18.7		0.0 79.5		22.5 22.5		71.4 71.4		77.2 77.2		67.2 67.2		65.8 65.8			
IncremntDel:	0.1 0.5		0.0 15.8		0.0 0.0		0.2 0.2		1.0 1.0		3.2 3.2		0.2 0.2			
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0			
Delay Adj:	1.00 1.00		0.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
Delay/Veh:	57.7 19.1		0.0 95.3		22.5 22.5		71.7 71.7		78.2 78.2		78.2 70.4		66.1 66.1			
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
AdjDel/Veh:	57.7 19.1		0.0 95.3		22.5 22.5		71.7 71.7		78.2 78.2		78.2 70.4		66.1 66.1			
LOS by Move:	E+ B-		A F		C+ C+		E E		E- E-		E- E		E E			
HCM2kAvgQ:	1 25		0 4		6 6		1 1		1 1		11 1		1 1			
Note: Queue reported is the number of cars per lane.																

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


Intersection #36: Mathilda Ave & Sunnyvale-Saratoga Rd



Street Name: Mathilda Ave Sunnyvale-Saratoga Rd																		
Approach: North Bound				South Bound				East Bound				West Bound						
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R			
Min. Green:	7		10	10		7	10		10	7		10	10		10			
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0			
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																		
Base Vol:	25		2450	0		70	644		8	15		7	15		383	2		31
Growth Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Initial Bse:	25		2450	0		70	644		8	15		7	15		383	2		31
Added Vol:	0		0	0		0	0		0	0		0	0		0	0		0
PasserByVol:	0		0	0		0	0		0	0		0	0		0	0		0
Initial Fut:	25		2450	0		70	644		8	15		7	15		383	2		31
User Adj:	1.00		1.00	0.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Adj:	1.00		1.00	0.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Volume:	25		2450	0		70	644		8	15		7	15		383	2		31
Reduc Vol:	0		0	0		0	0		0	0		0	0		0	0		0
Reduced Vol:	25		2450	0		70	644		8	15		7	15		383	2		31
PCE Adj:	1.00		1.00	0.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
MLF Adj:	1.00		1.00	0.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
FinalVolume:	25		2450	0		70	644		8	15		7	15		383	2		31
Saturation Flow Module:																		
Sat/Lane:	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900
Adjustment:	0.92		1.00	0.92		0.92	0.98		0.95	0.92		0.95	0.95		0.83	0.95		0.95
Lanes:	1.00		3.00	0.00		1.00	2.96		0.04	1.00		0.32	0.68		2.00	0.06		0.94
Final Sat.:	1750		5700	0		1750	5531		69	1750		573	1227		3150	109		1691
Capacity Analysis Module:																		
Vol/Sat:	0.01		0.43	0.00		0.04	0.12		0.12	0.01		0.01	0.01		0.12	0.02		0.02
Crit Moves:	****		****	****		****	****		****	****		****	****		****	****		****
Green Time:	30.9		109	0.0		10.1	88.3		88.3	16.8		10.0	10.0		30.8	24.0		24.0
Volume/Cap:	0.08		0.68	0.00		0.68	0.23		0.23	0.09		0.21	0.21		0.68	0.13		0.13
Uniform Del:	58.7		20.2	0.0		79.3	23.1		23.1	70.6		77.2	77.2		65.9	64.8		64.8
IncremntDel:	0.1		0.5	0.0		16.6	0.0		0.0	0.2		1.0	1.0		3.3	0.2		0.2
InitQueueDel:	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0
Delay Adj:	1.00		1.00	0.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Delay/Veh:	58.9		20.8	0.0		96.0	23.1		23.1	70.8		78.2	78.2		69.3	65.1		65.1
User DelAdj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
AdjDel/Veh:	58.9		20.8	0.0		96.0	23.1		23.1	70.8		78.2	78.2		69.3	65.1		65.1
LOS by Move:	E+	C+	A	F	C	C	E	E-	E-	E-	E	E	E	E	E	E	E	
HCM2kAvgQ:	1	25	0	4	6	6	1	1	1	1	12	2	2	2				
Note: Queue reported is the number of cars per lane.																		

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


Intersection #38: Sunnyvale-Saratoga Rd & Fremont Ave



Street Name: Sunnyvale-Saratoga Rd												Fremont Ave													
Approach: North Bound				South Bound				East Bound				West Bound													
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	10	7	10	10	10	7	10	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																									
Base Vol:	253	2310	129	108	697	264	329	412	116	176	704	188													
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
Initial Bse:	253	2310	129	108	697	264	329	412	116	176	704	188													
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0													
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0													
Initial Fut:	253	2310	129	108	697	264	329	412	116	176	704	188													
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
PHF Volume:	253	2310	129	108	697	264	329	412	116	176	704	188													
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0													
Reduced Vol:	253	2310	129	108	697	264	329	412	116	176	704	188													
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
FinalVolume:	253	2310	129	108	697	264	329	412	116	176	704	188													
Saturation Flow Module:																									
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900													
Adjustment:	0.83	0.98	0.95	0.83	1.00	0.95	0.83	0.99	0.95	0.83	1.00	0.92													
Lanes:	2.00	2.84	0.16	2.00	2.15	0.85	2.00	2.32	0.68	2.00	2.00	1.00													
Final Sat.:	3150	5303	296	3150	4060	1538	3150	4368	1230	3150	3800	1750													
Capacity Analysis Module:																									
Vol/Sat:	0.08	0.44	0.44	0.03	0.17	0.17	0.10	0.09	0.09	0.06	0.19	0.11													
Crit Moves:																									
Green Time:	31.3	91.2	91.2	7.2	67.0	67.0	21.9	38.1	38.1	22.6	38.8	46.0													
Volume/Cap:	0.44	0.82	0.82	0.82	0.44	0.44	0.82	0.42	0.42	0.42	0.82	0.40													
Uniform Del:	62.0	33.0	33.0	81.3	38.2	38.2	72.6	57.0	57.0	68.2	62.7	51.2													
IncremntDel:	0.5	1.9	1.9	31.2	0.1	0.1	12.3	0.2	0.2	0.7	6.1	0.6													
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0													
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
Delay/Veh:	62.5	34.9	34.9	112.4	38.3	38.3	84.9	57.3	57.3	68.9	68.9	51.8													
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
AdjDel/Veh:	62.5	34.9	34.9	112.4	38.3	38.3	84.9	57.3	57.3	68.9	68.9	51.8													
LOS by Move:	E	C-	C-	F	D+	D+	F	E+	E+	E	E	D-													
HCM2kAvgQ:	7	35	35	4	12	12	11	8	8	5	18	8													
Note: Queue reported is the number of cars per lane.																									

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #38: Sunnyvale-Saratoga Rd & Fremont Ave



Street Name: Sunnyvale-Saratoga Rd												Fremont Ave												
Approach: North Bound				South Bound				East Bound				West Bound												
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	7	10	10								
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0							
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																								
Base Vol:	275	2318	327	153	936	264	329	794	139	236	877	516												
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Initial Bse:	275	2318	327	153	936	264	329	794	139	236	877	516												
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0												
Initial Fut:	275	2318	327	153	936	264	329	794	139	236	877	516												
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Volume:	275	2318	327	153	936	264	329	794	139	236	877	516												
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
Reduced Vol:	275	2318	327	153	936	264	329	794	139	236	877	516												
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
FinalVolume:	275	2318	327	153	936	264	329	794	139	236	877	516												
Saturation Flow Module:																								
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900												
Adjustment:	0.83	0.99	0.95	0.83	0.99	0.95	0.83	0.99	0.95	0.83	1.00	0.92												
Lanes:	2.00	2.62	0.38	2.00	2.32	0.68	2.00	2.54	0.46	2.00	2.00	1.00												
Final Sat.:	3150	4907	692	3150	4366	1232	3150	4765	834	3150	3800	1750												
Capacity Analysis Module:																								
Vol/Sat:	0.09	0.47	0.47	0.05	0.21	0.21	0.10	0.17	0.17	0.07	0.23	0.29												
Crit Moves:																								
Green Time:	27.5	86.2	86.2	8.9	67.5	67.5	19.1	44.1	44.1	19.8	44.9	53.8												
Volume/Cap:	0.54	0.94	0.94	0.94	0.54	0.54	0.94	0.65	0.65	0.65	0.88	0.94												
Uniform Del:	66.0	39.9	39.9	80.8	39.8	39.8	75.4	56.5	56.5	72.2	60.4	57.0												
IncremntDel:	1.2	6.9	6.9	52.2	0.3	0.3	32.3	1.0	1.0	4.0	9.0	23.9												
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0												
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Delay/Veh:	67.2	46.8	46.8	133.0	40.1	40.1	107.6	57.5	57.5	76.2	69.4	80.9												
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
AdjDel/Veh:	67.2	46.8	46.8	133.0	40.1	40.1	107.6	57.5	57.5	76.2	69.4	80.9												
LOS by Move:	E	D	D	F	D	D	F	E+	E+	E-	E	F												
HCM2kAvgQ:	7	41	41	6	16	16	12	14	14	7	23	31												
Note: Queue reported is the number of cars per lane.																								

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


Intersection #38: Sunnyvale-Saratoga Rd & Fremont Ave



Street Name: Sunnyvale-Saratoga Rd												Fremont Ave												
Approach: North Bound				South Bound				East Bound				West Bound												
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	7	10	10	7	10	10	228	920	500	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																								
Base Vol:	274	2344	318	149	974	264	329	794	145	228	920	500												
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Initial Bse:	274	2344	318	149	974	264	329	794	145	228	920	500												
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0												
Initial Fut:	274	2344	318	149	974	264	329	794	145	228	920	500												
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Volume:	274	2344	318	149	974	264	329	794	145	228	920	500												
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
Reduced Vol:	274	2344	318	149	974	264	329	794	145	228	920	500												
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
FinalVolume:	274	2344	318	149	974	264	329	794	145	228	920	500												
Saturation Flow Module:																								
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900												
Adjustment:	0.83	0.99	0.95	0.83	0.99	0.95	0.83	0.99	0.95	0.83	1.00	0.92												
Lanes:	2.00	2.63	0.37	2.00	2.34	0.66	2.00	2.52	0.48	2.00	2.00	1.00												
Final Sat.:	3150	4930	669	3150	4404	1194	3150	4734	865	3150	3800	1750												
Capacity Analysis Module:																								
Vol/Sat:	0.09	0.48	0.48	0.05	0.22	0.22	0.10	0.17	0.17	0.07	0.24	0.29												
Crit Moves:	*****												*****											
Green Time:	27.0	87.0	87.0	8.7	68.6	68.6	19.1	44.3	44.3	19.1	44.3	52.9												
Volume/Cap:	0.55	0.93	0.93	0.93	0.55	0.55	0.93	0.65	0.65	0.65	0.65	0.92												
Uniform Del:	66.4	39.4	39.4	80.9	39.3	39.3	75.3	56.4	56.4	72.7	61.9	57.1												
IncremntDel:	1.3	6.6	6.6	52.2	0.3	0.3	31.6	1.0	1.0	4.2	15.4	21.5												
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0												
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Delay/Veh:	67.7	46.0	46.0	133.1	39.6	39.6	107.0	57.5	57.5	76.9	77.4	78.6												
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
AdjDel/Veh:	67.7	46.0	46.0	133.1	39.6	39.6	107.0	57.5	57.5	76.9	77.4	78.6												
LOS by Move:	E	D	D	F	D	D	F	E+	E+	E-	E-	E-												
HCM2kAvgQ:	7	41	41	5	16	16	11	14	14	7	26	30												
Note: Queue reported is the number of cars per lane.																								

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


Intersection #39: Sunnyvale-Saratoga Rd & Homestead Rd



Street Name: Sunnyvale-Saratoga Rd												Homestead Rd												
Approach: North Bound				South Bound				East Bound				West Bound												
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	7	10	10	7	10	10	514	693	344	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																								
Base Vol:	296	1564	110	134	1180	96	282	255	365	514	693	344												
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Initial Bse:	296	1564	110	134	1180	96	282	255	365	514	693	344												
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0												
Initial Fut:	296	1564	110	134	1180	96	282	255	365	514	693	344												
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Volume:	296	1564	110	134	1180	96	282	255	365	514	693	344												
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
Reduced Vol:	296	1564	110	134	1180	96	282	255	365	514	693	344												
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
FinalVolume:	296	1564	110	134	1180	96	282	255	365	514	693	344												
Saturation Flow Module:																								
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900												
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92	0.83	0.99	0.95												
Lanes:	2.00	3.00	1.00	2.00	3.00	1.00	2.00	2.00	1.00	2.00	1.32	0.68												
Final Sat.:	3150	5700	1750	3150	5700	1750	3150	3800	1750	3150	2472	1227												
Capacity Analysis Module:																								
Vol/Sat:	0.09	0.27	0.06	0.04	0.21	0.05	0.09	0.07	0.21	0.16	0.28	0.28												
Crit Moves:																								
Green Time:	17.5	48.6	77.5	7.5	38.6	54.6	15.9	36.9	36.9	28.9	49.9	49.9												
Volume/Cap:	0.72	0.76	0.11	0.76	0.72	0.13	0.75	0.24	0.76	0.76	0.75	0.75												
Uniform Del:	55.9	37.5	12.7	62.3	42.8	24.9	57.1	37.7	44.4	49.2	36.7	36.7												
IncremntDel:	6.0	1.6	0.0	16.9	1.6	0.1	8.3	0.1	6.8	4.9	2.4	2.4												
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0												
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Delay/Veh:	61.9	39.1	12.8	79.2	44.4	25.0	65.5	37.8	51.2	54.1	39.0	39.0												
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
AdjDel/Veh:	61.9	39.1	12.8	79.2	44.4	25.0	65.5	37.8	51.2	54.1	39.0	39.0												
LOS by Move:	E	D	B	E-	D	C	E	D+	D-	D-	D	D												
HCM2kAvgQ:	8	20	2	4	14	3	7	4	15	12	19	19												
Note: Queue reported is the number of cars per lane.																								

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

Intersection #39: Sunnyvale-Saratoga Rd & Homestead Rd




Street Name: Sunnyvale-Saratoga Rd												Homestead Rd				
Approach:	North Bound			South Bound			East Bound			West Bound						
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10			
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0			
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																
Base Vol:	296	2457	176	184	1180	102	307	717	365	514	784	474				
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Initial Bse:	296	2457	176	184	1180	102	307	717	365	514	784	474				
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0				
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0				
Initial Fut:	296	2457	176	184	1180	102	307	717	365	514	784	474				
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
PHF Volume:	296	2457	176	184	1180	102	307	717	365	514	784	474				
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0				
Reduced Vol:	296	2457	176	184	1180	102	307	717	365	514	784	474				
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
FinalVolume:	296	2457	176	184	1180	102	307	717	365	514	784	474				
Saturation Flow Module:																
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92	0.83	0.99	0.95				
Lanes:	2.00	3.00	1.00	2.00	3.00	1.00	2.00	2.00	1.00	2.00	1.23	0.77				
Final Sat.:	3150	5700	1750	3150	5700	1750	3150	3800	1750	3150	2305	1393				
Capacity Analysis Module:																
Vol/Sat:	0.09	0.43	0.10	0.06	0.21	0.06	0.10	0.19	0.21	0.16	0.34	0.34				
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****				
Green Time:	20.1	56.7	82.0	7.7	44.3	57.1	12.8	32.3	32.3	25.3	44.8	44.8				
Volume/Cap:	0.63	1.02	0.16	1.02	0.63	0.14	1.02	0.78	0.87	0.87	1.02	1.02				
Uniform Del:	53.4	38.6	11.2	63.2	37.9	23.4	60.6	47.6	48.8	52.7	44.6	44.6				
IncremntDel:	2.6	23.0	0.1	71.8	0.7	0.1	56.6	4.4	16.8	12.6	30.3	30.3				
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Delay/Veh:	56.1	61.7	11.3	135.0	38.5	23.5	117.2	52.0	65.5	65.3	74.9	74.9				
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
AdjDel/Veh:	56.1	61.7	11.3	135.0	38.5	23.5	117.2	52.0	65.5	65.3	74.9	74.9				
LOS by Move:	E+	E	B+	F	D+	C	F	D-	E	E	E	E				
HCM2kAvgQ:	8	42	3	6	13	3	9	14	16	12	30	30				

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

Intersection #39: Sunnyvale-Saratoga Rd & Homestead Rd




Street Name: Sunnyvale-Saratoga Rd												Homestead Rd												
Approach: North Bound				South Bound				East Bound				West Bound												
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	7	10	10								
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0							
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																								
Base Vol:	296	2461	180	200	1180	101	303	734	365	514	792	474												
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Initial Bse:	296	2461	180	200	1180	101	303	734	365	514	792	474												
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0												
Initial Fut:	296	2461	180	200	1180	101	303	734	365	514	792	474												
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Volume:	296	2461	180	200	1180	101	303	734	365	514	792	474												
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
Reduced Vol:	296	2461	180	200	1180	101	303	734	365	514	792	474												
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
FinalVolume:	296	2461	180	200	1180	101	303	734	365	514	792	474												
Saturation Flow Module:																								
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900												
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92	0.83	0.99	0.95												
Lanes:	2.00	3.00	1.00	2.00	3.00	1.00	2.00	2.00	1.00	2.00	1.23	0.77												
Final Sat.:	3150	5700	1750	3150	5700	1750	3150	3800	1750	3150	2314	1385												
Capacity Analysis Module:																								
Vol/Sat:	0.09	0.43	0.10	0.06	0.21	0.06	0.10	0.19	0.21	0.16	0.34	0.34												
Crit Moves:																								
Green Time:	20.2	56.4	81.6	8.3	44.5	57.1	12.6	32.1	32.1	25.1	44.7	44.7												
Volume/Cap:	0.62	1.03	0.17	1.03	0.62	0.14	1.03	0.81	0.87	0.87	1.03	1.03												
Uniform Del:	53.3	38.8	11.4	62.9	37.7	23.4	60.7	48.0	48.9	52.8	44.6	44.6												
IncremntDel:	2.6	25.2	0.1	71.3	0.7	0.1	59.1	5.3	17.4	13.1	32.3	32.3												
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0												
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Delay/Veh:	55.9	64.0	11.5	134.1	38.3	23.5	119.8	53.3	66.3	65.9	77.0	77.0												
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
AdjDel/Veh:	55.9	64.0	11.5	134.1	38.3	23.5	119.8	53.3	66.3	65.9	77.0	77.0												
LOS by Move:	E+	E	B+	F	D+	C	F	D-	E	E	E-	E-												
HCM2kAvgQ:	8	42	3	6	13	3	9	14	16	12	30	30												

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

Intersection #40: Sunnyvale Ave & McKinley Ave




Street Name: Sunnyvale Ave McKinley Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	10	10	10	10	10	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	56	385	14	0	194	28	26	16	16	15	58	24			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	56	385	14	0	194	28	26	16	16	15	58	24			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	56	385	14	0	194	28	26	16	16	15	58	24			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	56	385	14	0	194	28	26	16	16	15	58	24			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	56	385	14	0	194	28	26	16	16	15	58	24			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	56	385	14	0	194	28	26	16	16	15	58	24			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.97	0.95	0.92	0.95	0.95	0.92	0.92	0.92	0.92	0.92	0.92			
Lanes:	1.00	1.93	0.07	1.00	0.87	0.13	0.45	0.28	0.27	0.15	0.60	0.25			
Final Sat.:	1750	3570	130	1750	1573	227	784	483	483	271	1046	433			
Capacity Analysis Module:															
Vol/Sat:	0.03	0.11	0.11	0.00	0.12	0.12	0.03	0.03	0.03	0.06	0.06	0.06			
Crit Moves:	****			****						****					
Green Time:	7.7	37.6	37.6	0.0	29.8	29.8	13.4	13.4	13.4	13.4	13.4	13.4			
Volume/Cap:	0.25	0.17	0.17	0.00	0.25	0.25	0.15	0.15	0.15	0.25	0.25	0.25			
Uniform Del:	23.5	4.7	4.7	0.0	8.6	8.6	18.7	18.7	18.7	19.1	19.1	19.1			
IncremntDel:	0.6	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.2	0.3	0.3	0.3			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	24.1	4.7	4.7	0.0	8.8	8.8	18.9	18.9	18.9	19.5	19.5	19.5			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	24.1	4.7	4.7	0.0	8.8	8.8	18.9	18.9	18.9	19.5	19.5	19.5			
LOS by Move:	C	A	A	A	A	A	B-	B-	B-	B-	B-	B-			
HCM2kAvgQ:	1	2	2	0	3	3	1	1	1	2	2	2			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

Intersection #40: Sunnyvale Ave & McKinley Ave




Street Name: Sunnyvale Ave McKinley Ave															
Approach: North Bound				South Bound				East Bound				West Bound			
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	10	10	10	10	10	10	10	10	10
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	68	592	23	4	309	173	103	16	170	22	58	24			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Initial Bse:	68	592	23	4	309	173	103	16	170	22	58	24			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	68	592	23	4	309	173	103	16	170	22	58	24			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	68	592	23	4	309	173	103	16	170	22	58	24			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	68	592	23	4	309	173	103	16	170	22	58	24			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	68	592	23	4	309	173	103	16	170	22	58	24			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.97	0.95	0.92	0.95	0.95	0.92	0.92	0.92	0.92	0.92	0.92			
Lanes:	1.00	1.92	0.08	1.00	0.64	0.36	0.36	0.05	0.59	0.21	0.56	0.23			
Final Sat.:	1750	3562	138	1750	1154	646	624	97	1029	370	976	404			
Capacity Analysis Module:															
Vol/Sat:	0.04	0.17	0.17	0.00	0.27	0.27	0.17	0.17	0.17	0.06	0.06	0.06			
Crit Moves:	****			****			****								
Green Time:	7.0	20.1	20.1	14.1	27.2	27.2	16.8	16.8	16.8	16.8	16.8	16.8			
Volume/Cap:	0.33	0.50	0.50	0.01	0.59	0.59	0.59	0.59	0.59	0.21	0.21	0.21			
Uniform Del:	24.4	15.9	15.9	17.6	12.2	12.2	18.6	18.6	18.6	16.5	16.5	16.5			
IncremntDel:	1.0	0.3	0.3	0.0	1.2	1.2	1.9	1.9	1.9	0.2	0.2	0.2			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	25.3	16.2	16.2	17.6	13.4	13.4	20.6	20.6	20.6	16.8	16.8	16.8			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	25.3	16.2	16.2	17.6	13.4	13.4	20.6	20.6	20.6	16.8	16.8	16.8			
LOS by Move:	C	B	B	B	B	B	C+	C+	C+	B	B	B			
HCM2kAvgQ:	2	5	5	0	8	8	6	6	6	2	2	2			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


Intersection #40: Sunnyvale Ave & McKinley Ave



Street Name: Sunnyvale Ave McKinley Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	10	10	10	10	10	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	72	588	23	4	316	170	109	16	170	22	58	24			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	72	588	23	4	316	170	109	16	170	22	58	24			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	72	588	23	4	316	170	109	16	170	22	58	24			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	72	588	23	4	316	170	109	16	170	22	58	24			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	72	588	23	4	316	170	109	16	170	22	58	24			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	72	588	23	4	316	170	109	16	170	22	58	24			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	0.97	0.95	0.92	0.95	0.95	0.92	0.92	0.92	0.92	0.92				
Lanes:	1.00	1.92	0.08	1.00	0.65	0.35	0.37	0.05	0.58	0.21	0.56				
Final Sat.:	1750	3561	139	1750	1170	630	647	95	1008	370	976				
Capacity Analysis Module:															
Vol/Sat:	0.04	0.17	0.17	0.00	0.27	0.27	0.17	0.17	0.17	0.06	0.06				
Crit Moves:	****			****			****								
Green Time:	7.0	20.1	20.1	14.0	27.1	27.1	16.9	16.9	16.9	16.9	16.9				
Volume/Cap:	0.35	0.49	0.49	0.01	0.60	0.60	0.60	0.60	0.60	0.21	0.21				
Uniform Del:	24.4	15.9	15.9	17.6	12.4	12.4	18.6	18.6	18.6	16.4	16.4				
IncremntDel:	1.1	0.3	0.3	0.0	1.2	1.2	2.0	2.0	2.0	0.2	0.2				
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Delay/Veh:	25.5	16.2	16.2	17.7	13.6	13.6	20.6	20.6	20.6	16.7	16.7				
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
AdjDel/Veh:	25.5	16.2	16.2	17.7	13.6	13.6	20.6	20.6	20.6	16.7	16.7				
LOS by Move:	C	B	B	B	B	B	C+	C+	C+	B	B				
HCM2kAvgQ:	2	5	5	0	8	8	6	6	6	2	2				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

Intersection #41: Fair Oaks Ave & Duane Ave




Street Name: Fair Oaks Ave												Duane Ave											
Approach: North Bound				South Bound				East Bound				West Bound											
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R								
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	10								
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0								
Volume Module: >> Count Date: 8 May 2018 << 7:45 AM - 8:45 AM																							
Base Vol:	6	943	201	153	700	48	99	102	13	167	121	237											
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00											
Initial Bse:	6	943	201	153	700	48	99	102	13	167	121	237											
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0											
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0											
Initial Fut:	6	943	201	153	700	48	99	102	13	167	121	237											
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00											
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00											
PHF Volume:	6	943	201	153	700	48	99	102	13	167	121	237											
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0											
Reduced Vol:	6	943	201	153	700	48	99	102	13	167	121	237											
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00											
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00											
FinalVolume:	6	943	201	153	700	48	99	102	13	167	121	237											
Saturation Flow Module:																							
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900											
Adjustment:	0.92	0.98	0.95	0.92	0.98	0.95	0.92	0.95	0.95	0.92	1.00	0.92											
Lanes:	1.00	1.64	0.36	1.00	2.80	0.20	1.00	0.89	0.11	1.00	1.00	1.00											
Final Sat.:	1750	3049	650	1750	5240	359	1750	1597	203	1750	1900	1750											
Capacity Analysis Module:																							
Vol/Sat:	0.00	0.31	0.31	0.09	0.13	0.13	0.06	0.06	0.06	0.10	0.06	0.14											
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****											
Green Time:	24.2	65.6	65.6	18.6	60.0	60.0	14.3	13.6	13.6	20.3	19.5	38.0											
Volume/Cap:	0.02	0.61	0.61	0.61	0.29	0.29	0.51	0.61	0.61	0.61	0.42	0.46											
Uniform Del:	43.2	23.1	23.1	52.3	21.8	21.8	54.5	55.7	55.7	51.2	50.2	37.6											
IncremntDel:	0.0	0.6	0.6	4.4	0.1	0.1	2.3	5.9	5.9	4.1	1.0	0.7											
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0											
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00											
Delay/Veh:	43.2	23.7	23.7	56.8	21.8	21.8	56.9	61.6	61.6	55.3	51.2	38.3											
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00											
AdjDel/Veh:	43.2	23.7	23.7	56.8	21.8	21.8	56.9	61.6	61.6	55.3	51.2	38.3											
LOS by Move:	D	C	C	E+	C+	C+	E+	E	E	E	E+	D-	D+	D+	D+	D+	D+	D+	D+	D+	D+	D+	D+
HCM2kAvgQ:	0	16	16	6	6	6	5	6	6	8	5	8											

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

Intersection #41: Fair Oaks Ave & Duane Ave




Street Name: Fair Oaks Ave Duane Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 8 May 2018 << 7:45 AM - 8:45 AM															
Base Vol:	43 1728		201 223		1329 48		99 102		87 167		121 272				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	43 1728		201 223		1329 48		99 102		87 167		121 272				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	43 1728		201 223		1329 48		99 102		87 167		121 272				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	43 1728		201 223		1329 48		99 102		87 167		121 272				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	43 1728		201 223		1329 48		99 102		87 167		121 272				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	43 1728		201 223		1329 48		99 102		87 167		121 272				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 0.98		0.95 0.92		0.98 0.95		0.95 0.92		0.95 0.92		1.00 0.92				
Lanes:	1.00 1.79		0.21 1.00		2.89 1.00		0.11 1.00		0.54 1.00		0.46 1.00				
Final Sat.:	1750 3314		386 1750		5405 195		1750 971		829 1750		1900 1750				
Capacity Analysis Module:															
Vol/Sat:	0.02 0.52		0.52 0.52		0.13 0.25		0.25 0.06		0.11 0.11		0.11 0.10				
Crit Moves:	****		****		****		****		****		****				
Green Time:	16.2 72.4		72.4 17.7		74.0 74.0		11.8 14.6		14.6 13.3		16.0 16.0				
Volume/Cap:	0.20 0.94		0.94 0.94		0.43 0.43		0.43 0.62		0.94 0.94		0.52 0.94				
Uniform Del:	51.1 26.6		26.6 55.6		16.0 16.0		57.0 57.2		57.2 57.9		53.3 53.3				
IncremntDel:	0.4 8.7		8.7 40.8		0.1 0.1		7.5 45.3		45.3 48.9		2.0 2.0				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	51.5 35.4		35.4 96.4		16.1 16.1		64.4 64.4		103 103		102.5 102.5				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	51.5 35.4		35.4 96.4		16.1 16.1		64.4 64.4		103 103		102.5 102.5				
LOS by Move:	D-	D+	D+	F	B	B	E	F	F	F	E+	D			
HCM2kAvgQ:	2	40	40	11	10	10	5	11	11	11	5	11			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

Intersection #41: Fair Oaks Ave & Duane Ave




Street Name: Fair Oaks Ave Duane Ave															
Approach: North Bound				South Bound				East Bound				West Bound			
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 8 May 2018 << 7:45 AM - 8:45 AM															
Base Vol:	44	1736	201	229	1301	48	99	102	84	167	121	263			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	44	1736	201	229	1301	48	99	102	84	167	121	263			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	44	1736	201	229	1301	48	99	102	84	167	121	263			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	44	1736	201	229	1301	48	99	102	84	167	121	263			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	44	1736	201	229	1301	48	99	102	84	167	121	263			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	44	1736	201	229	1301	48	99	102	84	167	121	263			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.98	0.95	0.92	0.98	0.95	0.92	0.95	0.95	0.92	1.00	0.92			
Lanes:	1.00	1.79	0.21	1.00	2.89	0.11	1.00	0.55	0.45	1.00	1.00	1.00			
Final Sat.:	1750	3316	384	1750	5400	199	1750	987	813	1750	1900	1750			
Capacity Analysis Module:															
Vol/Sat:	0.03	0.52	0.52	0.13	0.24	0.24	0.06	0.10	0.10	0.10	0.06	0.15			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	16.5	72.4	72.4	18.1	74.0	74.0	11.6	14.3	14.3	13.2	15.8	33.9			
Volume/Cap:	0.20	0.94	0.94	0.94	0.42	0.42	0.63	0.94	0.94	0.94	0.52	0.58			
Uniform Del:	50.8	26.8	26.8	55.4	15.9	15.9	57.1	57.4	57.4	58.0	53.5	41.8			
IncremntDel:	0.4	9.2	9.2	41.3	0.1	0.1	8.1	47.0	47.0	50.2	2.2	1.8			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	51.2	36.0	36.0	96.7	16.0	16.0	65.2	104	104.4	108.2	55.7	43.6			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	51.2	36.0	36.0	96.7	16.0	16.0	65.2	104	104.4	108.2	55.7	43.6			
LOS by Move:	D-	D+	D+	F	B	B	E	F	F	F	E+	D			
HCM2kAvgQ:	2	40	40	11	10	10	5	11	11	11	5	10			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

## Intersection #42: Fair Oaks Ave &amp; Arques Ave




Street Name: Fair Oaks Ave Arques Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 8 May 2018 << 8:15 AM - 9:15 AM															
Base Vol:	230	717	165	20	495	99	60	89	66	188	187	47			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	230	717	165	20	495	99	60	89	66	188	187	47			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	230	717	165	20	495	99	60	89	66	188	187	47			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	230	717	165	20	495	99	60	89	66	188	187	47			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	230	717	165	20	495	99	60	89	66	188	187	47			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	230	717	165	20	495	99	60	89	66	188	187	47			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	1.00	0.92	0.98	0.95	0.92	0.95	0.95	0.83	0.95	0.95				
Lanes:	1.00	2.00	1.00	1.00	1.66	0.34	1.00	0.57	0.43	2.00	0.80	0.20			
Final Sat.:	1750	3800	1750	1750	3083	617	1750	1034	766	3150	1438	362			
Capacity Analysis Module:															
Vol/Sat:	0.13	0.19	0.09	0.01	0.16	0.16	0.03	0.09	0.09	0.06	0.13	0.13			
Crit Moves:	****			****		****				****					
Green Time:	34.0	58.7	76.1	16.8	41.5	41.5	8.9	25.1	25.1	17.4	33.6	33.6			
Volume/Cap:	0.50	0.42	0.16	0.09	0.50	0.50	0.50	0.45	0.45	0.45	0.50	0.50			
Uniform Del:	40.8	24.1	12.3	49.9	35.9	35.9	58.4	46.3	46.3	51.9	41.1	41.1			
IncremntDel:	0.9	0.2	0.1	0.2	0.3	0.3	3.4	0.9	0.9	0.8	0.9	0.9			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	41.7	24.2	12.4	50.1	36.2	36.2	61.8	47.2	47.2	52.6	41.9	41.9			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	41.7	24.2	12.4	50.1	36.2	36.2	61.8	47.2	47.2	52.6	41.9	41.9			
LOS by Move:	D	C	B	D	D+	D+	E	D	D	D-	D	D			
HCM2kAvgQ:	8	9	3	1	10	10	3	6	6	4	8	8			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

#### Intersection #42: Fair Oaks Ave & Argus Ave




Street Name:	Fair Oaks Ave						Argues Ave											
Approach:	North Bound			South Bound			East Bound			West Bound								
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R			
Min. Green:	7		10		10		7		10		10		7		10		10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0			
Volume Module: >>	Count		Date: 8 May 2018		<< 8:15 AM - 9:15 AM													
Base Vol:	487	983	473	112	931	276	230	260	66	467	385	189						
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Initial Bse:	487	983	473	112	931	276	230	260	66	467	385	189						
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Initial Fut:	487	983	473	112	931	276	230	260	66	467	385	189						
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
PHF Volume:	487	983	473	112	931	276	230	260	66	467	385	189						
Reduced Vol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Reduced Vol:	487	983	473	112	931	276	230	260	66	467	385	189						
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
FinalVolume:	487	983	473	112	931	276	230	260	66	467	385	189						
Saturation Flow Module:																		
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900						
Adjustment:	0.92	1.00	0.92	0.92	0.98	0.95	0.92	0.95	0.95	0.83	0.95	0.95						
Lanes:	1.00	2.00	1.00	1.00	1.53	0.47	1.00	0.80	0.20	2.00	0.67	0.33						
Final Sat.:	1750	3800	1750	1750	2853	846	1750	1436	364	3150	1207	593						
Capacity Analysis Module:																		
Vol/Sat:	0.28	0.26	0.27	0.06	0.33	0.33	0.13	0.18	0.18	0.15	0.32	0.32						
Crit Moves:	****			****		****	****		****	****								
Green Time:	31.1	54.2	76.9	13.4	36.5	36.5	14.7	27.7	27.7	22.7	35.7	35.7						
Volume/Cap:	1.16	0.62	0.46	0.62	1.16	1.16	1.16	0.85	0.85	0.85	1.16	1.16						
Uniform Del:	49.4	29.8	14.9	55.9	46.8	46.8	57.6	49.2	49.2	52.0	47.2	47.2						
IncremntDel:	96.3	0.8	0.3	6.5	83.8	83.8	114.5	16.3	16.3	12.0	93.4	93.4						
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						
Delay/Veh:	145.7	30.6	15.2	62.3	131	130.5	172.2	65.4	65.4	64.0	141	140.5						
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						
AdjDel/Veh:	145.7	30.6	15.2	62.3	131	130.5	172.2	65.4	65.4	64.0	141	140.5						
LOS by Move:	F	C	B	E	F	F	F	E	E	E	E	F						
HCM2kAvgQ:	30	15	11	6	38	38	17	16	16	12	35	35						
Note: Queue reported is the number of cars per lane.																		

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

## Intersection #42: Fair Oaks Ave &amp; Arques Ave




Street Name: Fair Oaks Ave Arques Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 8 May 2018 << 8:15 AM - 9:15 AM															
Base Vol:	455	977	555	106	950	262	234	255	66	402	479	174			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	455	977	555	106	950	262	234	255	66	402	479	174			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	455	977	555	106	950	262	234	255	66	402	479	174			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	455	977	555	106	950	262	234	255	66	402	479	174			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	455	977	555	106	950	262	234	255	66	402	479	174			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	455	977	555	106	950	262	234	255	66	402	479	174			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	1.00	0.92	0.92	0.98	0.95	0.92	0.95	0.95	0.83	0.95	0.95			
Lanes:	1.00	2.00	1.00	1.00	1.56	0.44	1.00	0.79	0.21	2.00	0.73	0.27			
Final Sat.:	1750	3800	1750	1750	2900	800	1750	1430	370	3150	1320	480			
Capacity Analysis Module:															
Vol/Sat:	0.26	0.26	0.32	0.06	0.33	0.33	0.13	0.18	0.18	0.13	0.36	0.36			
Crit Moves:	****		****		****		****		****		****				
Green Time:	28.3	51.8	74.3	12.2	35.7	35.7	14.6	31.5	31.5	22.5	39.5	39.5			
Volume/Cap:	1.19	0.65	0.55	0.65	1.19	1.19	1.19	0.74	0.74	0.74	1.19	1.19			
Uniform Del:	50.9	31.7	17.5	56.8	47.2	47.2	57.7	45.4	45.4	50.9	45.3	45.3			
IncremntDel:	110.5	1.0	0.7	8.6	97.3	97.3	126.5	6.4	6.4	5.2	104	104.4			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	161.3	32.7	18.2	65.4	144	144.4	184.2	51.9	51.9	56.1	150	149.7			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	161.3	32.7	18.2	65.4	144	144.4	184.2	51.9	51.9	56.1	150	149.7			
LOS by Move:	F	C-	B-	E	F	F	F	D-	D-	E+	F	F			
HCM2kAvgQ:	30	15	14	6	40	40	18	14	14	9	42	42			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

Intersection #43: Wolfe Rd & Arques Ave




Street Name: Wolfe Rd Arques Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	21	823	270	92	233	27	64	176	10	91	165	85			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	21	823	270	92	233	27	64	176	10	91	165	85			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	21	823	270	92	233	27	64	176	10	91	165	85			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	21	823	270	92	233	27	64	176	10	91	165	85			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	21	823	270	92	233	27	64	176	10	91	165	85			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	21	823	270	92	233	27	64	176	10	91	165	85			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.83	0.99	0.95	0.83	0.99	0.95	0.92	0.98	0.95	0.83	0.99				
Lanes:	2.00	2.23	0.77	2.00	2.68	0.32	1.00	1.89	0.11	2.00	1.30				
Final Sat.:	3150	4215	1383	3150	5018	581	1750	3501	199	3150	2441				
Capacity Analysis Module:															
Vol/Sat:	0.01	0.20	0.20	0.03	0.05	0.05	0.04	0.05	0.05	0.03	0.07				
Crit Moves:	****			****			****			****					
Green Time:	41.6	87.9	87.9	13.2	59.5	59.5	16.5	27.6	27.6	19.3	30.4				
Volume/Cap:	0.03	0.36	0.36	0.36	0.12	0.12	0.36	0.29	0.29	0.24	0.36				
Uniform Del:	44.1	20.2	20.2	69.4	33.1	33.1	66.8	57.7	57.7	63.7	56.3				
IncremntDel:	0.0	0.1	0.1	0.8	0.0	0.0	1.2	0.3	0.3	0.3	0.3				
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Delay/Veh:	44.1	20.2	20.2	70.3	33.2	33.2	68.0	57.9	57.9	64.0	56.6				
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
AdjDel/Veh:	44.1	20.2	20.2	70.3	33.2	33.2	68.0	57.9	57.9	64.0	56.6				
LOS by Move:	D	C+	C+	E	C-	C-	E	E+	E+	E	E+				
HCM2kAvgQ:	0	10	10	3	3	3	3	4	4	2	5				

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

Intersection #43: Wolfe Rd & Arques Ave




Street Name: Wolfe Rd Arques Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	68	1272	1034	146	958	27	68	697	101	694	437	87			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	68	1272	1034	146	958	27	68	697	101	694	437	87			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	68	1272	1034	146	958	27	68	697	101	694	437	87			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	68	1272	1034	146	958	27	68	697	101	694	437	87			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	68	1272	1034	146	958	27	68	697	101	694	437	87			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	68	1272	1034	146	958	27	68	697	101	694	437	87			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.83	1.00	0.92	0.83	0.98	0.95	0.92	0.98	0.95	0.83	0.98	0.95			
Lanes:	2.00	2.00	1.00	2.00	2.91	0.09	1.00	1.74	0.26	2.00	1.66	0.34			
Final Sat.:	3150	3800	1750	3150	5446	153	1750	3231	468	3150	3085	614			
Capacity Analysis Module:															
Vol/Sat:	0.02	0.33	0.59	0.05	0.18	0.18	0.04	0.22	0.22	0.22	0.14	0.14			
Crit Moves:	****			****			****			****					
Green Time:	17.6	81.1	81.1	7.0	70.6	70.6	14.1	29.6	29.6	30.3	45.7	45.7			
Volume/Cap:	0.20	0.66	1.17	1.06	0.40	0.40	0.44	1.17	1.17	1.17	0.50	0.50			
Uniform Del:	64.8	29.2	39.4	76.5	30.3	30.3	69.2	65.2	65.2	64.9	47.5	47.5			
IncremntDel:	0.3	0.5	80.3	93.4	0.1	0.1	2.0	89.7	89.7	91.7	0.4	0.4			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	65.1	29.7	119.7	169.9	30.4	30.4	71.2	155	154.9	156.5	47.9	47.9			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	65.1	29.7	119.7	169.9	30.4	30.4	71.2	155	154.9	156.5	47.9	47.9			
LOS by Move:	E	C	F	F	C	C	E	F	F	F	D	D			
HCM2kAvgQ:	2	22	74	6	11	11	3	27	27	29	11	11			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

---


#### Intersection #43: Wolfe Rd & Argues Ave



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


Intersection #44: Wolfe Rd & Kifer Rd



Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

---

#### Intersection #44: Wolfe Rd & Kifer Rd




---

Traffic 8.0.0715 Copyright (c) 2008 Dowling Associates

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


Intersection #44: Wolfe Rd & Kifer Rd



Street Name: Wolfe Rd Kifer Rd																			
Approach:	North Bound			South Bound			East Bound			West Bound									
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10						
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0						
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00AM																			
Base Vol: 455 2216 580 910 845 213 187 157 82 170 658 367																			
Growth Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Initial Bse: 455 2216 580 910 845 213 187 157 82 170 658 367																			
Added Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
PasserByVol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Initial Fut: 455 2216 580 910 845 213 187 157 82 170 658 367																			
User Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Volume: 455 2216 580 910 845 213 187 157 82 170 658 367																			
Reduc Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Reduced Vol: 455 2216 580 910 845 213 187 157 82 170 658 367																			
PCE Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
MLF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
FinalVolume: 455 2216 580 910 845 213 187 157 82 170 658 367																			
Saturation Flow Module:																			
Sat/Lane: 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900																			
Adjustment: 0.92 0.99 0.95 0.92 0.99 0.95 0.92 0.99 0.95 0.92 0.99 0.95																			
Lanes: 1.00 2.35 0.65 1.00 2.37 0.63 1.00 1.30 0.70 1.00 1.26 0.74																			
Final Sat.: 1750 4437 1161 1750 4471 1127 1750 2430 1269 1750 2374 1324																			
Capacity Analysis Module:																			
Vol/Sat: 0.26 0.50 0.50 0.52 0.19 0.19 0.11 0.06 0.06 0.10 0.28 0.28																			
Crit Moves: **** * **** * **** * **** * **** *																			
Green Time: 62.3 52.7 52.7 54.8 45.3 45.3 11.3 16.2 16.2 24.3 29.2 29.2																			
Volume/Cap: 0.67 1.52 1.52 1.52 0.67 0.67 1.52 0.64 0.64 0.64 1.52 1.52																			
Uniform Del: 40.3 53.7 53.7 52.6 50.7 50.7 74.4 69.1 69.1 63.7 65.4 65.4																			
IncremntDel: 2.6 236 235.6 241.3 1.1 1.1 269.7 3.7 3.7 5.1 240 240.3																			
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																			
Delay Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Delay/Veh: 42.9 289 289.3 293.8 51.8 51.8 344.1 72.8 72.8 68.9 306 305.7																			
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
AdjDel/Veh: 42.9 289 289.3 293.8 51.8 51.8 344.1 72.8 72.8 68.9 306 305.7																			
LOS by Move: D F F F D- D- F E E E E F F																			
HCM2kAvgQ: 18 83 83 88 15 15 18 6 6 8 47 47																			
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


Intersection #45: Wolfe Rd & Reed Ave



Street Name: Wolfe Rd Reed Ave																										
Approach:	North Bound			South Bound			East Bound			West Bound																
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R											
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----																										
Min. Green:	7		10		10		7		10		10		7		10											
Y+R:	4.0		4.0		4.0		4.0		4.0		4.0		4.0		4.0											
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----																										
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																										
Base Vol:	83		1511		61		27		398		80		120		232		43		100		329		90			
Growth Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00					
Initial Bse:	83		1511		61		27		398		80		120		232		43		100		329		90			
Added Vol:	0		0		0		0		0		0		0		0		0		0		0		0			
PasserByVol:	0		0		0		0		0		0		0		0		0		0		0		0			
Initial Fut:	83		1511		61		27		398		80		120		232		43		100		329		90			
User Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00			
PHF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00			
PHF Volume:	83		1511		61		27		398		80		120		232		43		100		329		90			
Reduc Vol:	0		0		0		0		0		0		0		0		0		0		0		0			
Reduced Vol:	83		1511		61		27		398		80		120		232		43		100		329		90			
PCE Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00			
MLF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00			
FinalVolume:	83		1511		61		27		398		80		120		232		43		100		329		90			
Saturation Flow Module:																										
Sat/Lane:	1900		1900		1900		1900		1900		1900		1900		1900		1900		1900		1900		1900			
Adjustment:	0.83		0.98		0.95		0.83		0.99		0.95		0.92		0.98		0.95		0.92		0.98		0.95			
Lanes:	2.00		2.88		0.12		2.00		2.48		0.52		1.00		1.68		0.32		1.00		1.56		0.44			
Final Sat.:	3150		5382		217		3150		4662		937		1750		3121		578		1750		2905		795			
Capacity Analysis Module:																										
Vol/Sat:	0.03		0.28		0.28		0.01		0.09		0.09		0.07		0.07		0.07		0.07		0.06		0.11		0.11	
Crit Moves:	****		****		****		****		****		****		****		****		****		****		****		****			
Green Time:	31.4		85.6		85.6		7.0		61.2		61.2		20.9		31.3		31.3		24.1		34.5		34.5			
Volume/Cap:	0.13		0.52		0.52		0.20		0.22		0.22		0.52		0.38		0.38		0.52		0.52		0.52			
Uniform Del:	53.1		24.1		24.1		73.8		33.3		33.3		64.9		55.9		55.9		61.2		55.5		55.5			
IncremntDel:	0.1		0.2		0.2		0.7		0.1		0.1		2.2		0.3		0.3		0.9		0.6		0.6			
InitQueueDel:	0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0			
Delay Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00			
Delay/Veh:	53.2		24.2		24.2		74.5</																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #45: Wolfe Rd & Reed Ave



Street Name: Wolfe Rd Reed Ave														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10	
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM														
Base Vol:	93 2214		91 240		774 173		345 322		47 47		159 159		329 329	
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00	
Initial Bse:	93 2214		91 240		774 173		345 322		47 47		159 159		329 329	
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0		0 0	
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0		0 0	
Initial Fut:	93 2214		91 240		774 173		345 322		47 47		159 159		329 329	
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00	
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00	
PHF Volume:	93 2214		91 240		774 173		345 322		47 47		159 159		329 329	
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0		0 0	
Reduced Vol:	93 2214		91 240		774 173		345 322		47 47		159 159		329 329	
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00	
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00	
FinalVolume:	93 2214		91 240		774 173		345 322		47 47		159 159		329 329	
Saturation Flow Module:														
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900			
Adjustment:	0.83 0.98		0.95 0.83		0.99 0.99		0.95 0.95		0.92 0.92		1.00 1.00			
Lanes:	2.00 2.88		0.12 2.00		2.43 0.57		1.00 1.00		1.65 0.35		0.35 1.00			
Final Sat.:	3150 5379		221 3150		4576 1023		1750 1750		3076 3076		623 1750			
Capacity Analysis Module:														
Vol/Sat:	0.03 0.41		0.41 0.41		0.08 0.17		0.17 0.17		0.20 0.08		0.08 0.08			
Crit Moves:	****		****		****		****		****		****			
Green Time:	16.3 66.8		66.8 12.4		62.9 62.9		32.0 31.2		31.2 37.6		36.8 36.8			
Volume/Cap:	0.29 0.99		0.99 0.43		0.43 0.99		0.39 0.39		0.39 0.39		0.75 0.75			
Uniform Del:	66.5 46.1		46.1 73.7		35.5 35.5		63.8 56.1		56.1 51.5		57.3 57.3			
IncremntDel:	0.5 15.3		15.3 53.5		0.1 0.1		44.1 0.3		0.3 0.6		3.4 3.4			
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0			
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
Delay/Veh:	67.0 61.5		61.5 127.2		35.6 35.6		107.9 107.9		56.4 56.4		52.1 52.1			
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
AdjDel/Veh:	67.0 61.5		61.5 127.2		35.6 35.6		107.9 107.9		56.4 56.4		52.1 52.1			
LOS by Move:	E E		E F		D+ D+		F E+		E+ E+		D- D-			
HCM2kAvgQ:	2 38		38 9		11 11		21 6		6 6		7 7			
Note: Queue reported is the number of cars per lane.														

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


Intersection #45: Wolfe Rd & Reed Ave



Street Name: Wolfe Rd Reed Ave														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10	
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM														
Base Vol:	83 2224		91 258		776 186		364 322		43 162		329 377			
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
Initial Bse:	83 2224		91 258		776 186		364 232		43 162		329 377			
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0			
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0			
Initial Fut:	83 2224		91 258		776 186		364 232		43 162		329 377			
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
PHF Volume:	83 2224		91 258		776 186		364 232		43 162		329 377			
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0			
Reduced Vol:	83 2224		91 258		776 186		364 232		43 162		329 377			
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
FinalVolume:	83 2224		91 258		776 186		364 232		43 162		329 377			
Saturation Flow Module:														
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900			
Adjustment:	0.83 0.98		0.95 0.83		0.99 0.99		0.95 0.95		0.92 0.92		1.00 1.00			
Lanes:	2.00 2.88		0.12 2.00		2.40 0.60		1.00 1.00		1.68 0.32		1.00 1.00			
Final Sat.:	3150 5380		220 3150		4516 1082		1750 1750		3121 578		1900 1750			
Capacity Analysis Module:														
Vol/Sat:	0.03 0.41		0.41 0.03		0.08 0.17		0.17 0.21		0.07 0.07		0.07 0.07			
Crit Moves:	****		****		****		****		****		****			
Green Time:	16.2 66.6		66.6 13.2		63.6 63.6		33.5 33.5		30.4 30.4		37.8 37.8			
Volume/Cap:	0.26 0.99		0.99 0.26		0.43 0.43		0.43 0.99		0.39 0.39		0.80 0.39			
Uniform Del:	66.4 46.5		46.5 73.4		35.1 35.1		63.1 63.1		56.7 56.7		51.4 51.4			
IncremntDel:	0.4 17.0		17.0 53.9		0.1 0.1		45.1 45.1		0.4 0.4		0.6 0.6			
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0			
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
Delay/Veh:	66.8 63.5		63.5 127.2		35.2 35.2		108.2 108.2		57.1 57.1		52.0 52.0			
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
AdjDel/Veh:	66.8 63.5		63.5 127.2		35.2 35.2		108.2 108.2		57.1 57.1		52.0 52.0			
LOS by Move:	E E		E F		D+ D+		F E+		E+ E+		D- D-			
HCM2kAvgQ:	2 39		39 9		11 11		22 22		6 6		7 7			
Note: Queue reported is the number of cars per lane.														

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

Intersection #46: Wolfe Rd & Fremont Ave




Street Name: Wolfe Rd Fremont Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	10	10	10	7	10	10	7	10	10	7	10	10
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	100	1102	29	22	617	519	364	202	149	7	73	199			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	100	1102	29	22	617	519	364	202	149	7	73	199			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	100	1102	29	22	617	519	364	202	149	7	73	199			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	100	1102	29	22	617	519	364	202	149	7	73	199			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	100	1102	29	22	617	519	364	202	149	7	73	199			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	100	1102	29	22	617	519	364	202	149	7	73	199			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.98	0.95	0.95	0.98	0.95	0.83	1.00	0.92	0.92	1.00	0.92			
Lanes:	1.00	2.92	0.08	0.07	1.93	1.00	2.00	2.00	1.00	1.00	1.00	1.00			
Final Sat.:	1750	5456	144	128	3593	1800	3150	3800	1750	1750	1900	1750			
Capacity Analysis Module:															
Vol/Sat:	0.06	0.20	0.20	0.17	0.17	0.29	0.12	0.05	0.09	0.00	0.04	0.11			
Crit Moves:	****											****			
Green Time:	18.7	113	113.0	94.3	94.3	94.3	37.8	45.2	63.9	29.8	37.2	37.2			
Volume/Cap:	0.61	0.36	0.36	0.36	0.36	0.61	0.61	0.24	0.27	0.03	0.21	0.61			
Uniform Del:	87.2	23.7	23.7	33.7	33.7	39.2	74.4	63.3	50.6	72.7	68.9	74.8			
IncremntDel:	6.6	0.1	0.1	0.1	0.1	0.6	1.9	0.1	0.3	0.0	0.3	3.4			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	93.8	23.8	23.8	33.8	33.8	39.8	76.2	63.4	50.9	72.8	69.2	78.2			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	93.8	23.8	23.8	33.8	33.8	39.8	76.2	63.4	50.9	72.8	69.2	78.2			
LOS by Move:	F	C	C	C-	C-	D	E-	E	D	E	E	E-			
HCM2kAvgQ:	6	12	12	12	12	24	12	5	7	0	4	12			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #46: Wolfe Rd & Fremont Ave



Street Name: Wolfe Rd Fremont Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 10		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	461 1370		29 32		1015 599		634 375		241 73		199				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	461 1370		29 32		1015 599		634 375		241 73		199				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	461 1370		29 32		1015 599		634 375		241 73		199				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	461 1370		29 32		1015 599		634 375		241 73		199				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	461 1370		29 32		1015 599		634 375		241 73		199				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	461 1370		29 32		1015 599		634 375		241 73		199				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 0.98		0.95 0.95		0.98 0.98		0.92 0.83		1.00 1.00		0.92 1.00				
Lanes:	1.00 2.94		0.06 0.10		2.90 1.00		2.00 2.00		2.00 1.00		1.00 1.00				
Final Sat.:	1750 5484		116 171		5429 1750		3150 3800		1750 1750		1900 1900				
Capacity Analysis Module:															
Vol/Sat:	0.26 0.25		0.25 0.19		0.19 0.19		0.34 0.20		0.10 0.10		0.14 0.14				
Crit Moves:	****		****		****		****		****		****				
Green Time:	64.7 111		110.6 45.9		45.9 95.4		95.4 49.4		57.1 121.8		20.3 27.9				
Volume/Cap:	0.81 0.45		0.45 0.81		0.72 0.72		0.81 0.81		0.35 0.35		0.23 0.23				
Uniform Del:	62.1 26.6		26.6 73.0		73.0 41.6		41.6 71.0		56.6 17.7		17.7 81.1				
IncremntDel:	8.9 0.1		0.1 4.1		4.1 4.1		3.0 6.6		0.2 0.2		0.1 0.1				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	71.0 26.7		26.7 77.1		77.1 44.6		44.6 77.6		56.8 17.8		17.8 81.2				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	71.0 26.7		26.7 77.1		77.1 44.6		44.6 77.6		56.8 17.8		17.8 81.2				
LOS by Move:	E C		C E-		E- D		D E-		E+ B		B F				
HCM2kAvgQ:	27 16		1 20		20 30		30 22		9 7		4 0				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

Intersection #46: Wolfe Rd & Fremont Ave




Street Name: Wolfe Rd Fremont Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 10		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	458	1361	29	32	1077	635	642	382	238	7	73	199			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	458	1361	29	32	1077	635	642	382	238	7	73	199			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	458	1361	29	32	1077	635	642	382	238	7	73	199			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	458	1361	29	32	1077	635	642	382	238	7	73	199			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	458	1361	29	32	1077	635	642	382	238	7	73	199			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	458	1361	29	32	1077	635	642	382	238	7	73	199			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.98	0.95	0.95	0.98	0.92	0.83	1.00	0.92	0.92	1.00	0.92			
Lanes:	1.00	2.94	0.06	0.09	2.91	1.00	2.00	2.00	1.00	1.00	1.00	1.00			
Final Sat.:	1750	5483	117	162	5438	1750	3150	3800	1750	1750	1900	1750			
Capacity Analysis Module:															
Vol/Sat:	0.26	0.25	0.25	0.20	0.20	0.36	0.20	0.10	0.14	0.00	0.04	0.11			
Crit Moves:	****			****		****	****			****		****			
Green Time:	63.3	111	111.2	47.9	47.9	97.2	49.3	57.0	120.3	19.8	27.5	27.5			
Volume/Cap:	0.83	0.45	0.45	0.83	0.83	0.75	0.83	0.35	0.23	0.04	0.28	0.83			
Uniform Del:	63.3	26.2	26.2	72.1	72.1	41.5	71.3	56.9	18.4	81.5	77.4	83.9			
IncremntDel:	10.0	0.1	0.1	4.4	4.4	3.7	7.3	0.2	0.1	0.1	0.6	20.5			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	73.2	26.3	26.3	76.5	76.5	45.1	78.6	57.1	18.5	81.6	77.9	104.4			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	73.2	26.3	26.3	76.5	76.5	45.1	78.6	57.1	18.5	81.6	77.9	104.4			
LOS by Move:	E	C	C	E-	E-	D	E-	E+	B-	F	E-	F			
HCM2kAvgQ:	27	16	1	22	22	33	22	9	7	0	4	15			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

Intersection #47: Wolfe Rd & Homestead Rd




Street Name: Wolfe Rd Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	239	893	412	105	638	83	160	373	191	347	884	70			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	239	893	412	105	638	83	160	373	191	347	884	70			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	239	893	412	105	638	83	160	373	191	347	884	70			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	239	893	412	105	638	83	160	373	191	347	884	70			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	239	893	412	105	638	83	160	373	191	347	884	70			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	239	893	412	105	638	83	160	373	191	347	884	70			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	1.00	0.92	0.83	0.99	0.95	0.92	1.00	0.92	0.83	0.98	0.95			
Lanes:	2.00	2.00	1.00	2.00	2.64	0.36	1.00	2.00	1.00	2.00	1.85	0.15			
Final Sat.:	3150	3800	1750	3150	4954	645	1750	3800	1750	3150	3428	271			
Capacity Analysis Module:															
Vol/Sat:	0.08	0.24	0.24	0.03	0.13	0.13	0.09	0.10	0.11	0.11	0.26	0.26			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	17.5	40.2	71.8	7.0	29.7	29.7	15.6	28.2	45.7	31.6	44.1	44.1			
Volume/Cap:	0.52	0.70	0.39	0.57	0.52	0.52	0.70	0.41	0.28	0.41	0.70	0.70			
Uniform Del:	46.8	34.1	12.2	54.5	38.4	38.4	49.4	38.4	25.4	36.1	31.7	31.7			
IncremntDel:	1.0	1.7	0.2	4.1	0.3	0.3	8.9	0.3	0.2	0.3	1.6	1.6			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	47.8	35.8	12.5	58.6	38.8	38.8	58.3	38.8	25.6	36.4	33.3	33.3			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	47.8	35.8	12.5	58.6	38.8	38.8	58.3	38.8	25.6	36.4	33.3	33.3			
LOS by Move:	D	D+	B	E+	D+	D+	E+	D+	C	D+	C-	C-			
HCM2kAvgQ:	5	14	8	2	7	7	6	6	5	6	15	15			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

Intersection #47: Wolfe Rd & Homestead Rd




Street Name: Wolfe Rd Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7		10	10		7	10		10	7		10	10		
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	280	893	412	178	1045	138	160	516	468	347	884	405			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	280	893	412	178	1045	138	160	516	468	347	884	405			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	280	893	412	178	1045	138	160	516	468	347	884	405			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	280	893	412	178	1045	138	160	516	468	347	884	405			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	280	893	412	178	1045	138	160	516	468	347	884	405			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	280	893	412	178	1045	138	160	516	468	347	884	405			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	1.00	0.92	0.83	0.99	0.95	0.92	1.00	0.92	0.83	0.99	0.95			
Lanes:	2.00	2.00	1.00	2.00	2.64	0.36	1.00	2.00	1.00	2.00	1.35	0.65			
Final Sat.:	3150	3800	1750	3150	4946	653	1750	3800	1750	3150	2537	1162			
Capacity Analysis Module:															
Vol/Sat:	0.09	0.24	0.24	0.06	0.21	0.21	0.09	0.14	0.27	0.11	0.35	0.35			
Crit Moves:	****			****			****			****					
Green Time:	12.9	34.7	59.0	8.7	30.5	30.5	13.2	39.3	52.2	24.3	50.4	50.4			
Volume/Cap:	0.82	0.81	0.48	0.77	0.82	0.82	0.82	0.41	0.61	0.54	0.82	0.82			
Uniform Del:	52.0	39.0	19.8	54.2	41.7	41.7	51.7	30.9	25.6	42.4	30.4	30.4			
IncremntDel:	14.9	4.4	0.4	15.0	4.0	4.0	23.8	0.2	1.4	0.9	3.7	3.7			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	66.8	43.4	20.2	69.2	45.7	45.7	75.5	31.1	27.0	43.3	34.0	34.0			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	66.8	43.4	20.2	69.2	45.7	45.7	75.5	31.1	27.0	43.3	34.0	34.0			
LOS by Move:	E	D	C+	E	D	D	E-	C	C	D	C-	C-			
HCM2kAvgQ:	6	15	10	4	14	14	6	7	13	7	22	22			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


Intersection #47: Wolfe Rd & Homestead Rd



Street Name: Wolfe Rd Homestead Rd																			
Approach:	North Bound			South Bound			East Bound			West Bound									
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----																			
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10						
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0						
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----																			
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																			
Base Vol: 266 893 412 172 1119 156 160 558 479 347 884 401																			
Growth Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Initial Bse: 266 893 412 172 1119 156 160 558 479 347 884 401																			
Added Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
PasserByVol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Initial Fut: 266 893 412 172 1119 156 160 558 479 347 884 401																			
User Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Volume: 266 893 412 172 1119 156 160 558 479 347 884 401																			
Reduc Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Reduced Vol: 266 893 412 172 1119 156 160 558 479 347 884 401																			
PCE Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
MLF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
FinalVolume: 266 893 412 172 1119 156 160 558 479 347 884 401																			
Saturation Flow Module:																			
Sat/Lane: 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900																			
Adjustment: 0.83 1.00 0.92 0.83 0.99 0.95 0.92 1.00 0.92 0.83 0.99 0.95																			
Lanes: 2.00 2.00 1.00 2.00 2.62 0.38 1.00 2.00 1.00 2.00 1.36 0.64																			
Final Sat.: 3150 3800 1750 3150 4914 685 1750 3800 1750 3150 2545 1154																			
Capacity Analysis Module:																			
Vol/Sat: 0.08 0.24 0.24 0.05 0.23 0.23 0.09 0.15 0.27 0.11 0.35 0.35																			
Crit Moves: **** * **** * **** * **** * **** * **** * **** *																			
Green Time: 12.0 35.6 58.6 8.9 32.4 32.4 13.0 39.5 51.6 23.0 49.5 49.5																			
Volume/Cap: 0.84 0.79 0.48 0.73 0.84 0.84 0.84 0.44 0.63 0.57 0.84 0.84																			
Uniform Del: 52.5 38.2 20.1 53.9 40.8 40.8 51.9 31.1 26.3 43.5 31.1 31.1																			
IncremntDel: 17.1 3.7 0.4 11.0 4.2 4.2 26.0 0.2 1.7 1.3 4.1 4.1																			
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																			
Delay Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Delay/Veh: 69.6 41.9 20.5 64.9 44.9 44.9 77.9 31.4 28.1 44.8 35.2 35.2																			
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
AdjDel/Veh: 69.6 41.9 20.5 64.9 44.9 44.9 77.9 31.4 28.1 44.8 35.2 35.2																			
LOS by Move: E D C+ E D D E- C C D D+ D+																			
HCM2kAvgQ: 6 15 10 4 15 15 6 7 14 7 22 22																			
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

Intersection #48: Tantau Ave & Homestead Rd




Street Name: Tantau Ave Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10		10		10		10		10		10		10		
Y+R:	4.0		4.0		4.0		4.0		4.0		4.0		4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	160	67	99	57	48	61	13	666	213	144	1138	29			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	160	67	99	57	48	61	13	666	213	144	1138	29			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	160	67	99	57	48	61	13	666	213	144	1138	29			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	160	67	99	57	48	61	13	666	213	144	1138	29			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	160	67	99	57	48	61	13	666	213	144	1138	29			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	160	67	99	57	48	61	13	666	213	144	1138	29			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.95	0.95	0.92	0.92	0.92	0.92	0.92	1.00	0.92	0.92	0.97	0.95			
Lanes:	0.70	0.30	1.00	0.34	0.29	0.37	1.00	2.00	1.00	1.00	1.95	0.05			
Final Sat.:	1269	531	1750	601	506	643	1750	3800	1750	1750	3608	92			
Capacity Analysis Module:															
Vol/Sat:	0.13	0.13	0.06	0.09	0.09	0.09	0.01	0.18	0.12	0.08	0.32	0.32			
Crit Moves:	****			****			****			****					
Green Time:	19.7	19.7	37.8	14.9	14.9	14.9	7.0	38.4	58.1	18.0	49.4	49.4			
Volume/Cap:	0.66	0.66	0.15	0.66	0.66	0.66	0.11	0.47	0.22	0.47	0.66	0.66			
Uniform Del:	38.5	38.5	21.9	41.7	41.7	41.7	45.1	24.6	11.1	38.2	20.4	20.4			
IncremntDel:	4.6	4.6	0.1	6.2	6.2	6.2	0.4	0.2	0.1	1.1	0.9	0.9			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	43.1	43.1	22.0	47.9	47.9	47.9	45.5	24.8	11.2	39.3	21.3	21.3			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	43.1	43.1	22.0	47.9	47.9	47.9	45.5	24.8	11.2	39.3	21.3	21.3			
LOS by Move:	D	D	C+	D	D	D	D	C	B+	D	C+	C+			
HCM2kAvgQ:	8	8	2	7	7	7	1	8	4	5	15	15			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

Intersection #48: Tantau Ave & Homestead Rd




Street Name: Tantau Ave Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 10		10 10		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	199	149	106	75	127	108	13	731	247	149	1143	118			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	199	149	106	75	127	108	13	731	247	149	1143	118			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	199	149	106	75	127	108	13	731	247	149	1143	118			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	199	149	106	75	127	108	13	731	247	149	1143	118			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	199	149	106	75	127	108	13	731	247	149	1143	118			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	199	149	106	75	127	108	13	731	247	149	1143	118			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.95	0.95	0.92	0.92	0.92	0.92	0.92	1.00	0.92	0.92	0.98	0.95			
Lanes:	0.57	0.43	1.00	0.24	0.41	0.35	1.00	2.00	1.00	1.00	1.81	0.19			
Final Sat.:	1029	771	1750	423	717	610	1750	3800	1750	1750	3354	346			
Capacity Analysis Module:															
Vol/Sat:	0.19	0.19	0.06	0.18	0.18	0.18	0.01	0.19	0.14	0.09	0.34	0.34			
Crit Moves:	****			****			****			****					
Green Time:	22.8	22.8	37.3	20.9	20.9	20.9	7.0	32.8	55.6	14.5	40.2	40.2			
Volume/Cap:	0.87	0.87	0.17	0.87	0.87	0.87	0.11	0.60	0.26	0.60	0.87	0.87			
Uniform Del:	38.7	38.7	22.3	39.7	39.7	39.7	45.1	29.7	12.7	41.6	29.0	29.0			
IncremntDel:	18.5	18.5	0.1	20.3	20.3	20.3	0.4	0.9	0.1	4.2	6.1	6.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	57.2	57.2	22.4	60.1	60.1	60.1	45.5	30.5	12.9	45.8	35.1	35.1			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	57.2	57.2	22.4	60.1	60.1	60.1	45.5	30.5	12.9	45.8	35.1	35.1			
LOS by Move:	E+	E+	C+	E	E	E	D	C	B	D	D+	D+			
HCM2kAvgQ:	14	14	2	13	13	13	1	10	4	6	22	22			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

Intersection #48: Tantau Ave & Homestead Rd




Street Name: Tantau Ave Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 10		10 10		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	201	142	108	81	127	96	13	759	249	144	1171	120			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	201	142	108	81	127	96	13	759	249	144	1171	120			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	201	142	108	81	127	96	13	759	249	144	1171	120			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	201	142	108	81	127	96	13	759	249	144	1171	120			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	201	142	108	81	127	96	13	759	249	144	1171	120			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	201	142	108	81	127	96	13	759	249	144	1171	120			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.95	0.95	0.92	0.92	0.92	0.92	0.92	1.00	0.92	0.92	0.98	0.95			
Lanes:	0.59	0.41	1.00	0.27	0.42	0.31	1.00	2.00	1.00	1.00	1.81	0.19			
Final Sat.:	1055	745	1750	466	731	553	1750	3800	1750	1750	3356	344			
Capacity Analysis Module:															
Vol/Sat:	0.19	0.19	0.06	0.17	0.17	0.17	0.01	0.20	0.14	0.08	0.35	0.35			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	22.4	22.4	36.5	20.5	20.5	20.5	7.0	34.1	56.5	14.0	41.1	41.1			
Volume/Cap:	0.87	0.87	0.17	0.87	0.87	0.87	0.11	0.60	0.26	0.60	0.87	0.87			
Uniform Del:	38.9	38.9	22.9	40.0	40.0	40.0	45.1	28.8	12.2	41.9	28.6	28.6			
IncremntDel:	19.1	19.1	0.1	21.0	21.0	21.0	0.4	0.8	0.1	4.3	6.1	6.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	58.0	58.0	23.0	61.0	61.0	61.0	45.5	29.7	12.4	46.2	34.7	34.7			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	58.0	58.0	23.0	61.0	61.0	61.0	45.5	29.7	12.4	46.2	34.7	34.7			
LOS by Move:	E+	E+	C	E	E	E	D	C	B	D	C-	C-			
HCM2kAvgQ:	14	14	3	13	13	13	1	11	4	6	22	22			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

Intersection #49: Lawrence Expwy & Oakmead Pkwy




Street Name: Lawrence Expwy Oakmead Pkwy															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	17	86	86	20	89	89	23	39	39	10	20	25			
Y+R:	6.4	6.2	6.2	6.3	6.2	6.2	5.6	5.5	5.5	5.6	5.6	5.6			
Volume Module: >> Count Date: 23 May 2019 << 7:45 AM - 8:45 AM															
Base Vol:	199	2636	26	265	1722	585	420	110	196	79	183	249			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	199	2636	26	265	1722	585	420	110	196	79	183	249			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	199	2636	26	265	1722	585	420	110	196	79	183	249			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	199	2636	26	265	1722	585	420	110	196	79	183	249			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	199	2636	26	265	1722	585	420	110	196	79	183	249			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	199	2636	26	265	1722	585	420	110	196	79	183	249			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92			
Lanes:	2.00	4.00	1.00	2.00	4.00	1.00	2.00	2.00	1.00	2.00	2.00	1.00			
Final Sat.:	3150	7600	1750	3150	7600	1750	3150	3800	1750	3150	3800	1750			
Capacity Analysis Module:															
Vol/Sat:	0.06	0.35	0.01	0.08	0.23	0.33	0.13	0.03	0.11	0.03	0.05	0.14			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	17.2	86.9	97.4	20.3	89.9	113.7	23.8	39.3	56.5	10.5	25.9	46.2			
Volume/Cap:	0.66	0.72	0.03	0.75	0.46	0.53	1.01	0.13	0.36	0.43	0.34	0.56			
Uniform Del:	79.1	37.5	19.6	77.9	29.6	18.8	78.6	57.1	48.2	82.4	69.8	58.5			
IncremntDel:	5.6	0.7	0.0	8.6	0.1	0.5	47.8	0.1	0.4	1.6	0.4	1.6			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	0.80	0.70	1.00	0.77	0.50	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	84.7	30.5	13.8	86.5	23.0	9.9	126.4	57.2	48.6	84.0	70.2	60.1			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	84.7	30.5	13.8	86.5	23.0	9.9	126.4	57.2	48.6	84.0	70.2	60.1			
LOS by Move:	F	C	B	F	C+	A	F	E+	D	F	E	E			
HCM2kAvgQ:	6	23	0	10	11	10	19	2	9	3	5	13			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #49: Lawrence Expwy & Oakmead Pkwy



Street Name: Lawrence Expwy Oakmead Pkwy															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	17 86		86 20		89 89		23 39		39 10		20 25				
Y+R:	6.4 6.2		6.2 6.3		6.2 6.2		5.6 5.5		5.5 5.6		5.6 5.6				
Volume Module: >> Count Date: 23 May 2019 << 7:45 AM - 8:45 AM															
Base Vol:	631 4306		139 553		1992 585		714 179		196 346		218 610				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	631 4306		139 553		1992 585		714 179		196 346		218 610				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	631 4306		139 553		1992 585		714 179		196 346		218 610				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	631 4306		139 553		1992 585		714 179		196 346		218 610				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	631 4306		139 553		1992 585		714 179		196 346		218 610				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	631 4306		139 553		1992 585		714 179		196 346		218 610				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.83 1.00		0.92 0.83		1.00 1.00		0.92 0.83		1.00 0.83		1.00 0.92				
Lanes:	2.00 4.00		1.00 2.00		4.00 2.00		1.00 2.00		2.00 1.00		2.00 2.00				
Final Sat.:	3150 7600		1750 3150		7600 1750		1750 3150		3800 3150		3800 3150				
Capacity Analysis Module:															
Vol/Sat:	0.20 0.57		0.08 0.18		0.26 0.23		0.33 0.05		0.11 0.11		0.06 0.11				
Crit Moves:	*****		*****		*****		*****		*****		*****				
Green Time:	17.2 86.9		97.4 20.3		89.9 113.7		23.8 39.3		56.5 10.5		25.9 46.2				
Volume/Cap:	2.11 1.18		0.15 1.56		0.53 0.53		1.72 0.22		0.36 1.89		0.40 0.40				
Uniform Del:	81.9 47.1		21.0 80.3		31.1 18.8		78.6 58.2		48.2 85.3		70.5 67.4				
IncremntDel:510.1 84.2	0.1 267.5		0.1 0.5		335.7 0.1		0.4 422.1		0.5 178.3						
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 0.80		0.70 1.00		0.77 0.50		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	592.0 122		14.8 347.9		24.1 9.9		414.3 58.3		48.6 507.4		71.0 245.7				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	592.0 122		14.8 347.9		24.1 9.9		414.3 58.3		48.6 507.4		71.0 245.7				
LOS by Move:	F F		B C		A F		E+ D		F E		F F				
HCM2kAvgQ:	45 80		3 34		14 10		46 4		9 25		6 59				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


Intersection #49: Lawrence Expwy & Oakmead Pkwy



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

Intersection #51: Lawrence Expwy & Kifer Rd




Street Name: Lawrence Expwy Kifer Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	25 101		101		17 93		93		13 29		29		11 27		27
Y+R:	5.9 6.2		6.2		6.1 6.2		6.2		5.8 5.5		5.5		5.9 5.5		5.5
Volume Module: >> Count Date: 7 Mar 2018 << 8:00 AM - 9:00 AM															
Base Vol:	238	3877	374	176	1134	450	115	141	116	70	345	238			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	238	3877	374	176	1134	450	115	141	116	70	345	238			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	238	3877	374	176	1134	450	115	141	116	70	345	238			
User Adj:	1.00	0.87	1.00	1.00	0.87	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	238	3373	374	176	987	450	115	141	116	70	345	238			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	238	3373	374	176	987	450	115	141	116	70	345	238			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	238	3373	374	176	987	450	115	141	116	70	345	238			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92	0.83	0.98	0.94			
Lanes:	2.00	3.00	1.00	2.00	3.00	1.00	2.00	2.00	1.00	2.00	1.16	0.84			
Final Sat.:	3150	5700	1750	3150	5700	1750	3150	3800	1750	3150	2173	1499			
Capacity Analysis Module:															
Vol/Sat:	0.08	0.59	0.21	0.06	0.17	0.26	0.04	0.04	0.07	0.02	0.16	0.16			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	25.2	101	111.8	17.1	93.1	105.9	12.8	28.8	54.0	10.8	26.9	44.0			
Volume/Cap:	0.54	1.06	0.35	0.59	0.34	0.44	0.52	0.23	0.22	0.37	1.07	0.65			
Uniform Del:	72.5	40.0	16.8	78.6	25.8	21.0	81.1	66.5	47.7	81.8	77.1	61.6			
IncremntDel:	1.4	34.9	0.2	3.1	0.1	0.3	2.1	0.2	0.2	1.2	58.1	1.7			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	0.67	0.53	1.00	0.74	0.61	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	73.9	61.6	9.1	81.7	19.3	13.1	83.2	66.7	47.9	83.1	135	63.4			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	73.9	61.6	9.1	81.7	19.3	13.1	83.2	66.7	47.9	83.1	135	63.4			
LOS by Move:	E	E	A	F	B-	B	F	E	D	F	F	E			
HCM2kAvgQ:	7	66	5	6	7	9	4	3	5	2	21	15			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #51: Lawrence Expwy & Kifer Rd



Street Name: Lawrence Expwy Kifer Rd																								
Approach:	North Bound			South Bound			East Bound			West Bound														
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
Min. Green:	25		101		101		17		93		93		13		29		29		11		27		27	
Y+R:	5.9		6.2		6.2		6.1		6.2		6.2		5.8		5.5		5.5		5.9		5.5		5.5	
Volume Module: >> Count Date: 7 Mar 2018 << 8:00 AM - 9:00 AM																								
Base Vol:	975	0	623	578	0	844	560	141	385	459	345	902												
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Initial Bse:	975	0	623	578	0	844	560	141	385	459	345	902												
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0												
Initial Fut:	975	0	623	578	0	844	560	141	385	459	345	902												
User Adj:	1.00	0.87	1.00	1.00	0.87	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Volume:	975	0	623	578	0	844	560	141	385	459	345	902												
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
Reduced Vol:	975	0	623	578	0	844	560	141	385	459	345	902												
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
FinalVolume:	975	0	623	578	0	844	560	141	385	459	345	902												
Saturation Flow Module:																								
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900												
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92	0.83	0.99	0.91												
Lanes:	2.00	3.00	1.00	2.00	3.00	1.00	2.00	2.00	1.00	2.00	1.00	1.00												
Final Sat.:	3150	5700	1750	3150	5700	1750	3150	3800	1750	3150	1887	1737												
Capacity Analysis Module:																								
Vol/Sat:	0.31	0.00	0.36	0.18	0.00	0.48	0.18	0.04	0.22	0.15	0.18	0.52												
Crit Moves:	****											****												
Green Time:	25.2	101	112.0	17.1	93.1	29.9	12.8	28.8	54.0	10.8	26.9	44.0												
Volume/Cap:	2.22	0.00	0.58	1.94	0.00	2.92	2.51	0.23	0.74	2.44	1.23	2.14												
Uniform Del:	77.9	0.0	20.4	81.9	0.0	75.5	84.1	66.5	57.1	85.1	77.1	68.5												
IncremntDel:558.0	0.0	0.8	435.9	0.0	873.1	694.7	0.2	5.5	664.2	112	516.9													
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0												
Delay Adj:	1.00	0.00	0.53	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Delay/Veh:	635.9	0.0	11.5	517.8	0.0	948.6	778.8	66.7	62.6	749.3	189	585.4												
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
AdjDel/Veh:	635.9	0.0	11.5	517.8	0.0	948.6	778.8	66.7	62.6	749.3	189	585.4												
LOS by Move:	F	A	B+	F	A	F	F	E	E	F	F	F												
HCM2kAvgQ:	71	0	13	41	0	123	43	3	21	35	26	115												
Note: Queue reported is the number of cars per lane.																								

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


Intersection #51: Lawrence Expwy & Kifer Rd



Street Name: Lawrence Expwy Kifer Rd																								
Approach:	North Bound			South Bound			East Bound			West Bound														
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
Min. Green:	25		101		101		17		93		93		13		29		29		11		27		27	
Y+R:	5.9		6.2		6.2		6.1		6.2		6.2		5.8		5.5		5.5		5.9		5.5		5.5	
Volume Module: >> Count Date: 7 Mar 2018 << 8:00 AM - 9:00 AM																								
Base Vol:	941	0	622	565	0	848	534	141	383	460	345	869												
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Initial Bse:	941	0	622	565	0	848	534	141	383	460	345	869												
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0												
Initial Fut:	941	0	622	565	0	848	534	141	383	460	345	869												
User Adj:	1.00	0.87	1.00	1.00	0.87	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Volume:	941	0	622	565	0	848	534	141	383	460	345	869												
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
Reduced Vol:	941	0	622	565	0	848	534	141	383	460	345	869												
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
FinalVolume:	941	0	622	565	0	848	534	141	383	460	345	869												
Saturation Flow Module:																								
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900												
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92	0.83	0.99	0.91												
Lanes:	2.00	3.00	1.00	2.00	3.00	1.00	2.00	2.00	1.00	2.00	1.00	1.00												
Final Sat.:	3150	5700	1750	3150	5700	1750	3150	3800	1750	3150	1887	1737												
Capacity Analysis Module:																								
Vol/Sat:	0.30	0.00	0.36	0.18	0.00	0.48	0.17	0.04	0.22	0.15	0.18	0.50												
Crit Moves:	****											****												
Green Time:	25.2	101	112.0	17.1	93.1	29.9	12.8	28.8	54.0	10.8	26.9	44.0												
Volume/Cap:	2.15	0.00	0.57	1.90	0.00	2.93	2.40	0.23	0.73	2.45	1.23	2.06												
Uniform Del:	77.9	0.0	20.4	81.9	0.0	75.5	84.1	66.5	57.0	85.1	77.1	68.5												
IncremntDel:	523.3	0.0	0.8	416.5	0.0	879.3	642.6	0.2	5.3	666.5	113	481.8												
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0												
Delay Adj:	1.00	0.00	0.53	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Delay/Veh:	601.2	0.0	11.5	498.5	0.0	954.9	726.7	66.7	62.4	751.6	190	550.3												
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
AdjDel/Veh:	601.2	0.0	11.5	498.5	0.0	954.9	726.7	66.7	62.4	751.6	190	550.3												
LOS by Move:	F	A	B+	F	A	F	F	E	E	F	F	F												
HCM2kAvgQ:	67	0	13	39	0	124	40	3	21	35	26	109												
Note: Queue reported is the number of cars per lane.																								

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

Intersection #53: Lawrence Expwy & Cabrillo Ave




Street Name: Lawrence Expwy Cabrillo Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	11		107		107		11		107		107		15		25
Y+R:	5.1		6.2		6.2		4.9		6.2		6.2		5.9		5.8
Volume Module: >> Count Date: 7 Mar 2018 << 8:00 AM - 9:00 AM															
Base Vol:	50		3751		80		37		1416		50		131		91
Growth Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00
Initial Bse:	50		3751		80		37		1416		50		131		91
Added Vol:	0		0		0		0		0		0		0		0
PasserByVol:	0		0		0		0		0		0		0		0
Initial Fut:	50		3751		80		37		1416		50		131		91
User Adj:	1.00		0.87		1.00		1.00		0.87		1.00		1.00		1.00
PHF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00
PHF Volume:	50		3263		80		37		1232		50		131		91
Reduc Vol:	0		0		0		0		0		0		0		0
Reduced Vol:	50		3263		80		37		1232		50		131		91
PCE Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00
MLF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00
FinalVolume:	50		3263		80		37		1232		50		131		91
Saturation Flow Module:															
Sat/Lane:	1900		1900		1900		1900		1900		1900		1900		1900
Adjustment:	0.92		1.00		0.92		1.00		0.92		0.83		0.95		0.95
Lanes:	1.00		3.00		1.00		1.00		3.00		1.00		2.00		0.39
Final Sat.:	1750		5700		1750		5700		1750		3150		706		1094
Capacity Analysis Module:															
Vol/Sat:	0.03		0.57		0.05		0.02		0.22		0.03		0.04		0.13
Crit Moves:	****		****		****		****		****		****		****		****
Green Time:	10.9		107		122.3		11.1		108		123.2		15.4		25.7
Volume/Cap:	0.48		0.98		0.07		0.35		0.36		0.04		0.49		0.91
Uniform Del:	82.8		36.3		10.3		82.0		19.3		9.8		79.6		77.0
IncremntDel:	3.4		10.6		0.0		2.0		0.1		0.0		1.4		34.1
InitQueueDel:	0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0
Delay Adj:	1.00		1.37		1.57		1.00		0.59		0.35		1.00		1.00
Delay/Veh:	86.2		60.4		16.1		83.9		11.5		3.4		81.0		111
User DelAdj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00
AdjDel/Veh:	86.2		60.4		16.1		83.9		11.5		3.4		81.0		111
LOS by Move:	F		E		B		F		B+		A		F		E
HCM2kAvgQ:	3		64		3		2		7		0		5		16
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

---


### Intersection #53: Lawrence Expwy & Cabrillo Ave



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

## Intersection #53: Lawrence Expwy &amp; Cabrillo Ave




Street Name: Lawrence Expwy Cabrillo Ave																		
Approach:	North Bound			South Bound			East Bound			West Bound								
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R			
Min. Green:	11		107	107		11	107		107	15		25	25		15	25		25
Y+R:	5.1		6.2	6.2		4.9	6.2		6.2	5.9		5.8	5.8		5.4	5.8		5.8
Volume Module: >> Count Date: 7 Mar 2018 << 8:00 AM - 9:00 AM																		
Base Vol:	250	5098	140	73	1774	122	131	152	400	208	135	187						
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						
Initial Bse:	250	5098	140	73	1774	122	131	152	400	208	135	187						
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0						
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0						
Initial Fut:	250	5098	140	73	1774	122	131	152	400	208	135	187						
User Adj:	1.00	0.87	1.00	1.00	0.87	1.00	1.00	1.00	1.00	1.00	1.00	1.00						
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						
PHF Volume:	250	4435	140	73	1543	122	131	152	400	208	135	187						
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0						
Reduced Vol:	250	4435	140	73	1543	122	131	152	400	208	135	187						
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						
FinalVolume:	250	4435	140	73	1543	122	131	152	400	208	135	187						
Saturation Flow Module:																		
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900						
Adjustment:	0.92	1.00	0.92	0.92	1.00	0.92	0.83	0.95	0.95	0.92	0.95	0.95						
Lanes:	1.00	3.00	1.00	1.00	3.00	1.00	2.00	0.28	0.72	1.00	0.42	0.58						
Final Sat.:	1750	5700	1750	1750	5700	1750	3150	496	1304	1750	755	1045						
Capacity Analysis Module:																		
Vol/Sat:	0.14	0.78	0.08	0.04	0.27	0.07	0.04	0.31	0.31	0.12	0.18	0.18						
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****						
Green Time:	10.9	107	122.3	11.1	108	123.2	15.4	25.7	36.6	15.5	25.3	36.4						
Volume/Cap:	2.38	1.33	0.12	0.68	0.46	0.10	0.49	2.17	1.52	1.40	1.29	0.89						
Uniform Del:	85.5	37.6	10.6	83.7	20.7	10.2	79.6	78.2	72.7	83.2	78.4	70.9						
IncremntDel:651.5	149	0.0	16.8	0.1	0.0	1.4	540	249.9	213.3	156	23.5							
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
Delay Adj:	1.00	1.37	1.57	1.00	0.59	0.35	1.00	1.00	1.00	1.00	1.00	1.00						
Delay/Veh:	737.1	200	16.7	100.5	12.4	3.6	81.0	618	322.6	296.5	234	94.5						
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						
AdjDel/Veh:	737.1	200	16.7	100.5	12.4	3.6	81.0	618	322.6	296.5	234	94.5						
LOS by Move:	F	F	B	F	B	A	F	F	F	F	F	F						
HCM2kAvgQ:	34	123	5	4	10	1	5	71	57	22	30	21						

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

---

### Intersection #54: Lawrence Expwy & Benton St




Note: Queue reported is the number of cars per lane.

---

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

Intersection #54: Lawrence Expwy & Benton St




Street Name: Lawrence Expwy Benton St															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	16	86	86	19	89	89	19	21	21	21	25	27	27		
Y+R:	5.2	6.2	6.2	5.3	6.2	6.2	5.1	5.7	5.7	5.7	5.3	5.7	5.7		
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM															
Base Vol:	218	4638	168	148	3051	212	114	181	140	680	295	781			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	218	4638	168	148	3051	212	114	181	140	680	295	781			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	218	4638	168	148	3051	212	114	181	140	680	295	781			
User Adj:	1.00	0.87	1.00	1.00	0.87	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	218	4035	168	148	2654	212	114	181	140	680	295	781			
Reducet Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	218	4035	168	148	2654	212	114	181	140	680	295	781			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	218	4035	168	148	2654	212	114	181	140	680	295	781			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	1.00	0.92	0.83	1.00	0.92	0.83	0.99	0.95	0.92	1.00	0.92			
Lanes:	1.00	3.00	1.00	2.00	3.00	1.00	2.00	1.10	0.90	1.00	1.00	1.00			
Final Sat.:	1750	5700	1750	3150	5700	1750	3150	2085	1613	1750	1900	1750			
Capacity Analysis Module:															
Vol/Sat:	0.12	0.71	0.10	0.05	0.47	0.12	0.04	0.09	0.09	0.39	0.16	0.45			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	15.7	86.0	111.0	18.6	89.0	107.8	18.8	20.7	36.4	25.0	27.2	45.8			
Volume/Cap:	1.37	1.42	0.15	0.44	0.91	0.19	0.33	0.73	0.41	2.69	0.99	1.69			
Uniform Del:	78.6	43.5	12.3	72.3	38.2	14.0	71.3	73.4	59.0	74.0	72.7	63.6			
IncremntDel:	202.0	193	0.1	0.9	4.5	0.1	0.6	5.9	0.4	771.3	24.2	315.5			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.24	1.48	1.00	0.74	0.52	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	280.6	247	18.3	73.2	32.9	7.3	71.9	79.3	59.4	845.3	96.9	379.1			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	280.6	247	18.3	73.2	32.9	7.3	71.9	79.3	59.4	845.3	96.9	379.1			
LOS by Move:	F	F	B-	E	C-	A	E	E-	E+	F	F	F			
HCM2kAvgQ:	20	115	5	4	40	2	4	10	8	95	20	86			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


Intersection #54: Lawrence Expwy & Benton St



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


Intersection #56: Lawrence Expwy & Pruneridge Ave



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #56: Lawrence Expwy & Pruneridge Ave



Street Name: Lawrence Expwy Pruneridge Ave																								
Approach:	North Bound			South Bound			East Bound			West Bound														
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
Min. Green:	14		81		81		16		83		83		13		24		24		26		37		37	
Y+R:	6.1		6.2		6.2		6.1		6.2		6.2		5.7		5.9		5.9		5.8		5.9		5.9	
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM																								
Base Vol:	297	4165	120	323	2128	453	130	412	175	435	310	601												
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Initial Bse:	297	4165	120	323	2128	453	130	412	175	435	310	601												
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0												
Initial Fut:	297	4165	120	323	2128	453	130	412	175	435	310	601												
User Adj:	1.00	0.87	1.00	1.00	0.87	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Volume:	297	3624	120	323	1851	453	130	412	175	435	310	601												
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
Reduced Vol:	297	3624	120	323	1851	453	130	412	175	435	310	601												
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
FinalVolume:	297	3624	120	323	1851	453	130	412	175	435	310	601												
Saturation Flow Module:																								
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900												
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	0.98	0.95	0.83	1.00	0.92												
Lanes:	2.00	3.00	1.00	2.00	3.00	1.00	2.00	1.39	0.61	2.00	1.00	1.00												
Final Sat.:	3150	5700	1750	3150	5700	1750	3150	2596	1103	3150	1900	1750												
Capacity Analysis Module:																								
Vol/Sat:	0.09	0.64	0.07	0.10	0.32	0.26	0.04	0.16	0.16	0.14	0.16	0.34												
Crit Moves:	****			****			****			****														
Green Time:	13.9	81.4	106.9	15.5	83.0	95.4	12.4	23.6	37.5	25.5	36.8	52.3												
Volume/Cap:	1.15	1.33	0.11	1.12	0.67	0.46	0.57	1.14	0.72	0.92	0.75	1.12												
Uniform Del:	78.0	44.3	12.6	77.2	33.0	22.1	76.2	73.2	61.4	71.3	62.4	58.8												
IncremntDel:	103.6	150	0.0	90.8	0.6	0.3	3.3	85.6	3.1	23.3	2.7	68.4												
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0												
Delay Adj:	1.00	1.21	1.46	1.00	0.78	0.66	1.00	1.00	1.00	1.00	1.00	1.00												
Delay/Veh:	181.7	204	18.3	168.1	26.5	14.9	79.5	159	64.5	94.6	65.1	127.3												
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
AdjDel/Veh:	181.7	204	18.3	168.1	26.5	14.9	79.5	159	64.5	94.6	65.1	127.3												
LOS by Move:	F	F	B-	F	C	B	E-	F	E	F	E	F												
HCM2kAvgQ:	15	98	4	13	18	9	5	23	15	17	16	45												
Note: Queue reported is the number of cars per lane.																								

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


Intersection #56: Lawrence Expwy & Pruneridge Ave



Street Name: Lawrence Expwy Pruneridge Ave																								
Approach:	North Bound			South Bound			East Bound			West Bound														
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
Min. Green:	14		81		81		16		83		83		13		24		24		26		37		37	
Y+R:	6.1		6.2		6.2		6.1		6.2		6.2		5.7		5.9		5.9		5.8		5.9		5.9	
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM																								
Base Vol:	285	4183	96	379	2153	430	128	411	174	435	315	601												
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Initial Bse:	285	4183	96	379	2153	430	128	411	174	435	315	601												
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0												
Initial Fut:	285	4183	96	379	2153	430	128	411	174	435	315	601												
User Adj:	1.00	0.87	1.00	1.00	0.87	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Volume:	285	3639	96	379	1873	430	128	411	174	435	315	601												
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
Reduced Vol:	285	3639	96	379	1873	430	128	411	174	435	315	601												
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
FinalVolume:	285	3639	96	379	1873	430	128	411	174	435	315	601												
Saturation Flow Module:																								
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900												
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	0.98	0.95	0.83	1.00	0.92												
Lanes:	2.00	3.00	1.00	2.00	3.00	1.00	2.00	1.39	0.61	2.00	1.00	1.00												
Final Sat.:	3150	5700	1750	3150	5700	1750	3150	2599	1100	3150	1900	1750												
Capacity Analysis Module:																								
Vol/Sat:	0.09	0.64	0.05	0.12	0.33	0.25	0.04	0.16	0.16	0.14	0.17	0.34												
Crit Moves:	****		****		****		****		****		****													
Green Time:	13.9	81.4	106.9	15.5	83.0	95.4	12.4	23.6	37.5	25.5	36.8	52.3												
Volume/Cap:	1.11	1.33	0.09	1.32	0.67	0.44	0.56	1.14	0.72	0.92	0.77	1.12												
Uniform Del:	78.0	44.3	12.4	77.2	33.2	21.7	76.2	73.2	61.3	71.3	62.5	58.8												
IncremntDel:	87.5	153	0.0	166.1	0.7	0.3	3.0	84.1	3.1	23.3	3.0	68.4												
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0												
Delay Adj:	1.00	1.21	1.46	1.00	0.78	0.66	1.00	1.00	1.00	1.00	1.00	1.00												
Delay/Veh:	165.5	206	18.1	243.3	26.7	14.6	79.2	157	64.4	94.6	65.6	127.2												
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
AdjDel/Veh:	165.5	206	18.1	243.3	26.7	14.6	79.2	157	64.4	94.6	65.6	127.2												
LOS by Move:	F	F	B-	F	C	B	E-	F	E	F	E	F												
HCM2kAvgQ:	14	99	3	18	19	8	5	23	15	17	17	45												
Note: Queue reported is the number of cars per lane.																								

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

## Intersection #1214: LAWRENCE RAMPS / EL CAMINO REAL




Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10	10	10	10	10	10	7	10	10	7	10	10	7	10	10
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
<hr/>															
Volume Module: >> Count Date: 14 Nov 2017 << 7:45 AM - 8:45 AM															
Base Vol:	487	50	151	142	28	148	197	547	192	258	1357	208			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	487	50	151	142	28	148	197	547	192	258	1357	208			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	487	50	151	142	28	148	197	547	192	258	1357	208			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	487	50	151	142	28	148	197	547	192	258	1357	208			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	487	50	151	142	28	148	197	547	192	258	1357	208			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	487	50	151	142	28	148	197	547	192	258	1357	208			
<hr/>															
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.93	0.95	0.92	0.93	0.95	0.92	0.83	0.99	0.95	0.83	1.00	0.92			
Lanes:	1.82	0.18	1.00	1.68	0.32	1.00	2.00	2.19	0.81	2.00	3.00	1.00			
Final Sat.:	3219	331	1750	2965	585	1750	3150	4143	1454	3150	5700	1750			
<hr/>															
Capacity Analysis Module:															
Vol/Sat:	0.15	0.15	0.09	0.05	0.05	0.08	0.06	0.13	0.13	0.08	0.24	0.12			
Crit Moves:	****		****		****		****		****		****				
Green Time:	35.7	35.7	62.9	11.3	11.3	26.1	14.8	43.8	43.8	27.2	56.2	67.5			
Volume/Cap:	0.55	0.55	0.18	0.55	0.55	0.42	0.55	0.39	0.39	0.39	0.55	0.23			
Uniform Del:	40.3	40.3	19.0	56.9	56.9	45.4	54.5	32.9	32.9	44.3	27.5	17.0			
IncremntDel:	0.7	0.7	0.1	2.1	2.1	0.8	1.8	0.1	0.1	0.4	0.3	0.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	41.0	41.0	19.1	59.0	59.0	46.2	56.3	33.1	33.1	44.7	27.8	17.2			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	41.0	41.0	19.1	59.0	59.0	46.2	56.3	33.1	33.1	44.7	27.8	17.2			
LOS by Move:	D	D	B-	E+	E+	D	E+	C-	C-	D	C	B			
HCM2kAvgQ:	9	9	3	3	3	5	4	7	7	5	13	5			

Note: Queue reported is the number of cars per lane.


Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

## Intersection #1214: LAWRENCE RAMPS / EL CAMINO REAL



Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

## Intersection #1214: LAWRENCE RAMPS / EL CAMINO REAL




Approach:	North Bound			South Bound			East Bound			West Bound		
	Movement:	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R
Min. Green:	10	10	10	10	10	10	7	10	10	7	10	10
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
<hr/>												
Volume Module: >> Count Date: 14 Nov 2017 << 7:45 AM - 8:45 AM												
Base Vol:	582	51	151	273	28	331	504	1183	524	275	1357	304
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Initial Bse:	582	51	151	273	28	331	504	1183	524	275	1357	304
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0
Initial Fut:	582	51	151	273	28	331	504	1183	524	275	1357	304
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PHF Volume:	582	51	151	273	28	331	504	1183	524	275	1357	304
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0
Reduced Vol:	582	51	151	273	28	331	504	1183	524	275	1357	304
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
FinalVolume:	582	51	151	273	28	331	504	1183	524	275	1357	304
<hr/>												
Saturation Flow Module:												
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Adjustment:	0.93	0.95	0.92	0.93	0.95	0.92	0.83	1.00	0.95	0.83	1.00	0.92
Lanes:	1.84	0.16	1.00	1.82	0.18	1.00	2.00	2.05	0.95	2.00	3.00	1.00
Final Sat.:	3264	286	1750	3220	330	1750	3150	3879	1718	3150	5700	1750
<hr/>												
Capacity Analysis Module:												
Vol/Sat:	0.18	0.18	0.09	0.08	0.08	0.19	0.16	0.30	0.30	0.09	0.24	0.17
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****
Green Time:	31.8	31.8	47.6	15.1	15.1	43.7	28.6	55.2	55.2	15.8	42.5	57.6
Volume/Cap:	0.73	0.73	0.24	0.73	0.73	0.56	0.73	0.72	0.72	0.72	0.73	0.39
Uniform Del:	45.1	45.1	28.6	55.4	55.4	35.3	47.1	30.9	30.9	54.9	38.7	24.4
IncremntDel:	3.1	3.1	0.2	6.4	6.4	1.3	3.9	1.1	1.1	6.4	1.5	0.3
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Delay/Veh:	48.3	48.3	28.7	61.9	61.9	36.6	51.0	32.0	32.0	61.4	40.1	24.7
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AdjDel/Veh:	48.3	48.3	28.7	61.9	61.9	36.6	51.0	32.0	32.0	61.4	40.1	24.7
LOS by Move:	D	D	C	E	E	D+	D-	C-	C-	E	D	C
HCM2kAvgQ:	11	11	4	6	6	11	11	19	19	6	15	8

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

Intersection #1402: Sunnyvale-Saratoga Rd / Remington Dr




Street Name: Sunnyvale-Saratoga Road												Remington Drive												
Approach: North Bound				South Bound				East Bound				West Bound												
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	7	10	10	7	10	10	7	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																								
Base Vol:	150	2376	257	31	512	98	170	298	87	361	268	65												
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Initial Bse:	150	2376	257	31	512	98	170	298	87	361	268	65												
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0												
Initial Fut:	150	2376	257	31	512	98	170	298	87	361	268	65												
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Volume:	150	2376	257	31	512	98	170	298	87	361	268	65												
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
Reduced Vol:	150	2376	257	31	512	98	170	298	87	361	268	65												
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
FinalVolume:	150	2376	257	31	512	98	170	298	87	361	268	65												
Saturation Flow Module:																								
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900												
Adjustment:	0.83	0.99	0.95	0.83	0.99	0.95	0.92	0.98	0.95	0.83	1.00	0.92												
Lanes:	2.00	2.70	0.30	2.00	2.50	0.50	1.00	1.54	0.46	2.00	1.00	1.00												
Final Sat.:	3150	5053	547	3150	4699	899	1750	2863	836	3150	1900	1750												
Capacity Analysis Module:																								
Vol/Sat:	0.05	0.47	0.47	0.01	0.11	0.11	0.10	0.10	0.10	0.11	0.14	0.04												
Crit Moves:																								
Green Time:	32.6	100	100.2	7.0	74.6	74.6	20.7	24.2	24.2	26.6	30.1	37.1												
Volume/Cap:	0.25	0.80	0.80	0.24	0.25	0.25	0.80	0.73	0.73	0.73	0.80	0.17												
Uniform Del:	58.3	27.0	27.0	78.9	30.0	30.0	72.6	69.8	69.8	68.3	67.1	54.0												
IncremntDel:	0.2	1.4	1.4	1.0	0.1	0.1	18.7	5.2	5.2	5.6	12.6	0.2												
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0												
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Delay/Veh:	58.5	28.5	28.5	79.9	30.1	30.1	91.3	75.1	75.1	73.9	79.6	54.2												
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
AdjDel/Veh:	58.5	28.5	28.5	79.9	30.1	30.1	91.3	75.1	75.1	73.9	79.6	54.2												
LOS by Move:	E+	C	C	E-	C	C	F	E-	E-	E	E-	D-												
HCM2kAvgQ:	4	35	35	1	6	6	11	11	11	11	13	3												

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


Intersection #1402: Sunnyvale-Saratoga Rd / Remington Dr



Street Name: Sunnyvale-Saratoga Road												Remington Drive													
Approach: North Bound				South Bound				East Bound				West Bound													
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	7	10	10	7	10	10	361	438	247		
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																									
Base Vol:	176	2433	257	76	873	195	280	770	136	361	438	247													
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
Initial Bse:	176	2433	257	76	873	195	280	770	136	361	438	247													
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0													
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0													
Initial Fut:	176	2433	257	76	873	195	280	770	136	361	438	247													
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
PHF Volume:	176	2433	257	76	873	195	280	770	136	361	438	247													
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0													
Reduced Vol:	176	2433	257	76	873	195	280	770	136	361	438	247													
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
FinalVolume:	176	2433	257	76	873	195	280	770	136	361	438	247													
Saturation Flow Module:																									
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900													
Adjustment:	0.83	0.99	0.95	0.83	0.99	0.95	0.92	0.98	0.95	0.83	1.00	0.92													
Lanes:	2.00	2.70	0.30	2.00	2.43	0.57	1.00	1.69	0.31	2.00	1.00	1.00													
Final Sat.:	3150	5064	535	3150	4576	1022	1750	3144	555	3150	1900	1750													
Capacity Analysis Module:																									
Vol/Sat:	0.06	0.48	0.48	0.02	0.19	0.19	0.16	0.24	0.24	0.11	0.23	0.14													
Crit Moves:																									
Green Time:	20.5	83.3	83.3	7.0	69.8	69.8	27.7	46.1	46.1	21.6	40.0	47.0													
Volume/Cap:	0.46	0.98	0.98	0.59	0.46	0.46	0.98	0.90	0.90	0.90	0.98	0.51													
Uniform Del:	69.7	42.6	42.6	80.1	36.5	36.5	70.9	59.8	59.8	73.2	64.6	51.8													
IncremntDel:	0.9	12.9	12.9	6.8	0.1	0.1	47.7	11.2	11.2	23.1	37.4	0.9													
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0													
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
Delay/Veh:	70.6	55.5	55.5	86.9	36.6	36.6	118.6	71.0	71.0	96.2	102	52.8													
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
AdjDel/Veh:	70.6	55.5	55.5	86.9	36.6	36.6	118.6	71.0	71.0	96.2	102	52.8													
LOS by Move:	E	E+	E+	F	D+	D+	F	E	E	F	F	D-													
HCM2kAvgQ:	5	46	46	2	13	13	20	26	26	11	23	11													
Note: Queue reported is the number of cars per lane.																									

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM


Intersection #1402: Sunnyvale-Saratoga Rd / Remington Dr



Street Name: Sunnyvale-Saratoga Road												Remington Drive													
Approach: North Bound				South Bound				East Bound				West Bound													
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	7	10	10	7	10	10	361	485	247		
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	1.00	1.00	1.00		
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																									
Base Vol:	179	2467	257	94	909	207	304	747	137	361	485	247													
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
Initial Bse:	179	2467	257	94	909	207	304	747	137	361	485	247													
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0													
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0													
Initial Fut:	179	2467	257	94	909	207	304	747	137	361	485	247													
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
PHF Volume:	179	2467	257	94	909	207	304	747	137	361	485	247													
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0													
Reduced Vol:	179	2467	257	94	909	207	304	747	137	361	485	247													
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
FinalVolume:	179	2467	257	94	909	207	304	747	137	361	485	247													
Saturation Flow Module:																									
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900													
Adjustment:	0.83	0.99	0.95	0.83	0.99	0.95	0.92	0.98	0.95	0.83	1.00	0.92													
Lanes:	2.00	2.71	0.29	2.00	2.42	0.58	1.00	1.68	0.32	2.00	1.00	1.00													
Final Sat.:	3150	5071	528	3150	4560	1038	1750	3126	573	3150	1900	1750													
Capacity Analysis Module:																									
Vol/Sat:	0.06	0.49	0.49	0.03	0.20	0.20	0.17	0.24	0.24	0.11	0.26	0.14													
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****													
Green Time:	19.4	80.2	80.2	7.0	67.9	67.9	28.7	47.8	47.8	22.9	42.1	49.1													
Volume/Cap:	0.50	1.03	1.03	0.72	0.50	0.50	1.03	0.85	0.85	0.85	1.03	0.49													
Uniform Del:	70.8	44.9	44.9	80.5	38.3	38.3	70.7	57.7	57.7	71.8	63.9	50.1													
IncremntDel:	1.1	26.0	26.0	18.3	0.2	0.2	60.5	6.7	6.7	14.9	49.6	0.7													
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0													
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
Delay/Veh:	71.9	70.8	70.8	98.8	38.5	38.5	131.2	64.4	64.4	86.7	114	50.8													
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
AdjDel/Veh:	71.9	70.8	70.8	98.8	38.5	38.5	131.2	64.4	64.4	86.7	114	50.8													
LOS by Move:	E	E	E	F	D+	D+	F	E	E	F	F	D													
HCM2kAvgQ:	5	51	51	3	14	14	23	24	24	11	27	11													
Note: Queue reported is the number of cars per lane.																									

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

Intersection #1404: El Camino Real (SR 82) / Fair Oaks Ave




Street Name: Fair Oaks Avenue El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 8 May 2018 << 8:45 AM - 9:45 AM															
Base Vol:	104	594	127	104	469	152	148	422	68	168	1211	142			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	104	594	127	104	469	152	148	422	68	168	1211	142			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	104	594	127	104	469	152	148	422	68	168	1211	142			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	104	594	127	104	469	152	148	422	68	168	1211	142			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	104	594	127	104	469	152	148	422	68	168	1211	142			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	104	594	127	104	469	152	148	422	68	168	1211	142			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.98	0.95	0.92	0.98	0.95	0.92	0.99	0.95	0.92	1.00	0.92			
Lanes:	1.00	1.64	0.36	1.00	1.50	0.50	1.00	2.57	0.43	1.00	3.00	1.00			
Final Sat.:	1750	3048	652	1750	2794	905	1750	4822	777	1750	5700	1750			
Capacity Analysis Module:															
Vol/Sat:	0.06	0.19	0.19	0.06	0.17	0.17	0.08	0.09	0.09	0.10	0.21	0.08			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	15.1	44.2	44.2	13.5	42.6	42.6	19.2	32.1	32.1	35.2	48.2	61.6			
Volume/Cap:	0.54	0.60	0.60	0.60	0.54	0.54	0.60	0.37	0.37	0.37	0.60	0.18			
Uniform Del:	57.7	39.1	39.1	59.2	39.1	39.1	55.3	44.0	44.0	41.8	36.6	22.6			
IncremntDel:	3.1	0.9	0.9	6.0	0.5	0.5	4.2	0.2	0.2	0.5	0.5	0.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	60.8	39.9	39.9	65.2	39.6	39.6	59.6	44.2	44.2	42.3	37.1	22.7			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	60.8	39.9	39.9	65.2	39.6	39.6	59.6	44.2	44.2	42.3	37.1	22.7			
LOS by Move:	E	D	D	E	D	D	E+	D	D	D	D+	C+			
HCM2kAvgQ:	4	12	12	5	11	11	6	6	6	6	13	4			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

Intersection #1404: El Camino Real (SR 82) / Fair Oaks Ave




Street Name: Fair Oaks Avenue El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 8 May 2018 << 8:45 AM - 9:45 AM															
Base Vol:	319	748	162	235	770	321	248	1042	117	195	1211	331			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	319	748	162	235	770	321	248	1042	117	195	1211	331			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	319	748	162	235	770	321	248	1042	117	195	1211	331			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	319	748	162	235	770	321	248	1042	117	195	1211	331			
Reducet Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	319	748	162	235	770	321	248	1042	117	195	1211	331			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	319	748	162	235	770	321	248	1042	117	195	1211	331			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.98	0.95	0.92	0.98	0.95	0.92	0.99	0.95	0.92	1.00	0.92			
Lanes:	1.00	1.63	0.37	1.00	1.40	0.60	1.00	2.69	0.31	1.00	3.00	1.00			
Final Sat.:	1750	3041	659	1750	2611	1088	1750	5034	565	1750	5700	1750			
Capacity Analysis Module:															
Vol/Sat:	0.18	0.25	0.25	0.13	0.29	0.29	0.14	0.21	0.21	0.11	0.21	0.19			
Crit Moves:	****			****			****			****					
Green Time:	27.4	46.4	46.4	25.3	44.3	44.3	21.3	34.6	34.6	18.6	31.9	57.3			
Volume/Cap:	0.91	0.73	0.73	0.73	0.91	0.91	0.91	0.82	0.82	0.82	0.91	0.45			
Uniform Del:	53.6	39.7	39.7	52.6	44.4	44.4	56.9	48.2	48.2	57.5	51.1	28.6			
IncremntDel:	27.0	2.2	2.2	8.0	10.5	10.5	32.2	3.9	3.9	19.6	9.6	0.4			
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	80.6	41.9	41.9	60.5	54.9	54.9	89.2	52.2	52.2	77.2	60.8	29.1			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	80.6	41.9	41.9	60.5	54.9	54.9	89.2	52.2	52.2	77.2	60.8	29.1			
LOS by Move:	F	D	D	E	D-	D-	F	D-	D-	E-	E	C			
HCM2kAvgQ:	14	16	16	10	24	24	12	16	16	9	18	10			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

Intersection #1404: El Camino Real (SR 82) / Fair Oaks Ave




Street Name: Fair Oaks Avenue El Camino Real												
Approach: North Bound			South Bound			East Bound			West Bound			
Movement:	L	-T-	R	L	-T-	R	L	-T-	R	L	-T-	R
Min. Green:	7	10	10	7	10	10	7	10	10	7	10	10
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Volume Module: >> Count Date: 8 May 2018 << 8:45 AM - 9:45 AM												
Base Vol:	334	705	180	253	750	321	284	1132	163	234	1211	349
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Initial Bse:	334	705	180	253	750	321	284	1132	163	234	1211	349
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0
Initial Fut:	334	705	180	253	750	321	284	1132	163	234	1211	349
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PHF Volume:	334	705	180	253	750	321	284	1132	163	234	1211	349
Reducet Vol:	0	0	0	0	0	0	0	0	0	0	0	0
Reduced Vol:	334	705	180	253	750	321	284	1132	163	234	1211	349
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
FinalVolume:	334	705	180	253	750	321	284	1132	163	234	1211	349
Saturation Flow Module:												
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Adjustment:	0.92	0.98	0.95	0.92	0.98	0.95	0.92	0.99	0.95	0.92	1.00	0.92
Lanes:	1.00	1.58	0.42	1.00	1.38	0.62	1.00	2.61	0.39	1.00	3.00	1.00
Final Sat.:	1750	2947	752	1750	2590	1109	1750	4894	705	1750	5700	1750
Capacity Analysis Module:												
Vol/Sat:	0.19	0.24	0.24	0.14	0.29	0.29	0.16	0.23	0.23	0.13	0.21	0.20
Crit Moves:	****			****		****	****			****		****
Green Time:	27.9	43.8	43.8	26.5	42.3	42.3	23.7	34.7	34.7	20.1	31.1	57.5
Volume/Cap:	0.94	0.75	0.75	0.75	0.94	0.94	0.94	0.91	0.91	0.91	0.94	0.48
Uniform Del:	53.7	41.7	41.7	52.1	46.0	46.0	55.9	49.7	49.7	57.6	52.0	28.8
IncremntDel:	31.9	2.7	2.7	9.0	14.1	14.1	35.4	9.3	9.3	33.9	12.9	0.5
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Delay/Veh:	85.6	44.4	44.4	61.1	60.2	60.2	91.3	58.9	58.9	91.6	64.9	29.3
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AdjDel/Veh:	85.6	44.4	44.4	61.1	60.2	60.2	91.3	58.9	58.9	91.6	64.9	29.3
LOS by Move:	F	D	D	E	E	E	F	E+	E+	F	E	C
HCM2kAvgQ:	14	16	16	11	24	24	14	19	19	12	18	11

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

Intersection #1405: El Camino Real (SR 82) / Wolfe Rd




Street Name: Wolfe Road El Camino Real																			
Approach:	North Bound			South Bound			East Bound			West Bound									
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
Min. Green:	7 10		10 7		10 7		10 7		10 7		10 7		10 7						
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0						
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																			
Base Vol: 287 1288 18 72 493 65 63 287 206 383 947 278																			
Growth Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Initial Bse: 287 1288 18 72 493 65 63 287 206 383 947 278																			
Added Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
PasserByVol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Initial Fut: 287 1288 18 72 493 65 63 287 206 383 947 278																			
User Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Volume: 287 1288 18 72 493 65 63 287 206 383 947 278																			
Reduc Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Reduced Vol: 287 1288 18 72 493 65 63 287 206 383 947 278																			
PCE Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
MLF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
FinalVolume: 287 1288 18 72 493 65 63 287 206 383 947 278																			
Saturation Flow Module:																			
Sat/Lane: 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900																			
Adjustment: 0.83 1.00 0.92 0.92 1.00 0.92 0.92 1.00 0.92 0.83 1.00 0.92																			
Lanes: 2.00 2.00 1.00 1.00 3.00 1.00 1.00 3.00 1.00 2.00 3.00 1.00																			
Final Sat.: 3150 3800 1750 1750 5700 1750 1750 5700 1750 3150 5700 1750																			
Capacity Analysis Module:																			
Vol/Sat: 0.09 0.34 0.01 0.04 0.09 0.04 0.04 0.05 0.12 0.12 0.17 0.16																			
Crit Moves: **** * **** * **** * **** * **** * **** *																			
Green Time: 63.0 109 109.4 13.3 59.8 71.4 11.6 19.1 82.1 46.2 53.6 66.9																			
Volume/Cap: 0.29 0.62 0.02 0.62 0.29 0.10 0.62 0.53 0.29 0.53 0.62 0.47																			
Uniform Del: 51.7 31.0 20.7 90.9 53.8 42.9 92.0 86.1 39.4 67.4 64.2 52.6																			
IncremntDel: 0.2 0.6 0.0 9.8 0.1 0.1 11.1 1.0 0.2 0.7 0.8 0.6																			
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																			
Delay Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Delay/Veh: 51.8 31.6 20.7 100.7 53.9 43.0 103.1 87.1 39.6 68.1 65.0 53.2																			
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
AdjDel/Veh: 51.8 31.6 20.7 100.7 53.9 43.0 103.1 87.1 39.6 68.1 65.0 53.2																			
LOS by Move: D- C C+ F D- D F F D E E D-																			
HCM2kAvgQ: 8 26 1 5 7 3 4 5 9 12 17 14																			
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

---

Intersection #1405: El Camino Real (SR 82) / Wolfe Rd




2025 RELEASE UNDER E.O. 14176

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

---


Intersection #1405: El Camino Real (SR 82) / Wolfe Rd



Note: Queue reported is the number of cars per lane.


Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

## Intersection #5320: CENTRAL EXPWY/MARY AVE




Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

## Intersection #5320: CENTRAL EXPWY/MARY AVE




Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

## Intersection #5320: CENTRAL EXPWY/MARY AVE



Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


## Intersection #5611: LAWRENCE EXPWY/ARQUES AVE



Note: Queue reported is the number of cars per lane.


Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

## Intersection #5611: LAWRENCE EXPWY/ARQUES AVE




Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

## Intersection #5611: LAWRENCE EXPWY/ARQUES AVE




Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM

## Intersection #5613: LAWRENCE EXPWY/REED AVE




Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM

## Intersection #5613: LAWRENCE EXPWY/REED AVE




Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

## Intersection #5613: LAWRENCE EXPWY/REED AVE



Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing AM


## Intersection #5625: LAWRENCE EXPWY/HOMESTEAD RD



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP AM


## Intersection #5625: LAWRENCE EXPWY/HOMESTEAD RD



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative AM

## Intersection #5625: LAWRENCE EXPWY/HOMESTEAD RD




Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	18	85	85	13	80	80	15	40	40	21	46	46			
Y+R:	6.4	6.2	6.2	5.9	6.2	6.2	6.1	6.0	6.0	5.8	5.9	5.9			
<hr/>															
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	544	3821	447	129	2701	553	376	503	213	620	838	467			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	544	3821	447	129	2701	553	376	503	213	620	838	467			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	544	3821	447	129	2701	553	376	503	213	620	838	467			
User Adj:	1.00	0.87	1.00	1.00	0.87	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	544	3324	447	129	2350	553	376	503	213	620	838	467			
Reducet Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	544	3324	447	129	2350	553	376	503	213	620	838	467			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	544	3324	447	129	2350	553	376	503	213	620	838	467			
<hr/>															
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92			
Lanes:	2.00	3.00	1.00	2.00	3.00	1.00	2.00	3.00	1.00	2.00	3.00	1.00			
Final Sat.:	3150	5700	1750	3150	5700	1750	3150	5700	1750	3150	5700	1750			
<hr/>															
Capacity Analysis Module:															
Vol/Sat:	0.17	0.58	0.26	0.04	0.41	0.32	0.12	0.09	0.12	0.20	0.15	0.27			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	17.6	85.1	105.7	12.5	79.5	94.3	14.8	40.4	58.0	20.6	46.1	58.6			
Volume/Cap:	1.80	1.25	0.44	0.60	0.95	0.61	1.48	0.40	0.38	1.75	0.58	0.83			
Uniform Del:	82.7	49.0	21.9	82.8	49.8	31.4	84.1	60.9	48.6	81.2	60.0	57.7			
IncremntDel:370.8	118	0.3	4.6	8.9	1.3	234.0	0.2	0.4	348.1	0.6	10.4				
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.20	1.35	1.00	0.86	0.74	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	453.5	176	30.0	87.5	51.6	24.6	318.1	61.1	49.0	429.3	60.7	68.0			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	453.5	176	30.0	87.5	51.6	24.6	318.1	61.1	49.0	429.3	60.7	68.0			
LOS by Move:	F	F	C	F	D-	C	F	E	D	F	E	E			
HCM2kAvgQ:	35	85	18	4	40	17	22	8	10	41	14	28			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

## Intersection #1: SR 237 &amp; El Camino Real



## Street Name:

## SR 237

## El Camino Real

Approach:	North Bound	South Bound	East Bound	West Bound
-----------	-------------	-------------	------------	------------

Movement:	L - T - R	L - T - R	L - T - R	L - T - R
-----------	-----------	-----------	-----------	-----------

Min. Green:	10 20 0	10 20 0	10 30 0	10 30 0
-------------	---------	---------	---------	---------

Y+R:	4.0 4.0 4.0	4.0 4.0 4.0	4.0 4.0 4.0	4.0 4.0 4.0
------	-------------	-------------	-------------	-------------

Volume Module: &gt;&gt; Count Date: 30 Oct 2018 &lt;&lt; 5:30 PM - 6:30 PM

Base Vol:	114 777 442	352 1078 544	493 1539 44	356 1081 65
-----------	-------------	--------------	-------------	-------------

Growth Adj:	1.00 1.00 1.00	1.00 1.00 1.00	1.00 1.00 1.00	1.00 1.00 1.00
-------------	----------------	----------------	----------------	----------------

Initial Bse:	114 777 442	352 1078 544	493 1539 44	356 1081 65
--------------	-------------	--------------	-------------	-------------

Added Vol:	0 0 0	0 0 0	0 0 0	0 0 0
------------	-------	-------	-------	-------

PasserByVol:	0 0 0	0 0 0	0 0 0	0 0 0
--------------	-------	-------	-------	-------

Initial Fut:	114 777 442	352 1078 544	493 1539 44	356 1081 65
--------------	-------------	--------------	-------------	-------------

User Adj:	1.00 1.00 1.00	1.00 1.00 1.00	1.00 1.00 1.00	1.00 1.00 1.00
-----------	----------------	----------------	----------------	----------------

PHF Adj:	1.00 1.00 1.00	1.00 1.00 1.00	1.00 1.00 1.00	1.00 1.00 1.00
----------	----------------	----------------	----------------	----------------

PHF Volume:	114 777 442	352 1078 544	493 1539 44	356 1081 65
-------------	-------------	--------------	-------------	-------------

Reducet Vol:	0 0 0	0 0 0	0 0 0	0 0 0
--------------	-------	-------	-------	-------

Reduced Vol:	114 777 442	352 1078 544	493 1539 44	356 1081 65
--------------	-------------	--------------	-------------	-------------

PCE Adj:	1.00 1.00 1.00	1.00 1.00 1.00	1.00 1.00 1.00	1.00 1.00 1.00
----------	----------------	----------------	----------------	----------------

MLF Adj:	1.00 1.00 1.00	1.00 1.00 1.00	1.00 1.00 1.00	1.00 1.00 1.00
----------	----------------	----------------	----------------	----------------

FinalVolume:	114 777 442	352 1078 544	493 1539 44	356 1081 65
--------------	-------------	--------------	-------------	-------------

## Saturation Flow Module:

Sat/Lane:	1900 1900 1900	1900 1900 1900	1900 1900 1900	1900 1900 1900
-----------	----------------	----------------	----------------	----------------

Adjustment:	0.83 1.00 0.92	0.83 1.00 0.92	0.83 0.98 0.95	0.83 0.98 0.95
-------------	----------------	----------------	----------------	----------------

Lanes:	2.00 3.00 1.00	2.00 3.00 1.00	2.00 2.91 0.09	2.00 2.82 0.18
--------	----------------	----------------	----------------	----------------

Final Sat.:	3150 5700 1750	3150 5700 1750	3150 5444 156	3150 5282 318
-------------	----------------	----------------	---------------	---------------

## Capacity Analysis Module:

Vol/Sat:	0.04 0.14 0.25	0.11 0.19 0.31	0.16 0.28 0.28	0.11 0.20 0.20
----------	----------------	----------------	----------------	----------------

Crit Moves:	****	****	****	****
-------------	------	------	------	------

Green Time:	10.0 52.1 52.1	23.0 65.1 65.1	35.9 59.2 59.2	23.7 47.0 47.0
-------------	----------------	----------------	----------------	----------------

Volume/Cap:	0.62 0.45 0.82	0.82 0.49 0.81	0.74 0.81 0.81	0.81 0.74 0.74
-------------	----------------	----------------	----------------	----------------

Uniform Del:	78.1 47.4 54.7	71.5 39.9 47.0	62.7 50.3 50.3	71.0 56.0 56.0
--------------	----------------	----------------	----------------	----------------

IncremntDel:	6.1 0.2 10.1	12.3 0.2 7.4	4.4 2.7 2.7	10.9 2.0 2.0
--------------	--------------	--------------	-------------	--------------

InitQueuDel:	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0
--------------	-------------	-------------	-------------	-------------

Delay Adj:	1.00 1.00 1.00	1.00 1.00 1.00	1.00 1.00 1.00	1.00 1.00 1.00
------------	----------------	----------------	----------------	----------------

Delay/Veh:	84.2 47.5 64.8	83.8 40.1 54.4	67.1 53.0 53.0	81.9 57.9 57.9
------------	----------------	----------------	----------------	----------------

User DelAdj:	1.00 1.00 1.00	1.00 1.00 1.00	1.00 1.00 1.00	1.00 1.00 1.00
--------------	----------------	----------------	----------------	----------------

AdjDel/Veh:	84.2 47.5 64.8	83.8 40.1 54.4	67.1 53.0 53.0	81.9 57.9 57.9
-------------	----------------	----------------	----------------	----------------


LOS by Move:	F D E F D D- E D- D-	F E+ E+
--------------	----------------------	---------

HCM2kAvgQ:	4 11 25 13 14 29 16 27 27	11 18 18
------------	---------------------------	----------

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

Intersection #1: SR 237 & El Camino Real




Street Name: SR 237 El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 20		0 10 20		0 10 30		0 10 30		0 10 30		0 10 30				
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0				
Volume Module: >> Count Date: 9 Nov 2016 << 4:15 PM - 5:15 PM															
Base Vol:	162	823	462	640	1205	638	493	1539	205	542	1604	65			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	162	823	462	640	1205	638	493	1539	205	542	1604	65			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	162	823	462	640	1205	638	493	1539	205	542	1604	65			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	162	823	462	640	1205	638	493	1539	205	542	1604	65			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	162	823	462	640	1205	638	493	1539	205	542	1604	65			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	162	823	462	640	1205	638	493	1539	205	542	1604	65			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92	0.83	0.98	0.95			
Lanes:	2.00	3.00	1.00	2.00	3.00	1.00	2.00	3.00	1.00	2.00	2.88	0.12			
Final Sat.:	3150	5700	1750	3150	5700	1750	3150	5700	1750	3150	5382	218			
Capacity Analysis Module:															
Vol/Sat:	0.05	0.14	0.26	0.20	0.21	0.36	0.16	0.27	0.12	0.17	0.30	0.30			
Crit Moves:	****			****			****			****					
Green Time:	11.1	45.3	45.3	34.8	69.0	69.0	26.8	47.6	58.7	30.3	51.1	51.1			
Volume/Cap:	0.79	0.54	0.99	0.99	0.52	0.90	0.99	0.96	0.34	0.96	0.99	0.99			
Uniform Del:	78.3	53.5	62.2	67.4	38.1	47.3	71.5	60.4	41.3	69.3	59.2	59.2			
IncremntDel:	17.8	0.4	39.4	33.2	0.2	14.4	38.1	14.9	0.3	29.1	19.9	19.9			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	96.1	53.9	101.6	100.7	38.3	61.6	109.6	75.3	41.6	98.4	79.2	79.2			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	96.1	53.9	101.6	100.7	38.3	61.6	109.6	75.3	41.6	98.4	79.2	79.2			
LOS by Move:	F	D-	F	F	D+	E	F	E-	D	F	E-	E-			
HCM2kAvgQ:	7	12	31	25	15	36	20	31	8	18	31	31			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

Intersection #1: SR 237 & El Camino Real




Street Name: SR 237 El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 20		0 10 20		0 10 30		0 10 30		0 10 30		0 10 30				
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0				
Volume Module: >> Count Date: 9 Nov 2016 << 4:15 PM - 5:15 PM															
Base Vol:	163	835	453	650	1196	642	521	1539	205	542	1610	65			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	163	835	453	650	1196	642	521	1539	205	542	1610	65			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	163	835	453	650	1196	642	521	1539	205	542	1610	65			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	163	835	453	650	1196	642	521	1539	205	542	1610	65			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	163	835	453	650	1196	642	521	1539	205	542	1610	65			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	163	835	453	650	1196	642	521	1539	205	542	1610	65			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92	0.83	0.98	0.95			
Lanes:	2.00	3.00	1.00	2.00	3.00	1.00	2.00	3.00	1.00	2.00	2.88	0.12			
Final Sat.:	3150	5700	1750	3150	5700	1750	3150	5700	1750	3150	5382	217			
Capacity Analysis Module:															
Vol/Sat:	0.05	0.15	0.26	0.21	0.21	0.37	0.17	0.27	0.12	0.17	0.30	0.30			
Crit Moves:	****			****			****			****					
Green Time:	10.9	44.0	44.0	35.1	68.1	68.1	28.1	48.2	59.1	30.7	50.8	50.8			
Volume/Cap:	0.81	0.57	1.00	1.00	0.52	0.92	1.00	0.95	0.34	0.95	1.00	1.00			
Uniform Del:	78.5	54.7	63.0	67.5	38.6	48.2	70.9	59.8	40.9	68.9	59.6	59.6			
IncremntDel:	20.5	0.5	42.4	35.4	0.2	16.7	39.5	12.8	0.3	26.2	22.1	22.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	99.0	55.2	105.4	102.9	38.8	64.9	110.5	72.6	41.3	95.1	81.7	81.7			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	99.0	55.2	105.4	102.9	38.8	64.9	110.5	72.6	41.3	95.1	81.7	81.7			
LOS by Move:	F	E+	F	F	D+	E	F	E	D	F	F	F			
HCM2kAvgQ:	7	13	31	26	15	37	21	30	8	17	31	31			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

## Intersection #2: Sylvan Ave &amp; El Camino Real




Street Name: Sylvan Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7		10	10		7	10		10	7		10	10		
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 4:30 PM - 5:30 PM															
Base Vol:	385	119	119	189	88	159	149	1866	312	57	852	86			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	385	119	119	189	88	159	149	1866	312	57	852	86			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	385	119	119	189	88	159	149	1866	312	57	852	86			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	385	119	119	189	88	159	149	1866	312	57	852	86			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	385	119	119	189	88	159	149	1866	312	57	852	86			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	385	119	119	189	88	159	149	1866	312	57	852	86			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	0.95	0.95	0.92	1.00	0.92	0.92	1.00	0.92	0.83	0.99	0.95			
Lanes:	2.00	0.50	0.50	1.00	1.00	1.00	1.00	3.00	1.00	2.00	2.71	0.29			
Final Sat.:	3150	900	900	1750	1900	1750	1750	5700	1750	3150	5086	513			
Capacity Analysis Module:															
Vol/Sat:	0.12	0.13	0.13	0.11	0.05	0.09	0.09	0.33	0.18	0.02	0.17	0.17			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	35.9	30.5	30.5	24.9	19.6	47.4	27.8	75.6	111.4	7.0	54.7	54.7			
Volume/Cap:	0.51	0.65	0.65	0.65	0.36	0.29	0.46	0.65	0.24	0.39	0.46	0.46			
Uniform Del:	49.5	54.8	54.8	58.5	59.5	38.6	54.4	27.5	6.0	69.4	36.3	36.3			
IncremntDel:	0.6	4.1	4.1	5.1	0.9	0.3	1.0	0.5	0.1	1.7	0.2	0.2			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	50.1	58.9	58.9	63.6	60.3	38.9	55.4	28.0	6.1	71.1	36.5	36.5			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	50.1	58.9	58.9	63.6	60.3	38.9	55.4	28.0	6.1	71.1	36.5	36.5			
LOS by Move:	D	E+	E+	E	E	D+	E+	C	A	E	D+	D+			
HCM2kAvgQ:	9	11	11	10	4	6	6	20	5	1	11	11			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

## Intersection #2: Sylvan Ave &amp; El Camino Real




Street Name: Sylvan Ave El Camino Real																		
Approach:	North Bound			South Bound			East Bound			West Bound								
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R			
Min. Green:	7		10	10		7	10		10	7		10	10					
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0					
Volume Module: >> Count Date: 14 Nov 2017 << 4:30 PM - 5:30 PM																		
Base Vol:	387		121	126		294	164		159	193		2376	312		62	1864		198
Growth Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Initial Bse:	387		121	126		294	164		159	193		2376	312		62	1864		198
Added Vol:	0		0	0		0	0		0	0		0	0		0	0		0
PasserByVol:	0		0	0		0	0		0	0		0	0		0	0		0
Initial Fut:	387		121	126		294	164		159	193		2376	312		62	1864		198
User Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Volume:	387		121	126		294	164		159	193		2376	312		62	1864		198
Reduc Vol:	0		0	0		0	0		0	0		0	0		0	0		0
Reduced Vol:	387		121	126		294	164		159	193		2376	312		62	1864		198
PCE Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
MLF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
FinalVolume:	387		121	126		294	164		159	193		2376	312		62	1864		198
Saturation Flow Module:																		
Sat/Lane:	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900
Adjustment:	0.83		0.95	0.95		0.92	1.00		0.92	0.92		1.00	0.92		0.83	0.99		0.95
Lanes:	2.00		0.49	0.51		1.00	1.00		1.00	1.00		3.00	1.00		2.00	2.70		0.30
Final Sat.:	3150		882	918		1750	1900		1750	1750		5700	1750		3150	5062		538
Capacity Analysis Module:																		
Vol/Sat:	0.12		0.14	0.14		0.17	0.09		0.09	0.11		0.42	0.18		0.02	0.37		0.37
Crit Moves:	****		****	****		****	****		****	****		****	****		****	****		****
Green Time:	31.6		24.2	24.2		29.6	22.2		41.6	19.4		75.8	107.3		8.5	64.8		64.8
Volume/Cap:	0.58		0.85	0.85		0.58	0.33		0.85	0.83		0.25	0.35		0.85	0.85		0.85
Uniform Del:	53.3		61.2	61.2		58.1	59.6		43.1	63.9		31.5	7.4		68.1	38.3		38.3
IncremntDel:	1.3		20.8	20.8		18.0	3.1		0.4	25.3		2.1	0.1		1.2	3.1		3.1
InitQueueDel:	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0
Delay Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Delay/Veh:	54.6		82.0	82.0		76.1	62.7		43.5	89.2		33.6	7.5		69.3	41.4		41.4
User DelAdj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
AdjDel/Veh:	54.6		82.0	82.0		76.1	62.7		43.5	89.2		33.6	7.5		69.3	41.4		41.4
LOS by Move:	D-		F	F		E-	E		D	F		C-	A		E	D		D
HCM2kAvgQ:	10		14	14		17	8		6	9		29	5		2	28		28

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

## Intersection #2: Sylvan Ave &amp; El Camino Real




Street Name: Sylvan Ave El Camino Real																		
Approach:	North Bound			South Bound			East Bound			West Bound								
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R			
Min. Green:	7		10	10		7	10		10	7		10	10					
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0					
Volume Module: >> Count Date: 14 Nov 2017 << 4:30 PM - 5:30 PM																		
Base Vol:	385		121	119		302	168		159	208		2422	312		62	1892		203
Growth Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Initial Bse:	385		121	119		302	168		159	208		2422	312		62	1892		203
Added Vol:	0		0	0		0	0		0	0		0	0		0	0		0
PasserByVol:	0		0	0		0	0		0	0		0	0		0	0		0
Initial Fut:	385		121	119		302	168		159	208		2422	312		62	1892		203
User Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Volume:	385		121	119		302	168		159	208		2422	312		62	1892		203
Reduc Vol:	0		0	0		0	0		0	0		0	0		0	0		0
Reduced Vol:	385		121	119		302	168		159	208		2422	312		62	1892		203
PCE Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
MLF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
FinalVolume:	385		121	119		302	168		159	208		2422	312		62	1892		203
Saturation Flow Module:																		
Sat/Lane:	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900
Adjustment:	0.83		0.95	0.95		0.92	1.00		0.92	0.92		1.00	0.92		0.83	0.99		0.95
Lanes:	2.00		0.50	0.50		1.00	1.00		1.00	1.00		3.00	1.00		2.00	2.70		0.30
Final Sat.:	3150		907	892		1750	1900		1750	1750		5700	1750		3150	5057		543
Capacity Analysis Module:																		
Vol/Sat:	0.12		0.13	0.13		0.17	0.09		0.09	0.12		0.42	0.18		0.02	0.37		0.37
Crit Moves:	****		****	****		****	****		****	****		****	****		****	****		****
Green Time:	30.7		23.0	23.0		29.8	22.2		42.7	20.5		76.7	107.4		8.4	64.6		64.6
Volume/Cap:	0.60		0.87	0.87		0.60	0.32		0.87	0.83		0.25	0.35		0.87	0.87		0.87
Uniform Del:	54.1		62.0	62.0		58.2	59.7		42.2	63.4		31.1	7.4		68.2	38.8		38.8
IncremntDel:	1.6		24.1	24.1		20.1	3.5		0.4	26.9		2.1	0.1		1.2	3.7		3.7
InitQueueDel:	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0
Delay Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Delay/Veh:	55.6		86.1	86.1		78.3	63.3		42.6	90.3		33.3	7.5		69.4	42.5		42.5
User DelAdj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
AdjDel/Veh:	55.6		86.1	86.1		78.3	63.3		42.6	90.3		33.3	7.5		69.4	42.5		42.5
LOS by Move:	E+		F	F		E-	E		D	F		C-	A		E	D		D
HCM2kAvgQ:	10		14	14		17	8		6	10		29	5		2	28		28

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


## Intersection #3: Bernardo Ave &amp; El Camino Real



Street Name: Bernardo Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM															
Base Vol:	173	153	83	106	319	207	315	1386	181	148	805	111			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	173	153	83	106	319	207	315	1386	181	148	805	111			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	173	153	83	106	319	207	315	1386	181	148	805	111			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	173	153	83	106	319	207	315	1386	181	148	805	111			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	173	153	83	106	319	207	315	1386	181	148	805	111			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	173	153	83	106	319	207	315	1386	181	148	805	111			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	1.00	0.92	0.92	0.99	0.95	0.92	0.99	0.95	0.92	0.99	0.95			
Lanes:	2.00	1.00	1.00	1.00	1.19	0.81	1.00	2.64	0.36	1.00	2.62	0.38			
Final Sat.:	3150	1900	1750	1750	2243	1455	1750	4952	647	1750	4921	678			
Capacity Analysis Module:															
Vol/Sat:	0.05	0.08	0.05	0.06	0.14	0.14	0.18	0.28	0.28	0.08	0.16	0.16			
Crit Moves:	****		****		****		****		****	****					
Green Time:	13.5	27.6	48.4	20.8	35.0	35.0	46.9	68.8	68.8	20.8	42.6	42.6			
Volume/Cap:	0.61	0.44	0.15	0.44	0.61	0.61	0.58	0.61	0.61	0.61	0.58	0.58			
Uniform Del:	65.7	54.3	36.1	59.2	51.4	51.4	43.2	30.5	30.5	60.8	45.9	45.9			
IncremntDel:	3.9	0.9	0.1	1.3	1.3	1.3	1.5	0.4	0.4	4.5	0.5	0.5			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	69.6	55.1	36.2	60.5	52.7	52.7	44.7	31.0	31.0	65.3	46.5	46.5			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	69.6	55.1	36.2	60.5	52.7	52.7	44.7	31.0	31.0	65.3	46.5	46.5			
LOS by Move:	E	E+	D+	E	D-	D-	D	C	C	E	D	D			
HCM2kAvgQ:	6	6	3	5	12	12	13	18	18	7	12	12			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


## Intersection #3: Bernardo Ave &amp; El Camino Real



Street Name: Bernardo Ave El Camino Real																		
Approach:	North Bound			South Bound			East Bound			West Bound								
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R			
Min. Green:	7		10	10		7	10		10	7		10	10					
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0					
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM																		
Base Vol:	289		190	170		275	402		271	318		2148	319		188	1781		258
Growth Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Initial Bse:	289		190	170		275	402		271	318		2148	319		188	1781		258
Added Vol:	0		0	0		0	0		0	0		0	0		0	0		0
PasserByVol:	0		0	0		0	0		0	0		0	0		0	0		0
Initial Fut:	289		190	170		275	402		271	318		2148	319		188	1781		258
User Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Volume:	289		190	170		275	402		271	318		2148	319		188	1781		258
Reduc Vol:	0		0	0		0	0		0	0		0	0		0	0		0
Reduced Vol:	289		190	170		275	402		271	318		2148	319		188	1781		258
PCE Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
MLF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
FinalVolume:	289		190	170		275	402		271	318		2148	319		188	1781		258
Saturation Flow Module:																		
Sat/Lane:	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900
Adjustment:	0.83		1.00	0.92		0.92	0.99		0.95	0.92		0.99	0.95		0.92	0.99		0.95
Lanes:	2.00		1.00	1.00		1.17	0.83		1.00	2.60		0.40	1.00		2.61	0.39		
Final Sat.:	3150		1900	1750		1750	2209		1489	1750		4875	724		1750	4890		708
Capacity Analysis Module:																		
Vol/Sat:	0.09		0.10	0.10		0.16	0.18		0.18	0.18		0.44	0.44		0.44	0.11		0.36
Crit Moves:	****			****			****			****			****			****		
Green Time:	15.4		17.9	35.9		28.1	30.6		30.6	30.6		74.0	74.0		18.0	61.4		61.4
Volume/Cap:	0.89		0.84	0.41		0.84	0.89		0.89	0.89		0.89	0.89		0.89	0.89		0.89
Uniform Del:	66.5		64.7	48.1		58.8	58.1		58.1	58.0		34.4	34.4		65.0	41.2		41.2
IncremntDel:	25.3		23.3	0.6		17.2	13.0		13.0	22.9		4.2	4.2		34.5	4.8		4.8
InitQueueDel:	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0
Delay Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Delay/Veh:	91.8		87.9	48.7		76.0	71.2		71.2	80.9		38.6	38.6		99.6	45.9		45.9
User DelAdj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
AdjDel/Veh:	91.8		87.9	48.7		76.0	71.2		71.2	80.9		38.6	38.6		99.6	45.9		45.9
LOS by Move:	F		F	D		E-	E		E	F		D+	D+		F	D		D
HCM2kAvgQ:	11		11	7		15	19		19	16		34	34		9	27		27
Note: Queue reported is the number of cars per lane.																		

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

## Intersection #3: Bernardo Ave &amp; El Camino Real




Street Name: Bernardo Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM															
Base Vol:	315	193	188	294	408	265	321	2206	315	194	1831	254			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	315	193	188	294	408	265	321	2206	315	194	1831	254			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	315	193	188	294	408	265	321	2206	315	194	1831	254			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	315	193	188	294	408	265	321	2206	315	194	1831	254			
Reducet Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	315	193	188	294	408	265	321	2206	315	194	1831	254			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	315	193	188	294	408	265	321	2206	315	194	1831	254			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	1.00	0.92	0.92	0.99	0.95	0.92	0.99	0.95	0.92	0.99	0.95			
Lanes:	2.00	1.00	1.00	1.00	1.19	0.81	1.00	2.61	0.39	1.00	2.62	0.38			
Final Sat.:	3150	1900	1750	1750	2242	1456	1750	4899	700	1750	4917	682			
Capacity Analysis Module:															
Vol/Sat:	0.10	0.10	0.11	0.17	0.18	0.18	0.18	0.45	0.45	0.11	0.37	0.37			
Crit Moves:	****			****			****			****					
Green Time:	16.4	17.4	35.5	28.8	29.8	29.8	30.3	73.7	73.7	18.1	61.5	61.5			
Volume/Cap:	0.92	0.88	0.45	0.88	0.92	0.92	0.91	0.92	0.92	0.92	0.91	0.91			
Uniform Del:	66.1	65.2	48.9	58.9	58.9	58.9	58.5	35.3	35.3	65.2	41.6	41.6			
IncremntDel:	28.4	30.1	0.8	21.9	16.3	16.3	26.2	5.4	5.4	39.4	5.8	5.8			
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	94.5	95.3	49.7	80.7	75.1	75.1	84.7	40.7	40.7	104.6	47.3	47.3			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	94.5	95.3	49.7	80.7	75.1	75.1	84.7	40.7	40.7	104.6	47.3	47.3			
LOS by Move:	F	F	D	F	E-	E-	F	D	D	F	D	D			
HCM2kAvgQ:	12	11	8	17	19	19	16	36	36	9	28	28			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

## Intersection #4: Mary Ave &amp; El Camino Real




Street Name: Mary Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7		10	10		7	10		10	7		10	10		
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0		
Volume Module: >> Count Date: 30 Oct 2018 << 5:15 PM - 6:15 PM															
Base Vol:	105	199	65	205	669	187	226	1393	161	156	841	146			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	105	199	65	205	669	187	226	1393	161	156	841	146			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	105	199	65	205	669	187	226	1393	161	156	841	146			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	105	199	65	205	669	187	226	1393	161	156	841	146			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	105	199	65	205	669	187	226	1393	161	156	841	146			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	105	199	65	205	669	187	226	1393	161	156	841	146			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.98	0.95	0.92	0.98	0.95	0.92	0.99	0.95	0.92	0.99	0.95			
Lanes:	1.00	1.49	0.51	1.00	1.55	0.45	1.00	2.68	0.32	1.00	2.54	0.46			
Final Sat.:	1750	2788	911	1750	2891	808	1750	5019	580	1750	4771	828			
Capacity Analysis Module:															
Vol/Sat:	0.06	0.07	0.07	0.12	0.23	0.23	0.13	0.28	0.28	0.09	0.18	0.18			
Crit Moves:	****			****			****			****					
Green Time:	9.8	19.9	19.9	27.9	38.0	38.0	25.4	45.5	45.5	14.6	34.7	34.7			
Volume/Cap:	0.73	0.43	0.43	0.50	0.73	0.73	0.61	0.73	0.73	0.73	0.61	0.61			
Uniform Del:	53.8	45.0	45.0	40.0	36.5	36.5	42.8	32.0	32.0	50.8	36.8	36.8			
IncremntDel:	17.4	0.5	0.5	1.0	2.4	2.4	2.9	1.3	1.3	12.2	0.7	0.7			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	71.2	45.5	45.5	41.0	38.9	38.9	45.7	33.3	33.3	63.0	37.5	37.5			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	71.2	45.5	45.5	41.0	38.9	38.9	45.7	33.3	33.3	63.0	37.5	37.5			
LOS by Move:	E	D	D	D	D+	D+	D	C-	C-	E	D+	D+			
HCM2kAvgQ:	4	4	4	7	14	14	8	16	16	6	10	10			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

## Intersection #4: Mary Ave &amp; El Camino Real




Street Name: Mary Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 9 Nov 2016 << 4:45 PM - 5:45 PM															
Base Vol:	147	199	74	425	698	206	340	1643	216	212	2053	227			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	147	199	74	425	698	206	340	1643	216	212	2053	227			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	147	199	74	425	698	206	340	1643	216	212	2053	227			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	147	199	74	425	698	206	340	1643	216	212	2053	227			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	147	199	74	425	698	206	340	1643	216	212	2053	227			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	147	199	74	425	698	206	340	1643	216	212	2053	227			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.98	0.95	0.92	0.98	0.95	0.92	0.99	0.95	0.92	0.99	0.95			
Lanes:	1.00	1.44	0.56	1.00	1.53	0.47	1.00	2.64	0.36	1.00	2.69	0.31			
Final Sat.:	1750	2696	1003	1750	2856	843	1750	4948	651	1750	5042	557			
Capacity Analysis Module:															
Vol/Sat:	0.08	0.07	0.07	0.24	0.24	0.24	0.19	0.33	0.33	0.12	0.41	0.41			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	9.8	10.0	10.0	28.2	28.4	28.4	22.6	51.1	51.1	18.7	47.3	47.3			
Volume/Cap:	1.03	0.89	0.89	1.03	1.03	1.03	1.03	0.78	0.78	0.78	1.03	1.03			
Uniform Del:	55.1	54.4	54.4	45.9	45.8	45.8	48.7	29.6	29.6	48.7	36.4	36.4			
IncremntDel:	84.1	24.9	24.9	53.4	38.9	38.9	58.7	1.7	1.7	13.4	28.6	28.6			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	139.2	79.3	79.3	99.3	84.7	84.7	107.4	31.3	31.3	62.1	64.9	64.9			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	139.2	79.3	79.3	99.3	84.7	84.7	107.4	31.3	31.3	62.1	64.9	64.9			
LOS by Move:	F	E-	E-	F	F	F	F	C	C	E	E	E			
HCM2kAvgQ:	8	6	6	20	20	20	16	19	19	8	32	32			

Note: Queue reported is the number of cars per lane.


Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

## Intersection #4: Mary Ave &amp; El Camino Real



Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

Intersection #5: Pastoria Ave & El Camino Real




Street Name: Pastoria Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	115	196	163	72	361	104	88	1328	130	313	786	47			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	115	196	163	72	361	104	88	1328	130	313	786	47			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	115	196	163	72	361	104	88	1328	130	313	786	47			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	115	196	163	72	361	104	88	1328	130	313	786	47			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	115	196	163	72	361	104	88	1328	130	313	786	47			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	115	196	163	72	361	104	88	1328	130	313	786	47			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	1.00	0.95	0.92	1.00	0.92	0.92	0.99	0.95	0.83	0.98	0.95			
Lanes:	1.00	1.07	0.93	1.00	2.00	1.00	1.00	2.72	0.28	2.00	2.82	0.18			
Final Sat.:	1750	2019	1679	1750	3800	1750	1750	5100	499	3150	5284	316			
Capacity Analysis Module:															
Vol/Sat:	0.07	0.10	0.10	0.04	0.10	0.06	0.05	0.26	0.26	0.10	0.15	0.15			
Crit Moves:	****			****			****			****					
Green Time:	17.4	28.8	28.8	13.8	25.2	49.3	24.1	69.0	69.0	26.3	71.3	71.3			
Volume/Cap:	0.57	0.51	0.51	0.45	0.57	0.18	0.31	0.57	0.57	0.57	0.31	0.31			
Uniform Del:	62.7	54.2	54.2	64.5	57.4	35.9	55.6	29.5	29.5	56.6	24.3	24.3			
IncremntDel:	3.7	0.6	0.6	2.0	1.2	0.2	0.6	0.3	0.3	1.4	0.1	0.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	66.4	54.8	54.8	66.4	58.6	36.1	56.3	29.8	29.8	58.0	24.3	24.3			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	66.4	54.8	54.8	66.4	58.6	36.1	56.3	29.8	29.8	58.0	24.3	24.3			
LOS by Move:	E	D-	D-	E	E+	D+	E+	C	C	E+	C	C			
HCM2kAvgQ:	6	8	8	4	8	4	4	16	16	8	8	8			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


## Intersection #5: Pastoria Ave &amp; El Camino Real



Street Name: Pastoria Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	135 260		412 359		512 384		198 2188		136 651		2036 129				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	135 260		412 359		512 384		198 2188		136 651		2036 129				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	135 260		412 359		512 384		198 2188		136 651		2036 129				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	135 260		412 359		512 384		198 2188		136 651		2036 129				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	135 260		412 359		512 384		198 2188		136 651		2036 129				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	135 260		412 359		512 384		198 2188		136 651		2036 129				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 1.00		0.92 1.00		0.92 1.00		0.92 0.98		0.95 0.83		0.98 0.95				
Lanes:	1.00 1.00		1.00 2.00		1.00 1.00		2.82 0.18		2.00 2.00		2.81 0.19				
Final Sat.:	1750 1900		1750 1750		3800 1750		1750 1750		5272 328		3150 3150				
Capacity Analysis Module:															
Vol/Sat:	0.08 0.14		0.24 0.21		0.13 0.22		0.11 0.11		0.42 0.42		0.21 0.21				
Crit Moves:	****		****		****		****		****		****				
Green Time:	20.8 30.6		30.6 26.7		36.4 54.7		18.3 18.3		53.9 53.9		26.8 26.8				
Volume/Cap:	0.56 0.67		1.15 1.15		0.56 0.56		0.60 0.93		1.15 1.15		0.93 0.93				
Uniform Del:	60.3 55.1		59.7 61.7		49.7 49.7		38.8 65.2		48.0 48.0		48.0 48.0				
IncremntDel:	2.8 1.8		87.9 99.7		0.7 0.7		1.6 42.0		75.7 75.7		78.4 78.4				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	63.1 56.9		147.6 161.4		50.5 40.4		107.2 107.2		124 124		123.8 123.8				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	63.1 56.9		147.6 161.4		50.5 40.4		107.2 107.2		124 124		123.8 123.8				
LOS by Move:	E	E+	F	F	D	D	F	F	F	F	D	D			
HCM2kAvgQ:	7	12	31	27	11	16	10	49	49	24	31	31			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


## Intersection #5: Pastoria Ave &amp; El Camino Real



Street Name: Pastoria Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 7		10 7		10 7		10 7		10 7		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	140 251		469 386		518 387		204 2181		189 632		2080 138				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	140 251		469 386		518 387		204 2181		189 632		2080 138				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	140 251		469 386		518 387		204 2181		189 632		2080 138				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	140 251		469 386		518 387		204 2181		189 632		2080 138				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	140 251		469 386		518 387		204 2181		189 632		2080 138				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	140 251		469 386		518 387		204 2181		189 632		2080 138				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 1.00		0.92 1.00		0.92 1.00		0.92 0.99		0.95 0.83		0.98 0.95				
Lanes:	1.00 1.00		1.00 2.00		1.00 1.00		2.75 0.25		2.00 2.00		2.81 0.19				
Final Sat.:	1750 1900		1750 3800		1750 1750		5153 447		3150 3150		5251 348				
Capacity Analysis Module:															
Vol/Sat:	0.08 0.13		0.27 0.22		0.14 0.22		0.12 0.12		0.42 0.42		0.20 0.20				
Crit Moves:	*****		*****		*****		*****		*****		*****				
Green Time:	22.4 33.2		33.2 27.4		38.2 55.8		17.6 52.5		52.5 24.9		59.8 59.8				
Volume/Cap:	0.54 0.60		1.21 1.21		0.54 0.59		0.99 1.21		1.21 1.21		0.99 0.99				
Uniform Del:	59.0 52.4		58.4 61.3		48.2 38.0		66.1 48.7		48.7 52.6		44.9 44.9				
IncremntDel:	2.2 0.8		109.2 119.8		0.6 1.5		60.9 99.2		99.2 111.0		17.5 17.5				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	61.2 53.2		167.6 181.1		48.8 39.5		127.0 148		147.9 147.9		173.6 173.6				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	61.2 53.2		167.6 181.1		48.8 39.5		127.0 148		147.9 147.9		173.6 173.6				
LOS by Move:	E	D-	F	F	D	D	F	F	F	F	E	E			
HCM2kAvgQ:	7	11	36	31	10	16	11	53	53	25	36	36			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

Intersection #6: Mathilda Ave & El Camino Real




Street Name: Mathilda Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 30 Oct 2018 << 5:15 PM - 6:15 PM															
Base Vol:	246	417	38	534	1638	233	168	1268	189	70	744	196			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	246	417	38	534	1638	233	168	1268	189	70	744	196			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	246	417	38	534	1638	233	168	1268	189	70	744	196			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	246	417	38	534	1638	233	168	1268	189	70	744	196			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	246	417	38	534	1638	233	168	1268	189	70	744	196			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	246	417	38	534	1638	233	168	1268	189	70	744	196			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	0.99	0.95	0.83	1.00	0.92	0.83	0.99	0.95	0.92	1.00	0.92			
Lanes:	2.00	2.74	0.26	2.00	3.00	1.00	2.00	2.60	0.40	1.00	3.00	1.00			
Final Sat.:	3150	5132	468	3150	5700	1750	3150	4873	726	1750	5700	1750			
Capacity Analysis Module:															
Vol/Sat:	0.08	0.08	0.08	0.17	0.29	0.13	0.05	0.26	0.26	0.04	0.13	0.11			
Crit Moves:	****			****			****			****					
Green Time:	17.4	26.3	26.3	54.9	63.9	83.3	19.4	57.9	57.9	8.9	47.4	102.3			
Volume/Cap:	0.72	0.49	0.49	0.49	0.72	0.26	0.44	0.72	0.72	0.72	0.44	0.18			
Uniform Del:	69.0	60.8	60.8	41.5	40.5	21.2	65.3	44.1	44.1	74.3	45.6	11.7			
IncremntDel:	7.3	0.4	0.4	0.4	1.1	0.1	0.8	1.3	1.3	22.8	0.2	0.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	76.2	61.2	61.2	41.9	41.6	21.4	66.1	45.4	45.4	97.2	45.8	11.8			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	76.2	61.2	61.2	41.9	41.6	21.4	66.1	45.4	45.4	97.2	45.8	11.8			
LOS by Move:	E-	E	E	D	D	C+	E	D	D	F	D	B+			
HCM2kAvgQ:	7	7	7	12	22	6	4	20	20	4	9	4			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #6: Mathilda Ave & El Camino Real



Street Name: Mathilda Ave El Camino Real																			
Approach:	North Bound			South Bound			East Bound			West Bound									
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
Min. Green:	7 10		10 7		10 7		10 7		10 7		10 7		10 7						
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0						
Volume Module: >> Count Date: 9 Nov 2016 << 5:00 PM - 6:00 PM																			
Base Vol: 402 682 81 614 2058 972 493 1761 415 118 1240 472																			
Growth Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Initial Bse: 402 682 81 614 2058 972 493 1761 415 118 1240 472																			
Added Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
PasserByVol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Initial Fut: 402 682 81 614 2058 972 493 1761 415 118 1240 472																			
User Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Volume: 402 682 81 614 2058 972 493 1761 415 118 1240 472																			
Reduc Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Reduced Vol: 402 682 81 614 2058 972 493 1761 415 118 1240 472																			
PCE Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
MLF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
FinalVolume: 402 682 81 614 2058 972 493 1761 415 118 1240 472																			
Saturation Flow Module:																			
Sat/Lane: 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900																			
Adjustment: 0.83 0.99 0.95 0.83 1.00 0.92 0.83 0.99 0.95 0.92 1.00 0.92																			
Lanes: 2.00 2.67 0.33 2.00 3.00 1.00 2.00 2.41 0.59 1.00 3.00 1.00																			
Final Sat.: 3150 5005 594 3150 5700 1750 3150 4531 1068 1750 5700 1750																			
Capacity Analysis Module:																			
Vol/Sat: 0.13 0.14 0.14 0.19 0.36 0.56 0.16 0.39 0.39 0.07 0.22 0.27																			
Crit Moves: **** * **** * **** *																			
Green Time: 19.2 32.6 32.6 46.7 60.1 88.8 28.7 58.5 58.5 10.2 40.0 86.6																			
Volume/Cap: 1.06 0.67 0.67 0.67 0.96 1.00 0.87 1.06 1.06 1.06 0.87 0.50																			
Uniform Del: 70.4 58.7 58.7 49.9 48.8 35.6 63.8 50.7 50.7 74.9 57.6 23.0																			
IncremntDel: 63.7 1.5 1.5 1.9 11.7 29.0 13.8 38.9 38.9 103.2 6.1 0.4																			
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																			
Delay Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Delay/Veh: 134.1 60.2 60.2 51.8 60.6 64.6 77.6 89.6 89.6 178.1 63.7 23.5																			
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
AdjDel/Veh: 134.1 60.2 60.2 51.8 60.6 64.6 77.6 89.6 89.6 178.1 63.7 23.5																			
LOS by Move: F E E D- E E- F F F E C																			
HCM2kAvgQ: 15 12 12 15 34 55 13 39 39 8 20 15																			
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #6: Mathilda Ave & El Camino Real



Street Name: Mathilda Ave												El Camino Real													
Approach: North Bound				South Bound				East Bound				West Bound													
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	7	10	10	7	10	10	7	10	10	7	10
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Volume Module: >> Count Date: 9 Nov 2016 << 5:00 PM - 6:00 PM																									
Base Vol: 448 696 78 644 2075 928 519 1777 404 134 1268 475																									
Growth Adj: 1.00																									
Initial Bse: 448 696 78 644 2075 928 519 1777 404 134 1268 475																									
Added Vol: 0																									
PasserByVol: 0																									
Initial Fut: 448 696 78 644 2075 928 519 1777 404 134 1268 475																									
User Adj: 1.00																									
PHF Adj: 1.00																									
PHF Volume: 448 696 78 644 2075 928 519 1777 404 134 1268 475																									
Reduc Vol: 0																									
Reduced Vol: 448 696 78 644 2075 928 519 1777 404 134 1268 475																									
PCE Adj: 1.00																									
MLF Adj: 1.00																									
FinalVolume: 448 696 78 644 2075 928 519 1777 404 134 1268 475																									
Saturation Flow Module:																									
Sat/Lane: 1900																									
Adjustment: 0.83 0.99 0.95 0.83 1.00 0.92 0.83 0.99 0.95 0.92 1.00 0.92 1.00 0.92 1.00 0.92 1.00 0.92 1.00 0.92 1.00 0.92 1.00 0.92 1.00																									
Lanes: 2.00 2.69 0.31 2.00 3.00 1.00 2.00 2.42 0.58 1.00 3.00 1.00 2.00 3.00 1.00 2.00 3.00 1.00 2.00 3.00 1.00 2.00 3.00 1.00 2.00																									
Final Sat.: 3150 5035 564 3150 5700 1750 3150 4561 1037 1750 5700 1750																									
Capacity Analysis Module:																									
Vol/Sat: 0.14 0.14 0.14 0.20 0.36 0.53 0.16 0.39 0.39 0.08 0.22 0.27																									
Crit Moves: **** *																									
Green Time: 21.6 31.1 31.1 46.0 55.5 85.7 30.1 59.2 59.2 11.6 40.7 86.7																									
Volume/Cap: 1.05 0.71 0.71 0.71 1.05 0.99 0.87 1.05 1.05 1.05 1.05 0.87 0.50																									
Uniform Del: 69.2 60.2 60.2 51.0 52.2 36.7 63.1 50.4 50.4 74.2 57.2 23.0																									
IncremntDel: 58.2 2.2 2.2 2.7 34.4 26.9 13.6 35.4 35.4 94.6 6.2 0.4																									
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																									
Delay Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																									
Delay/Veh: 127.4 62.4 62.4 53.7 86.6 63.6 76.7 85.8 85.8 168.8 63.4 23.4																									
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																									
AdjDel/Veh: 127.4 62.4 62.4 53.7 86.6 63.6 76.7 85.8 85.8 168.8 63.4 23.4																									
LOS by Move: F E E D- F E E- F F F E C																									
HCM2kAvgQ: 17 12 12 16 38 51 14 39 39 9 20 15																									
Note: Queue reported is the number of cars per																									

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

Intersection #7: Sunnyvale Ave & El Camino Real




Street Name: Sunnyvale Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 7		10 7		10 7		10 7		10 7		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	120 299		107 225		231 75		190 1426		94 165		794 96				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	120 299		107 225		231 75		190 1426		94 165		794 96				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	120 299		107 225		231 75		190 1426		94 165		794 96				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	120 299		107 225		231 75		190 1426		94 165		794 96				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	120 299		107 225		231 75		190 1426		94 165		794 96				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	120 299		107 225		231 75		190 1426		94 165		794 96				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 0.98		0.95 0.83		0.98 0.95		0.83 0.83		0.98 0.95		0.92 0.99				
Lanes:	1.00 1.46		0.54 2.00		1.50 0.50		2.00 2.00		2.81 0.19		2.66 1.00				
Final Sat.:	1750 2724		975 3150		2792 907		3150 3150		5253 5253		346 1750				
Capacity Analysis Module:															
Vol/Sat:	0.07 0.11		0.11 0.07		0.08 0.07		0.08 0.08		0.06 0.06		0.27 0.27				
Crit Moves:	****		****		****		****		****		****				
Green Time:	20.6 27.5		27.5 17.9		24.8 24.8		25.2 25.2		68.0 68.0		23.6 23.6				
Volume/Cap:	0.50 0.59		0.59 0.59		0.50 0.50		0.50 0.36		0.59 0.59		66.4 0.36				
Uniform Del:	59.4 55.7		55.7 62.1		56.4 56.4		54.7 54.7		30.2 30.2		58.2 58.2				
IncremntDel:	1.6 1.4		1.4 2.6		0.6 0.6		0.4 0.4		0.4 0.4		3.5 3.5				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.1 0.1				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	61.0 57.1		57.1 64.7		57.1 57.1		55.1 55.1		30.6 30.6		61.7 61.7				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		27.3 27.3				
AdjDel/Veh:	61.0 57.1		57.1 64.7		57.1 57.1		55.1 55.1		30.6 30.6		61.7 61.7				
LOS by Move:	E	E+	E+	E	E+	E+	E+	E+	C	C	E	C	C		
HCM2kAvgQ:	6	9	9	7	7	7	4	17	17	7	9	9			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #7: Sunnyvale Ave & El Camino Real



Street Name: Sunnyvale Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	258 299		227 582		251 231		295 1944		197 432		1549 353				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	258 299		227 582		251 231		295 1944		197 432		1549 353				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	258 299		227 582		251 231		295 1944		197 432		1549 353				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	258 299		227 582		251 231		295 1944		197 432		1549 353				
Reducet Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	258 299		227 582		251 231		295 1944		197 432		1549 353				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	258 299		227 582		251 231		295 1944		197 432		1549 353				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 0.99		0.95 0.83		1.00 1.00		0.95 0.83		0.99 0.99		0.95 0.92				
Lanes:	1.00 1.11		0.89 2.00		1.02 1.02		0.98 2.00		2.71 2.71		0.29 1.00				
Final Sat.:	1750 2102		1596 3150		1925 1772		3150 3150		5084 515		1750 1750				
Capacity Analysis Module:															
Vol/Sat:	0.15 0.14		0.14 0.13		0.18 0.13		0.13 0.09		0.38 0.38		0.38 0.25				
Crit Moves:	****		****		****		****		****		****				
Green Time:	24.9 20.4		20.4 26.5		22.0 22.0		19.5 19.5		54.8 54.8		35.4 35.4				
Volume/Cap:	0.88 1.04		1.04 1.04		0.88 0.88		0.72 0.72		1.04 1.04		0.72 0.72				
Uniform Del:	60.7 64.3		64.3 61.3		62.3 62.3		62.1 62.1		47.1 47.1		56.8 56.8				
IncremntDel:	25.6 50.8		50.8 48.8		15.7 15.7		5.9 5.9		31.1 31.1		54.9 54.9				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		1.0 1.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	86.2 115		115.1 110.1		77.9 77.9		68.0 68.0		78.2 78.2		111.7 111.7				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	86.2 115		115.1 110.1		77.9 77.9		68.0 68.0		78.2 78.2		111.7 111.7				
LOS by Move:	F F		F E-		E- E		E E-		E- E-		F C- C-				
HCM2kAvgQ:	15 18		18 22		14 14		7 7		35 35		23 23				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


## Intersection #7: Sunnyvale Ave &amp; El Camino Real



Street Name: Sunnyvale Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	282 299		282 580		247 244		310 1959		221 480		1568 354				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	282 299		282 580		247 244		310 1959		221 480		1568 354				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	282 299		282 580		247 244		310 1959		221 480		1568 354				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	282 299		282 580		247 244		310 1959		221 480		1568 354				
Reducet Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	282 299		282 580		247 244		310 1959		221 480		1568 354				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	282 299		282 580		247 244		310 1959		221 480		1568 354				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 1.00		0.95 0.83		1.00 1.00		0.95 0.83		0.99 0.99		0.95 0.95				
Lanes:	1.00 1.00		1.00 2.00		1.00 1.00		2.00 2.00		2.68 2.68		0.32 0.32				
Final Sat.:	1750 1903		1795 3150		1899 1800		3150 3150		5032 568		1750 1750				
Capacity Analysis Module:															
Vol/Sat:	0.16 0.16		0.16 0.16		0.18 0.13		0.14 0.14		0.10 0.39		0.39 0.39				
Crit Moves:	****		****		****		****		****		****				
Green Time:	25.3 21.4		21.4 25.1		21.3 21.3		21.3 20.2		53.1 53.1		53.1 37.4				
Volume/Cap:	0.95 1.09		1.09 1.09		0.91 0.91		0.95 0.73		1.09 1.09		0.73 0.73				
Uniform Del:	61.2 63.8		63.8 61.9		62.9 63.3		63.3 61.8		48.0 48.0		48.0 55.8				
IncremntDel:	38.9 66.8		66.8 66.8		19.8 27.5		27.5 6.2		50.6 50.6		50.6 70.4				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 1.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	100.2 131		130.5 128.7		82.7 90.8		68.0 68.0		98.5 98.5		98.5 126.2				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	100.2 131		130.5 128.7		82.7 90.8		68.0 68.0		98.5 98.5		98.5 126.2				
LOS by Move:	F F		F F		F F		E E		F F		F F				
HCM2kAvgQ:	18 20		20 23		14 15		8 15		39 39		39 28				
Note: Queue reported is the number of cars per lane.	C- C-		C- C-		C- C-		C- C-		C- C-		C- C-				

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

## Intersection #10: Poplar Ave &amp; El Camino Real




Street Name: Poplar Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10	10	10	10	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	23	18	28	40	21	43	107	1827	43	73	977	33			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	23	18	28	40	21	43	107	1827	43	73	977	33			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	23	18	28	40	21	43	107	1827	43	73	977	33			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	23	18	28	40	21	43	107	1827	43	73	977	33			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	23	18	28	40	21	43	107	1827	43	73	977	33			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	23	18	28	40	21	43	107	1827	43	73	977	33			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.95	0.95	0.92	0.95	0.95	0.92	0.92	0.98	0.95	0.92	0.98	0.95			
Lanes:	0.56	0.44	1.00	0.66	0.34	1.00	1.00	2.93	0.07	1.00	2.90	0.10			
Final Sat.:	1010	790	1750	1180	620	1750	1750	5471	129	1750	5417	183			
Capacity Analysis Module:															
Vol/Sat:	0.02	0.02	0.02	0.03	0.03	0.02	0.06	0.33	0.33	0.04	0.18	0.18			
Crit Moves:	*****														
Green Time:	10.0	10.0	22.3	10.0	10.0	38.1	28.1	98.7	98.7	12.3	82.9	82.9			
Volume/Cap:	0.30	0.30	0.09	0.44	0.44	0.08	0.28	0.44	0.44	0.44	0.28	0.28			
Uniform Del:	56.7	56.7	45.3	57.3	57.3	33.3	42.5	5.7	5.7	55.6	10.4	10.4			
IncremntDel:	1.2	1.2	0.1	2.2	2.2	0.1	0.4	0.1	0.1	1.9	0.0	0.0			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	57.9	57.9	45.4	59.5	59.5	33.4	43.0	5.7	5.7	57.4	10.5	10.5			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	57.9	57.9	45.4	59.5	59.5	33.4	43.0	5.7	5.7	57.4	10.5	10.5			
LOS by Move:	E+	E+	D	E+	E+	C-	D	A	A	E+	B+	B+			
HCM2kAvgQ:	2	2	1	3	3	1	4	9	9	3	6	6			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

## Intersection #10: Poplar Ave &amp; El Camino Real




Street Name: Poplar Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 10		10 10		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	127	37	28	93	27	43	153	2193	43	73	1485	33			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	127	37	28	93	27	43	153	2193	43	73	1485	33			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	127	37	28	93	27	43	153	2193	43	73	1485	33			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	127	37	28	93	27	43	153	2193	43	73	1485	33			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	127	37	28	93	27	43	153	2193	43	73	1485	33			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	127	37	28	93	27	43	153	2193	43	73	1485	33			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.95	0.95	0.92	0.95	0.95	0.92	0.92	0.98	0.95	0.92	0.98	0.95			
Lanes:	0.77	0.23	1.00	0.77	0.23	1.00	1.00	2.94	0.06	1.00	2.93	0.07			
Final Sat.:	1394	406	1750	1395	405	1750	1750	5492	108	1750	5478	122			
Capacity Analysis Module:															
Vol/Sat:	0.09	0.09	0.02	0.07	0.07	0.02	0.09	0.40	0.40	0.04	0.27	0.27			
Crit Moves:	****			****			****			****					
Green Time:	20.7	20.7	30.2	20.7	20.7	45.2	24.5	90.8	90.8	9.5	75.8	75.8			
Volume/Cap:	0.57	0.57	0.07	0.42	0.42	0.07	0.46	0.57	0.57	0.57	0.46	0.46			
Uniform Del:	50.5	50.5	38.9	49.2	49.2	28.4	46.9	9.8	9.8	58.3	15.5	15.5			
IncremntDel:	2.8	2.8	0.1	1.0	1.0	0.0	1.0	0.2	0.2	6.1	0.1	0.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	53.3	53.3	39.0	50.2	50.2	28.4	48.0	10.0	10.0	64.4	15.6	15.6			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	53.3	53.3	39.0	50.2	50.2	28.4	48.0	10.0	10.0	64.4	15.6	15.6			
LOS by Move:	D-	D-	D	D	D	C	D	B+	B+	E	B	B			
HCM2kAvgQ:	7	7	1	5	5	1	6	15	15	3	11	11			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

## Intersection #10: Poplar Ave &amp; El Camino Real




Street Name: Poplar Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 10		10 10		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	138	40	28	92	30	43	160	2190	43	73	1530	33			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	138	40	28	92	30	43	160	2190	43	73	1530	33			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	138	40	28	92	30	43	160	2190	43	73	1530	33			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	138	40	28	92	30	43	160	2190	43	73	1530	33			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	138	40	28	92	30	43	160	2190	43	73	1530	33			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	138	40	28	92	30	43	160	2190	43	73	1530	33			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.95	0.95	0.92	0.95	0.95	0.92	0.92	0.98	0.95	0.92	0.98	0.95			
Lanes:	0.78	0.22	1.00	0.75	0.25	1.00	1.00	2.94	0.06	1.00	2.93	0.07			
Final Sat.:	1396	404	1750	1357	443	1750	1750	5492	108	1750	5482	118			
Capacity Analysis Module:															
Vol/Sat:	0.10	0.10	0.02	0.07	0.07	0.02	0.09	0.40	0.40	0.04	0.28	0.28			
Crit Moves:	****														
Green Time:	22.2	22.2	31.5	22.2	22.2	46.6	24.4	89.5	89.5	9.4	74.4	74.4			
Volume/Cap:	0.58	0.58	0.07	0.40	0.40	0.07	0.49	0.58	0.58	0.58	0.49	0.49			
Uniform Del:	49.6	49.6	37.9	48.0	48.0	27.4	47.2	10.5	10.5	58.4	16.5	16.5			
IncremntDel:	2.8	2.8	0.1	0.8	0.8	0.0	1.1	0.2	0.2	6.6	0.1	0.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	52.4	52.4	38.0	48.8	48.8	27.5	48.4	10.7	10.7	65.0	16.6	16.6			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	52.4	52.4	38.0	48.8	48.8	27.5	48.4	10.7	10.7	65.0	16.6	16.6			
LOS by Move:	D-	D-	D+	D	D	C	D	B+	B+	E	B	B			
HCM2kAvgQ:	8	8	1	5	5	1	7	16	16	3	12	12			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


Intersection #11: Henderson Ave & El Camino Real



Street Name: Henderson Ave El Camino Real																								
Approach:	North Bound			South Bound			East Bound			West Bound														
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
Min. Green:	10		10		10		10		10		7		10		10									
Y+R:	4.0		4.0		4.0		4.0		4.0		4.0		4.0		4.0									
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM																								
Base Vol:	51		35		85		113		70		61		92		1719		22		194		900		104	
Growth Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Initial Bse:	51		35		85		113		70		61		92		1719		22		194		900		104	
Added Vol:	0		0		0		0		0		0		0		0		0		0		0		0	
PasserByVol:	0		0		0		0		0		0		0		0		0		0		0		0	
Initial Fut:	51		35		85		113		70		61		92		1719		22		194		900		104	
User Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Volume:	51		35		85		113		70		61		92		1719		22		194		900		104	
Reduc Vol:	0		0		0		0		0		0		0		0		0		0		0		0	
Reduced Vol:	51		35		85		113		70		61		92		1719		22		194		900		104	
PCE Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
MLF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
FinalVolume:	51		35		85		113		70		61		92		1719		22		194		900		104	
Saturation Flow Module:																								
Sat/Lane:	1900		1900		1900		1900		1900		1900		1900		1900		1900		1900		1900		1900	
Adjustment:	0.95		0.95		0.92		0.95		0.95		0.92		0.98		0.95		0.92		0.99		0.95			
Lanes:	0.59		0.41		1.00		0.62		0.38		1.00		1.00		2.96		0.04		1.00		2.68		0.32	
Final Sat.:	1067		733		1750		1111		689		1750		1750		5529		71		1750		5019		580	
Capacity Analysis Module:																								
Vol/Sat:	0.05		0.05		0.05		0.10		0.10		0.03		0.05		0.31		0.31		0.11		0.18		0.18	
Crit Moves:																								
Green Time:	23.3		23.3		48.7		23.3		23.3		45.8		22.5		71.3		71.3		25.4		74.2		74.2	
Volume/Cap:	0.26		0.26		0.13		0.56		0.56		0.10		0.30		0.56		0.56		0.56		0.31		0.31	
Uniform Del:	45.5		45.5		26.3		48.2		48.2		27.8		46.4		18.7		18.7		46.8		14.2		14.2	
IncremntDel:	0.4		0.4		0.1		2.3		2.3		0.1		0.6		0.2		0.2		2.1		0.1		0.1	
InitQueueDel:	0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	
Delay Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Delay/Veh:	45.9		45.9		26.3		50.5		50.5		27.9		47.0		19.0		19.0		48.9		14.2		14.2	
User DelAdj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
AdjDel/Veh:	45.9																							

**Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM**


Intersection #11: Henderson Ave & El Camino Real



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #11: Henderson Ave & El Camino Real



Street Name: Henderson Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 10		10 10		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	59 71		100 139		77 67		107 2121		23 203		1414 104				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	59 71		100 139		77 67		107 2121		23 203		1414 104				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	59 71		100 139		77 67		107 2121		23 203		1414 104				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	59 71		100 139		77 67		107 2121		23 203		1414 104				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	59 71		100 139		77 67		107 2121		23 203		1414 104				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	59 71		100 139		77 67		107 2121		23 203		1414 104				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.95 0.95		0.92 0.95		0.92 0.95		0.98 0.95		0.95 0.92		0.99 0.95				
Lanes:	0.45 0.55		1.00 0.64		0.36 1.00		1.00 1.00		2.97 0.03		0.21 1.00				
Final Sat.:	817 983		1750 1158		642 1750		1750 1750		5540 60		384 1750				
Capacity Analysis Module:															
Vol/Sat:	0.07 0.07		0.06 0.12		0.12 0.12		0.04 0.06		0.38 0.38		0.12 0.12				
Crit Moves:															
Green Time:	23.3 23.3		45.8 23.3		41.1 23.3		17.8 41.1		74.2 17.8		22.5 74.2				
Volume/Cap:	0.40 0.40		0.16 0.67		0.67 0.67		0.12 0.44		0.67 0.67		0.44 0.44				
Uniform Del:	46.7 46.7		28.5 49.2		49.2 28.5		31.2 51.0		18.8 51.0		49.7 18.8				
IncremntDel:	0.8 0.8		0.1 0.5		5.2 5.2		0.1 5.2		0.1 0.5		0.5 0.5				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	47.5 47.5		28.6 54.4		54.4 54.4		31.3 31.3		19.4 52.3		19.4 19.4				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	47.5 47.5		28.6 54.4		54.4 54.4		31.3 31.3		19.4 52.3		19.4 19.4				
LOS by Move:	D D		C C		D- D-		B- B-		B- B-		E+ E+				
HCM2kAvgQ:	5 5		3 9		9 2		4 4		19 19		8 8				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


Intersection #12: Halford Ave & El Camino Real



Street Name: Halford Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 7		10 7		10 7		10 7		10 7		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	46	61	105	94	57	82	130	1708	66	188	1014	104			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	46	61	105	94	57	82	130	1708	66	188	1014	104			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	46	61	105	94	57	82	130	1708	66	188	1014	104			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	46	61	105	94	57	82	130	1708	66	188	1014	104			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	46	61	105	94	57	82	130	1708	66	188	1014	104			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	46	61	105	94	57	82	130	1708	66	188	1014	104			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	1.00	0.92	0.92	1.00	0.92	0.83	0.98	0.95	0.83	1.00	0.92			
Lanes:	1.00	1.00	1.00	1.00	1.00	1.00	2.00	2.88	0.12	2.00	3.00	1.00			
Final Sat.:	1750	1900	1750	1900	1750	3150	5391	208	3150	5700	1750				
Capacity Analysis Module:															
Vol/Sat:	0.03	0.03	0.06	0.05	0.03	0.05	0.04	0.32	0.32	0.06	0.18	0.06			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	15.4	20.0	20.0	17.7	20.0	20.0	18.6	60.0	60.0	19.6	61.0	78.7			
Volume/Cap:	0.22	0.21	0.39	0.39	0.19	0.30	0.29	0.68	0.68	0.39	0.38	0.10			
Uniform Del:	51.4	47.6	49.0	50.8	47.5	48.3	49.3	27.0	27.0	49.3	21.8	10.4			
IncremntDel:	0.5	0.1	0.6	1.1	0.1	0.4	0.3	0.7	0.7	0.5	0.1	0.0			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.8	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.11	1.58	1.58	1.00	1.00	1.00			
Delay/Veh:	51.9	47.7	49.6	51.8	47.6	48.7	55.2	57.2	43.4	49.8	21.9	10.5			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	51.9	47.7	49.6	51.8	47.6	48.7	55.2	57.2	43.4	49.8	21.9	10.5			
LOS by Move:	D-	D	D	D-	D	D	E+	E+	D	D	C+	B+			
HCM2kAvgQ:	2	2	4	4	2	3	3	22	22	4	8	2			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #12: Halford Ave & El Camino Real



Street Name: Halford Ave El Camino Real																		
Approach:	North Bound			South Bound			East Bound			West Bound								
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R			
Min. Green:	7		10	10		7	10		10	7		10	10					
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0					
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM																		
Base Vol:	70		90	144		94	85		82	130		2118	66		252	1558		152
Growth Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Initial Bse:	70		90	144		94	85		82	130		2118	66		252	1558		152
Added Vol:	0		0	0		0	0		0	0		0	0		0	0		0
PasserByVol:	0		0	0		0	0		0	0		0	0		0	0		0
Initial Fut:	70		90	144		94	85		82	130		2118	66		252	1558		152
User Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Volume:	70		90	144		94	85		82	130		2118	66		252	1558		152
Reduc Vol:	0		0	0		0	0		0	0		0	0		0	0		0
Reduced Vol:	70		90	144		94	85		82	130		2118	66		252	1558		152
PCE Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
MLF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
FinalVolume:	70		90	144		94	85		82	130		2118	66		252	1558		152
Saturation Flow Module:																		
Sat/Lane:	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900
Adjustment:	0.92		1.00	0.92		1.00	0.95		0.83	0.98		0.95	0.83		1.00	0.92		
Lanes:	1.00		1.00	1.00		1.00	2.00		2.91	0.09		2.00	3.00		1.00			
Final Sat.:	1750		1900	1750		1750	1898		1800	3150		5431	169		3150	5700		1750
Capacity Analysis Module:																		
Vol/Sat:	0.04		0.05	0.08		0.05	0.04		0.05	0.04		0.39	0.39		0.08	0.27		0.09
Crit Moves:	****		****	****		****	****		****	****		****	****		****	****		
Green Time:	14.8		20.0	21.7		14.2	20.0		20.0	13.4		60.0	60.0		21.1	67.7		81.8
Volume/Cap:	0.35		0.31	0.49		0.49	0.29		0.29	0.40		0.84	0.84		0.49	0.52		0.14
Uniform Del:	52.7		48.3	48.6		54.0	48.2		48.3	54.0		30.3	30.3		49.0	20.1		9.4
IncremntDel:	1.1		0.2	0.8		2.0	0.3		0.3	0.8		2.6	2.6		0.7	0.2		0.1
InitQueueDel:	0.0		0.0	0.0		0.0	0.0		0.0	0.13.8		0.0	0.0		0.0	0.0		0.0
Delay Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.08		1.58	1.58		1.00	1.00		1.00
Delay/Veh:	53.7		48.6	49.4		56.0	48.5		48.5	59.0		64.2	50.4		49.8	20.2		9.5
User DelAdj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
AdjDel/Veh:	53.7		48.6	49.4		56.0	48.5		48.5	59.0		64.2	50.4		49.8	20.2		9.5
LOS by Move:	D-		D	E+		D	D		E+	E		D	D		C+	A		
HCM2kAvgQ:	3		3	6		4	3		3	3		28	28		5	13		2
Note: Queue reported is the number of cars per lane.																		

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #12: Halford Ave & El Camino Real



Street Name: Halford Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	74 90		149 94		84 82		130 2103		66 255		1577 159				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	74 90		149 94		84 82		130 2103		66 255		1577 159				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	74 90		149 94		84 82		130 2103		66 255		1577 159				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	74 90		149 94		84 82		130 2103		66 255		1577 159				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	74 90		149 94		84 82		130 2103		66 255		1577 159				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	74 90		149 94		84 82		130 2103		66 255		1577 159				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 1.00		0.92 1.00		0.95 0.83		0.98 0.95		0.83 0.83		1.00 0.92				
Lanes:	1.00 1.00		1.00 1.00		1.00 2.00		2.91 0.09		0.09 2.00		3.00 1.00				
Final Sat.:	1750 1900		1750 1750		1899 1800		3150 5429		170 170		3150 3150				
Capacity Analysis Module:															
Vol/Sat:	0.04 0.05		0.09 0.05		0.04 0.04		0.05 0.05		0.39 0.39		0.39 0.08				
Crit Moves:	****		****		****		****		****		****				
Green Time:	14.8 20.0		22.1 13.9		20.0 20.0		13.3 13.3		60.0 60.0		21.0 21.0				
Volume/Cap:	0.37 0.31		0.50 0.50		0.29 0.29		0.40 0.40		0.83 0.83		0.50 0.50				
Uniform Del:	52.8 48.3		48.4 54.2		48.2 48.2		48.3 54.1		30.1 30.1		49.2 49.2				
IncremntDel:	1.1 0.2		0.8 2.1		0.3 0.3		0.3 0.8		2.4 2.4		0.8 2.4				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		13.8 13.8		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.08 1.08		1.58 1.58		1.00 1.00				
Delay/Veh:	53.9 48.6		49.2 56.3		48.5 48.5		48.5 59.1		63.8 63.8		50.0 50.0				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	53.9 48.6		49.2 56.3		48.5 48.5		48.5 59.1		63.8 63.8		50.0 50.0				
LOS by Move:	D- D		D E+		D D		E+ E		D D		C+ A				
HCM2kAvgQ:	3 3		6 4		3 3		3 28		28 28		5 13				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


Intersection #14: Ellis St & Middlefield Rd



Street Name: Ellis St Middlefield Rd																								
Approach:	North Bound			South Bound			East Bound			West Bound														
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
Min. Green:	10		10		10		10		10		10		10		10									
Y+R:	4.0		4.0		4.0		4.0		4.0		4.0		4.0		4.0									
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM																								
Base Vol:	0		0		0		469		0		486		127		586		0		0		599		119	
Growth Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00			
Initial Bse:	0		0		0		469		0		486		127		586		0		0		599		119	
Added Vol:	0		0		0		0		0		0		0		0		0		0		0		0	
PasserByVol:	0		0		0		0		0		0		0		0		0		0		0		0	
Initial Fut:	0		0		0		469		0		486		127		586		0		0		599		119	
User Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Volume:	0		0		0		469		0		486		127		586		0		0		599		119	
Reduced Vol:	0		0		0		0		0		0		0		0		0		0		0		0	
Reduced Vol:	0		0		0		469		0		486		127		586		0		0		599		119	
PCE Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
MLF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Final Volume:	0		0		0		469		0		486		127		586		0		0		599		119	
Saturation Flow Module:																								
Sat/Lane:	1900		1900		1900		1900		1900		1900		1900		1900		1900		1900		1900		1900	
Adjustment:	0.92		1.00		0.92		0.83		1.00		0.92		1.00		0.92		0.92		0.98		0.95			
Lanes:	0.00		0.00		0.00		2.00		0.00		1.00		1.00		2.00		0.00		0.00		1.66		0.34	
Final Sat.:	0		0		0		3150		0		1750		1750		3800		0		0		3086		613	
Capacity Analysis Module:																								
Vol/Sat:	0.00		0.00		0.00		0.15		0.00		0.28		0.07		0.15		0.00		0.00		0.19		0.19	
Crit Moves:																						****		
Green Time:	0.0		0.0		0.0		45.9		0.0		57.9		12.0		44.1		0.0		0.0		32.1		32.1	
Volume/Cap:	0.00		0.00		0.00		0.32		0.00		0.47		0.60		0.35		0.00		0.00		0.60		0.60	
Uniform Del:	0.0		0.0		0.0		16.7		0.0		11.8		41.2		18.0		0.0		0.0		28.1		28.1	
IncremntDel:	0.0		0.0		0.0		0.1		0.0		0.3		4.7		0.1		0.0		0.0		0.8		0.8	
InitQueueDel:	0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	
Delay Adj:	0.00		0.00		0.00		1.00		0.00		1.00		1.00		1.00		0.00		0.00		1.00		1.00	
Delay/Veh:	0.0		0.0		0.0		16.9		0.0		12.2		45.9		18.1		0.0		0.0		28.9		28.9	
User DelAdj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
AdjDel/Veh:	0.0		0.0		0.0		16.9		0.0		12.2		45.9		18.1		0.0		0.0</td					

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

Intersection #14: Ellis St & Middlefield Rd




Street Name:															
Ellis St						Middlefield Rd									
Approach:			North Bound			South Bound			East Bound						
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10	10	10	10	10	10	7	10	10	10	10	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	0	0	0	469	0	1156	510	700	0	0	599	257			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	0	0	0	469	0	1156	510	700	0	0	599	257			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	0	0	0	469	0	1156	510	700	0	0	599	257			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	0	0	0	469	0	1156	510	700	0	0	599	257			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	0	0	0	469	0	1156	510	700	0	0	599	257			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	0	0	0	469	0	1156	510	700	0	0	599	257			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	1.00	0.92	0.83	1.00	0.92	0.92	1.00	0.92	0.92	0.98	0.95			
Lanes:	0.00	0.00	0.00	2.00	0.00	1.00	1.00	2.00	0.00	0.00	1.38	0.62			
Final Sat.:	0	0	0	3150	0	1750	1750	3800	0	0	2588	1111			
Capacity Analysis Module:															
Vol/Sat:	0.00	0.00	0.00	0.15	0.00	0.66	0.29	0.18	0.00	0.00	0.23	0.23			
Crit Moves:															
Green Time:	0.0	0.0	0.0	50.2	0.0	72.4	22.2	39.8	0.0	0.0	17.6	17.6			
Volume/Cap:	0.00	0.00	0.00	0.29	0.00	0.90	1.30	0.46	0.00	0.00	1.30	1.30			
Uniform Del:	0.0	0.0	0.0	14.1	0.0	10.5	38.4	21.7	0.0	0.0	40.7	40.7			
IncremntDel:	0.0	0.0	0.0	0.1	0.0	9.2	153.3	0.2	0.0	0.0	147	146.7			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	0.00	0.00	0.00	1.00	0.00	1.00	1.00	1.00	0.00	0.00	1.00	1.00			
Delay/Veh:	0.0	0.0	0.0	14.2	0.0	19.7	191.8	21.9	0.0	0.0	187	187.4			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	0.0	0.0	0.0	14.2	0.0	19.7	191.8	21.9	0.0	0.0	187	187.4			
LOS by Move:	A	A	A	B	A	B-	F	C+	A	A	F	F			
HCM2kAvgQ:	0	0	0	5	0	34	35	8	0	0	28	28			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #14: Ellis St & Middlefield Rd



Street Name: Ellis St Middlefield Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Movement:		----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----													
Min. Green:		10 10 10 10 10 10 7 10 10 10 10 10 10 10 10													
Y+R:		4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0													
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:		0 0 0 469 0 1185 557 646 0 0 0 599 256													
Growth Adj:		1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00													
Initial Bse:		0 0 0 469 0 1185 557 646 0 0 0 599 256													
Added Vol:		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0													
PasserByVol:		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0													
Initial Fut:		0 0 0 469 0 1185 557 646 0 0 0 599 256													
User Adj:		1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00													
PHF Adj:		1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00													
PHF Volume:		0 0 0 469 0 1185 557 646 0 0 0 599 256													
Reduc Vol:		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0													
Reduced Vol:		0 0 0 469 0 1185 557 646 0 0 0 599 256													
PCE Adj:		1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00													
MLF Adj:		1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00													
FinalVolume:		0 0 0 469 0 1185 557 646 0 0 0 599 256													
Saturation Flow Module:															
Sat/Lane:		1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900													
Adjustment:		0.92 1.00 0.92 0.83 1.00 0.92 0.92 1.00 0.92 0.92 0.98 0.95													
Lanes:		0.00 0.00 0.00 2.00 0.00 1.00 1.00 2.00 0.00 0.00 1.38 0.62													
Final Sat.:		0 0 0 3150 0 1750 1750 3800 0 0 2591 1107													
Capacity Analysis Module:															
Vol/Sat:		0.00 0.00 0.00 0.15 0.00 0.68 0.32 0.17 0.00 0.00 0.00 0.23													
Crit Moves:		***** *****													
Green Time:		0.0 0.0 0.0 49.7 0.0 73.0 23.4 40.3 0.0 0.0 17.0 17.0													
Volume/Cap:		0.00 0.00 0.00 0.30 0.00 0.92 1.35 0.42 0.00 0.00 1.35 1.35													
Uniform Del:		0.0 0.0 0.0 14.4 0.0 10.5 37.8 21.0 0.0 0.0 41.0 41.0													
IncremntDel:		0.0 0.0 0.0 0.1 0.0 10.5 172.5 0.2 0.0 0.0 167 167.5													
InitQueueDel:		0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0													
Delay Adj:		0.00 0.00 0.00 1.00 0.00 1.00 1.00 1.00 0.00 0.00 1.00 1.00													
Delay/Veh:		0.0 0.0 0.0 14.5 0.0 21.1 210.3 21.1 0.0 0.0 208 208.5													
User DelAdj:		1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00													
AdjDel/Veh:		0.0 0.0 0.0 14.5 0.0 21.1 210.3 21.1 0.0 0.0 208 208.5													
LOS by Move:		A A A B A C+ F C+ A A A F F													
HCM2kAvgQ:		0 0 0 5 0 36 40 7 0 0 29 29													
Note: Queue reported is the number of cars per lane.															


Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

## Intersection #16: Mary Ave &amp; Evelyn Ave



Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

Intersection #16: Mary Ave & Evelyn Ave




Street Name:															
Mary Ave						Evelyn Ave									
Approach:			North Bound			South Bound			East Bound						
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	64	391	34	426	1493	315	377	595	108	91	419	112			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	64	391	34	426	1493	315	377	595	108	91	419	112			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	64	391	34	426	1493	315	377	595	108	91	419	112			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	64	391	34	426	1493	315	377	595	108	91	419	112			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	64	391	34	426	1493	315	377	595	108	91	419	112			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	64	391	34	426	1493	315	377	595	108	91	419	112			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.83	0.99	0.95	0.83	0.99	0.95	0.92	0.98	0.95	0.92	0.98	0.95			
Lanes:	2.00	2.75	0.25	2.00	2.46	0.54	1.00	1.68	0.32	1.00	1.57	0.43			
Final Sat.:	3150	5151	448	3150	4623	975	1750	3131	568	1750	2919	780			
Capacity Analysis Module:															
Vol/Sat:	0.02	0.08	0.08	0.14	0.32	0.32	0.22	0.19	0.19	0.05	0.14	0.14			
Crit Moves:	****			****		****	****			****		****			
Green Time:	7.0	25.2	25.2	44.8	63.0	63.0	42.0	55.0	55.0	15.0	28.0	28.0			
Volume/Cap:	0.44	0.46	0.46	0.46	0.78	0.78	0.78	0.53	0.53	0.53	0.78	0.78			
Uniform Del:	70.6	57.3	57.3	43.7	38.5	38.5	50.7	38.2	38.2	65.1	59.1	59.1			
IncremntDel:	2.1	0.4	0.4	0.4	1.8	1.8	7.9	0.4	0.4	3.0	5.7	5.7			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	72.7	57.6	57.6	44.1	40.2	40.2	58.6	38.6	38.6	68.0	64.8	64.8			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	72.7	57.6	57.6	44.1	40.2	40.2	58.6	38.6	38.6	68.0	64.8	64.8			
LOS by Move:	E	E+	E+	D	D	D	E+	D+	D+	E	E	E			
HCM2kAvgQ:	2	6	6	9	23	23	19	13	13	4	12	12			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #16: Mary Ave & Evelyn Ave



Street Name: Mary Ave Evelyn Ave																
Approach:	North Bound			South Bound			East Bound			West Bound						
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10			
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0			
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM																
Base Vol:	67 391		34 432		1553 312		391 595		108 92		424 107					
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00					
Initial Bse:	67 391		34 432		1553 312		391 595		108 92		424 107					
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0					
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0					
Initial Fut:	67 391		34 432		1553 312		391 595		108 92		424 107					
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00					
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00					
PHF Volume:	67 391		34 432		1553 312		391 595		108 92		424 107					
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0					
Reduced Vol:	67 391		34 432		1553 312		391 595		108 92		424 107					
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00					
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00					
FinalVolume:	67 391		34 432		1553 312		391 595		108 92		424 107					
Saturation Flow Module:																
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900					
Adjustment:	0.83 0.99		0.95 0.83		0.99 0.95		0.92 0.98		0.95 0.92		0.98 0.95					
Lanes:	2.00 2.75		0.25 2.00		2.48 0.52		1.68 1.00		0.32 1.00		1.59 1.00					
Final Sat.:	3150 5151		448 3150		4662 937		1750 1750		3131 2954		568 745					
Capacity Analysis Module:																
Vol/Sat:	0.02 0.08		0.08 0.14		0.33 0.33		0.22 0.22		0.19 0.19		0.19 0.19					
Crit Moves:	****		****		****		****		****		****					
Green Time:	7.0 25.0		25.0 45.2		63.3 63.3		42.4 42.4		54.6 54.6		15.1 15.1		27.3 27.3			
Volume/Cap:	0.46 0.46		0.46 0.46		0.80 0.80		0.80 0.80		0.53 0.53		0.53 0.53		0.80 0.80			
Uniform Del:	70.7 57.4		57.4 43.4		38.8 38.8		50.8 50.8		38.5 38.5		38.5 38.5		65.1 65.1		59.8 59.8	
IncremntDel:	2.3 0.4		0.4 0.4		2.1 2.1		2.1 2.1		0.4 0.4		0.4 0.4		3.1 3.1		6.9 6.9	
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0	
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00	
Delay/Veh:	73.0 57.7		57.7 43.8		40.9 40.9		59.9 59.9		38.9 38.9		38.9 38.9		68.1 68.1		66.6 66.6	
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00	
AdjDel/Veh:	73.0 57.7		57.7 43.8		40.9 40.9		59.9 59.9		38.9 38.9		38.9 38.9		68.1 68.1		66.6 66.6	
LOS by Move:	E E+		E+ D		D D		D E+		D+ D+		D+ E		E E		E E	
HCM2kAvgQ:	2 6		6 9		24 24		20 20		13 13		13 4		13 13		13 13	
Note: Queue reported is the number of cars per lane.																

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

## Intersection #17: Mary Ave &amp; Washington Ave




Street Name: Mary Ave Washington Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		10 10		10 10		10 10		10 10		10
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	36	335	68	72	1035	53	40	91	32	83	82	32			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	36	335	68	72	1035	53	40	91	32	83	82	32			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	36	335	68	72	1035	53	40	91	32	83	82	32			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	36	335	68	72	1035	53	40	91	32	83	82	32			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	36	335	68	72	1035	53	40	91	32	83	82	32			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	36	335	68	72	1035	53	40	91	32	83	82	32			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.98	0.95	0.92	0.98	0.95	0.92	0.92	0.92	0.92	0.92	0.92			
Lanes:	1.00	1.65	0.35	1.00	1.90	0.10	0.24	0.56	0.20	0.42	0.42	0.16			
Final Sat.:	1750	3075	624	1750	3520	180	429	977	344	737	728	284			
Capacity Analysis Module:															
Vol/Sat:	0.02	0.11	0.11	0.04	0.29	0.29	0.09	0.09	0.09	0.11	0.11	0.11			
Crit Moves:	****			****						****					
Green Time:	7.0	32.6	32.6	22.8	48.5	48.5	18.5	18.5	18.5	18.5	18.5	18.5			
Volume/Cap:	0.24	0.28	0.28	0.15	0.50	0.50	0.42	0.42	0.42	0.50	0.50	0.50			
Uniform Del:	35.5	17.2	17.2	22.7	10.2	10.2	27.6	27.6	27.6	28.2	28.2	28.2			
IncremntDel:	0.9	0.1	0.1	0.1	0.2	0.2	0.7	0.7	0.7	1.1	1.1	1.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	36.4	17.3	17.3	22.9	10.4	10.4	28.3	28.3	28.3	29.2	29.2	29.2			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	36.4	17.3	17.3	22.9	10.4	10.4	28.3	28.3	28.3	29.2	29.2	29.2			
LOS by Move:	D+	B	B	C+	B+	B+	C	C	C	C	C	C			
HCM2kAvgQ:	1	3	3	1	8	8	4	4	4	5	5	5			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

## Intersection #17: Mary Ave &amp; Washington Ave




Street Name: Mary Ave Washington Ave														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Min. Green:	7 10		10 7		10 10		10 10		10 10		10 10		10 10	
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0	
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM														
Base Vol:	36	364	77	141	1359	53	40	153	44	147	245	58		
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Initial Bse:	36	364	77	141	1359	53	40	153	44	147	245	58		
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0		
Initial Fut:	36	364	77	141	1359	53	40	153	44	147	245	58		
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Volume:	36	364	77	141	1359	53	40	153	44	147	245	58		
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
Reduced Vol:	36	364	77	141	1359	53	40	153	44	147	245	58		
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
FinalVolume:	36	364	77	141	1359	53	40	153	44	147	245	58		
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Saturation Flow Module:														
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900		
Adjustment:	0.92	0.98	0.95	0.92	0.97	0.95	0.92	0.92	0.92	0.92	0.92	0.92		
Lanes:	1.00	1.64	0.36	1.00	1.92	0.08	0.17	0.64	0.19	0.33	0.54	0.13		
Final Sat.:	1750	3053	646	1750	3561	139	295	1130	325	572	953	226		
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Capacity Analysis Module:														
Vol/Sat:	0.02	0.12	0.12	0.08	0.38	0.38	0.14	0.14	0.14	0.26	0.26	0.26		
Crit Moves:	****			****						****				
Green Time:	7.0	27.7	27.7	19.4	40.0	40.0	27.0	27.0	27.0	27.0	27.0	27.0		
Volume/Cap:	0.24	0.36	0.36	0.35	0.79	0.79	0.42	0.42	0.42	0.79	0.79	0.79		
Uniform Del:	35.5	20.9	20.9	26.5	18.0	18.0	21.9	21.9	21.9	25.5	25.5	25.5		
IncremntDel:	0.9	0.2	0.2	0.5	2.5	2.5	0.5	0.5	0.5	7.4	7.4	7.4		
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Delay/Veh:	36.4	21.1	21.1	27.0	20.5	20.5	22.4	22.4	22.4	32.9	32.9	32.9		
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
AdjDel/Veh:	36.4	21.1	21.1	27.0	20.5	20.5	22.4	22.4	22.4	32.9	32.9	32.9		
LOS by Move:	D+	C+	C+	C	C+	C+	C+	C+	C+	C-	C-	C-		
HCM2kAvgQ:	1	4	4	3	15	15	5	5	5	13	13	13		

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

Intersection #17: Mary Ave & Washington Ave




Street Name: Mary Ave Washington Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	10	10	10	10	10	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	36	371	90	134	1397	53	40	162	51	149	254	58			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	36	371	90	134	1397	53	40	162	51	149	254	58			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	36	371	90	134	1397	53	40	162	51	149	254	58			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	36	371	90	134	1397	53	40	162	51	149	254	58			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	36	371	90	134	1397	53	40	162	51	149	254	58			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	36	371	90	134	1397	53	40	162	51	149	254	58			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.98	0.95	0.92	0.97	0.95	0.92	0.92	0.92	0.92	0.92	0.92			
Lanes:	1.00	1.60	0.40	1.00	1.92	0.08	0.16	0.64	0.20	0.32	0.55	0.13			
Final Sat.:	1750	2977	722	1750	3565	135	277	1121	353	566	964	220			
Capacity Analysis Module:															
Vol/Sat:	0.02	0.12	0.12	0.08	0.39	0.39	0.14	0.14	0.14	0.26	0.26	0.26			
Crit Moves:	****			****						****					
Green Time:	7.0	28.1	28.1	19.0	40.1	40.1	26.9	26.9	26.9	26.9	26.9	26.9			
Volume/Cap:	0.24	0.37	0.37	0.33	0.81	0.81	0.45	0.45	0.45	0.81	0.81	0.81			
Uniform Del:	35.5	20.8	20.8	26.7	18.3	18.3	22.1	22.1	22.1	25.7	25.7	25.7			
IncremntDel:	0.9	0.2	0.2	0.5	2.9	2.9	0.6	0.6	0.6	8.7	8.7	8.7			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	36.4	20.9	20.9	27.2	21.2	21.2	22.7	22.7	22.7	34.4	34.4	34.4			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	36.4	20.9	20.9	27.2	21.2	21.2	22.7	22.7	22.7	34.4	34.4	34.4			
LOS by Move:	D+	C+	C+	C	C+	C+	C+	C+	C+	C-	C-	C-			
HCM2kAvgQ:	1	4	4	3	16	16	6	6	6	14	14	14			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

Intersection #18: Mary Ave & Remington Dr




Street Name: Mary Ave Remington Dr															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	46 262		123 99		653 44		26 179		70 133		124 44				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	46 262		123 99		653 44		26 179		70 133		124 44				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	46 262		123 99		653 44		26 179		70 133		124 44				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	46 262		123 99		653 44		26 179		70 133		124 44				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	46 262		123 99		653 44		26 179		70 133		124 44				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	46 262		123 99		653 44		26 179		70 133		124 44				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 0.95		0.95 0.92		0.92 0.95		0.95 0.92		0.95 0.92		0.95 0.95				
Lanes:	1.00 0.68		0.32 1.00		0.94 0.06		0.72 1.00		0.28 1.00		0.74 1.00				
Final Sat.:	1750 1225		575 1750		1686 114		1750 1294		506 1750		1329 471				
Capacity Analysis Module:															
Vol/Sat:	0.03 0.21		0.21 0.03		0.06 0.39		0.39 0.01		0.14 0.14		0.14 0.08				
Crit Moves:	****		****		****		****		****		****				
Green Time:	7.0 33.4		33.4 13.5		39.9 39.9		9.1 14.3		14.3 7.8		13.0 7.8				
Volume/Cap:	0.30 0.52		0.52 0.34		0.79 0.79		0.13 0.79		0.79 0.79		0.58 0.58				
Uniform Del:	34.7 17.8		17.8 29.8		17.0 32.4		17.0 31.9		31.9 35.8		31.5 31.5				
IncremntDel:	1.1 0.7		0.7 0.7		4.7 4.7		4.7 0.3		12.2 12.2		21.1 12.2				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	35.9 18.4		18.4 30.5		21.7 21.7		21.7 32.7		44.1 44.1		44.1 56.9				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	35.9 18.4		18.4 30.5		21.7 21.7		21.7 32.7		44.1 44.1		44.1 56.9				
LOS by Move:	D+	B-	B-	C	C+	C+	C-	D	D	E+	C-	C-			
HCM2kAvgQ:	1	7	7	2	15	15	1	8	8	6	5	5			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #18: Mary Ave & Remington Dr



Street Name: Mary Ave Remington Dr															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	47	313	162	135	774	53	28	191	73	248	146	99			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	47	313	162	135	774	53	28	191	73	248	146	99			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	47	313	162	135	774	53	28	191	73	248	146	99			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	47	313	162	135	774	53	28	191	73	248	146	99			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	47	313	162	135	774	53	28	191	73	248	146	99			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	47	313	162	135	774	53	28	191	73	248	146	99			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.95	0.95	0.92	0.95	0.95	0.92	0.95	0.95	0.92	0.95	0.95			
Lanes:	1.00	0.66	0.34	1.00	0.94	0.06	1.00	0.72	0.28	1.00	0.60	0.40			
Final Sat.:	1750	1186	614	1750	1685	115	1750	1302	498	1750	1073	727			
Capacity Analysis Module:															
Vol/Sat:	0.03	0.26	0.26	0.08	0.46	0.46	0.02	0.15	0.15	0.14	0.14	0.14			
Crit Moves:	****			****			****			****					
Green Time:	7.0	34.0	34.0	11.1	38.1	38.1	9.3	12.2	12.2	11.7	14.6	14.6			
Volume/Cap:	0.31	0.63	0.63	0.56	0.98	0.98	0.14	0.98	0.98	0.98	0.75	0.75			
Uniform Del:	34.7	18.5	18.5	32.7	21.0	21.0	32.3	34.3	34.3	34.5	31.5	31.5			
IncremntDel:	1.2	1.7	1.7	3.0	25.3	25.3	0.3	48.2	48.2	49.9	9.6	9.6			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	35.9	20.3	20.3	35.7	46.3	46.3	32.6	82.5	82.5	84.4	41.1	41.1			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	35.9	20.3	20.3	35.7	46.3	46.3	32.6	82.5	82.5	84.4	41.1	41.1			
LOS by Move:	D+	C+	C+	D+	D	D	C-	F	F	F	D	D			
HCM2kAvgQ:	1	9	9	3	21	21	1	12	12	11	8	8			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #18: Mary Ave & Remington Dr



Street Name: Mary Ave Remington Dr															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	46	328	179	125	791	53	29	201	72	238	146	106			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	46	328	179	125	791	53	29	201	72	238	146	106			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	46	328	179	125	791	53	29	201	72	238	146	106			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	46	328	179	125	791	53	29	201	72	238	146	106			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	46	328	179	125	791	53	29	201	72	238	146	106			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	46	328	179	125	791	53	29	201	72	238	146	106			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.95	0.95	0.92	0.95	0.95	0.92	0.95	0.95	0.92	0.95	0.95			
Lanes:	1.00	0.65	0.35	1.00	0.94	0.06	1.00	0.74	0.26	1.00	0.58	0.42			
Final Sat.:	1750	1164	636	1750	1687	113	1750	1325	475	1750	1043	757			
Capacity Analysis Module:															
Vol/Sat:	0.03	0.28	0.28	0.07	0.47	0.47	0.02	0.15	0.15	0.14	0.14	0.14			
Crit Moves:	****			****			****			****					
Green Time:	7.0	34.8	34.8	10.7	38.4	38.4	9.0	12.4	12.4	11.1	14.6	14.6			
Volume/Cap:	0.30	0.66	0.66	0.54	0.99	0.99	0.15	0.99	0.99	0.99	0.78	0.78			
Uniform Del:	34.7	18.4	18.4	32.9	21.1	21.1	32.5	34.2	34.2	34.9	31.7	31.7			
IncremntDel:	1.1	2.1	2.1	2.6	27.8	27.8	0.4	50.8	50.8	54.6	11.3	11.3			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	35.9	20.4	20.4	35.5	48.9	48.9	32.9	85.0	85.0	89.4	43.0	43.0			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	35.9	20.4	20.4	35.5	48.9	48.9	32.9	85.0	85.0	89.4	43.0	43.0			
LOS by Move:	D+	C+	C+	D+	D	D	C-	F	F	F	D	D			
HCM2kAvgQ:	1	10	10	3	22	22	1	12	12	11	8	8			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

## Intersection #19: Mary Ave &amp; Fremont Ave




Street Name: Mary Ave Fremont Ave														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM														
Base Vol:	119	208	78	208	472	165	185	1143	164	131	468	120		
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Initial Bse:	119	208	78	208	472	165	185	1143	164	131	468	120		
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0		
Initial Fut:	119	208	78	208	472	165	185	1143	164	131	468	120		
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Volume:	119	208	78	208	472	165	185	1143	164	131	468	120		
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
Reduced Vol:	119	208	78	208	472	165	185	1143	164	131	468	120		
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
FinalVolume:	119	208	78	208	472	165	185	1143	164	131	468	120		
Saturation Flow Module:														
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900		
Adjustment:	0.92	0.98	0.95	0.92	0.98	0.95	0.92	0.99	0.95	0.92	0.99	0.95		
Lanes:	1.00	1.44	0.56	1.00	1.47	0.53	1.00	2.61	0.39	1.00	2.37	0.63		
Final Sat.:	1750	2690	1009	1750	2741	958	1750	4896	703	1750	4456	1142		
Capacity Analysis Module:														
Vol/Sat:	0.07	0.08	0.08	0.12	0.17	0.17	0.11	0.23	0.23	0.07	0.11	0.11		
Crit Moves:	****			****			****			****				
Green Time:	16.1	22.4	22.4	34.5	40.8	40.8	36.7	55.3	55.3	17.7	36.4	36.4		
Volume/Cap:	0.60	0.49	0.49	0.49	0.60	0.60	0.41	0.60	0.60	0.60	0.41	0.41		
Uniform Del:	59.9	54.6	54.6	46.2	43.6	43.6	43.7	34.5	34.5	58.8	43.9	43.9		
IncremntDel:	5.0	0.6	0.6	0.9	1.0	1.0	0.6	0.5	0.5	4.5	0.2	0.2		
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Delay/Veh:	64.9	55.2	55.2	47.1	44.5	44.5	44.3	35.0	35.0	63.3	44.1	44.1		
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
AdjDel/Veh:	64.9	55.2	55.2	47.1	44.5	44.5	44.3	35.0	35.0	63.3	44.1	44.1		
LOS by Move:	E	E+	E+	D	D	D	D	C-	C-	E	D	D		
HCM2kAvgQ:	5	6	6	8	12	12	7	15	15	6	7	7		

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


### Intersection #19: Mary Ave & Fremont Ave



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


## Intersection #19: Mary Ave &amp; Fremont Ave



Street Name: Mary Ave Fremont Ave												
Approach:	North Bound			South Bound			East Bound			West Bound		
	Movement:	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	
Min. Green:	7	10	10	7	10	10	7	10	10	7	10	10
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM												
Base Vol:	227	460	130	443	976	746	837	1143	164	169	863	152
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Initial Bse:	227	460	130	443	976	746	837	1143	164	169	863	152
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0
Initial Fut:	227	460	130	443	976	746	837	1143	164	169	863	152
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PHF Volume:	227	460	130	443	976	746	837	1143	164	169	863	152
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0
Reduced Vol:	227	460	130	443	976	746	837	1143	164	169	863	152
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
FinalVolume:	227	460	130	443	976	746	837	1143	164	169	863	152
Saturation Flow Module:												
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Adjustment:	0.92	0.98	0.95	0.92	0.99	0.95	0.92	0.99	0.95	0.92	0.99	0.95
Lanes:	1.00	1.55	0.45	1.00	1.11	0.89	1.00	2.61	0.39	1.00	2.53	0.47
Final Sat.:	1750	2884	815	1750	2096	1602	1750	4896	703	1750	4760	838
Capacity Analysis Module:												
Vol/Sat:	0.13	0.16	0.16	0.25	0.47	0.47	0.48	0.23	0.23	0.10	0.18	0.18
Crit Moves:	****			****			****			****		
Green Time:	13.4	23.8	23.8	37.8	48.2	48.2	49.5	48.3	48.3	20.0	18.8	18.8
Volume/Cap:	1.37	0.95	0.95	1.37	1.37	1.37	0.69	0.69	0.69	1.37	1.37	1.37
Uniform Del:	64.3	58.5	58.5	51.2	46.9	46.9	46.2	40.3	40.3	58.0	61.6	61.6
IncremntDel:	200.3	24.3	24.3	29.3	172	172.0	177.1	1.1	1.1	7.8	175	175.4
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Delay/Veh:	264.6	82.8	82.8	80.5	219	218.9	223.4	41.4	41.4	65.8	237	237.0
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AdjDel/Veh:	264.6	82.8	82.8	80.5	219	218.9	223.4	41.4	41.4	65.8	237	237.0
LOS by Move:	F	F	F	F	F	F	F	D	D	E	F	F
HCM2kAvgQ:	19	15	15	20	65	65	70	17	17	7	26	26
Note: Queue reported is the number of cars per lane.												

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


Intersection #20: Mary Ave & Homestead Rd



Street Name: Mary Ave Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 10		10 10		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	15	15	12	412	26	104	60	934	22	8	435	185			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	15	15	12	412	26	104	60	934	22	8	435	185			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	15	15	12	412	26	104	60	934	22	8	435	185			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	15	15	12	412	26	104	60	934	22	8	435	185			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	15	15	12	412	26	104	60	934	22	8	435	185			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	15	15	12	412	26	104	60	934	22	8	435	185			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	0.95	0.95	0.93	0.95	0.92	0.92	0.97	0.95	0.92	0.98				
Lanes:	1.00	0.56	0.44	1.88	0.12	1.00	1.00	1.95	0.05	1.00	1.39				
Final Sat.:	1750	1000	800	3339	211	1750	1750	3615	85	1750	2595				
Capacity Analysis Module:															
Vol/Sat:	0.01	0.02	0.02	0.12	0.12	0.06	0.03	0.26	0.26	0.00	0.17				
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****				
Green Time:	10.0	10.0	10.0	39.1	39.1	58.5	19.4	81.9	81.9	7.0	69.5				
Volume/Cap:	0.13	0.23	0.23	0.47	0.47	0.15	0.27	0.47	0.47	0.10	0.36				
Uniform Del:	65.9	66.3	66.3	46.8	46.8	29.7	58.9	20.8	20.8	68.5	25.9				
IncremntDel:	0.5	1.0	1.0	0.4	0.4	0.1	0.6	0.2	0.2	0.5	0.1				
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Delay/Veh:	66.4	67.3	67.3	47.1	47.1	29.8	59.5	21.0	21.0	69.0	26.1				
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
AdjDel/Veh:	66.4	67.3	67.3	47.1	47.1	29.8	59.5	21.0	21.0	69.0	26.1				
LOS by Move:	E	E	E	D	D	C	E+	C+	C+	E	C				
HCM2kAvgQ:	1	1	1	9	9	3	3	13	13	0	9				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #20: Mary Ave & Homestead Rd



Street Name: Mary Ave Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 10		10 10		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	15	15	12	646	26	244	233	934	22	12	711	294			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	15	15	12	646	26	244	233	934	22	12	711	294			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	15	15	12	646	26	244	233	934	22	12	711	294			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	15	15	12	646	26	244	233	934	22	12	711	294			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	15	15	12	646	26	244	233	934	22	12	711	294			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	15	15	12	646	26	244	233	934	22	12	711	294			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	0.95	0.95	0.93	0.95	0.92	0.92	0.97	0.95	0.92	0.98				
Lanes:	1.00	0.56	0.44	1.92	0.08	1.00	1.00	1.95	0.05	1.00	1.40				
Final Sat.:	1750	1000	800	3413	137	1750	1750	3615	85	1750	2617				
Capacity Analysis Module:															
Vol/Sat:	0.01	0.02	0.02	0.19	0.19	0.14	0.13	0.26	0.26	0.01	0.27				
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****				
Green Time:	10.0	10.0	10.0	40.8	40.8	69.5	28.7	73.9	73.9	13.3	58.5				
Volume/Cap:	0.13	0.23	0.23	0.70	0.70	0.30	0.70	0.52	0.52	0.08	0.70				
Uniform Del:	65.9	66.3	66.3	49.0	49.0	25.1	56.6	26.0	26.0	62.7	38.3				
IncremntDel:	0.5	1.0	1.0	2.2	2.2	0.2	6.3	0.3	0.3	0.2	1.5				
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Delay/Veh:	66.4	67.3	67.3	51.3	51.3	25.3	62.9	26.3	26.3	62.9	39.8				
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
AdjDel/Veh:	66.4	67.3	67.3	51.3	51.3	25.3	62.9	26.3	26.3	62.9	39.8				
LOS by Move:	E	E	E	D-	D-	C	E	C	C	E	D				
HCM2kAvgQ:	1	1	1	14	14	7	11	15	15	1	19				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #20: Mary Ave & Homestead Rd



Street Name: Mary Ave Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 10		10 10		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	15	15	13	658	26	243	251	934	22	12	672	354			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	15	15	13	658	26	243	251	934	22	12	672	354			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	15	15	13	658	26	243	251	934	22	12	672	354			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	15	15	13	658	26	243	251	934	22	12	672	354			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	15	15	13	658	26	243	251	934	22	12	672	354			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	15	15	13	658	26	243	251	934	22	12	672	354			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	0.95	0.95	0.93	0.95	0.92	0.92	0.97	0.95	0.92	0.99				
Lanes:	1.00	0.54	0.46	1.93	0.07	1.00	1.00	1.95	0.05	1.00	1.29				
Final Sat.:	1750	964	836	3415	135	1750	1750	3615	85	1750	2422				
Capacity Analysis Module:															
Vol/Sat:	0.01	0.02	0.02	0.19	0.19	0.14	0.14	0.26	0.26	0.01	0.28				
Crit Moves:	****			****			****			****					
Green Time:	10.0	10.0	10.0	40.2	40.2	70.1	29.9	74.4	74.4	13.4	57.9				
Volume/Cap:	0.13	0.23	0.23	0.72	0.72	0.30	0.72	0.52	0.52	0.08	0.72				
Uniform Del:	65.9	66.4	66.4	49.8	49.8	24.7	56.1	25.7	25.7	62.6	39.1				
IncremntDel:	0.5	1.0	1.0	2.7	2.7	0.2	7.1	0.3	0.3	0.2	1.8				
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Delay/Veh:	66.4	67.4	67.4	52.5	52.5	24.9	63.2	26.0	26.0	62.8	41.0				
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
AdjDel/Veh:	66.4	67.4	67.4	52.5	52.5	24.9	63.2	26.0	26.0	62.8	41.0				
LOS by Move:	E	E	E	D-	D-	C	E	C	C	E	D				
HCM2kAvgQ:	1	1	1	14	14	7	11	15	15	1	20				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

## Intersection #21: SR 85 SB Ramps &amp; Fremont Ave




Street Name: SR 85 SB Ramps Fremont Ave														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Min. Green:			0	0	0	10	10	10	7	10	10	7	10	10
Y+R:	4.0		4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Volume Module:														
Base Vol:	0	0	0	364	0	109	0	845	179	371	672	0		
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Initial Bse:	0	0	0	364	0	109	0	845	179	371	672	0		
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0		
Initial Fut:	0	0	0	364	0	109	0	845	179	371	672	0		
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Volume:	0	0	0	364	0	109	0	845	179	371	672	0		
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
Reduced Vol:	0	0	0	364	0	109	0	845	179	371	672	0		
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
FinalVolume:	0	0	0	364	0	109	0	845	179	371	672	0		
Saturation Flow Module:														
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900		
Adjustment:	0.92	1.00	0.92	0.95	0.95	0.92	0.92	0.99	0.95	0.92	1.00	0.92		
Lanes:	0.00	0.00	0.00	1.00	0.00	1.00	0.00	2.46	0.54	1.00	2.00	0.00		
Final Sat.:	0	0	0	1800	0	1750	0	4620	979	1750	3800	0		
Capacity Analysis Module:														
Vol/Sat:	0.00	0.00	0.00	0.20	0.00	0.06	0.00	0.18	0.18	0.21	0.18	0.00		
Crit Moves:	*****						*****							
Green Time:	0.0	0.0	0.0	20.7	0.0	20.7	0.0	18.7	18.7	21.7	40.3	0.0		
Volume/Cap:	0.00	0.00	0.00	0.69	0.00	0.21	0.00	0.69	0.69	0.69	0.31	0.00		
Uniform Del:	0.0	0.0	0.0	21.8	0.0	18.5	0.0	23.0	23.0	21.2	7.6	0.0		
IncremntDel:	0.0	0.0	0.0	3.7	0.0	0.2	0.0	1.3	1.3	3.6	0.1	0.0		
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Delay Adj:	0.00	0.00	0.00	1.00	0.00	1.00	0.00	1.00	1.00	1.00	1.00	0.00		
Delay/Veh:	0.0	0.0	0.0	25.5	0.0	18.8	0.0	24.4	24.4	24.8	7.7	0.0		
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
AdjDel/Veh:	0.0	0.0	0.0	25.5	0.0	18.8	0.0	24.4	24.4	24.8	7.7	0.0		
LOS by Move:	A	A	A	C	A	B-	A	C	C	C	A	A		
HCM2kAvgQ:	0	0	0	9	0	2	0	8	8	9	4	0		

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

## Intersection #21: SR 85 SB Ramps &amp; Fremont Ave



Street Name: SR 85 SB Ramps

Fremont Ave

Approach: North Bound South Bound East Bound West Bound

Movement: L - T - R L - T - R L - T - R L - T - R

		North Bound			South Bound			East Bound			West Bound		
Min. Green:	0	0	0	10	10	10	7	10	10	7	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module:													
Base Vol:	0	0	0	943	4	155	0	845	495	1159	731	0	
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
Initial Bse:	0	0	0	943	4	155	0	845	495	1159	731	0	
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0	
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0	
Initial Fut:	0	0	0	943	4	155	0	845	495	1159	731	0	
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
PHF Volume:	0	0	0	943	4	155	0	845	495	1159	731	0	
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0	
Reduced Vol:	0	0	0	943	4	155	0	845	495	1159	731	0	
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
FinalVolume:	0	0	0	943	4	155	0	845	495	1159	731	0	

Saturation Flow Module:

Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Adjustment:	0.92	1.00	0.92	0.95	0.95	0.92	0.92	1.00	0.92	0.92	1.00	0.92
Lanes:	0.00	0.00	0.00	0.99	0.01	1.00	0.00	2.00	1.00	1.00	2.00	0.00
Final Sat.:	0	0	0	1792	8	1750	0	3800	1750	1750	3800	0


Capacity Analysis Module:

Vol/Sat:	0.00	0.00	0.00	0.53	0.53	0.09	0.00	0.22	0.28	0.66	0.19	0.00
Crit Moves:				****			****		****	****		
Green Time:	0.0	0.0	0.0	21.8	21.8	21.8	0.0	11.7	11.7	27.5	39.2	0.0
Volume/Cap:	0.00	0.00	0.00	1.69	1.69	0.28	0.00	1.33	1.69	1.69	0.34	0.00
Uniform Del:	0.0	0.0	0.0	24.1	24.1	18.2	0.0	29.1	29.1	21.3	8.4	0.0
IncremntDel:	0.0	0.0	0.0	317.4	317	0.3	0.0	154	315.2	316.0	0.1	0.0
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Delay Adj:	0.00	0.00	0.00	1.00	1.00	1.00	0.00	1.00	1.00	1.00	1.00	0.00
Delay/Veh:	0.0	0.0	0.0	341.5	342	18.5	0.0	183	344.3	337.3	8.5	0.0
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AdjDel/Veh:	0.0	0.0	0.0	341.5	342	18.5	0.0	183	344.3	337.3	8.5	0.0
LOS by Move:	A	A	A	F	F	B-	A	F	F	F	A	A
HCM2kAvgQ:	0	0	0	73	73	3	0	24	40	91	4	0

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

## Intersection #21: SR 85 SB Ramps &amp; Fremont Ave




Street Name: SR 85 SB Ramps Fremont Ave														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Min. Green:	0 0		0 10		10 10		10 7		10 10		7 10		10 10	
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0	
Volume Module:	<hr/>													
Base Vol:	0	0	0	986	4	160	0	845	502	1157	726	0		
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Initial Bse:	0	0	0	986	4	160	0	845	502	1157	726	0		
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0		
Initial Fut:	0	0	0	986	4	160	0	845	502	1157	726	0		
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Volume:	0	0	0	986	4	160	0	845	502	1157	726	0		
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
Reduced Vol:	0	0	0	986	4	160	0	845	502	1157	726	0		
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
FinalVolume:	0	0	0	986	4	160	0	845	502	1157	726	0		
Saturation Flow Module:	<hr/>													
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900		
Adjustment:	0.92	1.00	0.92	0.95	0.95	0.92	0.92	1.00	0.92	0.92	1.00	0.92		
Lanes:	0.00	0.00	0.00	0.99	0.01	1.00	0.00	2.00	1.00	1.00	2.00	0.00		
Final Sat.:	0	0	0	1793	7	1750	0	3800	1750	1750	3800	0		
Capacity Analysis Module:	<hr/>													
Vol/Sat:	0.00	0.00	0.00	0.55	0.55	0.09	0.00	0.22	0.29	0.66	0.19	0.00		
Crit Moves:	*****													
Green Time:	0.0	0.0	0.0	22.4	22.4	22.4	0.0	11.7	11.7	26.9	38.6	0.0		
Volume/Cap:	0.00	0.00	0.00	1.72	1.72	0.29	0.00	1.33	1.72	1.72	0.35	0.00		
Uniform Del:	0.0	0.0	0.0	23.8	23.8	17.8	0.0	29.2	29.2	21.5	8.7	0.0		
IncremntDel:	0.0	0.0	0.0	330.9	331	0.3	0.0	156	329.0	329.8	0.1	0.0		
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Delay Adj:	0.00	0.00	0.00	1.00	1.00	1.00	0.00	1.00	1.00	1.00	1.00	0.00		
Delay/Veh:	0.0	0.0	0.0	354.7	355	18.1	0.0	186	358.1	351.4	8.8	0.0		
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
AdjDel/Veh:	0.0	0.0	0.0	354.7	355	18.1	0.0	186	358.1	351.4	8.8	0.0		
LOS by Move:	A	A	A	F	F	B-	A	F	F	F	A	A		
HCM2kAvgQ:	0	0	0	77	77	3	0	25	41	92	4	0		

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

## Intersection #22: SR 85 NB Ramps &amp; Fremont Ave



## Street Name: SR 85 NB Ramps

Approach:	North Bound				South Bound				East Bound				West Bound						
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Min. Green:	10	10	10	0	0	0	0	7	10	10	7	10	10	10	10	0	0	860	269
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0

## Volume Module:

Base Vol:	224	0	566	0	0	0	135	1069	0	0	860	269							
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00							
Initial Bse:	224	0	566	0	0	0	135	1069	0	0	860	269							
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0							
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0							
Initial Fut:	224	0	566	0	0	0	135	1069	0	0	860	269							
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00							
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00							
PHF Volume:	224	0	566	0	0	0	135	1069	0	0	860	0							
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0							
Reduced Vol:	224	0	566	0	0	0	135	1069	0	0	860	0							
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00							
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00							
FinalVolume:	224	0	566	0	0	0	135	1069	0	0	860	0							

## Saturation Flow Module:

Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900							
Adjustment:	0.95	0.95	0.92	0.92	1.00	0.92	0.92	1.00	0.92	0.92	1.00	0.92							
Lanes:	1.00	0.00	1.00	0.00	0.00	0.00	1.00	2.00	0.00	0.00	3.00	1.00							
Final Sat.:	1800	0	1750	0	0	0	1750	3800	0	0	5700	1750							


## Capacity Analysis Module:

Vol/Sat:	0.12	0.00	0.32	0.00	0.00	0.00	0.08	0.28	0.00	0.00	0.15	0.00							
Crit Moves:			****				****												
Green Time:	28.2	0.0	28.2	0.0	0.0	0.0	24.6	37.8	0.0	0.0	13.2	0.0							
Volume/Cap:	0.33	0.00	0.86	0.00	0.00	0.00	0.24	0.56	0.00	0.00	0.86	0.00							
Uniform Del:	16.6	0.0	21.5	0.0	0.0	0.0	18.4	12.9	0.0	0.0	30.0	0.0							
IncremntDel:	0.3	0.0	11.0	0.0	0.0	0.0	0.2	0.4	0.0	0.0	7.6	0.0							
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0							
Delay Adj:	1.00	0.00	1.00	0.00	0.00	0.00	1.00	1.00	0.00	0.00	1.00	0.00							
Delay/Veh:	16.9	0.0	32.5	0.0	0.0	0.0	18.6	13.2	0.0	0.0	37.6	0.0							
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00							
AdjDel/Veh:	16.9	0.0	32.5	0.0	0.0	0.0	18.6	13.2	0.0	0.0	37.6	0.0							
LOS by Move:	B	A	C-	A	A	A	B-	B	A	A	D+	A							
HCM2kAvgQ:	4	0	16	0	0	0	3	9	0	0	10	0							

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

Intersection #22: SR 85 NB Ramps & Fremont Ave




Street Name: SR 85 NB Ramps Fremont Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 10		10 0		0 0		0 7		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module:	<hr/>														
Base Vol:	271	5	643	0	0	0	142	1572	0	0	1631	436			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	271	5	643	0	0	0	142	1572	0	0	1631	436			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	271	5	643	0	0	0	142	1572	0	0	1631	436			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00			
PHF Volume:	271	5	643	0	0	0	142	1572	0	0	1631	0			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	271	5	643	0	0	0	142	1572	0	0	1631	0			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00			
FinalVolume:	271	5	643	0	0	0	142	1572	0	0	1631	0			
Saturation Flow Module:	<hr/>														
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.95	0.95	0.92	0.92	1.00	0.92	0.92	1.00	0.92	0.92	1.00	0.92			
Lanes:	0.98	0.02	1.00	0.00	0.00	0.00	1.00	2.00	0.00	0.00	3.00	1.00			
Final Sat.:	1767	33	1750	0	0	0	1750	3800	0	0	5700	1750			
Capacity Analysis Module:	<hr/>														
Vol/Sat:	0.15	0.15	0.37	0.00	0.00	0.00	0.08	0.41	0.00	0.00	0.29	0.00			
Crit Moves:	****														
Green Time:	22.7	22.7	22.7	0.0	0.0	0.0	25.6	43.3	0.0	0.0	17.7	0.0			
Volume/Cap:	0.51	0.51	1.21	0.00	0.00	0.00	0.24	0.72	0.00	0.00	1.21	0.00			
Uniform Del:	21.5	21.5	26.1	0.0	0.0	0.0	17.7	11.4	0.0	0.0	28.7	0.0			
IncremntDel:	0.8	0.8	112.3	0.0	0.0	0.0	0.2	1.2	0.0	0.0	103	0.0			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	0.00	0.00	0.00	1.00	1.00	0.00	0.00	1.00	0.00			
Delay/Veh:	22.3	22.3	138.4	0.0	0.0	0.0	17.9	12.6	0.0	0.0	132	0.0			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	22.3	22.3	138.4	0.0	0.0	0.0	17.9	12.6	0.0	0.0	132	0.0			
LOS by Move:	C+	C+	F	A	A	A	B	B	A	A	F	A			
HCM2kAvgQ:	6	6	34	0	0	0	3	14	0	0	27	0			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

Intersection #22: SR 85 NB Ramps & Fremont Ave




Street Name: SR 85 NB Ramps												Fremont Ave			
Approach:	North Bound			South Bound			East Bound			West Bound					
	Movement:	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R
Min. Green:	10	10	10	0	0	0	7	10	10	7	10	10			
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0			
Volume Module:															
Base Vol:	292	1	605	0	0	0	138	1618	0	0	1604	435			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	292	1	605	0	0	0	138	1618	0	0	1604	435			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	292	1	605	0	0	0	138	1618	0	0	1604	435			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	292	1	605	0	0	0	138	1618	0	0	1604	0			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	292	1	605	0	0	0	138	1618	0	0	1604	0			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Final Volume:	292	1	605	0	0	0	138	1618	0	0	1604	0			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.95	0.95	0.92	0.92	1.00	0.92	0.92	1.00	0.92	0.92	1.00	0.92			
Lanes:	0.99	0.01	1.00	0.00	0.00	0.00	1.00	2.00	0.00	0.00	3.00	1.00			
Final Sat.:	1794	6	1750	0	0	0	1750	3800	0	0	5700	1750			
Capacity Analysis Module:															
Vol/Sat:	0.16	0.16	0.35	0.00	0.00	0.00	0.08	0.43	0.00	0.00	0.28	0.00			
Crit Moves:			****					****							
Green Time:	21.7	21.7	21.7	0.0	0.0	0.0	26.7	44.3	0.0	0.0	17.6	0.0			
Volume/Cap:	0.56	0.56	1.20	0.00	0.00	0.00	0.22	0.72	0.00	0.00	1.20	0.00			
Uniform Del:	22.6	22.6	26.7	0.0	0.0	0.0	16.9	10.9	0.0	0.0	28.7	0.0			
IncremntDel:	1.4	1.4	106.4	0.0	0.0	0.0	0.2	1.2	0.0	0.0	96.0	0.0			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	0.00	0.00	0.00	1.00	1.00	0.00	0.00	1.00	0.00			
Delay/Veh:	24.1	24.1	133.1	0.0	0.0	0.0	17.1	12.1	0.0	0.0	125	0.0			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	24.1	24.1	133.1	0.0	0.0	0.0	17.1	12.1	0.0	0.0	125	0.0			
LOS by Move:	C	C	F	A	A	A	B	B	A	A	F	A			
HCM2kAvgQ:	7	7	32	0	0	0	2	14	0	0	26	0			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

Intersection #23: SR 85 SB Ramps & Homestead Rd




Street Name: SR 85 SB Ramps Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 10		10 10		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM															
Base Vol:	4	0	20	264	15	72	0	785	8	14	409	0			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	4	0	20	264	15	72	0	785	8	14	409	0			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	4	0	20	264	15	72	0	785	8	14	409	0			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	4	0	20	264	15	72	0	785	8	14	409	0			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	4	0	20	264	15	72	0	785	8	14	409	0			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Final Volume:	4	0	20	264	15	72	0	785	8	14	409	0			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	0.92	0.92	0.92	0.95	0.95	0.92	1.00	0.92	0.92	1.00	0.92			
Lanes:	0.17	0.00	0.83	1.00	0.17	0.83	0.00	1.00	1.00	1.00	2.00	0.00			
Final Sat.:	292	0	1458	1750	310	1490	0	1900	1750	1750	3800	0			
Capacity Analysis Module:															
Vol/Sat:	0.01	0.00	0.01	0.15	0.05	0.05	0.00	0.41	0.00	0.01	0.11	0.00			
Crit Moves:	****		****		****		****		****		****				
Green Time:	10.0	0.0	10.0	32.4	32.4	32.4	0.0	88.6	88.6	7.0	95.6	0.0			
Volume/Cap:	0.21	0.00	0.21	0.70	0.22	0.22	0.00	0.70	0.01	0.17	0.17	0.00			
Uniform Del:	66.2	0.0	66.2	54.3	48.5	48.5	0.0	21.4	12.6	68.7	11.0	0.0			
IncremntDel:	0.9	0.0	0.9	5.7	0.3	0.3	0.0	2.0	0.0	1.0	0.0	0.0			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	0.00	1.00	1.00	1.00	1.00	0.00	1.96	1.96	1.00	1.00	0.00			
Delay/Veh:	67.1	0.0	67.1	60.0	48.8	48.8	0.0	44.0	24.8	69.7	11.1	0.0			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	67.1	0.0	67.1	60.0	48.8	48.8	0.0	44.0	24.8	69.7	11.1	0.0			
LOS by Move:	E	A	E	E	D	D	A	D	C	E	B+	A			
HCM2kAvgQ:	1	0	1	13	3	3	0	33	0	1	4	0			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

Intersection #23: SR 85 SB Ramps & Homestead Rd




Street Name: SR 85 SB Ramps												Homestead Rd				
Approach:	North Bound			South Bound			East Bound			West Bound						
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	
Min. Green:	10	10	10	10	10	10	7	10	10	7	10	10				
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0				
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM																
Base Vol:	4	0	20	286	15	121	0	897	15	14	898	0				
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Initial Bse:	4	0	20	286	15	121	0	897	15	14	898	0				
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0				
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0				
Initial Fut:	4	0	20	286	15	121	0	897	15	14	898	0				
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
PHF Volume:	4	0	20	286	15	121	0	897	15	14	898	0				
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0				
Reduced Vol:	4	0	20	286	15	121	0	897	15	14	898	0				
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
FinalVolume:	4	0	20	286	15	121	0	897	15	14	898	0				
Saturation Flow Module:																
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	0.92	0.92	0.92	0.95	0.95	0.92	1.00	0.92	0.92	1.00	0.92				
Lanes:	0.17	0.00	0.83	1.00	0.11	0.89	0.00	1.00	1.00	1.00	2.00	0.00				
Final Sat.:	292	0	1458	1750	199	1601	0	1900	1750	1750	3800	0				
Capacity Analysis Module:																
Vol/Sat:	0.01	0.00	0.01	0.16	0.08	0.08	0.00	0.47	0.01	0.01	0.24	0.00				
Crit Moves:	****		****		****		****		****		****					
Green Time:	10.0	0.0	10.0	31.1	31.1	31.1	0.0	89.9	89.9	7.0	96.9	0.0				
Volume/Cap:	0.21	0.00	0.21	0.79	0.36	0.36	0.00	0.79	0.01	0.17	0.37	0.00				
Uniform Del:	66.2	0.0	66.2	56.3	51.0	51.0	0.0	22.8	12.2	68.7	12.3	0.0				
IncremntDel:	0.9	0.0	0.9	11.0	0.6	0.6	0.0	3.7	0.0	1.0	0.1	0.0				
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Delay Adj:	1.00	0.00	1.00	1.00	1.00	1.00	0.00	2.00	2.00	1.00	1.00	0.00				
Delay/Veh:	67.1	0.0	67.1	67.3	51.6	51.6	0.0	49.3	24.3	69.7	12.4	0.0				
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
AdjDel/Veh:	67.1	0.0	67.1	67.3	51.6	51.6	0.0	49.3	24.3	69.7	12.4	0.0				
LOS by Move:	E	A	E	E	D-	D-	A	D	C	E	B	A				
HCM2kAvgQ:	1	0	1	15	6	6	0	39	1	1	9	0				

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

Intersection #23: SR 85 SB Ramps & Homestead Rd




Street Name: SR 85 SB Ramps												Homestead Rd				
Approach:	North Bound			South Bound			East Bound			West Bound						
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	
Min. Green:	10	10	10	10	10	10	7	10	10	7	10	10	14	853	0	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM																
Base Vol:	4	0	20	288	15	127	0	888	15	14	853	0				
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Initial Bse:	4	0	20	288	15	127	0	888	15	14	853	0				
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0				
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0				
Initial Fut:	4	0	20	288	15	127	0	888	15	14	853	0				
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
PHF Volume:	4	0	20	288	15	127	0	888	15	14	853	0				
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0				
Reduced Vol:	4	0	20	288	15	127	0	888	15	14	853	0				
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
FinalVolume:	4	0	20	288	15	127	0	888	15	14	853	0				
Saturation Flow Module:																
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	0.92	0.92	0.92	0.95	0.95	0.92	1.00	0.92	0.92	1.00	0.92				
Lanes:	0.17	0.00	0.83	1.00	0.11	0.89	0.00	1.00	1.00	1.00	1.00	2.00				
Final Sat.:	292	0	1458	1750	190	1610	0	1900	1750	1750	1750	3800	0			
Capacity Analysis Module:																
Vol/Sat:	0.01	0.00	0.01	0.16	0.08	0.08	0.00	0.47	0.01	0.01	0.22	0.00				
Crit Moves:	****		****		****		****		****		****					
Green Time:	10.0	0.0	10.0	31.5	31.5	31.5	0.0	89.5	89.5	7.0	96.5	0.0				
Volume/Cap:	0.21	0.00	0.21	0.78	0.38	0.38	0.00	0.78	0.01	0.17	0.35	0.00				
Uniform Del:	66.2	0.0	66.2	56.0	50.8	50.8	0.0	22.9	12.3	68.7	12.3	0.0				
IncremntDel:	0.9	0.0	0.9	10.5	0.6	0.6	0.0	3.6	0.0	1.0	0.1	0.0				
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Delay Adj:	1.00	0.00	1.00	1.00	1.00	1.00	0.00	1.99	1.99	1.00	1.00	0.00				
Delay/Veh:	67.1	0.0	67.1	66.5	51.4	51.4	0.0	49.1	24.5	69.7	12.4	0.0				
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
AdjDel/Veh:	67.1	0.0	67.1	66.5	51.4	51.4	0.0	49.1	24.5	69.7	12.4	0.0				
LOS by Move:	E	A	E	E	D-	D-	A	D	C	E	B	A				
HCM2kAvgQ:	1	0	1	15	6	6	0	38	1	1	9	0				

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


Intersection #24: SR 85 NB Ramps & Homestead Rd



Street Name: SR 85 NB Ramps Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 10		10 10		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM															
Base Vol:	0 0		0 51		0 44		40 967		50 74		366 21				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	0 0		0 51		0 44		40 967		50 74		366 21				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	0 0		0 51		0 44		40 967		50 74		366 21				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	0 0		0 51		0 44		40 967		50 74		366 21				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	0 0		0 51		0 44		40 967		50 74		366 21				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	0 0		0 51		0 44		40 967		50 74		366 21				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 1.00		0.92 0.95		0.95 0.95		0.92 0.92		1.00 1.00		0.92 0.98				
Lanes:	0.00 0.00		0.00 1.00		0.00 0.00		1.00 1.00		1.00 1.00		1.00 1.89				
Final Sat.:	0 0		0 1800		0 0		1750 1750		1750 1900		1750 1750				
Capacity Analysis Module:															
Vol/Sat:	0.00 0.00		0.00 0.03		0.00 0.03		0.02 0.02		0.51 0.51		0.03 0.03				
Crit Moves:	***** ***** *****														
Green Time:	0.0 0.0		0.0 10.0		0.0 0.0		50.3 40.3		120 120		120.0 120.0				
Volume/Cap:	0.00 0.00		0.00 0.42		0.00 0.00		0.07 0.08		0.63 0.63		0.04 0.04				
Uniform Del:	0.0 0.0		0.0 66.7		0.0 0.0		33.5 40.6		5.7 5.7		2.9 2.9				
IncremntDel:	0.0 0.0		0.0 2.4		0.0 0.0		0.1 0.1		0.9 0.9		0.0 0.0				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	0.00 0.00		0.00 1.00		0.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	0.0 0.0		0.0 69.1		0.0 0.0		33.6 40.7		6.6 6.6		2.9 2.9				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	0.0 0.0		0.0 69.1		0.0 0.0		33.6 40.7		6.6 6.6		2.9 2.9				
LOS by Move:	A A		A E		A C-		D A		A E-		B B				
HCM2kAvgQ:	0 0		0 3		0 0		1 1		17 17		0 0				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #24: SR 85 NB Ramps & Homestead Rd



Street Name: SR 85 NB Ramps Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 10		10 10		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM															
Base Vol:	0	0	0	51	5	60	71	1095	76	78	857	34			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	0	0	0	51	5	60	71	1095	76	78	857	34			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	0	0	0	51	5	60	71	1095	76	78	857	34			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	0	0	0	51	5	60	71	1095	76	78	857	34			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	0	0	0	51	5	60	71	1095	76	78	857	34			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	0	0	0	51	5	60	71	1095	76	78	857	34			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	1.00	0.92	0.95	0.95	0.92	0.92	1.00	0.92	0.92	0.97	0.95			
Lanes:	0.00	0.00	0.00	0.91	0.09	1.00	1.00	1.00	1.00	1.00	1.92	0.08			
Final Sat.:	0	0	0	1639	161	1750	1750	1900	1750	1750	3559	141			
Capacity Analysis Module:															
Vol/Sat:	0.00	0.00	0.00	0.03	0.03	0.03	0.04	0.58	0.04	0.04	0.24	0.24			
Crit Moves:															
Green Time:	0.0	0.0	0.0	10.0	10.0	31.2	21.2	121	120.7	9.3	109	108.8			
Volume/Cap:	0.00	0.00	0.00	0.46	0.46	0.16	0.28	0.71	0.05	0.71	0.33	0.33			
Uniform Del:	0.0	0.0	0.0	66.9	66.9	48.2	57.1	6.4	2.8	68.5	7.2	7.2			
IncremntDel:	0.0	0.0	0.0	2.8	2.8	0.2	0.6	1.6	0.0	19.6	0.1	0.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	0.00	0.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	0.0	0.0	0.0	69.7	69.7	48.4	57.7	7.9	2.8	88.1	7.2	7.2			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	0.0	0.0	0.0	69.7	69.7	48.4	57.7	7.9	2.8	88.1	7.2	7.2			
LOS by Move:	A	A	A	E	E	D	E+	A	A	F	A	A			
HCM2kAvgQ:	0	0	0	3	3	2	3	22	1	4	7	7			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #24: SR 85 NB Ramps & Homestead Rd



Street Name: SR 85 NB Ramps Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10	10	10	10	10	10	7	10	10	7	10	10	7	10	10
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM															
Base Vol:	0	0	0	51	5	60	80	1081	75	77	808	34			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	0	0	0	51	5	60	80	1081	75	77	808	34			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	0	0	0	51	5	60	80	1081	75	77	808	34			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	0	0	0	51	5	60	80	1081	75	77	808	34			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	0	0	0	51	5	60	80	1081	75	77	808	34			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	0	0	0	51	5	60	80	1081	75	77	808	34			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	1.00	0.92	0.95	0.95	0.92	0.92	1.00	0.92	0.92	0.97	0.95			
Lanes:	0.00	0.00	0.00	0.91	0.09	1.00	1.00	1.00	1.00	1.00	1.92	0.08			
Final Sat.:	0	0	0	1639	161	1750	1750	1900	1750	1750	3550	149			
Capacity Analysis Module:															
Vol/Sat:	0.00	0.00	0.00	0.03	0.03	0.03	0.05	0.57	0.04	0.04	0.23	0.23			
Crit Moves:															
Green Time:	0.0	0.0	0.0	10.0	10.0	32.2	22.2	121	120.7	9.3	108	107.8			
Volume/Cap:	0.00	0.00	0.00	0.46	0.46	0.16	0.31	0.70	0.05	0.70	0.31	0.31			
Uniform Del:	0.0	0.0	0.0	66.9	66.9	47.4	56.5	6.2	2.8	68.5	7.4	7.4			
IncremntDel:	0.0	0.0	0.0	2.8	2.8	0.2	0.7	1.5	0.0	18.5	0.1	0.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	0.00	0.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	0.0	0.0	0.0	69.7	69.7	47.6	57.2	7.7	2.8	87.0	7.5	7.5			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	0.0	0.0	0.0	69.7	69.7	47.6	57.2	7.7	2.8	87.0	7.5	7.5			
LOS by Move:	A	A	A	E	E	D	E+	A	A	F	A	A			
HCM2kAvgQ:	0	0	0	3	3	2	3	21	1	4	7	7			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


Intersection #25: Hollenbeck Ave & Fremont Ave



Street Name: Hollenbeck Ave Fremont Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	113	238	180	143	418	114	170	956	183	241	483	171			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	113	238	180	143	418	114	170	956	183	241	483	171			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	113	238	180	143	418	114	170	956	183	241	483	171			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	113	238	180	143	418	114	170	956	183	241	483	171			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	113	238	180	143	418	114	170	956	183	241	483	171			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	113	238	180	143	418	114	170	956	183	241	483	171			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	1.00	0.92	0.92	1.00	0.92	0.92	0.99	0.95	0.92	0.99	0.95			
Lanes:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.50	0.50	1.00	2.19	0.81			
Final Sat.:	1750	1900	1750	1750	1900	1750	1750	4699	900	1750	4134	1464			
Capacity Analysis Module:															
Vol/Sat:	0.06	0.13	0.10	0.08	0.22	0.07	0.10	0.20	0.20	0.14	0.12	0.12			
Crit Moves:	****			****			****			****					
Green Time:	13.4	35.8	64.4	23.3	45.7	77.9	32.2	42.3	42.3	28.6	38.7	38.7			
Volume/Cap:	0.68	0.50	0.23	0.50	0.68	0.12	0.43	0.68	0.68	0.68	0.43	0.43			
Uniform Del:	62.2	45.4	23.6	54.0	41.9	15.5	47.0	44.0	44.0	52.5	42.5	42.5			
IncremntDel:	11.2	0.8	0.1	1.4	3.2	0.1	0.7	1.2	1.2	5.5	0.2	0.2			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	73.4	46.2	23.8	55.3	45.1	15.5	47.8	45.2	45.2	58.0	42.7	42.7			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	73.4	46.2	23.8	55.3	45.1	15.5	47.8	45.2	45.2	58.0	42.7	42.7			
LOS by Move:	E	D	C	E+	D	B	D	D	D	E+	D	D			
HCM2kAvgQ:	6	9	5	7	16	2	7	14	14	10	8	8			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #25: Hollenbeck Ave & Fremont Ave



Street Name: Hollenbeck Ave Fremont Ave																			
Approach:	North Bound			South Bound			East Bound			West Bound									
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----																			
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10						
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0						
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----																			
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM																			
Base Vol: 117 382 180 198 624 226 230 1255 253 241 970 186																			
Growth Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Initial Bse: 117 382 180 198 624 226 230 1255 253 241 970 186																			
Added Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
PasserByVol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Initial Fut: 117 382 180 198 624 226 230 1255 253 241 970 186																			
User Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Volume: 117 382 180 198 624 226 230 1255 253 241 970 186																			
Reduc Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Reduced Vol: 117 382 180 198 624 226 230 1255 253 241 970 186																			
PCE Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
MLF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
FinalVolume: 117 382 180 198 624 226 230 1255 253 241 970 186																			
Saturation Flow Module:																			
Sat/Lane: 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900																			
Adjustment: 0.92 1.00 0.92 0.92 1.00 0.92 0.92 0.99 0.95 0.92 0.99 0.95																			
Lanes: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 2.48 0.52 1.00 2.50 0.50																			
Final Sat.: 1750 1900 1750 1750 1900 1750 1750 4659 939 1750 4698 901																			
Capacity Analysis Module:																			
Vol/Sat: 0.07 0.20 0.10 0.11 0.33 0.13 0.13 0.27 0.27 0.14 0.21 0.21																			
Crit Moves: **** * **** * **** *																			
Green Time: 10.8 41.0 63.3 23.1 53.2 78.9 25.7 43.6 43.6 22.3 40.3 40.3																			
Volume/Cap: 0.88 0.70 0.23 0.70 0.88 0.23 0.73 0.88 0.88 0.88 0.73 0.73																			
Uniform Del: 64.9 45.0 24.3 56.2 41.3 16.1 54.9 46.6 46.6 58.5 45.9 45.9																			
IncremntDel: 43.2 3.9 0.2 7.4 11.9 0.1 8.2 5.4 5.4 25.5 1.7 1.7																			
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																			
Delay Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Delay/Veh: 108.1 48.9 24.5 63.5 53.2 16.2 63.1 52.0 52.0 84.0 47.6 47.6																			
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
AdjDel/Veh: 108.1 48.9 24.5 63.5 53.2 16.2 63.1 52.0 52.0 84.0 47.6 47.6																			
LOS by Move: F D C E D- B E D- D- F D D																			
HCM2kAvgQ: 8 16 5 10 28 5 10 22 22 11 15 15																			
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

Intersection #25: Hollenbeck Ave & Fremont Ave




Street Name: Hollenbeck Ave Fremont Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 7		10 7		10 7		10 7		10 7		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	116	396	180	216	610	224	225	1279	245	241	922	224			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	116	396	180	216	610	224	225	1279	245	241	922	224			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	116	396	180	216	610	224	225	1279	245	241	922	224			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	116	396	180	216	610	224	225	1279	245	241	922	224			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	116	396	180	216	610	224	225	1279	245	241	922	224			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	116	396	180	216	610	224	225	1279	245	241	922	224			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	1.00	0.92	0.92	1.00	0.92	0.92	0.99	0.95	0.92	0.99	0.95			
Lanes:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.50	0.50	1.00	2.39	0.61			
Final Sat.:	1750	1900	1750	1750	1900	1750	1750	4699	900	1750	4504	1094			
Capacity Analysis Module:															
Vol/Sat:	0.07	0.21	0.10	0.12	0.32	0.13	0.13	0.27	0.27	0.14	0.20	0.20			
Crit Moves:	****			****		****		****		****					
Green Time:	10.8	39.7	62.1	23.5	52.4	78.1	25.8	44.4	44.4	22.5	41.1	41.1			
Volume/Cap:	0.87	0.75	0.24	0.75	0.87	0.23	0.71	0.87	0.87	0.87	0.71	0.71			
Uniform Del:	64.9	46.6	25.0	56.4	41.7	16.5	54.6	46.1	46.1	58.4	45.1	45.1			
IncremntDel:	42.0	5.7	0.2	10.1	11.5	0.1	7.2	5.1	5.1	24.5	1.5	1.5			
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	106.9	52.3	25.2	66.6	53.2	16.6	61.8	51.2	51.2	82.8	46.6	46.6			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	106.9	52.3	25.2	66.6	53.2	16.6	61.8	51.2	51.2	82.8	46.6	46.6			
LOS by Move:	F	D-	C	E	D-	B	E	D-	D-	F	D	D			
HCM2kAvgQ:	8	17	5	11	27	5	10	22	22	11	14	14			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

Intersection #26: Hollenbeck Ave & Homestead Rd




Street Name: Hollenbeck Ave Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	254	327	279	219	553	67	55	864	463	205	445	155			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	254	327	279	219	553	67	55	864	463	205	445	155			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	254	327	279	219	553	67	55	864	463	205	445	155			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	254	327	279	219	553	67	55	864	463	205	445	155			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	254	327	279	219	553	67	55	864	463	205	445	155			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	254	327	279	219	553	67	55	864	463	205	445	155			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	1.00	0.95	0.92	0.98	0.95	0.92	0.99	0.95	0.92	0.98	0.95			
Lanes:	2.00	1.05	0.95	1.00	1.78	0.22	1.00	1.28	0.72	1.00	1.47	0.53			
Final Sat.:	3150	1995	1702	1750	3300	400	1750	2408	1290	1750	2743	956			
Capacity Analysis Module:															
Vol/Sat:	0.08	0.16	0.16	0.13	0.17	0.17	0.03	0.36	0.36	0.12	0.16	0.16			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	16.8	29.4	29.4	22.4	34.9	34.9	19.1	64.3	64.3	21.0	66.1	66.1			
Volume/Cap:	0.71	0.83	0.83	0.83	0.71	0.71	0.24	0.83	0.83	0.83	0.37	0.37			
Uniform Del:	63.8	57.5	57.5	61.5	52.4	52.4	58.4	37.6	37.6	62.3	27.5	27.5			
IncremntDel:	6.7	8.1	8.1	19.6	2.8	2.8	0.6	3.9	3.9	20.8	0.1	0.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	70.5	65.5	65.5	81.1	55.3	55.3	59.0	41.5	41.5	83.0	27.7	27.7			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	70.5	65.5	65.5	81.1	55.3	55.3	59.0	41.5	41.5	83.0	27.7	27.7			
LOS by Move:	E	E	E	F	E+	E+	E+	D	D	F	C	C			
HCM2kAvgQ:	8	16	16	13	14	14	2	28	28	10	9	9			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

Intersection #26: Hollenbeck Ave & Homestead Rd




Street Name: Hollenbeck Ave Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7		10	10		7	10		10	7		10	10		
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	356	339	279	394	553	67	68	864	569	224	663	187			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	356	339	279	394	553	67	68	864	569	224	663	187			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	356	339	279	394	553	67	68	864	569	224	663	187			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	356	339	279	394	553	67	68	864	569	224	663	187			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	356	339	279	394	553	67	68	864	569	224	663	187			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	356	339	279	394	553	67	68	864	569	224	663	187			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	1.00	0.95	0.92	0.98	0.95	0.92	0.99	0.95	0.92	0.98	0.95			
Lanes:	2.00	1.07	0.93	1.00	1.78	0.22	1.00	1.18	0.82	1.00	1.55	0.45			
Final Sat.:	3150	2028	1669	1750	3300	400	1750	2230	1468	1750	2885	814			
Capacity Analysis Module:															
Vol/Sat:	0.11	0.17	0.17	0.23	0.17	0.17	0.04	0.39	0.39	0.13	0.23	0.23			
Crit Moves:	****		****	****		****	****		****	****					
Green Time:	23.8	25.2	25.2	34.0	35.4	35.4	13.2	58.5	58.5	19.3	64.6	64.6			
Volume/Cap:	0.71	0.99	0.99	0.99	0.71	0.71	0.44	0.99	0.99	0.99	0.53	0.53			
Uniform Del:	59.3	61.7	61.7	57.3	52.1	52.1	64.4	44.9	44.9	64.7	31.0	31.0			
IncremntDel:	4.6	32.6	32.6	41.5	2.7	2.7	2.0	20.5	20.5	56.0	0.3	0.3			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	63.8	94.4	94.4	98.8	54.7	54.7	66.4	65.4	65.4	120.7	31.4	31.4			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	63.8	94.4	94.4	98.8	54.7	54.7	66.4	65.4	65.4	120.7	31.4	31.4			
LOS by Move:	E	F	F	F	D-	D-	E	E	E	F	C	C			
HCM2kAvgQ:	10	19	19	25	14	14	3	37	37	12	14	14			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

Intersection #26: Hollenbeck Ave & Homestead Rd




Street Name: Hollenbeck Ave Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 7		10 7		10 7		10 7		10 7		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	361	348	279	405	553	67	79	864	552	230	695	187			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	361	348	279	405	553	67	79	864	552	230	695	187			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	361	348	279	405	553	67	79	864	552	230	695	187			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	361	348	279	405	553	67	79	864	552	230	695	187			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	361	348	279	405	553	67	79	864	552	230	695	187			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	361	348	279	405	553	67	79	864	552	230	695	187			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	0.99	0.95	0.92	0.98	0.95	0.92	0.99	0.95	0.92	0.98	0.95			
Lanes:	2.00	1.09	0.91	1.00	1.78	0.22	1.00	1.20	0.80	1.00	1.56	0.44			
Final Sat.:	3150	2052	1645	1750	3300	400	1750	2257	1442	1750	2915	784			
Capacity Analysis Module:															
Vol/Sat:	0.11	0.17	0.17	0.23	0.17	0.17	0.05	0.38	0.38	0.13	0.24	0.24			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	24.4	25.4	25.4	34.6	35.6	35.6	12.7	57.3	57.3	19.7	64.3	64.3			
Volume/Cap:	0.70	1.00	1.00	1.00	0.70	0.70	0.53	1.00	1.00	1.00	0.55	0.55			
Uniform Del:	58.9	61.8	61.8	57.1	51.8	51.8	65.3	45.7	45.7	64.6	31.6	31.6			
IncremntDel:	4.3	34.6	34.6	43.4	2.5	2.5	3.6	22.7	22.7	57.9	0.4	0.4			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	63.1	96.4	96.4	100.5	54.3	54.3	68.9	68.4	68.4	122.5	32.0	32.0			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	63.1	96.4	96.4	100.5	54.3	54.3	68.9	68.4	68.4	122.5	32.0	32.0			
LOS by Move:	E	F	F	F	D-	D-	E	E	E	F	C-	C-			
HCM2kAvgQ:	11	20	20	25	14	14	4	38	38	12	14	14			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

## Intersection #27: Mathilda Ave &amp; Almanor Ave




Street Name: Mathilda Ave Almanor Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM															
Base Vol:	22 1278		103 187		2076 155		348 118		59 27		6 83				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	22 1278		103 187		2076 155		348 118		59 27		6 83				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	22 1278		103 187		2076 155		348 118		59 27		6 83				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	22 1278		103 187		2076 155		348 118		59 27		6 83				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	22 1278		103 187		2076 155		348 118		59 27		6 83				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	22 1278		103 187		2076 155		348 118		59 27		6 83				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 1.00		0.92 0.99		0.95 0.83		0.95 0.95		0.95 0.92		1.00 0.92				
Lanes:	1.00 4.00		1.00 3.71		0.29 2.00		0.67 0.33		1.00 1.00		1.00 1.00				
Final Sat.:	1750 7600		1750 1750		6978 521		3150 1200		600 1750		1900 1900				
Capacity Analysis Module:															
Vol/Sat:	0.01 0.17		0.06 0.11		0.30 0.30		0.11 0.10		0.10 0.10		0.02 0.02				
Crit Moves:	****		****		****		****		****		****				
Green Time:	7.0 62.7		76.7 39.8		95.5 95.5		35.5 31.5		31.5 14.0		10.0 49.8				
Volume/Cap:	0.29 0.43		0.12 0.43		0.50 0.50		0.50 0.50		0.50 0.50		0.18 0.05				
Uniform Del:	74.1 35.6		23.0 50.5		18.5 54.5		31.5 57.3		57.3 67.7		70.5 39.8				
IncremntDel:	2.1 0.1		0.1 0.7		0.1 0.1		0.6 1.1		1.1 1.1		0.6 0.6				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	76.2 35.7		23.1 51.2		18.6 18.6		55.0 58.4		58.4 68.2		70.7 39.9				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	76.2 35.7		23.1 51.2		18.6 18.6		55.0 58.4		58.4 68.2		70.7 39.9				
LOS by Move:	E-	D+	C	D-	B-	B-	E+	E+	E+	E	E	D			
HCM2kAvgQ:	1	11	3	8	15	15	9	8	8	1	0	3			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #27: Mathilda Ave & Almanor Ave



Street Name: Mathilda Ave Almanor Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM															
Base Vol:	63	2364	118	298	2783	192	431	118	134	126	25	280			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	63	2364	118	298	2783	192	431	118	134	126	25	280			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	63	2364	118	298	2783	192	431	118	134	126	25	280			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	63	2364	118	298	2783	192	431	118	134	126	25	280			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	63	2364	118	298	2783	192	431	118	134	126	25	280			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	63	2364	118	298	2783	192	431	118	134	126	25	280			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	1.00	0.92	0.99	0.95	0.83	0.95	0.95	0.92	1.00	0.92				
Lanes:	1.00	4.00	1.00	1.00	3.73	0.27	2.00	0.47	0.53	1.00	1.00				
Final Sat.:	1750	7600	1750	1750	7015	484	3150	843	957	1750	1900				
Capacity Analysis Module:															
Vol/Sat:	0.04	0.31	0.07	0.17	0.40	0.40	0.14	0.14	0.14	0.07	0.01				
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****				
Green Time:	10.2	66.4	81.8	36.3	92.5	92.5	31.1	29.9	29.9	15.4	14.2				
Volume/Cap:	0.56	0.75	0.13	0.75	0.69	0.69	0.70	0.75	0.75	0.75	0.15				
Uniform Del:	72.7	39.7	20.5	57.6	23.6	23.6	60.2	61.5	61.5	70.4	67.3				
IncremntDel:	6.5	1.0	0.1	7.7	0.5	0.5	3.7	9.0	9.0	17.0	0.4				
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Delay/Veh:	79.3	40.8	20.6	65.3	24.0	24.0	63.9	70.6	70.6	87.4	67.7				
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
AdjDel/Veh:	79.3	40.8	20.6	65.3	24.0	24.0	63.9	70.6	70.6	87.4	67.7				
LOS by Move:	E-	D	C+	E	C	C	E	E	E	F	E				
HCM2kAvgQ:	3	24	3	16	25	25	13	14	14	8	1				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


## Intersection #27: Mathilda Ave &amp; Almanor Ave



Street Name: Mathilda Ave Almanor Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM															
Base Vol:	65 2400		125 271		2859 177		436 133		113 126		25 280				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	65 2400		125 271		2859 177		436 133		113 126		25 280				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	65 2400		125 271		2859 177		436 133		113 126		25 280				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	65 2400		125 271		2859 177		436 133		113 126		25 280				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	65 2400		125 271		2859 177		436 133		113 126		25 280				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	65 2400		125 271		2859 177		436 133		113 126		25 280				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 1.00		0.92 0.99		0.95 0.83		0.95 0.95		0.95 0.92		1.00 0.92				
Lanes:	1.00 4.00		1.00 3.76		0.24 2.00		0.54 0.46		0.46 1.00		1.00 1.00				
Final Sat.:	1750 7600		1750 7062		437 3150		973 827		827 1750		1900 1900				
Capacity Analysis Module:															
Vol/Sat:	0.04 0.32		0.07 0.15		0.40 0.40		0.40 0.14		0.14 0.14		0.14 0.07				
Crit Moves:	****		****		****		****		****		****				
Green Time:	10.0 68.8		84.5 33.7		92.5 92.5		31.3 29.8		29.8 15.7		14.1 47.9				
Volume/Cap:	0.59 0.73		0.14 0.73		0.70 0.70		0.70 0.71		0.73 0.73		0.15 0.73				
Uniform Del:	73.0 38.0		19.2 58.9		23.9 23.9		60.1 61.4		61.4 70.1		67.4 46.8				
IncremntDel:	8.5 0.9		0.1 7.5		0.5 0.5		0.5 3.8		8.2 8.2		8.2 15.1				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	81.6 38.9		19.3 66.4		24.4 24.4		24.4 63.8		69.6 69.6		85.3 85.3				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	81.6 38.9		19.3 66.4		24.4 24.4		24.4 63.8		69.6 69.6		85.3 85.3				
LOS by Move:	F	D+	B-	E	C	C	E	E	E	F	E	D			
HCM2kAvgQ:	3	24	3	15	26	26	13	13	13	8	1	12			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


Intersection #28: Mathilda Ave & San Aleso Ave



Street Name: Mathilda Ave San Aleso Ave																			
Approach:	North Bound			South Bound			East Bound			West Bound									
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
Min. Green:	7		10	10		7	10		10	10		10	10		10				
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0				
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM																			
Base Vol:	13		1366	90		76	2146		9	19		5	2		25	0		16	
Growth Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
Initial Bse:	13		1366	90		76	2146		9	19		5	2		25	0		16	
Added Vol:	0		0	0		0	0		0	0		0	0		0	0		0	
PasserByVol:	0		0	0		0	0		0	0		0	0		0	0		0	
Initial Fut:	13		1366	90		76	2146		9	19		5	2		25	0		16	
User Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
PHF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
PHF Volume:	13		1366	90		76	2146		9	19		5	2		25	0		16	
Reduc Vol:	0		0	0		0	0		0	0		0	0		0	0		0	
Reduced Vol:	13		1366	90		76	2146		9	19		5	2		25	0		16	
PCE Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
MLF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
FinalVolume:	13		1366	90		76	2146		9	19		5	2		25	0		16	
Saturation Flow Module:																			
Sat/Lane:	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	
Adjustment:	0.92		1.00	0.92		0.99	0.95		0.92	0.95		0.95	0.92		0.92	0.92		0.92	
Lanes:	1.00		3.00	1.00		1.00	3.98		0.02	1.00		0.71	0.29		0.61	0.00		0.39	
Final Sat.:	1750		5700	1750		1750	7469		31	1750		1286	514		1067	0		683	
Capacity Analysis Module:																			
Vol/Sat:	0.01		0.24	0.05		0.04	0.29		0.29	0.01		0.00	0.00		0.02	0.00		0.02	
Crit Moves:	<b>****</b>												<b>****</b>						
Green Time:	7.0		107	106.8		21.2	121		121.0	10.0		10.0	10.0		0.0	10.0		10.0	
Volume/Cap:	0.16		0.33	0.07		0.30	0.35		0.35	0.16		0.06	0.06		0.34	0.00		0.34	
Uniform Del:	67.2		7.2	5.8		56.3	3.2		3.2	64.5		64.1	64.1		65.4	0.0		65.4	
IncremntDel:	0.9		0.0	0.0		0.7	0.0		0.0	0.6		0.2	0.2		1.7	0.0		1.7	
InitQueueDel:	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	
Delay Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		0.00	1.00		1.00	
Delay/Veh:	68.0		7.3	5.8		56.9	3.3		3.3	65.2		64.3	64.3		67.1	0.0		67.1	
User DelAdj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
AdjDel/Veh:	68.0		7.3	5.8		56.9	3.3		3.3	65.2		64.3	64.3		67.1	0.0		67.1	
LOS by Move:	E		A	A		E+	A		A	E		E	E		E	A		E	
HCM2kAvgQ:	1		7	1		3	6		6	1		0	0		2	0		2	
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #28: Mathilda Ave & San Aleso Ave



Street Name: Mathilda Ave San Aleso Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		10 10		10 10		10 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM															
Base Vol:	14 1962		181 149		2146 14		41 5		22 109		1 102				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	14 1962		181 149		2146 14		41 5		22 109		1 102				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	14 1962		181 149		2146 14		41 5		22 109		1 102				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	14 1962		181 149		2146 14		41 5		22 109		1 102				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	14 1962		181 149		2146 14		41 5		22 109		1 102				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	14 1962		181 149		2146 14		41 5		22 109		1 102				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 1.00		0.92 0.99		0.95 0.92		0.95 0.95		0.95 0.92		0.92 0.92				
Lanes:	1.00 3.00		1.00 3.97		0.03 1.00		0.19 1.00		0.81 1.00		0.51 1.00				
Final Sat.:	1750 5700		1750 1750		7451 49		1750 1750		333 47.1		1467 47.1				
Capacity Analysis Module:															
Vol/Sat:	0.01 0.34		0.10 0.09		0.29 0.29		0.02 0.02		0.02 0.02		0.12 0.12				
Crit Moves:	****		****		****		****		****		****				
Green Time:	15.3 86.3		86.3 21.3		92.4 92.4		30.4 30.4		30.4 30.4		30.4 30.4				
Volume/Cap:	0.08 0.59		0.18 0.59		0.46 0.46		0.11 0.07		0.07 0.07		0.59 0.59				
Uniform Del:	59.5 19.1		14.0 58.7		14.3 14.3		47.4 47.4		47.0 47.0		52.6 52.6				
IncremntDel:	0.2 0.3		0.1 3.5		0.1 0.1		0.1 0.1		0.1 0.1		2.5 2.5				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	59.7 19.4		14.1 62.2		14.3 14.3		47.5 47.5		47.1 47.1		55.1 55.1				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	59.7 19.4		14.1 62.2		14.3 14.3		47.5 47.5		47.1 47.1		55.1 55.1				
LOS by Move:	E+ B-		B E		B D		D D		D E+ E+		E+ E+ E+				
HCM2kAvgQ:	1 18		4 7		12 12		2 1		1 10		10 10				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

Intersection #28: Mathilda Ave & San Aleso Ave




Note: Queue reported is the number of cars per lane.

**Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM**

---

#### Intersection #29: Mathilda Ave & Maude Ave




NOTE: Queue reported is the number of cars per lane.

---

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #29: Mathilda Ave & Maude Ave



Street Name: Mathilda Ave Maude Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 18 Sep 2014 << 5:00 PM - 6:00 PM															
Base Vol:	314	1640	98	329	2977	147	459	627	750	98	269	136			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	314	1640	98	329	2977	147	459	627	750	98	269	136			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	314	1640	98	329	2977	147	459	627	750	98	269	136			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	314	1640	98	329	2977	147	459	627	750	98	269	136			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	314	1640	98	329	2977	147	459	627	750	98	269	136			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	314	1640	98	329	2977	147	459	627	750	98	269	136			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	0.98	0.95	0.83	1.00	0.92	0.83	1.00	0.92	0.92	0.99	0.95			
Lanes:	2.00	2.82	0.18	2.00	4.00	1.00	2.00	1.00	1.00	1.00	1.31	0.69			
Final Sat.:	3150	5284	316	3150	7600	1750	3150	1900	1750	1750	2457	1242			
Capacity Analysis Module:															
Vol/Sat:	0.10	0.31	0.31	0.10	0.39	0.08	0.15	0.33	0.43	0.06	0.11	0.11			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	16.8	62.0	62.0	20.9	66.1	103.2	37.2	55.7	72.5	9.4	27.9	27.9			
Volume/Cap:	0.95	0.80	0.80	0.80	0.95	0.13	0.63	0.95	0.95	0.95	0.63	0.63			
Uniform Del:	71.2	43.5	43.5	67.5	45.3	11.0	55.2	50.8	41.9	75.0	61.2	61.2			
IncremntDel:	36.0	2.2	2.2	10.7	7.4	0.1	1.7	23.1	20.0	71.8	2.0	2.0			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	107.2	45.7	45.7	78.3	52.7	11.0	56.9	73.8	61.9	146.9	63.2	63.2			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	107.2	45.7	45.7	78.3	52.7	11.0	56.9	73.8	61.9	146.9	63.2	63.2			
LOS by Move:	F	D	D	E-	D-	B+	E+	E	E	F	E	E			
HCM2kAvgQ:	11	26	26	10	38	3	13	34	42	8	10	10			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #29: Mathilda Ave & Maude Ave



Street Name: Mathilda Ave Maude Ave																					
Approach:	North Bound			South Bound			East Bound			West Bound											
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R						
Min. Green:	7		10	10		7	10		10	7		10	10								
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0								
Volume Module: >> Count Date: 18 Sep 2014 << 5:00 PM - 6:00 PM																					
Base Vol:	322		1638	98		333	3018		144	495		633	696		98	270		138			
Growth Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00			
Initial Bse:	322		1638	98		333	3018		144	495		633	696		98	270		138			
Added Vol:	0		0	0		0	0		0	0		0	0		0	0		0			
PasserByVol:	0		0	0		0	0		0	0		0	0		0	0		0			
Initial Fut:	322		1638	98		333	3018		144	495		633	696		98	270		138			
User Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00			
PHF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00			
PHF Volume:	322		1638	98		333	3018		144	495		633	696		98	270		138			
Reduc Vol:	0		0	0		0	0		0	0		0	0		0	0		0			
Reduced Vol:	322		1638	98		333	3018		144	495		633	696		98	270		138			
PCE Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00			
MLF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00			
FinalVolume:	322		1638	98		333	3018		144	495		633	696		98	270		138			
Saturation Flow Module:																					
Sat/Lane:	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900			
Adjustment:	0.83		0.98	0.95		0.83	1.00		0.92	0.83		1.00	0.92		0.99	0.95					
Lanes:	2.00		2.82	0.18		2.00	4.00		1.00	2.00		1.00	1.00		1.31	0.69					
Final Sat.:	3150		5283	316		3150	7600		1750	3150		1900	1750		1750	2448		1251			
Capacity Analysis Module:																					
Vol/Sat:	0.10		0.31	0.31		0.11	0.40		0.08	0.16		0.33	0.40		0.06	0.11		0.11			
Crit Moves:	****		****	****		****	****		****	****		****	****		****	****		****			
Green Time:	17.0		62.0	62.0		21.1	66.1		104.2	38.1		55.5	72.5		9.3	26.7		26.7			
Volume/Cap:	0.96		0.80	0.80		0.80	0.96		0.13	0.66		0.96	0.88		0.66	0.96		0.66			
Uniform Del:	71.2		43.5	43.5		67.4	45.7		10.6	55.1		51.2	39.7		75.2	62.4		62.4			
IncremntDel:	38.6		2.2	2.2		10.5	8.7		0.1	2.2		25.5	10.9		76.1	2.6		2.6			
InitQueueDel:	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0			
Delay Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00			
Delay/Veh:	109.7		45.7	45.7		77.9	54.4		10.6	57.3		76.7	50.6		151.3	65.0		65.0			
User DelAdj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00			
AdjDel/Veh:	109.7		45.7	45.7		77.9	54.4		10.6	57.3		76.7	50.6		151.3	65.0		65.0			
LOS by Move:	F		D	D		E-	D-		B+	E+		E-	D		F	E		E			
HCM2kAvgQ:	11		26	26		10	39		3	14		35	36		8	10		10			
Note: Queue reported is the number of cars per lane.																					

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


Intersection #30: Mathilda Ave & Indio Way



Street Name: Mathilda Ave												Indio Way														
Approach: North Bound				South Bound				East Bound				West Bound														
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-		
Min. Green:	7	10	10	7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10		
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 4:30 PM - 5:30 PM																										
Base Vol:	29	926	106	46	2663	61	37	1	375	68	0	0	72													
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Initial Bse:	29	926	106	46	2663	61	37	1	375	68	0	0	72													
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Initial Fut:	29	926	106	46	2663	61	37	1	375	68	0	0	72													
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Volume:	29	926	106	46	2663	61	37	1	375	68	0	0	72													
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Reduced Vol:	29	926	106	46	2663	61	37	1	375	68	0	0	72													
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
FinalVolume:	29	926	106	46	2663	61	37	1	375	68	0	0	72													
Saturation Flow Module:																										
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900		
Adjustment:	0.92	1.00	0.92	0.92	1.00	0.92	0.95	0.95	0.92	0.95	0.95	0.92	0.95	0.95	0.92	0.95	0.95	0.92	0.95	0.95	0.92					
Lanes:	1.00	3.00	1.00	1.00	3.00	1.00	0.97	0.03	1.00	1.00	0.00	1.00	1.00	0.00	1.00	1.00	0.00	1.00	1.00	0.00	1.00					
Final Sat.:	1750	5700	1750	1750	5700	1750	1753	47	1750	1800	0	0	1750													
Capacity Analysis Module:																										
Vol/Sat:	0.02	0.16	0.06	0.03	0.47	0.03	0.02	0.02	0.21	0.04	0.00	0.04														
Crit Moves:	****			****			****		****																	
Green Time:	7.0	86.0	86.0	23.8	103	102.7	37.3	37.3	44.3	37.3	0.0	61.0														
Volume/Cap:	0.37	0.29	0.11	0.17	0.71	0.05	0.09	0.09	0.76	0.16	0.00	0.11														
Uniform Del:	72.4	18.8	16.7	57.6	17.1	9.4	46.2	46.2	50.9	47.0	0.0	30.2														
IncremntDel:	2.9	0.1	0.1	0.3	0.6	0.0	0.1	0.1	6.5	0.2	0.0	0.1														
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0														
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00														
Delay/Veh:	75.3	18.8	16.8	57.9	17.7	9.4	46.3	46.3	57.5	47.1	0.0	30.2														
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00														
AdjDel/Veh:	75.3	18.8	16.8	57.9	17.7	9.4	46.3	46.3	57.5	47.1	0.0	30.2														
LOS by Move:	E-	B-	B	E+	B	A	D	D	E+	D	A	C														
HCM2kAvgQ:	1	8	2	2	27	1	1	1	19	3	0	2														
Note: Queue reported is the number of cars per lane.																										

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #30: Mathilda Ave & Indio Way



Street Name: Mathilda Ave Indio Way															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 4:30 PM - 5:30 PM															
Base Vol:	35 1289		128 49		3373 373		64 1		487 68		1 559				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	35 1289		128 49		3373 373		64 1		487 68		1 559				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	35 1289		128 49		3373 373		64 1		487 68		1 559				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	35 1289		128 49		3373 373		64 1		487 68		1 559				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	35 1289		128 49		3373 373		64 1		487 68		1 559				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	35 1289		128 49		3373 373		64 1		487 68		1 559				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 0.99		0.95 0.92		0.99 0.95		0.95 0.92		0.95 0.95		0.95 0.95				
Lanes:	1.00 2.72		0.28 1.00		2.69 0.31		0.31 1.00		0.01 0.99		0.01 1.00				
Final Sat.:	1750 5093		506 1750		5042 558		558 1750		4 1796		1750 3				
Capacity Analysis Module:															
Vol/Sat:	0.02 0.25		0.25 0.03		0.67 0.67		0.67 0.04		0.27 0.27		0.04 0.04				
Crit Moves:	****		****		****		****		0.31 0.31		0.31 0.31				
Green Time:	7.0 81.3		88.3 14.4		88.7 95.7		7.0 41.3		48.3 7.0		41.3 55.7				
Volume/Cap:	0.45 0.49		0.45 0.30		1.18 1.09		0.82 0.82		1.02 0.88		0.87 0.87				
Uniform Del:	72.6 23.9		19.7 66.1		33.6 30.1		73.9 73.9		57.4 51.0		74.0 74.0				
IncremntDel:	4.0 0.1		0.1 1.1		82.9 46.1		45.8 45.8		47.7 14.6		58.9 58.9				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	76.6 24.1		19.8 67.2		117 76.3		119.7 119.7		105 105		132.9 65.6				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	76.6 24.1		19.8 67.2		117 76.3		119.7 119.7		105 105		132.9 65.6				
LOS by Move:	E- C		B- E		F F		F F		F E		F F				
HCM2kAvgQ:	2 14		13 2		80 71		5 31		26 26		41 6				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

## Intersection #30: Mathilda Ave &amp; Indio Way




Street Name: Mathilda Ave												Indio Way												
Approach: North Bound			South Bound			East Bound			West Bound															
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	7	10	10	7	10	10					
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0				
Volume Module: >> Count Date: 14 Nov 2017 << 4:30 PM - 5:30 PM																								
Base Vol:	33	1285	122	46	3359	374	67	1	485	68	1	561												
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Initial Bse:	33	1285	122	46	3359	374	67	1	485	68	1	561												
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0												
Initial Fut:	33	1285	122	46	3359	374	67	1	485	68	1	561												
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Volume:	33	1285	122	46	3359	374	67	1	485	68	1	561												
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
Reduced Vol:	33	1285	122	46	3359	374	67	1	485	68	1	561												
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
FinalVolume:	33	1285	122	46	3359	374	67	1	485	68	1	561												
Saturation Flow Module:																								
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900												
Adjustment:	0.92	0.99	0.95	0.92	0.99	0.95	0.92	0.95	0.95	0.92	0.95	0.95												
Lanes:	1.00	2.73	0.27	1.00	2.69	0.31	1.00	0.01	0.99	1.00	0.01	0.99												
Final Sat.:	1750	5114	486	1750	5038	561	1750	4	1796	1750	3	1797												
Capacity Analysis Module:																								
Vol/Sat:	0.02	0.25	0.25	0.03	0.67	0.67	0.04	0.27	0.27	0.04	0.31	0.31												
Crit Moves:	****			****			****			****														
Green Time:	7.0	81.1	88.1	14.5	88.5	95.5	7.0	41.5	48.5	7.0	41.5	55.9												
Volume/Cap:	0.42	0.48	0.45	0.28	1.17	1.09	0.85	1.02	0.87	0.87	1.17	0.87												
Uniform Del:	72.5	24.0	19.8	65.9	33.7	30.2	74.0	57.3	50.8	74.0	57.3	46.7												
IncremntDel:	3.6	0.1	0.1	1.0	82.3	45.5	55.4	45.2	13.7	58.9	98.8	12.3												
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0												
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Delay/Veh:	76.1	24.2	19.9	66.9	116	75.8	129.4	102	64.5	132.9	156	59.0												
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
AdjDel/Veh:	76.1	24.2	19.9	66.9	116	75.8	129.4	102	64.5	132.9	156	59.0												
LOS by Move:	E-	C	B-	E	F	E-	F	F	E	F	F	E+												
HCM2kAvgQ:	2	14	13	2	80	70	5	31	26	6	41	29												

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


Intersection #31: Mathilda Ave & California Ave



Street Name: Mathilda Ave California Ave																		
Approach:	North Bound			South Bound			East Bound			West Bound								
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R			
Min. Green:	7		10	10		7	10		10	7		10	10					
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0					
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM																		
Base Vol:	82		862	256		212	2491		341	155		149	315		70	44		101
Growth Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Initial Bse:	82		862	256		212	2491		341	155		149	315		70	44		101
Added Vol:	0		0	0		0	0		0	0		0	0		0	0		0
PasserByVol:	0		0	0		0	0		0	0		0	0		0	0		0
Initial Fut:	82		862	256		212	2491		341	155		149	315		70	44		101
User Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
PHF Volume:	82		862	256		212	2491		341	155		149	315		70	44		101
Reduc Vol:	0		0	0		0	0		0	0		0	0		0	0		0
Reduced Vol:	82		862	256		212	2491		341	155		149	315		70	44		101
PCE Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
MLF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
FinalVolume:	82		862	256		212	2491		341	155		149	315		70	44		101
Saturation Flow Module:																		
Sat/Lane:	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900
Adjustment:	0.92		0.99	0.95		0.92	1.00		0.92	0.92		1.00	0.92		0.92	1.00		0.92
Lanes:	1.00		2.29	0.71		1.00	3.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Final Sat.:	1750		4316	1282		1750	5700		1750	1750		1900	1750		1750	1900		1750
Capacity Analysis Module:																		
Vol/Sat:	0.05		0.20	0.20		0.12	0.44		0.19	0.09		0.08	0.18		0.04	0.02		0.06
Crit Moves:	****		****	****		****	****		****	****		****	****		****	****		****
Green Time:	10.6		67.8	67.8		41.2	98.4		121.3	22.9		30.0	40.5		9.0	16.1		57.3
Volume/Cap:	0.71		0.47	0.47		0.47	0.71		0.26	0.62		0.42	0.71		0.71	0.23		0.16
Uniform Del:	73.2		33.2	33.2		50.2	21.0		5.8	64.5		57.3	54.4		74.2	66.2		35.0
IncremntDel:	18.6		0.1	0.8		0.7	0.1		4.7	0.8		5.3	21.3		0.6	0.1		0.1
InitQueueDel:	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0
Delay Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Delay/Veh:	91.8		33.3	33.3		51.0	21.7		5.9	69.2		58.1	59.7		95.5	66.8		35.1
User DelAdj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
AdjDel/Veh:	91.8		33.3	33.3		51.0	21.7		5.9	69.2		58.1	59.7		95.5	66.8		35.1
LOS by Move:	F	C-	C-	D-	C+	A	E	E+	E+	F	E	D+						
HCM2kAvgQ:	4	13	13	9	27	5	8	7	16	4	2	3						
Note: Queue reported is the number of cars per lane.																		

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #31: Mathilda Ave & California Ave



Street Name: Mathilda Ave California Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM															
Base Vol:	89 1221		256 212		3127 506		202 149		315 345		130 104				
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Initial Bse:	89 1221		256 212		3127 506		202 149		315 345		130 104				
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0				
Initial Fut:	89 1221		256 212		3127 506		202 149		315 345		130 104				
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
PHF Volume:	89 1221		256 212		3127 506		202 149		315 345		130 104				
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0				
Reduced Vol:	89 1221		256 212		3127 506		202 149		315 345		130 104				
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
FinalVolume:	89 1221		256 212		3127 506		202 149		315 345		130 104				
Saturation Flow Module:															
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900				
Adjustment:	0.92 0.99		0.95 0.92		1.00 1.00		0.92 0.92		1.00 0.92		1.00 0.92				
Lanes:	1.00 2.46		0.54 1.00		3.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Final Sat.:	1750 4628		970 1750		5700 1750		1750 1750		1900 1750		1750 1750				
Capacity Analysis Module:															
Vol/Sat:	0.05 0.26		0.26 0.12		0.55 0.29		0.12 0.12		0.08 0.18		0.20 0.20				
Crit Moves:	*****		*****		*****		*****		*****		*****				
Green Time:	8.1 65.7		65.7 30.2		87.7 120.5		32.8 20.6		28.8 31.5		19.4 49.6				
Volume/Cap:	1.00 0.64		0.64 0.64		1.00 0.38		0.56 0.61		1.00 1.00		0.56 0.19				
Uniform Del:	75.9 37.8		37.8 59.9		36.1 6.9		57.2 65.8		65.6 44.2		66.3 40.5				
IncremntDel:	95.7 0.6		0.6 4.3		16.3 0.2		2.1 4.4		50.9 48.7		3.2 0.2				
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0				
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
Delay/Veh:	171.6 38.4		38.4 64.2		52.4 7.1		59.3 70.2		116.5 116.5		112.9 112.9				
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00				
AdjDel/Veh:	171.6 38.4		38.4 64.2		52.4 7.1		59.3 70.2		116.5 116.5		112.9 112.9				
LOS by Move:	F D+		D+ E		D- A		E+ E		F F		F E				
HCM2kAvgQ:	6 19		19 10		50 9		10 8		22 22		6 4				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #31: Mathilda Ave & California Ave



Street Name: Mathilda Ave California Ave														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10	
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM														
Base Vol:	90 1212		268 212		3143 520		204 154		315 377		122 101			
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
Initial Bse:	90 1212		268 212		3143 520		204 154		315 377		122 101			
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0			
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0			
Initial Fut:	90 1212		268 212		3143 520		204 154		315 377		122 101			
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
PHF Volume:	90 1212		268 212		3143 520		204 154		315 377		122 101			
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0			
Reduced Vol:	90 1212		268 212		3143 520		204 154		315 377		122 101			
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
FinalVolume:	90 1212		268 212		3143 520		204 154		315 377		122 101			
Saturation Flow Module:														
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900			
Adjustment:	0.92 0.99		0.95 0.92		1.00 1.00		0.92 0.92		1.00 0.92		1.00 0.92			
Lanes:	1.00 2.44		0.56 1.00		3.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
Final Sat.:	1750 4585		1014 1750		5700 1750		1750 1750		1900 1750		1750 1750			
Capacity Analysis Module:														
Vol/Sat:	0.05 0.26		0.26 0.12		0.55 0.30		0.12 0.12		0.08 0.18		0.22 0.22			
Crit Moves:	****		****		****		****		****		****			
Green Time:	8.0 64.6		64.6 29.6		86.2 120.9		34.7 20.1		28.1 20.1		33.7 19.1			
Volume/Cap:	1.02 0.65		0.65 0.65		1.02 0.39		0.54 0.54		0.65 1.02		0.54 1.02			
Uniform Del:	76.0 38.6		38.6 60.5		36.9 6.8		55.6 55.6		66.6 65.9		66.3 63.2			
IncremntDel:	102.6 0.7		0.7 4.8		22.6 0.2		1.5 1.5		6.0 57.5		2.6 53.1			
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0			
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
Delay/Veh:	178.5 39.3		39.3 65.2		59.5 7.0		72.5 57.1		123.4 116.2		68.9 116.2			
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
AdjDel/Veh:	178.5 39.3		39.3 65.2		59.5 7.0		72.5 57.1		123.4 116.2		68.9 116.2			
LOS by Move:	F D		D E		E E+		A E+		E F		F F			
HCM2kAvgQ:	6 19		19 10		52 9		10 8		22 22		24 6			
Note: Queue reported is the number of cars per lane.														

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


Intersection #32: Mathilda Ave & Washington Ave



Street Name: Mathilda Ave Washington Ave														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10	
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0	
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM														
Base Vol:	43 872		76 312		2254 227		149 167		62 79		81 176			
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
Initial Bse:	43 872		76 312		2254 227		149 167		62 79		81 176			
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0			
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0			
Initial Fut:	43 872		76 312		2254 227		149 167		62 79		81 176			
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
PHF Volume:	43 872		76 312		2254 227		149 167		62 79		81 176			
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0			
Reduced Vol:	43 872		76 312		2254 227		149 167		62 79		81 176			
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
FinalVolume:	43 872		76 312		2254 227		149 167		62 79		81 176			
Saturation Flow Module:														
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900			
Adjustment:	0.92 0.99		0.95 0.83		0.99 0.95		0.95 0.83		0.95 0.95		0.95 0.95			
Lanes:	1.00 2.75		0.25 2.00		2.72 0.28		0.73 2.00		0.73 0.27		0.32 2.00			
Final Sat.:	1750 5150		449 3150		5087 512		3150 1313		487 3150		567 1233			
Capacity Analysis Module:														
Vol/Sat:	0.02 0.17		0.17 0.10		0.44 0.44		0.44 0.05		0.13 0.13		0.03 0.03			
Crit Moves:	****		****		****		****		0.14 0.14		0.14 0.14			
Green Time:	7.0 66.7		66.7 39.0		98.7 98.7		98.7 10.5		31.5 31.5		31.5 10.8			
Volume/Cap:	0.56 0.41		0.41 0.41		0.72 0.72		0.65 0.72		0.65 0.37		0.65 0.72			
Uniform Del:	75.0 32.8		32.8 50.8		21.1 21.1		73.3 73.3		59.1 59.1		71.3 59.9			
IncremntDel:	9.2 0.1		0.1 0.4		0.7 0.7		11.5 11.5		4.1 4.1		1.1 1.1			
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0			
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
Delay/Veh:	84.2 32.9		32.9 51.1		21.9 21.9		84.8 84.8		63.2 63.2		72.4 72.4			
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
AdjDel/Veh:	84.2 32.9		32.9 51.1		21.9 21.9		84.8 84.8		63.2 63.2		72.4 72.4			
LOS by Move:	F C- C- D- C+ C+		D- C+ F E E		E E E E		E E E E		E E E E		E E E E			
HCM2kAvgQ:	2 11		11 7		27 27		6 12		12 3		13 13			
Note: Queue reported is the number of cars per lane.														

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #32: Mathilda Ave & Washington Ave



Street Name: Mathilda Ave Washington Ave														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10	
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM														
Base Vol:	47 1171		133 471		2422 418		179 311		62 284		189 299			
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
Initial Bse:	47 1171		133 471		2422 418		179 311		62 284		189 299			
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0			
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0			
Initial Fut:	47 1171		133 471		2422 418		179 311		62 284		189 299			
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
PHF Volume:	47 1171		133 471		2422 418		179 311		62 284		189 299			
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0			
Reduced Vol:	47 1171		133 471		2422 418		179 311		62 284		189 299			
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
FinalVolume:	47 1171		133 471		2422 418		179 311		62 284		189 299			
Saturation Flow Module:														
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900			
Adjustment:	0.92 0.99		0.95 0.83		0.99 0.95		0.95 0.83		0.95 0.95		0.83 0.95			
Lanes:	1.00 2.68		0.32 2.00		2.54 0.46		0.46 2.00		0.83 0.83		0.17 2.00			
Final Sat.:	1750 5028		571 3150		4775 824		3150 1501		299 3150		697 1103			
Capacity Analysis Module:														
Vol/Sat:	0.03 0.23		0.23 0.15		0.51 0.51		0.51 0.06		0.21 0.21		0.21 0.09			
Crit Moves:	****		****		****		****		0.27 0.27		0.27 0.27			
Green Time:	7.0 56.4		56.4 36.2		85.6 85.6		9.6 38.6		38.6 38.6		16.8 45.8			
Volume/Cap:	0.61 0.66		0.66 0.66		0.95 0.95		0.95 0.95		0.86 0.86		0.86 0.95			
Uniform Del:	75.2 43.7		43.7 56.3		35.1 35.1		75.0 75.0		58.1 58.1		70.4 55.9			
IncremntDel:	13.9 0.8		0.8 2.3		7.6 7.6		50.4 50.4		15.7 15.7		19.7 19.7			
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0			
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
Delay/Veh:	89.1 44.6		44.6 58.6		42.6 42.6		125.3 125.3		73.9 73.9		90.1 90.1			
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
AdjDel/Veh:	89.1 44.6		44.6 58.6		42.6 42.6		125.3 125.3		73.9 73.9		90.1 90.1			
LOS by Move:	F D		D E+		D F		E E		E F		F F			
HCM2kAvgQ:	3 18		18 12		42 42		8 21		21 21		11 29			
Note: Queue reported is the number of cars per lane.														

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #32: Mathilda Ave & Washington Ave



Street Name: Mathilda Ave Washington Ave																			
Approach: North Bound			South Bound			East Bound			West Bound										
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
Min. Green:	7		10	10		7	10		10	10		7	10		10				
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0				
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM																			
Base Vol:	51		1220	129		448	2385		438	198		337	62		288	173		295	
Growth Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
Initial Bse:	51		1220	129		448	2385		438	198		337	62		288	173		295	
Added Vol:	0		0	0		0	0		0	0		0	0		0	0		0	
PasserByVol:	0		0	0		0	0		0	0		0	0		0	0		0	
Initial Fut:	51		1220	129		448	2385		438	198		337	62		288	173		295	
User Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
PHF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
PHF Volume:	51		1220	129		448	2385		438	198		337	62		288	173		295	
Reduc Vol:	0		0	0		0	0		0	0		0	0		0	0		0	
Reduced Vol:	51		1220	129		448	2385		438	198		337	62		288	173		295	
PCE Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
MLF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
FinalVolume:	51		1220	129		448	2385		438	198		337	62		288	173		295	
Saturation Flow Module:																			
Sat/Lane:	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	
Adjustment:	0.92		0.99	0.95		0.83	0.99		0.95	0.83		0.95	0.95		0.95	0.95		0.95	
Lanes:	1.00		2.70	0.30		2.00	2.52		0.48	2.00		0.84	0.16		2.00	0.37		0.63	
Final Sat.:	1750		5064	535		3150	4730		869	3150		1520	280		3150	665		1135	
Capacity Analysis Module:																			
Vol/Sat:	0.03		0.24	0.24		0.14	0.50		0.50	0.06		0.22	0.22		0.09	0.26		0.26	
Crit Moves:	****		****	****		****	****		****	****		****	****		****	****		****	
Green Time:	7.0		58.5	58.5		34.5	86.0		86.0	10.7		39.0	39.0		16.1	44.3		44.3	
Volume/Cap:	0.67		0.66	0.66		0.66	0.94		0.94	0.94		0.91	0.91		0.91	0.94		0.94	
Uniform Del:	75.3		42.5	42.5		57.4	34.6		34.6	74.3		58.8	58.8		71.2	56.5		56.5	
IncremntDel:	20.1		0.8	2.4		6.6	6.6		44.8	22.8		22.8	22.8		28.8	25.7		25.7	
InitQueueDel:	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	
Delay Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
Delay/Veh:	95.4		43.3	43.3		59.8	41.2		41.2	119.1		81.6	81.6		100.1	82.2		82.2	
User DelAdj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
AdjDel/Veh:	95.4		43.3	43.3		59.8	41.2		41.2	119.1		81.6	81.6		100.1	82.2		82.2	
LOS by Move:	F		D	D		E+	D		D	F		F	F		F	F		F	
HCM2kAvgQ:	3		18	18		11	41		41	9		23	23		11	28		28	
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

Intersection #33: Mathilda Ave & McKinley Ave




Street Name: Mathilda Ave												McKinley Ave												
Approach: North Bound				South Bound				East Bound				West Bound												
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	7	10	10	7	10	10	7	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM																								
Base Vol:	28	804	45	61	2251	38	69	49	49	49	77	0	0	83										
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
Initial Bse:	28	804	45	61	2251	38	69	49	49	49	77	0	0	83										
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Initial Fut:	28	804	45	61	2251	38	69	49	49	49	77	0	0	83										
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
PHF Volume:	28	804	45	61	2251	38	69	49	49	49	77	0	0	83										
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Reduced Vol:	28	804	45	61	2251	38	69	49	49	49	77	0	0	83										
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
FinalVolume:	28	804	45	61	2251	38	69	49	49	49	77	0	0	83										
Saturation Flow Module:																								
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	
Adjustment:	0.92	0.98	0.95	0.83	0.98	0.95	0.92	0.95	0.95	0.83	1.00	0.92	0.95	0.95	0.83	1.00	0.92	0.95	0.95	0.83	1.00	0.92	0.95	0.95
Lanes:	1.00	2.84	0.16	2.00	2.95	0.05	1.00	0.50	0.50	0.50	2.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Final Sat.:	1750	5303	297	3150	5507	93	1750	900	900	900	3150	0	0	1750										
Capacity Analysis Module:																								
Vol/Sat:	0.02	0.15	0.15	0.02	0.41	0.41	0.04	0.05	0.05	0.05	0.02	0.00	0.05											
Crit Moves:	****			****			****				****													
Green Time:	7.0	97.2	97.2	28.0	118	118.2	13.9	15.7	15.7	15.7	7.1	0.0	35.1											
Volume/Cap:	0.37	0.25	0.25	0.11	0.55	0.55	0.45	0.55	0.55	0.55	0.55	0.00	0.22											
Uniform Del:	74.3	14.5	14.5	55.5	9.2	9.2	69.4	68.8	68.8	68.8	74.9	0.0	51.2											
IncremntDel:	3.0	0.0	0.0	0.1	0.2	0.2	2.1	3.8	3.8	3.8	4.8	0.0	0.3											
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0											
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
Delay/Veh:	77.3	14.6	14.6	55.6	9.4	9.4	71.6	72.6	72.6	72.6	79.7	0.0	51.5											
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
AdjDel/Veh:	77.3	14.6	14.6	55.6	9.4	9.4	71.6	72.6	72.6	72.6	79.7	0.0	51.5											
LOS by Move:	E-	B	B	E+	A	A	E	E	E	E	E-	A	D-											
HCM2kAvgQ:	1	6	6	1	16	16	4	6	6	6	3	0	4											

Note: Queue reported is the number of cars per lane.

**Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM**

Intersection #33: Mathilda Ave & McKinley Ave




---

Traffic 9.0.0715 Copyright (c) 2008 Dowling Associates

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


### Intersection #33: Mathilda Ave & McKinley Ave



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


Intersection #34: Mathilda Ave & Iowa Ave



Street Name: Mathilda Av Iowa Ave														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10	
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0	
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM														
Base Vol:	22 775		30 79		2234 50		43 69		43 68		56 49			
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
Initial Bse:	22 775		30 79		2234 50		43 69		43 68		56 49			
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0			
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0			
Initial Fut:	22 775		30 79		2234 50		43 69		43 68		56 49			
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
PHF Volume:	22 775		30 79		2234 50		43 69		43 68		56 49			
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0			
Reduced Vol:	22 775		30 79		2234 50		43 69		43 68		56 49			
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
FinalVolume:	22 775		30 79		2234 50		43 69		43 68		56 49			
Saturation Flow Module:														
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900			
Adjustment:	0.92 1.00		0.92 0.98		0.95 0.99		0.95 0.83		1.00 0.92		0.92 0.92			
Lanes:	1.00 3.00		1.00 2.00		2.93 0.07		1.21 0.79		1.00 2.00		1.00 1.00			
Final Sat.:	1750 5700		1750 3150		5477 123		1750 2278		1420 3150		1900 1900			
Capacity Analysis Module:														
Vol/Sat:	0.01 0.14		0.02 0.03		0.41 0.41		0.41 0.41		0.02 0.03		0.03 0.03			
Crit Moves:	****		****		****		****		****		****			
Green Time:	7.0 98.8		106.0 31.8		124 123.6		7.4 10.3		10.3 7.2		10.0 41.8			
Volume/Cap:	0.29 0.22		0.03 0.13		0.53 0.53		0.53 0.47		0.47 0.48		0.47 0.47			
Uniform Del:	74.1 13.6		9.3 52.7		7.0 7.0		74.6 72.3		72.3 74.6		72.4 44.9			
IncremntDel:	2.1 0.0		0.0 0.1		0.1 0.1		0.1 6.4		1.5 1.5		2.6 2.9			
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0			
Delay Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
Delay/Veh:	76.2 13.6		9.3 52.8		7.1 7.1		80.9 73.7		73.7 77.2		75.4 45.0			
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
AdjDel/Veh:	76.2 13.6		9.3 52.8		7.1 7.1		80.9 73.7		73.7 77.2		75.4 45.0			
LOS by Move:	E- B		A D-		A A		F E		E E		E- E-			
HCM2kAvgQ:	1 5		1 2		14 14		3 3		3 3		3 3			
Note: Queue reported is the number of cars per lane.														

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #34: Mathilda Ave & Iowa Ave



Street Name: Mathilda Av Iowa Ave																						
Approach:	North Bound			South Bound			East Bound			West Bound												
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R							
Min. Green:	7		10	10		7	10		10	7		10	10									
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0									
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM																						
Base Vol:	209		1238	201		212	2551		50	56		134	209		358	157		102				
Growth Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
Initial Bse:	209		1238	201		212	2551		50	56		134	209		358	157		102				
Added Vol:	0		0	0		0	0		0	0		0	0		0	0		0				
PasserByVol:	0		0	0		0	0		0	0		0	0		0	0		0				
Initial Fut:	209		1238	201		212	2551		50	56		134	209		358	157		102				
User Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
PHF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
PHF Volume:	209		1238	201		212	2551		50	56		134	209		358	157		102				
Reduc Vol:	0		0	0		0	0		0	0		0	0		0	0		0				
Reduced Vol:	209		1238	201		212	2551		50	56		134	209		358	157		102				
PCE Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
MLF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
FinalVolume:	209		1238	201		212	2551		50	56		134	209		358	157		102				
Saturation Flow Module:																						
Sat/Lane:	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900				
Adjustment:	0.92		1.00	0.92		0.83	0.98		0.95	0.92		1.00	0.92		0.83	1.00		0.92				
Lanes:	1.00		3.00	1.00		2.00	2.94		0.06	1.00		1.00	1.00		2.00	1.00		1.00				
Final Sat.:	1750		5700	1750		3150	5492		108	1750		1900	1750		3150	1900		1750				
Capacity Analysis Module:																						
Vol/Sat:	0.12		0.22	0.11		0.07	0.46		0.46	0.03		0.07	0.12		0.11	0.08		0.06				
Crit Moves:	<b>****</b>																					
Green Time:	21.6		80.8	101.3		25.0	84.1		84.1	14.6		21.6	21.6		20.6	27.6		52.6				
Volume/Cap:	0.88		0.43	0.18		0.43	0.88		0.88	0.35		0.52	0.88		0.88	0.48		0.18				
Uniform Del:	67.9		25.1	12.1		61.0	33.6		33.6	68.2		64.4	67.9		68.5	59.7		38.3				
IncremntDel:	29.8		0.1	0.1		0.6	3.5		3.5	1.3		0.8	20.5		19.8	1.1		0.1				
InitQueueDel:	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0				
Delay Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
Delay/Veh:	97.8		25.2	12.2		61.6	37.1		37.1	69.6		65.1	88.4		88.4	60.8		38.4				
User DelAdj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
AdjDel/Veh:	97.8		25.2	12.2		61.6	37.1		37.1	69.6		65.1	88.4		88.4	60.8		38.4				
LOS by Move:	F		C	B		E	D+		D+	E		E	F		F	E		D+				
HCM2kAvgQ:	12		12	4		5	38		38	3		7	14		13	7		4				
Note: Queue reported is the number of cars per lane.																						

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #34: Mathilda Ave & Iowa Ave



Street Name: Mathilda Av Iowa Ave																								
Approach:	North Bound			South Bound			East Bound			West Bound														
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----																								
Min. Green:	7		10		10		7		10		10		7		10									
Y+R:	4.0		4.0		4.0		4.0		4.0		4.0		4.0		4.0									
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----																								
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM																								
Base Vol:	209		1236		199		182		2509		51		92		158		209		393		141		107	
Growth Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00			
Initial Bse:	209		1236		199		182		2509		51		92		158		209		393		141		107	
Added Vol:	0		0		0		0		0		0		0		0		0		0		0		0	
PasserByVol:	0		0		0		0		0		0		0		0		0		0		0		0	
Initial Fut:	209		1236		199		182		2509		51		92		158		209		393		141		107	
User Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Volume:	209		1236		199		182		2509		51		92		158		209		393		141		107	
Reduc Vol:	0		0		0		0		0		0		0		0		0		0		0		0	
Reduced Vol:	209		1236		199		182		2509		51		92		158		209		393		141		107	
PCE Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
MLF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
FinalVolume:	209		1236		199		182		2509		51		92		158		209		393		141		107	
Saturation Flow Module:																								
Sat/Lane:	1900		1900		1900		1900		1900		1900		1900		1900		1900		1900		1900		1900	
Adjustment:	0.92		1.00		0.92		0.83		0.98		0.95		0.92		1.00		0.92		0.83		1.00		0.92	
Lanes:	1.00		3.00		1.00		2.00		2.94		0.06		1.00		1.00		1.00		2.00		1.00		1.00	
Final Sat.:	1750		5700		1750		3150		5488		112		1750		1900		1750		3150		1900		1750	
Capacity Analysis Module:																								
Vol/Sat:	0.12		0.22		0.11		0.06		0.46		0.46		0.05		0.08		0.12		0.12		0.07		0.06	
Crit Moves:	****		****		****		****		****		****		****		****		****		****		****		****	
Green Time:	21.5		82.1		104.6		21.9		82.4		82.4		18.3		21.5		21.5		22.5		25.8		47.6	
Volume/Cap:	0.89		0.42		0.17		0.42		0.89		0.89		0.46		0.62		0.89		0.89		0.46		0.21	
Uniform Del:	68.0		24.2		10.8		63.3		34.6		34.6		66.3		65.3		68.0		67.5		60.8		42.0	
IncremntDel:	30.7		0.1		0.7		3.8		3.8		1.7		2.0		20.1		19.1		1.1		0.2			
InitQueueDel:	0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	
Delay Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Delay/Veh:	98.8		24.3		10.9		63.9		38.4		38.4		67.9		67.3		88.2		86					

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


## Intersection #35: Mathilda Ave &amp; Olive Ave



Street Name: Mathilda Ave Olive Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	10	10	10	10	10	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM															
Base Vol:	33	712	40	62	2213	98	69	109	106	33	71	38			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	33	712	40	62	2213	98	69	109	106	33	71	38			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	33	712	40	62	2213	98	69	109	106	33	71	38			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	33	712	40	62	2213	98	69	109	106	33	71	38			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	33	712	40	62	2213	98	69	109	106	33	71	38			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	33	712	40	62	2213	98	69	109	106	33	71	38			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	0.98	0.95	0.92	1.00	0.92	0.95	0.95	0.92	0.95	0.95				
Lanes:	1.00	2.83	0.17	1.00	3.00	1.00	0.39	0.61	1.00	0.32	0.68				
Final Sat.:	1750	5302	298	1750	5700	1750	698	1102	1750	571	1229				
Capacity Analysis Module:															
Vol/Sat:	0.02	0.13	0.13	0.04	0.39	0.06	0.10	0.10	0.06	0.06	0.06				
Crit Moves:	****			****			****								
Green Time:	7.0	91.1	91.1	29.9	114	114.0	29.0	29.0	36.0	29.0	29.0				
Volume/Cap:	0.43	0.23	0.23	0.19	0.54	0.08	0.54	0.54	0.27	0.32	0.32				
Uniform Del:	74.1	16.7	16.7	54.4	10.4	6.8	59.0	59.0	50.6	56.4	56.4				
IncremntDel:	3.8	0.0	0.0	0.3	0.1	0.0	1.8	1.8	0.4	0.6	0.6				
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Delay/Veh:	77.8	16.8	16.8	54.6	10.6	6.8	60.8	60.8	51.0	56.9	56.9				
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
AdjDel/Veh:	77.8	16.8	16.8	54.6	10.6	6.8	60.8	60.8	51.0	56.9	56.9				
LOS by Move:	E-	B	B	D-	B+	A	E	E	D	E+	E+				
HCM2kAvgQ:	2	6	6	3	16	1	9	9	5	5	5				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #35: Mathilda Ave & Olive Ave



Street Name: Mathilda Ave Olive Ave																			
Approach:	North Bound			South Bound			East Bound			West Bound									
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
Min. Green:	7 10		10 7		10 10		10 10		10 10		10 10		10 10						
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0						
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM																			
Base Vol: 72 1361 138 144 2778 229 194 174 156 359 97 87																			
Growth Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Initial Bse: 72 1361 138 144 2778 229 194 174 156 359 97 87																			
Added Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
PasserByVol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Initial Fut: 72 1361 138 144 2778 229 194 174 156 359 97 87																			
User Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Volume: 72 1361 138 144 2778 229 194 174 156 359 97 87																			
Reduc Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Reduced Vol: 72 1361 138 144 2778 229 194 174 156 359 97 87																			
PCE Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
MLF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
FinalVolume: 72 1361 138 144 2778 229 194 174 156 359 97 87																			
Saturation Flow Module:																			
Sat/Lane: 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900																			
Adjustment: 0.92 0.99 0.95 0.92 1.00 0.92 0.95 0.95 0.92 0.95 0.95 0.92																			
Lanes: 1.00 2.71 0.29 1.00 3.00 1.00 0.53 0.47 1.00 0.79 0.21 1.00																			
Final Sat.: 1750 5084 515 1750 5700 1750 949 851 1750 1417 383 1750																			
Capacity Analysis Module:																			
Vol/Sat: 0.04 0.27 0.27 0.08 0.49 0.13 0.20 0.20 0.09 0.25 0.25 0.05																			
Crit Moves: **** * **** *																			
Green Time: 7.9 77.6 77.6 23.8 93.5 93.5 48.6 48.6 56.5 48.6 48.6 72.4																			
Volume/Cap: 0.83 0.55 0.55 0.55 0.83 0.22 0.67 0.67 0.25 0.83 0.83 0.11																			
Uniform Del: 74.9 28.5 28.5 62.6 26.3 15.5 48.2 48.2 36.3 51.3 51.3 24.8																			
IncremntDel: 45.7 0.2 0.2 2.5 1.8 0.1 3.2 3.2 0.2 10.2 10.2 0.1																			
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																			
Delay Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Delay/Veh: 120.6 28.7 28.7 65.1 28.2 15.6 51.3 51.3 36.5 61.5 61.5 24.9																			
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
AdjDel/Veh: 120.6 28.7 28.7 65.1 28.2 15.6 51.3 51.3 36.5 61.5 61.5 24.9																			
LOS by Move: F C C E C B D- D- D+ E E C																			
HCM2kAvgQ: 4 16 16 7 34 5 17 17 6 23 23 3																			
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


## Intersection #35: Mathilda Ave &amp; Olive Ave



Street Name: Mathilda Ave Olive Ave																			
Approach:	North Bound			South Bound			East Bound			West Bound									
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
Min. Green:	7 10		10 7		10 10		10 10		10 10		10 10		10 10						
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0						
Volume Module: >> Count Date: 14 Nov 2017 << 4:45 PM - 5:45 PM																			
Base Vol: 82 1387 140 141 2722 272 160 193 167 400 85 89																			
Growth Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Initial Bse: 82 1387 140 141 2722 272 160 193 167 400 85 89																			
Added Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
PasserByVol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Initial Fut: 82 1387 140 141 2722 272 160 193 167 400 85 89																			
User Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Volume: 82 1387 140 141 2722 272 160 193 167 400 85 89																			
Reduc Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Reduced Vol: 82 1387 140 141 2722 272 160 193 167 400 85 89																			
PCE Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
MLF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
FinalVolume: 82 1387 140 141 2722 272 160 193 167 400 85 89																			
Saturation Flow Module:																			
Sat/Lane: 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900																			
Adjustment: 0.92 0.99 0.95 0.92 1.00 0.92 0.95 0.95 0.92 0.95 0.95 0.92																			
Lanes: 1.00 2.71 0.29 1.00 3.00 1.00 0.45 0.55 1.00 0.82 0.18 1.00																			
Final Sat.: 1750 5086 513 1750 5700 1750 816 984 1750 1485 315 1750																			
Capacity Analysis Module:																			
Vol/Sat: 0.05 0.27 0.27 0.08 0.48 0.16 0.20 0.20 0.10 0.27 0.27 0.05																			
Crit Moves: **** * **** * **** *																			
Green Time: 8.9 76.5 76.5 22.6 90.2 90.2 50.9 50.9 59.8 50.9 50.9 73.5																			
Volume/Cap: 0.84 0.57 0.57 0.57 0.84 0.27 0.61 0.61 0.25 0.84 0.84 0.11																			
Uniform Del: 74.4 29.4 29.4 63.6 28.5 17.6 45.7 45.7 34.2 50.3 50.3 24.2																			
IncremntDel: 44.9 0.3 0.3 3.1 2.1 0.2 2.0 2.0 0.2 10.8 10.8 0.1																			
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																			
Delay Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Delay/Veh: 119.3 29.7 29.7 66.7 30.6 17.8 47.7 47.7 34.4 61.0 61.0 24.3																			
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
AdjDel/Veh: 119.3 29.7 29.7 66.7 30.6 17.8 47.7 47.7 34.4 61.0 61.0 24.3																			
LOS by Move: F C C E C B D D C- E E C																			
HCM2kAvgQ: 4 17 17 7 35 7 15 15 6 25 25 3																			
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

Intersection #36: Mathilda Ave & Sunnyvale-Saratoga Rd




Street Name: Mathilda Ave Sunnyvale-Saratoga Rd											
Approach: North Bound			South Bound			East Bound			West Bound		
Movement:	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R	L - T - R
Min. Green:	7	10	10	7	10	10	7	10	10	7	10
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM											
Base Vol:	43	542	327	68	1895	25	9	4	15	407	14
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Initial Bse:	43	542	327	68	1895	25	9	4	15	407	14
Added Vol:	0	0	0	0	0	0	0	0	0	0	0
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0
Initial Fut:	43	542	327	68	1895	25	9	4	15	407	14
User Adj:	1.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PHF Adj:	1.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PHF Volume:	43	542	0	68	1895	25	9	4	15	407	14
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0
Reduced Vol:	43	542	0	68	1895	25	9	4	15	407	14
PCE Adj:	1.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
MLF Adj:	1.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
FinalVolume:	43	542	0	68	1895	25	9	4	15	407	14
Saturation Flow Module:											
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Adjustment:	0.92	0.98	0.92	0.92	0.98	0.95	0.92	0.95	0.95	0.83	0.95
Lanes:	1.00	3.00	0.00	1.00	2.96	0.04	1.00	0.21	0.79	2.00	0.30
Final Sat.:	1750	5600	0	1750	5527	73	1750	379	1421	3150	536
Capacity Analysis Module:											
Vol/Sat:	0.02	0.10	0.00	0.04	0.34	0.34	0.01	0.01	0.01	0.13	0.03
Crit Moves:	****			****			****			****	
Green Time:	7.0	66.5	0.0	31.2	90.8	90.8	18.2	10.0	10.0	34.2	26.0
Volume/Cap:	0.54	0.22	0.00	0.19	0.58	0.58	0.04	0.16	0.16	0.58	0.15
Uniform Del:	71.9	27.5	0.0	50.9	19.7	19.7	60.2	68.0	68.0	53.5	54.6
IncremntDel:	7.3	0.0	0.0	0.3	0.3	0.3	0.1	0.7	0.7	1.2	0.2
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Delay Adj:	1.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Delay/Veh:	79.3	27.5	0.0	51.2	20.0	20.0	60.3	68.7	68.7	54.7	54.9
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AdjDel/Veh:	79.3	27.5	0.0	51.2	20.0	20.0	60.3	68.7	68.7	54.7	54.9
LOS by Move:	E-	C	A	D-	C+	C+	E	E	E	D-	D-
HCM2kAvgQ:	2	5	0	3	18	18	0	1	1	11	2

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

Intersection #36: Mathilda Ave & Sunnyvale-Saratoga Rd



Street Name:	Mathilda Ave						Sunnyvale-Saratoga Rd											
Approach:	North Bound			South Bound			East Bound			West Bound								
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R			
Min. Green:	7		10		10		7		10		10		7		10		10	
Y+R:	4.0		4.0		4.0		4.0		4.0		4.0		4.0		4.0		4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM																		
Base Vol:	43	751	0	121	2210	25	9	4	15	467	14	48						
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						
Initial Bse:	43	751	0	121	2210	25	9	4	15	467	14	48						
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0						
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0						
Initial Fut:	43	751	0	121	2210	25	9	4	15	467	14	48						
User Adj:	1.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						
PHF Adj:	1.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						
PHF Volume:	43	751	0	121	2210	25	9	4	15	467	14	48						
Reducet Vol:	0	0	0	0	0	0	0	0	0	0	0	0						
Reduced Vol:	43	751	0	121	2210	25	9	4	15	467	14	48						
PCE Adj:	1.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						
MLF Adj:	1.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						
FinalVolume:	43	751	0	121	2210	25	9	4	15	467	14	48						
Saturation Flow Module:																		
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900						
Adjustment:	0.92	1.00	0.92	0.92	0.98	0.95	0.92	0.95	0.95	0.83	0.95	0.95						
Lanes:	1.00	3.00	0.00	1.00	2.97	0.03	1.00	0.21	0.79	2.00	0.23	0.77						
Final Sat.:	1750	5700	0	1750	5537	63	1750	379	1421	3150	406	1394						
Capacity Analysis Module:																		
Vol/Sat:	0.02	0.13	0.00	0.07	0.40	0.40	0.01	0.01	0.01	0.15	0.03	0.03						
Crit Moves:	****			****			****		****									
Green Time:	7.0	64.4	0.0	33.8	91.1	91.1	18.1	10.0	10.0	33.9	25.8	25.8						
Volume/Cap:	0.54	0.32	0.00	0.32	0.67	0.67	0.04	0.16	0.16	0.67	0.21	0.21						
Uniform Del:	71.9	30.0	0.0	50.4	21.3	21.3	60.3	68.0	68.0	55.0	55.3	55.3						
IncremntDel:	7.3	0.1	0.0	0.5	0.6	0.6	0.1	0.7	0.7	2.6	0.3	0.3						
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
Delay Adj:	1.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						
Delay/Veh:	79.3	30.1	0.0	50.9	21.9	21.9	60.4	68.7	68.7	57.7	55.6	55.6						
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						
AdjDel/Veh:	79.3	30.1	0.0	50.9	21.9	21.9	60.4	68.7	68.7	57.7	55.6	55.6						
LOS by Move:	E-	C	A	D	C+	C+	E	E	E	E+	E+	E+						
HCM2kAvgQ:	2	7	0	5	22	22	0	1	1	13	3	3						


Note: Queue reported is the number of cars per lane.

Note: Queue reported is the number of cars per lane.

---

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

Intersection #36: Mathilda Ave & Sunnyvale-Saratoga Rd




Street Name: Mathilda Ave Sunnyvale-Saratoga Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	43	790	0	131	2185	25	9	4	15	501	14	47			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	43	790	0	131	2185	25	9	4	15	501	14	47			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	43	790	0	131	2185	25	9	4	15	501	14	47			
User Adj:	1.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	43	790	0	131	2185	25	9	4	15	501	14	47			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	43	790	0	131	2185	25	9	4	15	501	14	47			
PCE Adj:	1.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	43	790	0	131	2185	25	9	4	15	501	14	47			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	1.00	0.92	0.92	0.98	0.95	0.92	0.95	0.95	0.83	0.95	0.95			
Lanes:	1.00	3.00	0.00	1.00	2.96	0.04	1.00	0.21	0.79	2.00	0.23	0.77			
Final Sat.:	1750	5700	0	1750	5537	63	1750	379	1421	3150	413	1387			
Capacity Analysis Module:															
Vol/Sat:	0.02	0.14	0.00	0.07	0.39	0.39	0.01	0.01	0.01	0.16	0.03	0.03			
Crit Moves:	****			****			****			****					
Green Time:	7.0	62.4	0.0	33.7	89.1	89.1	18.9	10.0	10.0	35.9	27.0	27.0			
Volume/Cap:	0.54	0.34	0.00	0.34	0.68	0.68	0.04	0.16	0.16	0.68	0.19	0.19			
Uniform Del:	71.9	31.6	0.0	50.8	22.6	22.6	59.6	68.0	68.0	53.8	54.2	54.2			
IncremntDel:	7.3	0.1	0.0	0.5	0.6	0.6	0.1	0.7	0.7	2.6	0.3	0.3			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	79.3	31.7	0.0	51.3	23.2	23.2	59.6	68.7	68.7	56.5	54.5	54.5			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	79.3	31.7	0.0	51.3	23.2	23.2	59.6	68.7	68.7	56.5	54.5	54.5			
LOS by Move:	E-	C	A	D-	C	C	E+	E	E	E+	D-	D-			
HCM2kAvgQ:	2	8	0	5	23	23	0	1	1	14	3	3			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

Intersection #38: Sunnyvale-Saratoga Rd & Fremont Ave



Street Name: Sunnyvale-Saratoga Rd

Fremont Ave

Approach: North Bound South Bound East Bound West Bound

Movement: L - T - R L - T - R L - T - R L - T - R

	----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----
Min. Green:	7 10 10 7 10 10 7 10 10 7 10 10 7 10 10
Y+R:	4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0

Volume Module: >> Count Date: 30 Oct 2018 << 5:15 PM - 6:15 PM

Base Vol: 180 995 238 341 1857 400 296 987 241 186 488 162

Growth Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00

Initial Bse: 180 995 238 341 1857 400 296 987 241 186 488 162

Added Vol: 0 0 0 0 0 0 0 0 0 0 0 0

PasserByVol: 0 0 0 0 0 0 0 0 0 0 0 0

Initial Fut: 180 995 238 341 1857 400 296 987 241 186 488 162

User Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00

PHF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00

PHF Volume: 180 995 238 341 1857 400 296 987 241 186 488 162

Reduc Vol: 0 0 0 0 0 0 0 0 0 0 0 0

Reduced Vol: 180 995 238 341 1857 400 296 987 241 186 488 162

PCE Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00

MLF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00

FinalVolume: 180 995 238 341 1857 400 296 987 241 186 488 162

-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|

Saturation Flow Module:

Sat/Lane: 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900

Adjustment: 0.83 0.99 0.95 0.83 0.99 0.95 0.83 0.99 0.95 0.83 1.00 0.92

Lanes: 2.00 2.40 0.60 2.00 2.45 0.55 2.00 2.39 0.61 2.00 2.00 1.00

Final Sat.: 3150 4518 1081 3150 4606 992 3150 4500 1099 3150 3800 1750

-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|

Capacity Analysis Module:

Vol/Sat: 0.06 0.22 0.22 0.11 0.40 0.40 0.09 0.22 0.22 0.06 0.13 0.09

Crit Moves: \*\*\*\* \* \*\*\*\* \* \*\*\*\* \*

Green Time: 11.4 61.8 61.8 30.4 80.8 80.8 23.6 43.9 43.9 11.8 32.2 62.6

Volume/Cap: 0.80 0.57 0.57 0.57 0.80 0.80 0.64 0.80 0.80 0.80 0.64 0.24

Uniform Del: 73.1 38.6 38.6 58.9 32.9 32.9 64.2 53.9 53.9 72.9 58.6 32.7

IncremntDel: 17.9 0.4 0.4 1.3 1.7 1.7 3.0 3.0 3.0 17.4 1.8 0.2

InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

Delay Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00

Delay/Veh: 91.1 39.0 39.0 60.2 34.5 34.5 67.2 57.0 57.0 90.3 60.4 32.8

User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00

AdjDel/Veh: 91.1 39.0 39.0 60.2 34.5 34.5 67.2 57.0 57.0 90.3 60.4 32.8


LOS by Move: F D+ D+ E C- C- E E+ E+ F E C-

HCM2kAvgQ: 5 15 15 9 30 30 8 19 19 6 11 5

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #38: Sunnyvale-Saratoga Rd & Fremont Ave



Street Name: Sunnyvale-Saratoga Rd												Fremont Ave												
Approach: North Bound				South Bound				East Bound				West Bound												
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	7	10	10	7	10	10	7	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 13 Oct 2016 << 5:15 PM - 6:15 PM																								
Base Vol: 308 1416 273 493 2157 400 321 1139 300 364 787 300																								
Growth Adj: 1.00																								
Initial Bse: 308 1416 273 493 2157 400 321 1139 300 364 787 300																								
Added Vol: 0																								
PasserByVol: 0																								
Initial Fut: 308 1416 273 493 2157 400 321 1139 300 364 787 300																								
User Adj: 1.00																								
PHF Adj: 1.00																								
PHF Volume: 308 1416 273 493 2157 400 321 1139 300 364 787 300																								
Reduc Vol: 0																								
Reduced Vol: 308 1416 273 493 2157 400 321 1139 300 364 787 300																								
PCE Adj: 1.00																								
MLF Adj: 1.00																								
FinalVolume: 308 1416 273 493 2157 400 321 1139 300 364 787 300																								
Saturation Flow Module:																								
Sat/Lane: 1900																								
Adjustment: 0.83 0.99 0.95 0.83 0.99 0.95 0.83 0.99 0.95 0.83 0.99 0.95 0.83 0.99 0.95 0.83 0.99 0.95 0.83 0.99 0.95 0.83 0.99 0.92																								
Lanes: 2.00 2.50 0.50 2.00 2.51 0.49 2.00 2.35 0.65 2.00 2.00 1.00 2.00 2.00 1.00 2.00 2.00 1.00 2.00 2.00 1.00 2.00 2.00 1.00																								
Final Sat.: 3150 4694 905 3150 4723 876 3150 4431 1167 3150 3800 1750																								
Capacity Analysis Module:																								
Vol/Sat: 0.10 0.30 0.30 0.16 0.46 0.46 0.10 0.26 0.26 0.12 0.21 0.17																								
Crit Moves: **** * **** * **** *																								
Green Time: 15.6 58.3 58.3 30.2 72.9 72.9 19.6 41.0 41.0 18.4 39.9 70.1																								
Volume/Cap: 1.00 0.83 0.83 0.83 1.00 1.00 0.83 1.00 1.00 1.00 0.83 0.83 0.39																								
Uniform Del: 72.2 46.3 46.3 62.4 43.5 43.5 68.6 59.5 59.5 70.8 56.9 30.5																								
IncremntDel: 51.9 3.0 3.0 9.4 18.4 18.4 14.1 24.3 24.3 47.8 6.3 0.3																								
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																								
Delay Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																								
Delay/Veh: 124.1 49.3 49.3 71.8 61.9 61.9 82.7 83.8 83.8 118.6 63.2 30.8																								
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																								
AdjDel/Veh: 124.1 49.3 49.3 71.8 61.9 61.9 82.7 83.8 83.8 118.6 63.2 30.8																								
LOS by Move: F D D E E E F F F F F E C																								
HCM2kAvgQ: 10 24 24 13 42 42 9 26 26 13 19 10																								
Note: Queue reported is the number of cars per lane.																								

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

Intersection #38: Sunnyvale-Saratoga Rd & Fremont Ave




Street Name: Sunnyvale-Saratoga Rd												Fremont Ave														
Approach: North Bound				South Bound				East Bound				West Bound														
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R											
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	10											
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0										
Volume Module: >> Count Date: 13 Oct 2016 << 5:15 PM - 6:15 PM																										
Base Vol:	307	1472	274	501	2137	400	330	1161	314	362	799	302														
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00														
Initial Bse:	307	1472	274	501	2137	400	330	1161	314	362	799	302														
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0														
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0														
Initial Fut:	307	1472	274	501	2137	400	330	1161	314	362	799	302														
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00														
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00														
PHF Volume:	307	1472	274	501	2137	400	330	1161	314	362	799	302														
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0														
Reduced Vol:	307	1472	274	501	2137	400	330	1161	314	362	799	302														
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00														
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00														
FinalVolume:	307	1472	274	501	2137	400	330	1161	314	362	799	302														
Saturation Flow Module:																										
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900														
Adjustment:	0.83	0.99	0.95	0.83	0.99	0.95	0.83	0.99	0.95	0.83	1.00	0.92														
Lanes:	2.00	2.51	0.49	2.00	2.51	0.49	2.00	2.34	0.66	2.00	2.00	1.00														
Final Sat.:	3150	4720	879	3150	4716	883	3150	4406	1192	3150	3800	1750														
Capacity Analysis Module:																										
Vol/Sat:	0.10	0.31	0.31	0.16	0.45	0.45	0.10	0.26	0.26	0.11	0.21	0.17														
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****														
Green Time:	15.5	58.1	58.1	29.6	72.2	72.2	20.0	42.0	42.0	18.3	40.2	69.9														
Volume/Cap:	1.00	0.86	0.86	0.86	1.00	1.00	0.84	1.00	1.00	1.00	0.84	0.40														
Uniform Del:	72.2	47.2	47.2	63.2	43.9	43.9	68.4	59.0	59.0	70.8	56.8	30.7														
IncremntDel:	52.6	3.9	3.9	12.2	18.9	18.9	14.4	24.5	24.5	48.5	6.5	0.3														
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0														
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00														
Delay/Veh:	124.8	51.1	51.1	75.4	62.9	62.9	82.7	83.5	83.5	119.3	63.3	31.0														
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00														
AdjDel/Veh:	124.8	51.1	51.1	75.4	62.9	62.9	82.7	83.5	83.5	119.3	63.3	31.0														
LOS by Move:	F	D-	D-	E-	E	E	F	F	F	F	F	C														
HCM2kAvgQ:	9	25	25	13	41	41	9	26	26	13	19	10														

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


Intersection #39: Sunnyvale-Saratoga Rd & Homestead Rd



Street Name: Sunnyvale-Saratoga Rd												Homestead Rd												
Approach: North Bound				South Bound				East Bound				West Bound												
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	7	10	10	7	10	10	7	10	10	
Y+R:	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	
Volume Module: >> Count Date: 30 Oct 2018 << 5:30 PM - 6:30 PM																								
Base Vol: 484 1165 546 343 1414 184 226 729 396 351 591 194																								
Growth Adj: 1.00																								
Initial Bse: 484 1165 546 343 1414 184 226 729 396 351 591 194																								
Added Vol: 0																								
PasserByVol: 0																								
Initial Fut: 484 1165 546 343 1414 184 226 729 396 351 591 194																								
User Adj: 1.00																								
PHF Adj: 1.00																								
PHF Volume: 484 1165 546 343 1414 184 226 729 396 351 591 194																								
Reduc Vol: 0																								
Reduced Vol: 484 1165 546 343 1414 184 226 729 396 351 591 194																								
PCE Adj: 1.00																								
MLF Adj: 1.00																								
FinalVolume: 484 1165 546 343 1414 184 226 729 396 351 591 194																								
Saturation Flow Module:																								
Sat/Lane: 1900																								
Adjustment: 0.83 1.00 0.92 0.83 1.00 0.92 0.83 1.00 0.92 0.83 0.98 0.95																								
Lanes: 2.00 3.00 1.00 2.00 3.00 1.00 2.00 2.00 1.00 2.00 1.49 0.51																								
Final Sat.: 3150 5700 1750 3150 5700 1750 3150 3800 1750 3150 2785 914																								
Capacity Analysis Module:																								
Vol/Sat: 0.15 0.20 0.31 0.11 0.25 0.11 0.07 0.19 0.23 0.11 0.21 0.21																								
Crit Moves: **** * **** *																								
Green Time: 26.6 45.4 64.7 24.2 42.9 57.7 14.8 39.2 39.2 19.3 43.7 43.7																								
Volume/Cap: 0.81 0.63 0.68 0.63 0.81 0.26 0.68 0.69 0.81 0.81 0.68 0.68																								
Uniform Del: 54.3 40.2 29.5 53.8 44.7 27.0 60.3 44.9 46.9 58.6 42.1 42.1																								
IncremntDel: 8.1 0.7 2.3 2.4 2.9 0.2 5.6 1.9 9.7 10.8 1.7 1.7																								
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																								
Delay Adj: 0.84 0.68 0.43 0.86 0.71 0.53 1.00 1.00 1.00 1.00 1.00 1.00																								
Delay/Veh: 53.9 28.1 14.9 48.7 34.5 14.6 66.0 46.8 56.6 69.4 43.7 43.7																								
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																								
AdjDel/Veh: 53.9 28.1 14.9 48.7 34.5 14.6 66.0 46.8 56.6 69.4 43.7 43.7																								
LOS by Move: D- C B D C- B E D E+ E D D																								
HCM2kAvgQ: 14 12 13 7 17 3 5 12 15 9 13 13																								
Note: Queue reported is the number of cars per lane.																								

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #39: Sunnyvale-Saratoga Rd & Homestead Rd



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

Intersection #39: Sunnyvale-Saratoga Rd & Homestead Rd




Street Name: Sunnyvale-Saratoga Rd												Homestead Rd				
Approach:	North Bound			South Bound			East Bound			West Bound						
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	10	
Y+R:	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	
Volume Module: >> Count Date: 12 Oct 2016 << 5:15 PM - 6:15 PM																
Base Vol:	484	1911	564	393	1896	184	226	1087	396	520	892	264				
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Initial Bse:	484	1911	564	393	1896	184	226	1087	396	520	892	264				
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0				
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0				
Initial Fut:	484	1911	564	393	1896	184	226	1087	396	520	892	264				
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
PHF Volume:	484	1911	564	393	1896	184	226	1087	396	520	892	264				
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0				
Reduced Vol:	484	1911	564	393	1896	184	226	1087	396	520	892	264				
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
FinalVolume:	484	1911	564	393	1896	184	226	1087	396	520	892	264				
Saturation Flow Module:																
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92	0.83	0.98	0.95				
Lanes:	2.00	3.00	1.00	2.00	3.00	1.00	2.00	2.00	1.00	2.00	1.53	0.47				
Final Sat.:	3150	5700	1750	3150	5700	1750	3150	3800	1750	3150	2854	845				
Capacity Analysis Module:																
Vol/Sat:	0.15	0.34	0.32	0.12	0.33	0.11	0.07	0.29	0.23	0.17	0.31	0.31				
Crit Moves:	****			****			****			****						
Green Time:	21.0	48.4	70.9	18.0	45.4	56.9	11.5	39.1	39.1	22.5	50.1	50.1				
Volume/Cap:	1.03	0.97	0.64	0.97	1.03	0.26	0.87	1.03	0.81	1.03	0.87	0.87				
Uniform Del:	59.5	45.1	25.1	60.7	47.3	27.5	63.5	50.5	47.0	58.7	42.0	42.0				
IncremntDel:	48.0	13.9	1.5	36.7	27.6	0.2	26.2	34.3	9.9	46.6	6.7	6.7				
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Delay Adj:	0.88	0.65	0.32	0.90	0.68	0.54	1.00	1.00	1.00	1.00	1.00	1.00				
Delay/Veh:	100.5	43.1	9.5	91.5	59.8	15.2	89.7	84.7	56.9	105.3	48.7	48.7				
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
AdjDel/Veh:	100.5	43.1	9.5	91.5	59.8	15.2	89.7	84.7	56.9	105.3	48.7	48.7				
LOS by Move:	F	D	A	F	E+	B	F	F	E+	F	D	D				
HCM2kAvgQ:	18	32	10	10	28	3	5	24	15	15	20	20				

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


Intersection #40: Sunnyvale Ave & McKinley Ave



Street Name: Sunnyvale Ave McKinley Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	10	10	10	10	10	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	40	320	22	19	420	52	50	73	82	21	33	10			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	40	320	22	19	420	52	50	73	82	21	33	10			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	40	320	22	19	420	52	50	73	82	21	33	10			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	40	320	22	19	420	52	50	73	82	21	33	10			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	40	320	22	19	420	52	50	73	82	21	33	10			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	40	320	22	19	420	52	50	73	82	21	33	10			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	0.98	0.95	0.92	0.95	0.95	0.92	0.92	0.92	0.92	0.92				
Lanes:	1.00	1.87	0.13	1.00	0.89	0.11	0.24	0.36	0.40	0.33	0.51				
Final Sat.:	1750	3462	238	1750	1602	198	427	623	700	574	902				
Capacity Analysis Module:															
Vol/Sat:	0.02	0.09	0.09	0.01	0.26	0.26	0.12	0.12	0.12	0.04	0.04				
Crit Moves:	****			****			****								
Green Time:	7.0	28.5	28.5	20.0	41.5	41.5	18.5	18.5	18.5	18.5	18.5				
Volume/Cap:	0.25	0.25	0.25	0.04	0.48	0.48	0.48	0.48	0.48	0.15	0.15				
Uniform Del:	32.1	16.3	16.3	20.9	10.6	10.6	24.6	24.6	24.6	22.6	22.6				
IncremntDel:	0.8	0.1	0.1	0.0	0.4	0.4	0.9	0.9	0.9	0.2	0.2				
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Delay/Veh:	32.9	16.4	16.4	20.9	11.0	11.0	25.5	25.5	25.5	22.7	22.7				
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
AdjDel/Veh:	32.9	16.4	16.4	20.9	11.0	11.0	25.5	25.5	25.5	22.7	22.7				
LOS by Move:	C-	B	B	C+	B+	B+	C	C	C	C+	C+				
HCM2kAvgQ:	1	3	3	0	7	7	5	5	5	1	1				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


## Intersection #40: Sunnyvale Ave &amp; McKinley Ave



Street Name: Sunnyvale Ave McKinley Ave															
Approach: North Bound				South Bound				East Bound				West Bound			
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	10	10	10	10	10	10	10	10	10
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	208	414	22	19	585	108	194	73	95	40	33	15			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Initial Bse:	208	414	22	19	585	108	194	73	95	40	33	15			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	208	414	22	19	585	108	194	73	95	40	33	15			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	208	414	22	19	585	108	194	73	95	40	33	15			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	208	414	22	19	585	108	194	73	95	40	33	15			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Final Volume:	208	414	22	19	585	108	194	73	95	40	33	15			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.98	0.95	0.92	0.95	0.95	0.92	0.92	0.92	0.92	0.92	0.92			
Lanes:	1.00	1.90	0.10	1.00	0.84	0.16	0.54	0.20	0.26	0.45	0.38	0.17			
Final Sat.:	1750	3513	187	1750	1519	281	938	353	459	795	656	298			
Capacity Analysis Module:															
Vol/Sat:	0.12	0.12	0.12	0.01	0.39	0.39	0.21	0.21	0.21	0.05	0.05	0.05			
Crit Moves:	****			****			****								
Green Time:	11.2	27.9	27.9	19.6	36.3	36.3	19.5	19.5	19.5	19.5	19.5	19.5			
Volume/Cap:	0.81	0.32	0.32	0.04	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81			
Uniform Del:	31.3	17.2	17.2	21.2	16.9	16.9	26.5	26.5	26.5	22.1	22.1	22.1			
IncremntDel:	16.8	0.1	0.1	0.0	5.6	5.6	10.3	10.3	10.3	0.2	0.2	0.2			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	48.1	17.4	17.4	21.2	22.5	22.5	36.8	36.8	36.8	22.3	22.3	22.3			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	48.1	17.4	17.4	21.2	22.5	22.5	36.8	36.8	36.8	22.3	22.3	22.3			
LOS by Move:	D	B	B	C+	C+	C+	D+	D+	D+	C+	C+	C+			
HCM2kAvgQ:	8	4	4	0	17	17	11	11	11	2	2	2			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #40: Sunnyvale Ave & McKinley Ave



Street Name: Sunnyvale Ave McKinley Ave															
Approach: North Bound				South Bound				East Bound				West Bound			
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	10	10	10	10	10	10	10	10	10
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	206	411	22	19	593	108	221	73	87	40	33	15			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Initial Bse:	206	411	22	19	593	108	221	73	87	40	33	15			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	206	411	22	19	593	108	221	73	87	40	33	15			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	206	411	22	19	593	108	221	73	87	40	33	15			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	206	411	22	19	593	108	221	73	87	40	33	15			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Final Volume:	206	411	22	19	593	108	221	73	87	40	33	15			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.98	0.95	0.92	0.95	0.95	0.92	0.92	0.92	0.92	0.92	0.92			
Lanes:	1.00	1.90	0.10	1.00	0.85	0.15	0.58	0.19	0.23	0.45	0.38	0.17			
Final Sat.:	1750	3512	188	1750	1523	277	1015	335	400	795	656	298			
Capacity Analysis Module:															
Vol/Sat:	0.12	0.12	0.12	0.01	0.39	0.39	0.22	0.22	0.22	0.05	0.05	0.05			
Crit Moves:	****			****			****								
Green Time:	10.9	27.6	27.6	19.3	36.0	36.0	20.1	20.1	20.1	20.1	20.1	20.1			
Volume/Cap:	0.82	0.32	0.32	0.04	0.82	0.82	0.82	0.82	0.82	0.19	0.19	0.19			
Uniform Del:	31.6	17.5	17.5	21.4	17.2	17.2	26.3	26.3	26.3	21.6	21.6	21.6			
IncremntDel:	19.2	0.1	0.1	0.0	6.5	6.5	11.3	11.3	11.3	0.2	0.2	0.2			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	50.8	17.6	17.6	21.4	23.7	23.7	37.5	37.5	37.5	21.8	21.8	21.8			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	50.8	17.6	17.6	21.4	23.7	23.7	37.5	37.5	37.5	21.8	21.8	21.8			
LOS by Move:	D	B	B	C+	C	C	D+	D+	D+	C+	C+	C+			
HCM2kAvgQ:	8	4	4	0	17	17	12	12	12	2	2	2			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

Intersection #41: Fair Oaks Ave & Duane Ave




Street Name: Fair Oaks Ave												Duane Ave													
Approach: North Bound				South Bound				East Bound				West Bound													
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	7	10	10	7	10	10	228	110	143		
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 8 May 2018 << 5:00 PM - 6:00 PM																									
Base Vol:	4	692	179	225	1921	94	63	99	26	228	110	143													
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
Initial Bse:	4	692	179	225	1921	94	63	99	26	228	110	143													
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0													
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0													
Initial Fut:	4	692	179	225	1921	94	63	99	26	228	110	143													
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
PHF Volume:	4	692	179	225	1921	94	63	99	26	228	110	143													
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0													
Reduced Vol:	4	692	179	225	1921	94	63	99	26	228	110	143													
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
FinalVolume:	4	692	179	225	1921	94	63	99	26	228	110	143													
Saturation Flow Module:																									
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900													
Adjustment:	0.92	0.98	0.95	0.92	0.98	0.95	0.92	0.95	0.95	0.92	1.00	0.92													
Lanes:	1.00	1.58	0.42	1.00	2.85	0.15	1.00	0.79	0.21	1.00	1.00	1.00													
Final Sat.:	1750	2939	760	1750	5338	261	1750	1426	374	1750	1900	1750													
Capacity Analysis Module:																									
Vol/Sat:	0.00	0.24	0.24	0.13	0.36	0.36	0.04	0.07	0.07	0.13	0.06	0.08													
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****													
Green Time:	7.0	50.7	50.7	27.7	71.4	71.4	16.3	13.8	13.8	25.8	23.3	51.0													
Volume/Cap:	0.04	0.60	0.60	0.60	0.66	0.66	0.29	0.66	0.66	0.66	0.66	0.32	0.21												
Uniform Del:	58.3	31.6	31.6	46.2	20.6	20.6	51.6	55.8	55.8	48.0	46.5	26.1													
IncremntDel:	0.2	0.7	0.7	2.8	0.5	0.5	0.7	8.0	8.0	4.5	0.6	0.2													
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0													
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
Delay/Veh:	58.5	32.4	32.4	49.0	21.2	21.2	52.3	63.8	63.8	52.5	47.0	26.3													
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
AdjDel/Veh:	58.5	32.4	32.4	49.0	21.2	21.2	52.3	63.8	63.8	52.5	47.0	26.3													
LOS by Move:	E+	C-	C-	D	C+	C+	D-	E	E	D-	D-	C													
HCM2kAvgQ:	0	14	14	9	19	19	3	6	6	10	4	4													

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

Intersection #41: Fair Oaks Ave & Duane Ave




Street Name: Fair Oaks Ave												Duane Ave													
Approach: North Bound				South Bound				East Bound				West Bound													
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	7	10	10	7	10	10	66	228	110	182	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 8 May 2018 << 5:00 PM - 6:00 PM																									
Base Vol:	114	1094	179	391	2208	94	73	99	66	228	110	182													
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
Initial Bse:	114	1094	179	391	2208	94	73	99	66	228	110	182													
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0													
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0													
Initial Fut:	114	1094	179	391	2208	94	73	99	66	228	110	182													
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
PHF Volume:	114	1094	179	391	2208	94	73	99	66	228	110	182													
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0													
Reduced Vol:	114	1094	179	391	2208	94	73	99	66	228	110	182													
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
FinalVolume:	114	1094	179	391	2208	94	73	99	66	228	110	182													
Saturation Flow Module:																									
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900													
Adjustment:	0.92	0.98	0.95	0.92	0.98	0.95	0.92	0.95	0.95	0.92	1.00	0.92													
Lanes:	1.00	1.71	0.29	1.00	2.87	0.13	1.00	0.60	0.40	1.00	1.00	1.00													
Final Sat.:	1750	3179	520	1750	5371	229	1750	1080	720	1750	1900	1750													
Capacity Analysis Module:																									
Vol/Sat:	0.07	0.34	0.34	0.22	0.41	0.41	0.04	0.09	0.09	0.13	0.06	0.10													
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****													
Green Time:	11.6	51.4	51.4	33.4	73.2	73.2	13.7	13.7	13.7	19.5	19.5	52.9													
Volume/Cap:	0.73	0.87	0.87	0.87	0.73	0.73	0.40	0.87	0.87	0.87	0.87	0.26													
Uniform Del:	57.7	36.2	36.2	46.2	21.1	21.1	54.3	57.3	57.3	54.0	49.8	25.5													
IncremntDel:	16.0	5.9	5.9	16.5	0.9	0.9	1.4	32.3	32.3	25.3	0.9	0.2													
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0													
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
Delay/Veh:	73.7	42.1	42.1	62.7	21.9	21.9	55.7	89.6	89.6	79.4	50.7	25.7													
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
AdjDel/Veh:	73.7	42.1	42.1	62.7	21.9	21.9	55.7	89.6	89.6	79.4	50.7	25.7													
LOS by Move:	E	D	D	E	C+	C+	E+	F	F	E-	D	C													
HCM2kAvgQ:	5	25	25	17	23	23	3	10	10	12	4	5													

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

Intersection #41: Fair Oaks Ave & Duane Ave




Street Name: Fair Oaks Ave												Duane Ave													
Approach: North Bound				South Bound				East Bound				West Bound													
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	7	10	10	7	10	10	67	228	110	191	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 8 May 2018 << 5:00 PM - 6:00 PM																									
Base Vol:	116	1096	179	397	2273	94	73	99	67	228	110	191													
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
Initial Bse:	116	1096	179	397	2273	94	73	99	67	228	110	191													
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0													
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0													
Initial Fut:	116	1096	179	397	2273	94	73	99	67	228	110	191													
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
PHF Volume:	116	1096	179	397	2273	94	73	99	67	228	110	191													
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0													
Reduced Vol:	116	1096	179	397	2273	94	73	99	67	228	110	191													
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
FinalVolume:	116	1096	179	397	2273	94	73	99	67	228	110	191													
Saturation Flow Module:																									
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900													
Adjustment:	0.92	0.98	0.95	0.92	0.98	0.95	0.92	0.95	0.95	0.92	1.00	0.92													
Lanes:	1.00	1.71	0.29	1.00	2.88	0.12	1.00	0.60	0.40	1.00	1.00	1.00													
Final Sat.:	1750	3180	519	1750	5377	222	1750	1073	727	1750	1900	1750													
Capacity Analysis Module:																									
Vol/Sat:	0.07	0.34	0.34	0.23	0.42	0.42	0.04	0.09	0.09	0.13	0.06	0.11													
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****													
Green Time:	11.5	51.2	51.2	33.7	73.4	73.4	13.6	13.7	13.7	19.4	19.5	53.2													
Volume/Cap:	0.75	0.87	0.87	0.87	0.75	0.75	0.40	0.87	0.87	0.87	0.87	0.39													
Uniform Del:	57.8	36.4	36.4	46.1	21.3	21.3	54.4	57.3	57.3	54.1	49.9	25.5													
IncremntDel:	18.1	6.2	6.2	17.0	1.0	1.0	1.4	33.3	33.3	26.3	0.9	0.2													
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0													
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
Delay/Veh:	75.9	42.6	42.6	63.1	22.3	22.3	55.8	90.6	90.6	80.4	50.8	25.7													
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00													
AdjDel/Veh:	75.9	42.6	42.6	63.1	22.3	22.3	55.8	90.6	90.6	80.4	50.8	25.7													
LOS by Move:	E-	D	D	E	C+	C+	E+	F	F	F	F	C													
HCM2kAvgQ:	5	26	26	17	24	24	3	10	10	13	4	5													

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

## Intersection #42: Fair Oaks Ave &amp; Arques Ave




Street Name: Fair Oaks Ave Arques Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 8 May 2018 << 5:15 PM - 6:15 PM															
Base Vol:	150	466	151	55	1000	104	106	131	167	440	182	50			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	150	466	151	55	1000	104	106	131	167	440	182	50			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	150	466	151	55	1000	104	106	131	167	440	182	50			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	150	466	151	55	1000	104	106	131	167	440	182	50			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	150	466	151	55	1000	104	106	131	167	440	182	50			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	150	466	151	55	1000	104	106	131	167	440	182	50			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	1.00	0.92	0.98	0.95	0.92	0.95	0.95	0.83	0.95	0.95				
Lanes:	1.00	2.00	1.00	1.00	1.81	0.19	1.00	0.44	0.56	2.00	0.78	0.22			
Final Sat.:	1750	3800	1750	1750	3351	349	1750	791	1009	3150	1412	388			
Capacity Analysis Module:															
Vol/Sat:	0.09	0.12	0.09	0.03	0.30	0.30	0.06	0.17	0.17	0.14	0.13	0.13			
Crit Moves:	****			****			****			****					
Green Time:	15.8	50.2	75.9	20.6	55.0	55.0	18.0	30.5	30.5	25.7	38.3	38.3			
Volume/Cap:	0.75	0.34	0.16	0.21	0.75	0.75	0.47	0.75	0.75	0.75	0.47	0.47			
Uniform Del:	59.7	32.4	15.7	52.1	36.2	36.2	56.1	50.7	50.7	53.6	41.9	41.9			
IncremntDel:	15.1	0.1	0.1	0.4	2.3	2.3	1.5	8.0	8.0	5.6	0.7	0.7			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	74.8	32.5	15.8	52.5	38.5	38.5	57.6	58.8	58.8	59.2	42.6	42.6			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	74.8	32.5	15.8	52.5	38.5	38.5	57.6	58.8	58.8	59.2	42.6	42.6			
LOS by Move:	E	C-	B	D-	D+	D+	E+	E+	E+	E+	D	D			
HCM2kAvgQ:	7	7	3	2	22	22	5	14	14	11	8	8			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

Intersection #42: Fair Oaks Ave & Arques Ave




Street Name: Fair Oaks Ave Arques Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 8 May 2018 << 5:15 PM - 6:15 PM															
Base Vol:	354	566	442	194	1112	296	273	131	167	917	364	229			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	354	566	442	194	1112	296	273	131	167	917	364	229			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	354	566	442	194	1112	296	273	131	167	917	364	229			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	354	566	442	194	1112	296	273	131	167	917	364	229			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	354	566	442	194	1112	296	273	131	167	917	364	229			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	354	566	442	194	1112	296	273	131	167	917	364	229			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	1.00	0.92	0.98	0.95	0.92	0.95	0.95	0.95	0.83	0.95	0.95			
Lanes:	1.00	2.00	1.00	1.00	1.57	0.43	1.00	0.44	0.56	2.00	0.61	0.39			
Final Sat.:	1750	3800	1750	1750	2922	778	1750	791	1009	3150	1105	695			
Capacity Analysis Module:															
Vol/Sat:	0.20	0.15	0.25	0.11	0.38	0.38	0.16	0.17	0.17	0.29	0.33	0.33			
Crit Moves:	****		****		****		****		****		****				
Green Time:	24.0	39.7	76.5	29.6	45.2	45.2	18.5	20.9	20.9	36.8	39.2	39.2			
Volume/Cap:	1.17	0.52	0.46	0.52	1.17	1.17	1.17	1.10	1.10	1.10	1.17	1.17			
Uniform Del:	57.5	41.7	18.8	48.4	46.9	46.9	60.2	59.0	59.0	51.1	49.9	49.9			
IncremntDel:105.8	0.5	0.3	1.3	85.4	85.4	112.3	84.1	84.1	62.2	95.7	95.7				
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	163.2	42.1	19.1	49.8	132	132.3	172.5	143	143.1	113.3	146	145.6			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	163.2	42.1	19.1	49.8	132	132.3	172.5	143	143.1	113.3	146	145.6			
LOS by Move:	F	D	B-	D	F	F	F	F	F	F	F	F			
HCM2kAvgQ:	24	10	12	8	46	46	21	20	20	31	38	38			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


## Intersection #42: Fair Oaks Ave &amp; Arques Ave



Street Name: Fair Oaks Ave Arques Ave																			
Approach:	North Bound			South Bound			East Bound			West Bound									
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10						
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0						
Volume Module: >> Count Date: 8 May 2018 << 5:15 PM - 6:15 PM																			
Base Vol: 356 562 438 194 1099 330 262 131 169 924 307 220																			
Growth Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Initial Bse: 356 562 438 194 1099 330 262 131 169 924 307 220																			
Added Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
PasserByVol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Initial Fut: 356 562 438 194 1099 330 262 131 169 924 307 220																			
User Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Volume: 356 562 438 194 1099 330 262 131 169 924 307 220																			
Reduc Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Reduced Vol: 356 562 438 194 1099 330 262 131 169 924 307 220																			
PCE Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
MLF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
FinalVolume: 356 562 438 194 1099 330 262 131 169 924 307 220																			
Saturation Flow Module:																			
Sat/Lane: 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900																			
Adjustment: 0.92 1.00 0.92 0.98 0.95 0.92 0.95 0.95 0.83 0.95 0.95																			
Lanes: 1.00 2.00 1.00 1.00 1.53 0.47 1.00 0.44 0.56 2.00 0.58 0.42																			
Final Sat.: 1750 3800 1750 1750 2845 854 1750 786 1014 3150 1049 751																			
Capacity Analysis Module:																			
Vol/Sat: 0.20 0.15 0.25 0.11 0.39 0.39 0.15 0.17 0.17 0.29 0.29 0.29																			
Crit Moves: **** * **** * **** *																			
Green Time: 24.6 40.8 76.3 30.6 46.7 46.7 18.8 20.2 20.2 35.5 36.8 36.8																			
Volume/Cap: 1.15 0.50 0.46 0.50 1.15 1.15 1.11 1.15 1.15 1.15 1.11 1.11																			
Uniform Del: 57.2 40.7 18.9 47.6 46.1 46.1 60.1 59.4 59.4 51.8 51.1 51.1																			
IncremntDel: 97.7 0.4 0.3 1.1 76.8 76.8 89.5 102 102.0 81.3 73.0 73.0																			
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																			
Delay Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Delay/Veh: 154.9 41.1 19.2 48.6 123 122.9 149.6 161 161.4 133.0 124 124.1																			
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
AdjDel/Veh: 154.9 41.1 19.2 48.6 123 122.9 149.6 161 161.4 133.0 124 124.1																			
LOS by Move: F D B- D F F F F F F F F F																			
HCM2kAvgQ: 24 10 12 8 46 46 19 22 22 33 31 31																			
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


Intersection #43: Wolfe Rd & Arques Ave



Street Name: Wolfe Rd Arques Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	25	425	127	134	1104	35	85	262	37	147	492	103			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	25	425	127	134	1104	35	85	262	37	147	492	103			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	25	425	127	134	1104	35	85	262	37	147	492	103			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	25	425	127	134	1104	35	85	262	37	147	492	103			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	25	425	127	134	1104	35	85	262	37	147	492	103			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	25	425	127	134	1104	35	85	262	37	147	492	103			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.83	0.99	0.95	0.83	0.98	0.95	0.92	0.98	0.95	0.83	0.98				
Lanes:	2.00	2.28	0.72	2.00	2.90	0.10	1.00	1.75	0.25	2.00	1.64				
Final Sat.:	3150	4310	1288	3150	5428	172	1750	3242	458	3150	3059				
Capacity Analysis Module:															
Vol/Sat:	0.01	0.10	0.10	0.04	0.20	0.20	0.05	0.08	0.08	0.05	0.16				
Crit Moves:	****			****			****			****					
Green Time:	7.0	53.0	53.0	23.5	69.5	69.5	16.6	45.3	45.3	26.2	54.9				
Volume/Cap:	0.18	0.30	0.30	0.29	0.47	0.47	0.47	0.29	0.29	0.47	0.47				
Uniform Del:	73.7	39.7	39.7	60.8	32.1	32.1	67.6	44.7	44.7	58.7	41.1				
IncremntDel:	0.6	0.1	0.1	0.3	0.1	0.1	1.9	0.2	0.2	0.3	0.3				
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Delay/Veh:	74.4	39.8	39.8	61.2	32.3	32.3	69.5	44.8	44.8	59.0	41.4				
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
AdjDel/Veh:	74.4	39.8	39.8	61.2	32.3	32.3	69.5	44.8	44.8	59.0	41.4				
LOS by Move:	E	D	D	E	C-	C-	E	D	D	E+	D				
HCM2kAvgQ:	1	6	6	3	13	13	4	5	5	4	11				
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

Intersection #43: Wolfe Rd & Arques Ave




Street Name: Wolfe Rd Arques Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	347	666	237	409	1554	126	152	403	246	923	566	314			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	347	666	237	409	1554	126	152	403	246	923	566	314			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	347	666	237	409	1554	126	152	403	246	923	566	314			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	347	666	237	409	1554	126	152	403	246	923	566	314			
Reducet Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	347	666	237	409	1554	126	152	403	246	923	566	314			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	347	666	237	409	1554	126	152	403	246	923	566	314			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	0.99	0.95	0.83	0.99	0.95	0.92	0.99	0.95	0.83	0.99	0.95			
Lanes:	2.00	2.18	0.82	2.00	2.77	0.23	1.00	1.22	0.78	2.00	1.27	0.73			
Final Sat.:	3150	4128	1469	3150	5179	420	1750	2296	1402	3150	2379	1320			
Capacity Analysis Module:															
Vol/Sat:	0.11	0.16	0.16	0.13	0.30	0.30	0.09	0.18	0.18	0.29	0.24	0.24			
Crit Moves:	****			****			****			****					
Green Time:	18.6	38.3	38.3	30.8	50.5	50.5	21.1	29.6	29.6	49.4	57.8	57.8			
Volume/Cap:	0.95	0.67	0.67	0.67	0.95	0.95	0.66	0.95	0.95	0.95	0.66	0.66			
Uniform Del:	70.3	55.2	55.2	59.9	53.5	53.5	66.0	64.5	64.5	54.1	42.8	42.8			
IncremntDel:	34.2	1.4	1.4	3.0	11.7	11.7	6.8	22.8	22.8	18.0	1.2	1.2			
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	104.4	56.6	56.6	62.9	65.2	65.2	72.8	87.3	87.3	72.1	44.0	44.0			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	104.4	56.6	56.6	62.9	65.2	65.2	72.8	87.3	87.3	72.1	44.0	44.0			
LOS by Move:	F	E+	E+	E	E	E	E	F	F	E	D	D			
HCM2kAvgQ:	12	14	14	11	29	29	7	15	15	29	18	18			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

Intersection #43: Wolfe Rd & Arques Ave




Street Name: Wolfe Rd Arques Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	7	10	10	7	10	10
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	374	702	252	414	1578	130	156	404	242	997	505	299			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	374	702	252	414	1578	130	156	404	242	997	505	299			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	374	702	252	414	1578	130	156	404	242	997	505	299			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	374	702	252	414	1578	130	156	404	242	997	505	299			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	374	702	252	414	1578	130	156	404	242	997	505	299			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	374	702	252	414	1578	130	156	404	242	997	505	299			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	1.00	0.95	0.83	0.99	0.95	0.92	0.99	0.95	0.83	0.99	0.95			
Lanes:	2.00	2.18	0.82	2.00	2.76	0.24	1.00	1.23	0.77	2.00	1.24	0.76			
Final Sat.:	3150	4119	1479	3150	5173	426	1750	2313	1385	3150	2323	1375			
Capacity Analysis Module:															
Vol/Sat:	0.12	0.17	0.17	0.13	0.31	0.31	0.09	0.17	0.17	0.32	0.22	0.22			
Crit Moves:	****			****			****			****					
Green Time:	19.2	38.7	38.7	29.8	49.3	49.3	23.1	28.3	28.3	51.2	56.3	56.3			
Volume/Cap:	0.99	0.70	0.70	0.70	0.99	0.99	0.62	0.99	0.99	0.99	0.62	0.62			
Uniform Del:	70.3	55.4	55.4	60.9	55.1	55.1	64.3	65.7	65.7	54.1	42.9	42.9			
IncremntDel:	43.2	1.7	1.7	3.9	19.0	19.0	4.6	32.4	32.4	25.6	0.9	0.9			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	113.5	57.1	57.1	64.8	74.1	74.1	68.9	98.1	98.1	79.7	43.8	43.8			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	113.5	57.1	57.1	64.8	74.1	74.1	68.9	98.1	98.1	79.7	43.8	43.8			
LOS by Move:	F	E+	E+	E	E	E	E	F	F	E-	D	D			
HCM2kAvgQ:	13	14	14	11	31	31	7	16	16	33	16	16			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

Intersection #44: Wolfe Rd & Kifer Rd




Street Name: Wolfe Rd Kifer Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	50	402	58	140	2367	49	63	298	223	220	301	139			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	50	402	58	140	2367	49	63	298	223	220	301	139			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	50	402	58	140	2367	49	63	298	223	220	301	139			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	50	402	58	140	2367	49	63	298	223	220	301	139			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	50	402	58	140	2367	49	63	298	223	220	301	139			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	50	402	58	140	2367	49	63	298	223	220	301	139			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.99	0.95	0.92	0.98	0.95	0.92	0.99	0.95	0.92	0.99	0.95			
Lanes:	1.00	2.61	0.39	1.00	2.94	0.06	1.00	1.12	0.88	1.00	1.35	0.65			
Final Sat.:	1750	4893	706	1750	5486	114	1750	2115	1583	1750	2530	1168			
Capacity Analysis Module:															
Vol/Sat:	0.03	0.08	0.08	0.08	0.43	0.43	0.04	0.14	0.14	0.13	0.12	0.12			
Crit Moves:	****		****		****		****		****	****					
Green Time:	7.0	47.7	47.7	46.4	87.1	87.1	14.5	28.5	28.5	25.4	39.4	39.4			
Volume/Cap:	0.65	0.28	0.28	0.28	0.79	0.79	0.40	0.79	0.79	0.79	0.48	0.48			
Uniform Del:	75.3	42.9	42.9	43.8	29.2	29.2	68.6	62.9	62.9	64.8	51.6	51.6			
IncremntDel:	18.4	0.1	0.1	0.3	1.5	1.5	1.6	6.5	6.5	14.3	0.4	0.4			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	93.7	43.0	43.0	44.1	30.7	30.7	70.3	69.5	69.5	79.1	52.0	52.0			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	93.7	43.0	43.0	44.1	30.7	30.7	70.3	69.5	69.5	79.1	52.0	52.0			
LOS by Move:	F	D	D	D	C	C	E	E	E	E-	D-	D-			
HCM2kAvgQ:	3	6	6	5	32	32	3	13	13	12	9	9			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #44: Wolfe Rd & Kifer Rd



Street Name: Wolfe Rd Kifer Rd																			
Approach:	North Bound			South Bound			East Bound			West Bound									
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
Min. Green:	7 10		10 7		10 49		152 650		403 471		396 228								
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0								
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM																			
Base Vol: 164 837 225 459 2911 49 152 650 403 471 396 228																			
Growth Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Initial Bse: 164 837 225 459 2911 49 152 650 403 471 396 228																			
Added Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
PasserByVol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Initial Fut: 164 837 225 459 2911 49 152 650 403 471 396 228																			
User Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Volume: 164 837 225 459 2911 49 152 650 403 471 396 228																			
Reduc Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Reduced Vol: 164 837 225 459 2911 49 152 650 403 471 396 228																			
PCE Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
MLF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
FinalVolume: 164 837 225 459 2911 49 152 650 403 471 396 228																			
Saturation Flow Module:																			
Sat/Lane: 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900																			
Adjustment: 0.92 0.99 0.95 0.92 0.98 0.95 0.92 0.99 0.95 0.92 0.99 0.95																			
Lanes: 1.00 2.34 0.66 1.00 2.95 0.05 1.00 1.21 0.79 1.00 1.25 0.75																			
Final Sat.: 1750 4412 1186 1750 5507 93 1750 2283 1415 1750 2347 1351																			
Capacity Analysis Module:																			
Vol/Sat: 0.09 0.19 0.19 0.26 0.53 0.53 0.09 0.28 0.28 0.27 0.17 0.17																			
Crit Moves: **** * **** * **** * **** * **** *																			
Green Time: 11.8 32.9 32.9 45.4 66.5 66.5 23.7 35.8 35.8 33.9 46.0 46.0																			
Volume/Cap: 1.27 0.92 0.92 0.92 1.27 1.27 0.59 1.27 1.27 1.27 0.59 0.59																			
Uniform Del: 74.1 62.3 62.3 55.6 46.7 46.7 63.6 62.1 62.1 63.1 48.8 48.8																			
IncremntDel: 169.3 12.2 12.2 23.0 126 125.7 3.5 132 131.6 141.8 0.9 0.9																			
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																			
Delay Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Delay/Veh: 243.4 74.6 74.6 78.6 172 172.5 67.1 194 193.7 204.9 49.7 49.7																			
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
AdjDel/Veh: 243.4 74.6 74.6 78.6 172 172.5 67.1 194 193.7 204.9 49.7 49.7																			
LOS by Move: F E E E- F F E F F D D																			
HCM2kAvgQ: 14 19 19 24 73 73 7 41 41 38 13 13																			
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

Intersection #44: Wolfe Rd & Kifer Rd



Street Name:

Wolfe Rd

Kifer Rd

Approach: North Bound South Bound East Bound West Bound

Movement: L - T - R L - T - R L - T - R L - T - R

	----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----
Min. Green:	7 10 10 7 10 10 7 10 10 7 10 10 7 10 10
Y+R:	4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0

Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM

Base Vol: 163 828 234 462 2907 49 127 649 445 476 403 245

Growth Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00

Initial Bse: 163 828 234 462 2907 49 127 649 445 476 403 245

Added Vol: 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

PasserByVol: 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

Initial Fut: 163 828 234 462 2907 49 127 649 445 476 403 245

User Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00

PHF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00

PHF Volume: 163 828 234 462 2907 49 127 649 445 476 403 245

Reduc Vol: 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

Reduced Vol: 163 828 234 462 2907 49 127 649 445 476 403 245

PCE Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00

MLF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00

FinalVolume: 163 828 234 462 2907 49 127 649 445 476 403 245

-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|

Saturation Flow Module:

Sat/Lane: 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900

Adjustment: 0.92 0.99 0.95 0.92 0.98 0.95 0.92 0.99 0.95 0.92 0.99 0.95

Lanes: 1.00 2.31 0.69 1.00 2.95 0.05 1.00 1.16 0.84 1.00 1.22 0.78

Final Sat.: 1750 4364 1233 1750 5507 93 1750 2194 1504 1750 2300 1398

-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|

Capacity Analysis Module:

Vol/Sat: 0.09 0.19 0.19 0.26 0.53 0.53 0.07 0.30 0.30 0.27 0.18 0.18

Crit Moves: \*\*\*\* \* \*\*\*\* \* \*\*\*\* \* \*\*\*\* \*

Green Time: 11.6 32.3 32.3 45.0 65.7 65.7 20.7 36.8 36.8 33.9 50.0 50.0

Volume/Cap: 1.29 0.94 0.94 0.94 1.29 1.29 0.56 1.29 1.29 1.29 0.56 0.56

Uniform Del: 74.2 62.9 62.9 56.2 47.1 47.1 65.4 61.6 61.6 63.1 45.9 45.9

IncremntDel: 175.2 14.5 14.5 26.1 132 131.8 3.2 137 137.3 147.4 0.6 0.6

InitQueuDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

Delay Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00

Delay/Veh: 249.4 77.3 77.3 82.2 179 178.9 68.6 199 198.8 210.5 46.5 46.5

User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00

AdjDel/Veh: 249.4 77.3 77.3 82.2 179 178.9 68.6 199 198.8 210.5 46.5 46.5


LOS by Move: F E- E- F F F E F F F D D

HCM2kAvgQ: 14 19 19 25 74 74 6 43 43 39 13 13

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


Intersection #45: Wolfe Rd & Reed Ave



Street Name: Wolfe Rd Reed Ave														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10	
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0	
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM														
Base Vol:	99	370	117	191	1734	192	76	498	65	102	217	38		
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Initial Bse:	99	370	117	191	1734	192	76	498	65	102	217	38		
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0		
Initial Fut:	99	370	117	191	1734	192	76	498	65	102	217	38		
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Volume:	99	370	117	191	1734	192	76	498	65	102	217	38		
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
Reduced Vol:	99	370	117	191	1734	192	76	498	65	102	217	38		
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Final Volume:	99	370	117	191	1734	192	76	498	65	102	217	38		
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Saturation Flow Module:														
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900		
Adjustment:	0.83	0.99	0.95	0.83	0.99	0.95	0.92	0.98	0.95	0.92	0.98	0.95		
Lanes:	2.00	2.25	0.75	2.00	2.69	0.31	1.00	1.76	0.24	1.00	1.69	0.31		
Final Sat.:	3150	4253	1345	3150	5041	558	1750	3273	427	1750	3148	551		
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Capacity Analysis Module:														
Vol/Sat:	0.03	0.09	0.09	0.06	0.34	0.34	0.04	0.15	0.15	0.06	0.07	0.07		
Crit Moves:	****			****			****			****				
Green Time:	7.9	55.9	55.9	38.9	86.9	86.9	20.6	38.4	38.4	14.7	32.5	32.5		
Volume/Cap:	0.63	0.25	0.25	0.25	0.63	0.63	0.34	0.63	0.63	0.63	0.34	0.34		
Uniform Del:	74.6	37.1	37.1	48.7	25.5	25.5	63.4	54.5	54.5	70.0	54.5	54.5		
IncremntDel:	8.2	0.1	0.1	0.2	0.4	0.4	0.9	1.5	1.5	8.0	0.3	0.3		
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Delay/Veh:	82.8	37.2	37.2	48.9	25.9	25.9	64.3	56.0	56.0	78.0	54.8	54.8		
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
AdjDel/Veh:	82.8	37.2	37.2	48.9	25.9	25.9	64.3	56.0	56.0	78.0	54.8	54.8		
LOS by Move:	F	D+	D+	D	C	C	E	E+	E+	E-	D-	D-		
HCM2kAvgQ:	3	5	5	4	21	21	4	12	12	5	5	5		
Note: Queue reported is the number of cars per lane.														

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

Intersection #45: Wolfe Rd & Reed Ave




Street Name: Wolfe Rd Reed Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	99	798	135	600	2425	381	282	498	106	175	217	302			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	99	798	135	600	2425	381	282	498	106	175	217	302			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	99	798	135	600	2425	381	282	498	106	175	217	302			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	99	798	135	600	2425	381	282	498	106	175	217	302			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	99	798	135	600	2425	381	282	498	106	175	217	302			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	99	798	135	600	2425	381	282	498	106	175	217	302			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.83	0.99	0.95	0.83	0.99	0.95	0.92	0.98	0.95	0.92	1.00	0.92			
Lanes:	2.00	2.55	0.45	2.00	2.58	0.42	1.00	1.64	0.36	1.00	1.00	1.00			
Final Sat.:	3150	4789	810	3150	4839	760	1750	3050	649	1750	1900	1750			
Capacity Analysis Module:															
Vol/Sat:	0.03	0.17	0.17	0.19	0.50	0.50	0.16	0.16	0.16	0.10	0.11	0.17			
Crit Moves:	****			****			****			****					
Green Time:	7.0	42.8	42.8	48.9	84.6	84.6	27.2	35.0	35.0	21.4	29.1	29.1			
Volume/Cap:	0.72	0.62	0.62	0.62	0.95	0.95	0.95	0.75	0.75	0.75	0.63	0.95			
Uniform Del:	75.5	51.5	51.5	47.7	35.6	35.6	65.7	58.4	58.4	66.7	60.4	64.7			
IncremntDel:	16.7	0.8	0.8	1.3	7.6	7.6	38.2	3.9	3.9	12.4	1.5	25.9			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	92.2	52.4	52.4	49.0	43.2	43.2	103.9	62.3	62.3	79.1	61.9	90.6			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	92.2	52.4	52.4	49.0	43.2	43.2	103.9	62.3	62.3	79.1	61.9	90.6			
LOS by Move:	F	D-	D-	D	D	D	F	E	E	E-	E	F			
HCM2kAvgQ:	3	13	13	14	41	41	16	14	14	9	10	17			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #45: Wolfe Rd & Reed Ave



Street Name: Wolfe Rd Reed Ave																
Approach:	North Bound			South Bound			East Bound			West Bound						
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----																
Min. Green:	7		10		10		7		10		10		7		10	
Y+R:	4.0		4.0		4.0		4.0		4.0		4.0		4.0		4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM																
Base Vol:	99		804		135		573		2485		396		280		498	
Growth Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Initial Bse:	99		804		135		573		2485		396		280		498	
Added Vol:	0		0		0		0		0		0		0		0	
PasserByVol:	0		0		0		0		0		0		0		0	
Initial Fut:	99		804		135		573		2485		396		280		498	
User Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Volume:	99		804		135		573		2485		396		280		498	
Reducet Vol:	0		0		0		0		0		0		0		0	
Reduced Vol:	99		804		135		573		2485		396		280		498	
PCE Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
MLF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
FinalVolume:	99		804		135		573		2485		396		280		498	
Saturation Flow Module:																
Sat/Lane:	1900		1900		1900		1900		1900		1900		1900		1900	
Adjustment:	0.83		0.99		0.95		0.83		0.99		0.95		0.92		1.00	
Lanes:	2.00		2.55		0.45		2.00		2.57		0.43		1.00		1.65	
Final Sat.:	3150		4794		805		3150		4829		770		1750		3076	
Capacity Analysis Module:																
Vol/Sat:	0.03		0.17		0.17		0.18		0.51		0.51		0.16		0.16	
Crit Moves:	****		****		****		****		****		****		****		****	
Green Time:	7.0		44.2		44.2		47.9		85.1		85.1		26.5		35.9	
Volume/Cap:	0.72		0.61		0.61		0.61		0.97		0.97		0.72		0.72	
Uniform Del:	75.5		50.4		50.4		48.0		36.1		36.1		66.3		57.5	
IncremntDel:	16.7		0.7		1.1		10.0		10.0		43.8		3.1		3.1	
InitQueueDel:	0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	
Delay Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Delay/Veh:	92.2		51.1		51.1		49.1		46.1		46.1		110.1		60.6	
User DelAdj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
AdjDel/Veh:	92.2		51.1		51.1		49.1		46.1		46.1		110.1		60.6	
LOS by Move:	F		D-		D-		D		D		F		E		E	
HCM2kAvgQ:	3		13		13		13		44		44		16		13	
Note: Queue reported is the number of cars per lane.																

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

Intersection #46: Wolfe Rd & Fremont Ave




Street Name: Wolfe Rd Fremont Ave														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Min. Green:	7 10		10 10		10 10		7 10		10 10		7 10		10 10	
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0	
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM														
Base Vol:	142	673	38	56	1363	512	358	434	403	13	33	44		
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Initial Bse:	142	673	38	56	1363	512	358	434	403	13	33	44		
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0		
Initial Fut:	142	673	38	56	1363	512	358	434	403	13	33	44		
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Volume:	142	673	38	56	1363	512	358	434	403	13	33	44		
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
Reduced Vol:	142	673	38	56	1363	512	358	434	403	13	33	44		
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
FinalVolume:	142	673	38	56	1363	512	358	434	403	13	33	44		
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Saturation Flow Module:														
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900		
Adjustment:	0.92	0.98	0.95	0.95	0.97	0.95	0.83	1.00	0.92	0.92	1.00	0.92		
Lanes:	1.00	2.83	0.17	0.09	2.10	0.81	2.00	2.00	1.00	1.00	1.00	1.00		
Final Sat.:	1750	5300	299	159	3882	1458	3150	3800	1750	1750	1900	1750		
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Capacity Analysis Module:														
Vol/Sat:	0.08	0.13	0.13	0.35	0.35	0.35	0.11	0.11	0.23	0.01	0.02	0.03		
Crit Moves:	****			****			****		****	****				
Green Time:	24.0	128	127.9	103.9	104	103.9	53.3	68.1	92.1	7.0	21.8	21.8		
Volume/Cap:	0.73	0.21	0.21	0.73	0.73	0.73	0.46	0.36	0.54	0.23	0.17	0.25		
Uniform Del:	92.3	20.2	20.2	44.3	44.3	44.3	68.6	56.6	45.6	101.4	88.3	89.0		
IncremntDel:	12.8	0.0	0.0	1.0	1.0	1.0	0.4	0.2	0.8	2.0	0.4	0.7		
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Delay/Veh:	105.1	20.3	20.3	45.3	45.3	45.3	69.0	56.8	46.4	103.4	88.7	89.8		
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
AdjDel/Veh:	105.1	20.3	20.3	45.3	45.3	45.3	69.0	56.8	46.4	103.4	88.7	89.8		
LOS by Move:	F	C+	C+	D	D	D	E	E+	D	F	F	F		
HCM2kAvgQ:	10	7	7	34	34	34	11	10	20	1	2	3		

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

---

#### Intersection #46: Wolfe Rd & Fremont Ave




---

Traffic 8.0.0715 Copyright (c) 2008 Dowling Associates

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #46: Wolfe Rd & Fremont Ave



Street Name: Wolfe Rd Fremont Ave																			
Approach:	North Bound			South Bound			East Bound			West Bound									
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----																			
Min. Green:	7 10		10 10		10 10		7 10		10 10		7 10		10 10						
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0						
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----																			
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM																			
Base Vol: 453 1093 65 56 1642 1017 810 434 578 13 33 44																			
Growth Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Initial Bse: 453 1093 65 56 1642 1017 810 434 578 13 33 44																			
Added Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
PasserByVol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Initial Fut: 453 1093 65 56 1642 1017 810 434 578 13 33 44																			
User Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Volume: 453 1093 65 56 1642 1017 810 434 578 13 33 44																			
Reduc Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Reduced Vol: 453 1093 65 56 1642 1017 810 434 578 13 33 44																			
PCE Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
MLF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
FinalVolume: 453 1093 65 56 1642 1017 810 434 578 13 33 44																			
Saturation Flow Module:																			
Sat/Lane: 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900																			
Adjustment: 0.92 0.98 0.95 0.95 0.98 0.92 0.83 1.00 0.92 0.92 1.00 0.92																			
Lanes: 1.00 2.83 0.17 0.10 2.90 1.00 2.00 2.00 1.00 1.00 1.00 1.00																			
Final Sat.: 1750 5285 314 185 5415 1750 3150 3800 1750 1750 1900 1750																			
Capacity Analysis Module:																			
Vol/Sat: 0.26 0.21 0.21 0.30 0.30 0.58 0.26 0.11 0.33 0.01 0.02 0.03																			
Crit Moves: **** * **** * **** * **** *																			
Green Time: 55.6 125 125.1 69.5 69.5 135.5 66.0 70.9 126.5 7.0 11.9 11.9																			
Volume/Cap: 1.00 0.36 0.36 0.94 0.94 0.92 0.84 0.35 0.56 0.23 0.31 0.45																			
Uniform Del: 79.7 23.7 23.7 70.6 70.6 35.1 69.5 54.5 27.2 101.4 97.6 98.4																			
IncremntDel: 42.7 0.1 0.1 9.9 9.9 12.5 6.6 0.2 0.7 2.0 1.7 3.3																			
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																			
Delay Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Delay/Veh: 122.5 23.8 23.8 80.5 80.5 47.6 76.1 54.7 27.9 103.4 99.3 101.7																			
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
AdjDel/Veh: 122.5 23.8 23.8 80.5 80.5 47.6 76.1 54.7 27.9 103.4 99.3 101.7																			
LOS by Move: F C C F F D E- D- C F F F																			
HCM2kAvgQ: 33 12 2 34 34 59 28 10 23 1 2 4																			
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


Intersection #47: Wolfe Rd & Homestead Rd



Street Name: Wolfe Rd Homestead Rd														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Min. Green:		7	10	10	7	10	10	7	10	10	7	10	10	10
Y+R:		4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM														
Base Vol:	234	606	274	137	968	84	111	803	330	455	561	71		
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Initial Bse:	234	606	274	137	968	84	111	803	330	455	561	71		
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0		
Initial Fut:	234	606	274	137	968	84	111	803	330	455	561	71		
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Volume:	234	606	274	137	968	84	111	803	330	455	561	71		
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
Reduced Vol:	234	606	274	137	968	84	111	803	330	455	561	71		
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
FinalVolume:	234	606	274	137	968	84	111	803	330	455	561	71		
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Saturation Flow Module:														
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900		
Adjustment:	0.83	1.00	0.92	0.83	0.99	0.95	0.92	1.00	0.92	0.83	0.98	0.95		
Lanes:	2.00	2.00	1.00	2.00	2.75	0.25	1.00	2.00	1.00	2.00	1.77	0.23		
Final Sat.:	3150	3800	1750	3150	5152	447	1750	3800	1750	3150	3284	416		
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Capacity Analysis Module:														
Vol/Sat:	0.07	0.16	0.16	0.04	0.19	0.19	0.06	0.21	0.19	0.14	0.17	0.17		
Crit Moves:	****			****			****			****				
Green Time:	11.8	29.7	52.6	11.9	29.8	29.8	15.3	33.5	45.3	22.9	41.1	41.1		
Volume/Cap:	0.69	0.59	0.33	0.40	0.69	0.69	0.46	0.69	0.46	0.69	0.46	0.46		
Uniform Del:	47.4	34.9	17.7	45.8	36.0	36.0	43.5	33.7	23.5	40.3	26.0	26.0		
IncremntDel:	6.1	0.9	0.2	0.8	1.4	1.4	1.4	1.8	0.5	3.2	0.2	0.2		
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Delay/Veh:	53.5	35.8	18.0	46.6	37.4	37.4	44.9	35.6	23.9	43.5	26.3	26.3		
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
AdjDel/Veh:	53.5	35.8	18.0	46.6	37.4	37.4	44.9	35.6	23.9	43.5	26.3	26.3		
LOS by Move:	D-	D+	B	D	D+	D+	D	D+	C	D	C	C		
HCM2kAvgQ:	5	9	6	2	10	10	4	12	8	9	8	8		
Note: Queue reported is the number of cars per lane.														

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

Intersection #47: Wolfe Rd & Homestead Rd




Street Name: Wolfe Rd Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	234	883	274	408	968	131	134	803	346	455	1167	245			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	234	883	274	408	968	131	134	803	346	455	1167	245			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	234	883	274	408	968	131	134	803	346	455	1167	245			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	234	883	274	408	968	131	134	803	346	455	1167	245			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	234	883	274	408	968	131	134	803	346	455	1167	245			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	234	883	274	408	968	131	134	803	346	455	1167	245			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	1.00	0.92	0.83	0.99	0.95	0.92	1.00	0.92	0.83	0.98	0.95			
Lanes:	2.00	2.00	1.00	2.00	2.63	0.37	1.00	2.00	1.00	2.00	1.64	0.36			
Final Sat.:	3150	3800	1750	3150	4932	667	1750	3800	1750	3150	3058	642			
Capacity Analysis Module:															
Vol/Sat:	0.07	0.23	0.16	0.13	0.20	0.20	0.08	0.21	0.20	0.14	0.38	0.38			
Crit Moves:	****			****			****			****					
Green Time:	11.9	27.8	50.0	15.5	31.4	31.4	9.1	32.5	44.4	22.2	45.6	45.6			
Volume/Cap:	0.69	0.92	0.34	0.92	0.69	0.69	0.92	0.71	0.49	0.71	0.92	0.92			
Uniform Del:	47.3	40.0	19.4	46.7	35.0	35.0	50.1	34.6	24.4	40.9	30.5	30.5			
IncremntDel:	5.8	13.7	0.3	24.4	1.3	1.3	51.3	2.2	0.5	3.9	9.4	9.4			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	53.1	53.8	19.7	71.1	36.3	36.3	101.4	36.8	24.9	44.8	39.9	39.9			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	53.1	53.8	19.7	71.1	36.3	36.3	101.4	36.8	24.9	44.8	39.9	39.9			
LOS by Move:	D-	D-	B-	E	D+	D+	F	D+	C	D	D	D			
HCM2kAvgQ:	5	16	6	8	10	10	5	11	9	9	25	25			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

Intersection #47: Wolfe Rd & Homestead Rd




Street Name: Wolfe Rd Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	234	898	274	425	968	105	150	803	351	455	1192	246			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	234	898	274	425	968	105	150	803	351	455	1192	246			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	234	898	274	425	968	105	150	803	351	455	1192	246			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	234	898	274	425	968	105	150	803	351	455	1192	246			
Reducet Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	234	898	274	425	968	105	150	803	351	455	1192	246			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	234	898	274	425	968	105	150	803	351	455	1192	246			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	1.00	0.92	0.83	0.99	0.95	0.92	1.00	0.92	0.83	0.98	0.95			
Lanes:	2.00	2.00	1.00	2.00	2.70	0.30	1.00	2.00	1.00	2.00	1.65	0.35			
Final Sat.:	3150	3800	1750	3150	5051	548	1750	3800	1750	3150	3067	633			
Capacity Analysis Module:															
Vol/Sat:	0.07	0.24	0.16	0.13	0.19	0.19	0.09	0.21	0.20	0.14	0.39	0.39			
Crit Moves:	****			****			****			****					
Green Time:	12.0	27.4	49.7	15.6	31.0	31.0	9.9	32.7	44.7	22.3	45.0	45.0			
Volume/Cap:	0.68	0.95	0.35	0.95	0.68	0.68	0.95	0.71	0.49	0.71	0.95	0.95			
Uniform Del:	47.1	40.6	19.6	46.8	35.1	35.1	49.8	34.5	24.3	40.8	31.4	31.4			
IncremntDel:	5.4	18.2	0.3	29.9	1.2	1.2	56.4	2.2	0.5	3.8	13.0	13.0			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	52.6	58.8	19.9	76.7	36.3	36.3	106.2	36.6	24.8	44.6	44.4	44.4			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	52.6	58.8	19.9	76.7	36.3	36.3	106.2	36.6	24.8	44.6	44.4	44.4			
LOS by Move:	D-	E+	B-	E-	D+	D+	F	D+	C	D	D	D			
HCM2kAvgQ:	5	17	6	9	10	10	5	11	9	9	27	27			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

Intersection #48: Tantau Ave & Homestead Rd




Street Name: Tantau Ave Homestead Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	10 10		10 10		10 10		7 10		10 7		10 10				
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0				
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	283	62	140	62	186	98	34	935	215	88	732	28			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	283	62	140	62	186	98	34	935	215	88	732	28			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	283	62	140	62	186	98	34	935	215	88	732	28			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	283	62	140	62	186	98	34	935	215	88	732	28			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	283	62	140	62	186	98	34	935	215	88	732	28			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	283	62	140	62	186	98	34	935	215	88	732	28			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.95	0.95	0.92	0.92	0.92	0.92	0.92	1.00	0.92	0.92	0.97	0.95			
Lanes:	0.82	0.18	1.00	0.18	0.54	0.28	1.00	2.00	1.00	1.00	1.92	0.08			
Final Sat.:	1477	323	1750	314	941	496	1750	3800	1750	1750	3564	136			
Capacity Analysis Module:															
Vol/Sat:	0.19	0.19	0.08	0.20	0.20	0.20	0.02	0.25	0.12	0.05	0.21	0.21			
Crit Moves:	****			****			****			****					
Green Time:	29.3	29.3	37.0	30.3	30.3	30.3	10.2	37.7	67.0	7.7	35.1	35.1			
Volume/Cap:	0.76	0.76	0.25	0.76	0.76	0.76	0.22	0.76	0.21	0.76	0.68	0.68			
Uniform Del:	40.6	40.6	29.7	40.1	40.1	40.1	49.7	35.7	12.2	53.8	36.0	36.0			
IncremntDel:	7.6	7.6	0.2	7.6	7.6	7.6	0.7	2.9	0.1	25.7	1.8	1.8			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	48.2	48.2	29.9	47.6	47.6	47.6	50.4	38.6	12.3	79.4	37.8	37.8			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	48.2	48.2	29.9	47.6	47.6	47.6	50.4	38.6	12.3	79.4	37.8	37.8			
LOS by Move:	D	D	C	D	D	D	D	D+	B	E-	D+	D+			
HCM2kAvgQ:	14	14	4	14	14	14	1	16	4	5	13	13			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #48: Tantau Ave & Homestead Rd



Street Name: Tantau Ave Homestead Rd																								
Approach:	North Bound			South Bound			East Bound			West Bound														
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
Min. Green:	10		10		10		10		10		10		10											
Y+R:	4.0		4.0		4.0		4.0		4.0		4.0		4.0											
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM																								
Base Vol:	370		169		143		87		229		120		34		1180		231		88		945		88	
Growth Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Initial Bse:	370		169		143		87		229		120		34		1180		231		88		945		88	
Added Vol:	0		0		0		0		0		0		0		0		0		0		0		0	
PasserByVol:	0		0		0		0		0		0		0		0		0		0		0		0	
Initial Fut:	370		169		143		87		229		120		34		1180		231		88		945		88	
User Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Volume:	370		169		143		87		229		120		34		1180		231		88		945		88	
Reduc Vol:	0		0		0		0		0		0		0		0		0		0		0		0	
Reduced Vol:	370		169		143		87		229		120		34		1180		231		88		945		88	
PCE Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
MLF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
FinalVolume:	370		169		143		87		229		120		34		1180		231		88		945		88	
Saturation Flow Module:																								
Sat/Lane:	1900		1900		1900		1900		1900		1900		1900		1900		1900		1900		1900		1900	
Adjustment:	0.95		0.95		0.92		0.92		0.92		0.92		1.00		0.92		0.92		0.98		0.95			
Lanes:	0.69		0.31		1.00		0.20		0.52		0.28		1.00		2.00		1.00		1.00		1.82		0.18	
Final Sat.:	1236		564		1750		349		919		482		1750		3800		1750		1750		3385		315	
Capacity Analysis Module:																								
Vol/Sat:	0.30		0.30		0.08		0.25		0.25		0.25		0.02		0.31		0.13		0.05		0.28		0.28	
Crit Moves:	****		****		****		****		****		****		****		****		****		****		****		****	
Green Time:	34.2		34.2		41.2		28.4		28.4		28.4		7.5		35.4		69.6		7.0		34.9		34.9	
Volume/Cap:	1.03		1.03		0.23		1.03		1.03		0.30		1.03		0.22		0.84		0.94		0.94			
Uniform Del:	41.4		41.4		26.8		44.3		44.3		44.3		52.3		40.8		11.1		54.4		39.9		39.9	
IncremntDel:	46.0		46.0		0.2		50.4		50.4		50.4		1.5		33.3		0.1		42.4		14.2		14.2	
InitQueueDel:	0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	
Delay Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Delay/Veh:	87.4		87.4		27.0		94.7		94.7		94.7		53.8		74.1		11.2		96.9		54.1		54.1	
User DelAdj:	1.00		1																					

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

Intersection #48: Tantau Ave & Homestead Rd




Street Name: Tantau Ave Homestead Rd																
Approach:	North Bound			South Bound			East Bound			West Bound						
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	
Min. Green:	10		10		10		10		10		7		10		10	
Y+R:	4.0		4.0		4.0		4.0		4.0		4.0		4.0		4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM																
Base Vol:	377	185	144	98	225	111	34	1157	234	88	955	91				
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Initial Bse:	377	185	144	98	225	111	34	1157	234	88	955	91				
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0				
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0				
Initial Fut:	377	185	144	98	225	111	34	1157	234	88	955	91				
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
PHF Volume:	377	185	144	98	225	111	34	1157	234	88	955	91				
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0				
Reduced Vol:	377	185	144	98	225	111	34	1157	234	88	955	91				
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Final Volume:	377	185	144	98	225	111	34	1157	234	88	955	91				
Saturation Flow Module:																
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.95	0.95	0.92	0.92	0.92	0.92	0.92	1.00	0.92	0.92	0.98	0.95				
Lanes:	0.67	0.33	1.00	0.23	0.52	0.25	1.00	2.00	1.00	1.00	1.82	0.18				
Final Sat.:	1207	593	1750	395	907	448	1750	3800	1750	1750	3378	322				
Capacity Analysis Module:																
Vol/Sat:	0.31	0.31	0.08	0.25	0.25	0.25	0.02	0.30	0.13	0.05	0.28	0.28				
Crit Moves:	****			****		****	****			****						
Green Time:	35.4	35.4	42.4	28.1	28.1	28.1	7.2	34.5	69.9	7.0	34.3	34.3				
Volume/Cap:	1.03	1.03	0.23	1.03	1.03	1.03	0.31	1.03	0.22	0.84	0.97	0.97				
Uniform Del:	40.8	40.8	25.9	44.4	44.4	44.4	52.5	41.2	10.9	54.4	40.8	40.8				
IncremntDel:	47.1	47.1	0.2	52.5	52.5	52.5	1.7	35.5	0.1	42.4	19.5	19.5				
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Delay/Veh:	87.9	87.9	26.1	96.9	96.9	96.9	54.2	76.8	11.1	96.9	60.3	60.3				
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
AdjDel/Veh:	87.9	87.9	26.1	96.9	96.9	96.9	54.2	76.8	11.1	96.9	60.3	60.3				
LOS by Move:	F	F	C	F	F	F	D-	E-	B+	F	E	E				
HCM2kAvgQ:	29	29	4	24	24	24	2	29	4	6	24	24				

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

## Intersection #49: Lawrence Expwy &amp; Oakmead Pkwy




Street Name: Lawrence Expwy Oakmead Pkwy																								
Approach:	North Bound			South Bound			East Bound			West Bound														
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
Min. Green:	20		71		71		31		82		82		34		53		53		10		29		29	
Y+R:	6.4		6.2		6.2		6.3		6.2		6.2		5.6		5.5		5.5		5.6		5.6		5.6	
Volume Module: >> Count Date: 23 May 2019 <<																								
Base Vol:	208	1394	52	461	2503	614	509	229	167	43	132	301												
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Initial Bse:	208	1394	52	461	2503	614	509	229	167	43	132	301												
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0												
Initial Fut:	208	1394	52	461	2503	614	509	229	167	43	132	301												
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Volume:	208	1394	52	461	2503	614	509	229	167	43	132	301												
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
Reduced Vol:	208	1394	52	461	2503	614	509	229	167	43	132	301												
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
FinalVolume:	208	1394	52	461	2503	614	509	229	167	43	132	301												
Saturation Flow Module:																								
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900												
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92												
Lanes:	2.00	4.00	1.00	2.00	4.00	1.00	2.00	2.00	1.00	2.00	2.00	1.00												
Final Sat.:	3150	7600	1750	3150	7600	1750	3150	3800	1750	3150	3800	1750												
Capacity Analysis Module:																								
Vol/Sat:	0.07	0.18	0.03	0.15	0.33	0.35	0.16	0.06	0.10	0.01	0.03	0.17												
Crit Moves:	****			****			****		****															
Green Time:	20.1	71.0	81.0	31.6	82.4	116.8	34.4	53.5	73.6	10.0	29.0	60.6												
Volume/Cap:	0.62	0.49	0.07	0.88	0.76	0.57	0.89	0.21	0.25	0.26	0.23	0.54												
Uniform Del:	81.3	45.6	32.2	77.4	45.4	21.7	76.0	52.2	39.4	86.4	70.7	53.2												
IncremntDel:	3.7	0.1	0.0	15.8	1.1	0.7	16.2	0.1	0.2	0.8	0.2	1.1												
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0												
Delay Adj:	1.00	0.92	0.87	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Delay/Veh:	85.0	42.2	27.9	93.1	46.5	22.5	92.2	52.3	39.6	87.3	70.9	54.3												
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
AdjDel/Veh:	85.0	42.2	27.9	93.1	46.5	22.5	92.2	52.3	39.6	87.3	70.9	54.3												
LOS by Move:	F	D	C	F	D	C+	F	D-	D	F	E	D-												
HCM2kAvgQ:	7	13	1	18	31	22	20	5	7	2	3	15												

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

Intersection #49: Lawrence Expwy & Oakmead Pkwy




---

Traffic 9.0.0715 Copyright (c) 2008 Dowling Associates

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

## Intersection #49: Lawrence Expwy &amp; Oakmead Pkwy




Street Name: Lawrence Expwy Oakmead Pkwy															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	20		71	71		31	82	82	34	53	53	10	29	29	
Y+R:	6.4		6.2	6.2		6.3	6.2	6.2	5.6	5.5	5.5	5.6	5.6	5.6	
Volume Module: >> Count Date: 23 May 2019 <<															
Base Vol:	371	2772	100	618	4500	615	588	280	324	309	132	503			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	371	2772	100	618	4500	615	588	280	324	309	132	503			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	371	2772	100	618	4500	615	588	280	324	309	132	503			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	371	2772	100	618	4500	615	588	280	324	309	132	503			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	371	2772	100	618	4500	615	588	280	324	309	132	503			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	371	2772	100	618	4500	615	588	280	324	309	132	503			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92			
Lanes:	2.00	4.00	1.00	2.00	4.00	1.00	2.00	2.00	1.00	2.00	2.00	1.00			
Final Sat.:	3150	7600	1750	3150	7600	1750	3150	3800	1750	3150	3800	1750			
Capacity Analysis Module:															
Vol/Sat:	0.12	0.36	0.06	0.20	0.59	0.35	0.19	0.07	0.19	0.10	0.03	0.29			
Crit Moves:	****			****			****			****					
Green Time:	20.1	71.0	81.0	31.6	82.4	116.8	34.4	53.5	73.6	10.0	29.0	60.6			
Volume/Cap:	1.11	0.98	0.13	1.18	1.37	0.57	1.03	0.26	0.48	1.86	0.23	0.90			
Uniform Del:	84.9	58.7	33.2	79.2	53.8	21.7	77.8	52.9	43.8	90.0	70.7	61.8			
IncremntDel:	83.4	11.8	0.1	99.3	166	0.7	45.8	0.1	0.5	411.4	0.2	17.7			
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	0.92	0.87	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	168.3	65.9	28.8	178.5	220	22.5	123.6	53.1	44.3	501.4	70.9	79.6			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	168.3	65.9	28.8	178.5	220	22.5	123.6	53.1	44.3	501.4	70.9	79.6			
LOS by Move:	F	E	C	F	F	C+	F	D-	D	F	E	E-			
HCM2kAvgQ:	17	43	3	31	100	22	26	6	15	22	3	33			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

Intersection #51: Lawrence Expwy & Kifer Rd




Street Name: Lawrence Expwy Kifer Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	9 85		85 27		103 103		16 33		33 22		39 39				
Y+R:	5.9 6.2		6.2 6.1		6.2 6.2		5.8 5.5		5.5 5.9		5.5 5.5				
Volume Module: >> Count Date: 7 Mar 2018 << 4:15 PM - 5:15 PM															
Base Vol:	68	1229	348	331	3497	94	178	503	652	301	179	277			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	68	1229	348	331	3497	94	178	503	652	301	179	277			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	68	1229	348	331	3497	94	178	503	652	301	179	277			
User Adj:	1.00	0.80	1.00	1.00	0.79	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	68	983	348	331	2763	94	178	503	652	301	179	277			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	68	983	348	331	2763	94	178	503	652	301	179	277			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	68	983	348	331	2763	94	178	503	652	301	179	277			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92			
Lanes:	2.00	3.00	1.00	2.00	3.00	1.00	2.00	2.00	1.00	2.00	1.00	1.00			
Final Sat.:	3150	5700	1750	3150	5700	1750	3150	3800	1750	3150	1900	1750			
Capacity Analysis Module:															
Vol/Sat:	0.02	0.17	0.20	0.11	0.48	0.05	0.06	0.13	0.37	0.10	0.09	0.16			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	8.9	84.9	106.6	26.9	103	118.9	15.8	33.0	41.9	21.7	38.9	65.8			
Volume/Cap:	0.46	0.39	0.35	0.74	0.89	0.09	0.68	0.76	1.69	0.84	0.46	0.46			
Uniform Del:	88.2	35.1	22.9	78.2	38.6	14.1	84.6	74.8	74.1	82.4	66.3	48.2			
IncremntDel:	2.3	0.1	0.2	6.6	3.7	0.0	7.0	5.2	321.4	15.6	0.3	0.3			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.03	1.54	1.85	1.11	1.79	2.11	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	93.4	54.1	42.5	93.4	72.8	29.8	91.7	80.0	395.4	98.0	66.7	48.6			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	93.4	54.1	42.5	93.4	72.8	29.8	91.7	80.0	395.4	98.0	66.7	48.6			
LOS by Move:	F	D-	D	F	E	C	F	E-	F	F	E	D			
HCM2kAvgQ:	2	16	18	13	53	4	6	14	75	11	9	13			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #51: Lawrence Expwy & Kifer Rd



Street Name: Lawrence Expwy Kifer Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	9		85	85		27	103	103	16	33	33	22	39	39	
Y+R:	5.9		6.2	6.2		6.1	6.2	6.2	5.8	5.5	5.5	5.9	5.5	5.5	
Volume Module: >> Count Date: 7 Mar 2018 << 4:15 PM - 5:15 PM															
Base Vol:	363	0	744	601	0	473	291	503	728	301	389	277			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	363	0	744	601	0	473	291	503	728	301	389	277			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	363	0	744	601	0	473	291	503	728	301	389	277			
User Adj:	1.00	0.80	1.00	1.00	0.79	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	363	0	744	601	0	473	291	503	728	301	389	277			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	363	0	744	601	0	473	291	503	728	301	389	277			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	363	0	744	601	0	473	291	503	728	301	389	277			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92	0.83	0.99	0.95			
Lanes:	2.00	3.00	1.00	2.00	3.00	1.00	2.00	2.00	1.00	2.00	1.15	0.85			
Final Sat.:	3150	5700	1750	3150	5700	1750	3150	3800	1750	3150	2160	1538			
Capacity Analysis Module:															
Vol/Sat:	0.12	0.00	0.43	0.19	0.00	0.27	0.09	0.13	0.42	0.10	0.18	0.18			
Crit Moves:	****		****				****		****						
Green Time:	8.9	84.9	30.6	26.9	103	118.7	15.8	33.0	41.9	21.7	38.9	65.8			
Volume/Cap:	2.46	0.00	2.64	1.35	0.00	0.43	1.11	0.76	1.89	0.84	0.88	0.52			
Uniform Del:	90.6	0.0	79.7	81.5	0.0	18.3	87.1	74.8	74.1	82.4	73.3	49.5			
IncremntDel:678.0	0.0	748.4	170.7	0.0	0.3	88.5	5.2	408.7	15.6	11.6	0.4				
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.03	0.00	1.13	1.11	0.00	2.11	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	771.5	0.0	838.3	261.2	0.0	38.9	175.5	80.0	482.7	98.0	84.9	49.9			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	771.5	0.0	838.3	261.2	0.0	38.9	175.5	80.0	482.7	98.0	84.9	49.9			
LOS by Move:	F	A	F	F	A	D+	F	E-	F	F	F	D			
HCM2kAvgQ:	28	0	106	34	0	24	13	14	89	10	19	15			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #51: Lawrence Expwy & Kifer Rd



Street Name: Lawrence Expwy Kifer Rd																								
Approach:	North Bound			South Bound			East Bound			West Bound														
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
Min. Green:	9		85		85		27		103		103		16		33		33		22		39		39	
Y+R:	5.9		6.2		6.2		6.1		6.2		6.2		5.8		5.5		5.5		5.9		5.5		5.5	
Volume Module: >> Count Date: 7 Mar 2018 << 4:15 PM - 5:15 PM																								
Base Vol:	378	0	754	578	0	464	281	503	716	301	401	277												
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Initial Bse:	378	0	754	578	0	464	281	503	716	301	401	277												
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0												
Initial Fut:	378	0	754	578	0	464	281	503	716	301	401	277												
User Adj:	1.00	0.80	1.00	1.00	0.79	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Volume:	378	0	754	578	0	464	281	503	716	301	401	277												
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
Reduced Vol:	378	0	754	578	0	464	281	503	716	301	401	277												
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
FinalVolume:	378	0	754	578	0	464	281	503	716	301	401	277												
Saturation Flow Module:																								
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900												
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	1.00	0.92	0.83	0.99	0.95												
Lanes:	2.00	3.00	1.00	2.00	3.00	1.00	2.00	2.00	1.00	2.00	1.16	0.84												
Final Sat.:	3150	5700	1750	3150	5700	1750	3150	3800	1750	3150	2187	1511												
Capacity Analysis Module:																								
Vol/Sat:	0.12	0.00	0.43	0.18	0.00	0.27	0.09	0.13	0.41	0.10	0.18	0.18												
Crit Moves:																								
Green Time:	8.9	84.9	30.6	26.9	103	118.7	15.8	33.0	41.9	21.7	38.9	65.8												
Volume/Cap:	2.56	0.00	2.68	1.30	0.00	0.42	1.07	0.76	1.86	0.84	0.90	0.53												
Uniform Del:	90.6	0.0	79.7	81.5	0.0	18.2	87.1	74.8	74.1	82.4	73.6	49.7												
IncremntDel:	723.3	0.0	764.3	148.9	0.0	0.3	76.1	5.2	394.8	15.6	13.3	0.4												
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0												
Delay Adj:	1.03	0.00	1.13	1.11	0.00	2.11	1.00	1.00	1.00	1.00	1.00	1.00												
Delay/Veh:	816.8	0.0	854.2	239.4	0.0	38.7	163.2	80.0	468.9	98.0	86.8	50.1												
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
AdjDel/Veh:	816.8	0.0	854.2	239.4	0.0	38.7	163.2	80.0	468.9	98.0	86.8	50.1												
LOS by Move:	F	A	F	F	A	D+	F	E-	F	F	F	D												
HCM2kAvgQ:	30	0	108	32	0	24	12	14	87	10	19	15												
Note: Queue reported is the number of cars per lane.																								

**Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM**


Intersection #53: Lawrence Expwy & Cabrillo Ave



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

Intersection #53: Lawrence Expwy & Cabrillo Ave




Street Name: Lawrence Expwy Cabrillo Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	14	107	107	18	111	111	12	30	30	13	31	31			
Y+R:	5.1	6.2	6.2	4.9	6.2	6.2	5.9	5.8	5.8	5.4	5.8	5.8			
Volume Module: >> Count Date: 7 Mar 2018 << 5:00 PM - 6:00 PM															
Base Vol:	223	2976	183	255	5241	152	86	90	247	98	127	62			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	223	2976	183	255	5241	152	86	90	247	98	127	62			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	223	2976	183	255	5241	152	86	90	247	98	127	62			
User Adj:	1.00	0.80	1.00	1.00	0.79	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	223	2381	183	255	4140	152	86	90	247	98	127	62			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	223	2381	183	255	4140	152	86	90	247	98	127	62			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	223	2381	183	255	4140	152	86	90	247	98	127	62			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	1.00	0.92	0.92	1.00	0.92	0.83	0.96	0.96	0.92	0.97	0.97			
Lanes:	1.00	3.00	1.00	1.00	3.00	1.00	2.00	0.27	0.73	1.00	0.67	0.33			
Final Sat.:	1750	5700	1750	1750	5700	1750	3150	486	1333	1750	1236	604			
Capacity Analysis Module:															
Vol/Sat:	0.13	0.42	0.10	0.15	0.73	0.09	0.03	0.19	0.19	0.06	0.10	0.10			
Crit Moves:	****		****		****		****		****		****				
Green Time:	13.8	107	120.4	17.9	111	122.7	11.8	29.6	43.4	13.5	30.8	48.7			
Volume/Cap:	1.76	0.74	0.17	1.55	1.24	0.13	0.44	1.19	0.81	0.79	0.63	0.40			
Uniform Del:	88.1	31.2	14.2	86.1	39.5	13.1	85.9	80.2	69.4	86.8	74.3	58.6			
IncremntDel:370.1	1.0	0.1	273.8	113	0.1	1.6	115	11.5	27.6	4.4	0.6				
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	0.66	0.49	1.00	1.36	1.50	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	458.2	21.5	7.0	359.9	167	19.6	87.5	195	80.9	114.4	78.7	59.1			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	458.2	21.5	7.0	359.9	167	19.6	87.5	195	80.9	114.4	78.7	59.1			
LOS by Move:	F	C+	A	F	F	B-	F	F	F	F	E-	E+			
HCM2kAvgQ:	26	25	2	28	112	5	3	30	21	8	11	9			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

Intersection #53: Lawrence Expwy & Cabrillo Ave




Street Name: Lawrence Expwy Cabrillo Ave																		
Approach:	North Bound			South Bound			East Bound			West Bound								
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R			
Min. Green:	14		107	107		18	111		111	12		30	30		13	31		31
Y+R:	5.1		6.2	6.2		4.9	6.2		6.2	5.9		5.8	5.8		5.4	5.8		5.8
Volume Module: >> Count Date: 7 Mar 2018 << 5:00 PM - 6:00 PM																		
Base Vol: 199 3004 183 240 5280 152 105 100 218 96 152 62																		
Growth Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																		
Initial Bse: 199 3004 183 240 5280 152 105 100 218 96 152 62																		
Added Vol: 0 0 0 0 0 0 0 0 0 0 0 0																		
PasserByVol: 0 0 0 0 0 0 0 0 0 0 0 0																		
Initial Fut: 199 3004 183 240 5280 152 105 100 218 96 152 62																		
User Adj: 1.00 0.80 1.00 1.00 0.79 1.00 1.00 1.00 1.00 1.00 1.00 1.00																		
PHF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																		
PHF Volume: 199 2403 183 240 4171 152 105 100 218 96 152 62																		
Reduc Vol: 0 0 0 0 0 0 0 0 0 0 0 0																		
Reduced Vol: 199 2403 183 240 4171 152 105 100 218 96 152 62																		
PCE Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																		
MLF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																		
FinalVolume: 199 2403 183 240 4171 152 105 100 218 96 152 62																		
Saturation Flow Module:																		
Sat/Lane: 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900																		
Adjustment: 0.92 1.00 0.92 0.92 1.00 0.92 0.83 0.96 0.96 0.92 0.97 0.97																		
Lanes: 1.00 3.00 1.00 1.00 3.00 1.00 2.00 0.31 0.69 1.00 0.71 0.29																		
Final Sat.: 1750 5700 1750 5700 1750 3150 572 1246 1750 1307 533																		
Capacity Analysis Module:																		
Vol/Sat: 0.11 0.42 0.10 0.14 0.73 0.09 0.03 0.17 0.17 0.05 0.12 0.12																		
Crit Moves: **** * **** * **** * **** * **** * **** *																		
Green Time: 13.8 107 120.4 17.9 111 122.7 11.8 29.6 43.4 13.5 30.8 48.7																		
Volume/Cap: 1.57 0.75 0.17 1.46 1.25 0.13 0.54 1.12 0.77 0.77 0.72 0.45																		
Uniform Del: 88.1 31.4 14.2 86.1 39.5 13.1 86.4 80.2 68.5 86.7 75.5 59.5																		
IncremntDel: 289.4 1.0 0.1 235.5 117 0.1 2.9 90.6 8.3 25.1 8.1 0.7																		
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																		
Delay Adj: 1.00 0.66 0.49 1.00 1.36 1.50 1.00 1.00 1.00 1.00 1.00 1.00																		
Delay/Veh: 377.5 21.7 7.0 321.6 171 19.6 89.4 171 76.9 111.9 83.6 60.2																		
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																		
AdjDel/Veh: 377.5 21.7 7.0 321.6 171 19.6 89.4 171 76.9 111.9 83.6 60.2																		
LOS by Move: F C+ A F F B- F F E- F F E																		
HCM2kAvgQ: 21 25 2 25 114 5 4 27 19 8 13 11																		
Note: Queue reported is the number of cars per lane.																		

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

---


### Intersection #54: Lawrence Expwy & Benton St



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

Intersection #54: Lawrence Expwy & Benton St




Street Name: Lawrence Expwy Benton St																								
Approach:	North Bound			South Bound			East Bound			West Bound														
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
Min. Green:	20		83		83		41		104		104		14		28		28		16		30		30	
Y+R:	5.2		6.2		6.2		5.3		6.2		6.2		5.1		5.7		5.7		5.3		5.7		5.7	
Volume Module: >> Count Date: 14 Nov 2017 << 4:30 PM - 5:30 PM																								
Base Vol:	212	3104	354	819	4129	89	75	234	61	714	128	166												
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Initial Bse:	212	3104	354	819	4129	89	75	234	61	714	128	166												
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0												
Initial Fut:	212	3104	354	819	4129	89	75	234	61	714	128	166												
User Adj:	1.00	0.80	1.00	1.00	0.79	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Volume:	212	2483	354	819	3262	89	75	234	61	714	128	166												
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
Reduced Vol:	212	2483	354	819	3262	89	75	234	61	714	128	166												
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
FinalVolume:	212	2483	354	819	3262	89	75	234	61	714	128	166												
Saturation Flow Module:																								
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900												
Adjustment:	0.92	1.00	0.92	0.83	1.00	0.92	0.83	0.98	0.95	0.92	1.00	0.92												
Lanes:	1.00	3.00	1.00	2.00	3.00	1.00	2.00	1.58	0.42	1.00	1.00	1.00												
Final Sat.:	1750	5700	1750	3150	5700	1750	3150	2934	765	1750	1900	1750												
Capacity Analysis Module:																								
Vol/Sat:	0.12	0.44	0.20	0.26	0.57	0.05	0.02	0.08	0.08	0.41	0.07	0.09												
Crit Moves:	****		****		****		****		****		****		****		****		****		****		****		****	
Green Time:	19.8	82.5	98.8	41.4	104	118.3	14.0	27.4	47.2	16.3	29.9	71.3												
Volume/Cap:	1.16	1.00	0.39	1.19	1.04	0.08	0.32	0.55	0.32	4.76	0.43	0.25												
Uniform Del:	85.1	53.8	27.4	74.3	42.9	14.3	83.5	75.6	58.3	86.8	72.3	41.0												
IncremntDel:	117.2	18.9	0.3	100.9	28.6	0.0	0.8	1.3	0.2	1705	0.4	0.1												
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0												
Delay Adj:	1.00	0.86	0.73	1.00	0.68	0.52	1.00	1.00	1.00	1.00	1.00	1.00												
Delay/Veh:	202.3	64.9	20.4	175.2	57.9	7.4	84.3	76.9	58.5	1792	72.8	41.1												
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
AdjDel/Veh:	202.3	64.9	20.4	175.2	57.9	7.4	84.3	76.9	58.5	1792	72.8	41.1												
LOS by Move:	F	E	C+	F	E+	A	F	E-	E+	F	E	D												
HCM2kAvgQ:	17	51	9	37	67	1	3	9	7	119	7	7												

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #54: Lawrence Expwy & Benton St



Note: Queue reported is the number of cars per lane.

**Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM**


Intersection #56: Lawrence Expwy & Pruneridge Ave



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

## Intersection #56: Lawrence Expwy & Pruneridge Ave




---

Traffic 8.0.0715 Copyright (c) 2008 Dowling Associates

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #56: Lawrence Expwy & Pruneridge Ave



Street Name: Lawrence Expwy Pruneridge Ave																								
Approach:	North Bound			South Bound			East Bound			West Bound														
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
Min. Green:	13		82		82		37		106		106		15		30		30		18		33		33	
Y+R:	6.1		6.2		6.2		6.1		6.2		6.2		5.7		5.9		5.9		5.8		5.9		5.9	
Volume Module: >> Count Date: 14 Nov 2017 << 4:30 PM - 5:30 PM																								
Base Vol:	385	2707	281	554	4298	578	481	485	276	209	589	387												
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Initial Bse:	385	2707	281	554	4298	578	481	485	276	209	589	387												
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0												
Initial Fut:	385	2707	281	554	4298	578	481	485	276	209	589	387												
User Adj:	1.00	0.80	1.00	1.00	0.79	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Volume:	385	2166	281	554	3395	578	481	485	276	209	589	387												
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
Reduced Vol:	385	2166	281	554	3395	578	481	485	276	209	589	387												
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
FinalVolume:	385	2166	281	554	3395	578	481	485	276	209	589	387												
Saturation Flow Module:																								
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900												
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.83	0.99	0.95	0.83	0.99	0.95												
Lanes:	2.00	3.00	1.00	2.00	3.00	1.00	2.00	1.25	0.75	2.00	1.19	0.81												
Final Sat.:	3150	5700	1750	3150	5700	1750	3150	2351	1338	3150	2232	1466												
Capacity Analysis Module:																								
Vol/Sat:	0.12	0.38	0.16	0.18	0.60	0.33	0.15	0.21	0.21	0.07	0.26	0.26												
Crit Moves:	****			****		****	****			****		****												
Green Time:	13.0	81.5	99.8	37.1	106	120.8	15.2	29.6	42.6	18.3	32.8	69.9												
Volume/Cap:	1.79	0.89	0.31	0.91	1.08	0.52	1.92	1.33	0.92	0.69	1.54	0.72												
Uniform Del:	89.0	50.6	25.9	75.2	42.7	19.3	87.9	80.7	72.6	83.6	79.1	52.2												
IncremntDel:375.7	4.5	0.2	17.1	41.5	0.5	427.7	161	16.0	6.8	250	1.9													
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0												
Delay Adj:	1.00	0.86	0.73	1.00	0.68	0.49	1.00	1.00	1.00	1.00	1.00	1.00												
Delay/Veh:	464.7	48.3	19.1	92.3	70.4	9.9	515.6	241	88.6	90.4	329	54.1												
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
AdjDel/Veh:	464.7	48.3	19.1	92.3	70.4	9.9	515.6	241	88.6	90.4	329	54.1												
LOS by Move:	F	D	B-	F	E	A	F	F	F	F	F	D-												
HCM2kAvgQ:	27	39	7	18	71	9	35	36	26	8	51	25												
Note: Queue reported is the number of cars per lane.																								

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


## Intersection #1214: LAWRENCE RAMPS / EL CAMINO REAL



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


## Intersection #1214: LAWRENCE RAMPS / EL CAMINO REAL



Note: Queue reported is the number of cars per lane.


Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

## Intersection #1214: LAWRENCE RAMPS / EL CAMINO REAL



Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

Intersection #1402: Sunnyvale-Saratoga Rd / Remington Dr




Street Name: Sunnyvale-Saratoga Road												Remington Drive												
Approach: North Bound				South Bound				East Bound				West Bound												
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	7	10	10								
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0							
Volume Module: >> Count Date: 30 Oct 2018 << 5:15 - 6:15 PM																								
Base Vol:	162	942	336	141	1906	134	162	401	138	372	274	40												
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Initial Bse:	162	942	336	141	1906	134	162	401	138	372	274	40												
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0												
Initial Fut:	162	942	336	141	1906	134	162	401	138	372	274	40												
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Volume:	162	942	336	141	1906	134	162	401	138	372	274	40												
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
Reduced Vol:	162	942	336	141	1906	134	162	401	138	372	274	40												
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
FinalVolume:	162	942	336	141	1906	134	162	401	138	372	274	40												
Saturation Flow Module:																								
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900												
Adjustment:	0.83	0.99	0.95	0.83	0.98	0.95	0.92	0.98	0.95	0.83	1.00	0.92												
Lanes:	2.00	2.18	0.82	2.00	2.80	0.20	1.00	1.47	0.53	2.00	1.00	1.00												
Final Sat.:	3150	4126	1472	3150	5232	368	1750	2752	947	3150	1900	1750												
Capacity Analysis Module:																								
Vol/Sat:	0.05	0.23	0.23	0.04	0.36	0.36	0.09	0.15	0.15	0.12	0.14	0.02												
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****												
Green Time:	11.2	75.7	75.7	14.8	79.3	79.3	22.5	31.7	31.7	25.7	35.0	49.8												
Volume/Cap:	0.73	0.48	0.48	0.48	0.73	0.73	0.66	0.73	0.73	0.73	0.66	0.07												
Uniform Del:	72.9	28.8	28.8	68.9	32.0	32.0	65.1	60.2	60.2	63.9	57.1	38.8												
IncremntDel:	12.1	0.1	0.1	1.3	1.0	1.0	6.5	3.9	3.9	5.5	3.9	0.1												
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0												
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Delay/Veh:	85.0	28.9	28.9	70.2	33.0	33.0	71.6	64.1	64.1	69.4	60.9	38.9												
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
AdjDel/Veh:	85.0	28.9	28.9	70.2	33.0	33.0	71.6	64.1	64.1	69.4	60.9	38.9												
LOS by Move:	F	C	C	E	C-	C-	E	E	E	E	E	D+												
HCM2kAvgQ:	5	14	14	4	26	26	9	14	14	10	12	1												

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #1402: Sunnyvale-Saratoga Rd / Remington Dr



Street Name: Sunnyvale-Saratoga Road												Remington Drive												
Approach: North Bound				South Bound				East Bound				West Bound												
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	7	10	10								
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0							
Volume Module: >> Count Date: 30 Oct 2018 << 5:15 - 6:15 PM																								
Base Vol:	355	1275	412	279	2198	344	306	774	308	372	691	113												
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Initial Bse:	355	1275	412	279	2198	344	306	774	308	372	691	113												
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0												
Initial Fut:	355	1275	412	279	2198	344	306	774	308	372	691	113												
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Volume:	355	1275	412	279	2198	344	306	774	308	372	691	113												
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
Reduced Vol:	355	1275	412	279	2198	344	306	774	308	372	691	113												
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
FinalVolume:	355	1275	412	279	2198	344	306	774	308	372	691	113												
Saturation Flow Module:																								
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900												
Adjustment:	0.83	0.99	0.95	0.83	0.99	0.95	0.92	0.98	0.95	0.83	1.00	0.92												
Lanes:	2.00	2.24	0.76	2.00	2.58	0.42	1.00	1.42	0.58	2.00	1.00	1.00												
Final Sat.:	3150	4231	1367	3150	4841	758	1750	2646	1053	3150	1900	1750												
Capacity Analysis Module:																								
Vol/Sat:	0.11	0.30	0.30	0.09	0.45	0.45	0.17	0.29	0.29	0.12	0.36	0.06												
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****												
Green Time:	15.1	58.7	58.7	17.2	60.8	60.8	23.4	51.4	51.4	20.7	48.7	65.9												
Volume/Cap:	1.19	0.82	0.82	0.82	1.19	1.19	1.19	0.91	0.91	0.91	1.19	0.16												
Uniform Del:	72.5	45.9	45.9	69.9	49.6	49.6	68.3	52.1	52.1	68.7	55.7	29.6												
IncremntDel:	115.8	2.8	2.8	14.8	92.6	92.6	119.4	10.5	10.5	24.2	104	0.1												
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0												
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Delay/Veh:	188.3	48.8	48.8	84.7	142	142.2	187.7	62.7	62.7	92.9	159	29.7												
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
AdjDel/Veh:	188.3	48.8	48.8	84.7	142	142.2	187.7	62.7	62.7	92.9	159	29.7												
LOS by Move:	F	D	D	F	F	F	F	E	E	F	F	C												
HCM2kAvgQ:	15	25	25	8	59	59	25	29	29	10	45	3												
Note: Queue reported is the number of cars per lane.																								

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #1402: Sunnyvale-Saratoga Rd / Remington Dr



Street Name: Sunnyvale-Saratoga Road												Remington Drive												
Approach: North Bound				South Bound				East Bound				West Bound												
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	7	10	10								
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0							
Volume Module: >> Count Date: 30 Oct 2018 << 5:15 - 6:15 PM																								
Base Vol:	333	1372	393	287	2175	373	313	804	312	372	674	133												
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Initial Bse:	333	1372	393	287	2175	373	313	804	312	372	674	133												
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0												
Initial Fut:	333	1372	393	287	2175	373	313	804	312	372	674	133												
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
PHF Volume:	333	1372	393	287	2175	373	313	804	312	372	674	133												
Reduced Vol:	0	0	0	0	0	0	0	0	0	0	0	0												
Reduced Vol:	333	1372	393	287	2175	373	313	804	312	372	674	133												
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Final Volume:	333	1372	393	287	2175	373	313	804	312	372	674	133												
Saturation Flow Module:																								
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900												
Adjustment:	0.83	0.99	0.95	0.83	0.99	0.95	0.92	0.98	0.95	0.83	1.00	0.92												
Lanes:	2.00	2.31	0.69	2.00	2.54	0.46	1.00	1.43	0.57	2.00	1.00	1.00												
Final Sat.:	3150	4351	1246	3150	4779	820	1750	2665	1034	3150	1900	1750												
Capacity Analysis Module:																								
Vol/Sat:	0.11	0.32	0.32	0.09	0.46	0.46	0.18	0.30	0.30	0.12	0.35	0.08												
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****												
Green Time:	14.3	58.8	58.8	17.0	61.5	61.5	24.2	51.9	51.9	20.3	48.0	65.0												
Volume/Cap:	1.18	0.86	0.86	0.86	1.18	1.18	1.18	0.93	0.93	0.93	1.18	0.19												
Uniform Del:	72.9	46.7	46.7	70.3	49.2	49.2	67.9	52.3	52.3	69.2	56.0	30.5												
IncremntDel:	112.6	3.8	3.8	19.2	87.5	87.5	114.2	12.7	12.7	28.3	99.3	0.1												
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0												
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
Delay/Veh:	185.5	50.5	50.5	89.5	137	136.7	182.1	65.1	65.1	97.4	155	30.7												
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
AdjDel/Veh:	185.5	50.5	50.5	89.5	137	136.7	182.1	65.1	65.1	97.4	155	30.7												
LOS by Move:	F	D	D	F	F	F	F	E	E	F	F	C												
HCM2kAvgQ:	14	26	26	9	58	58	26	31	31	10	43	4												
Note: Queue reported is the number of cars per lane.																								

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM


Intersection #1404: El Camino Real (SR 82) / Fair Oaks Ave



Street Name: Fair Oaks Avenue El Camino Real																						
Approach:	North Bound			South Bound			East Bound			West Bound												
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R							
Min. Green:	7		10	10		7	10		10	7		10	10									
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0									
Volume Module: >> Count Date: 30 Oct 2018 << 5:15 - 6:15 PM																						
Base Vol:	119		554	258		161	736		145	237		1515	189		181	773		173				
Growth Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
Initial Bse:	119		554	258		161	736		145	237		1515	189		181	773		173				
Added Vol:	0		0	0		0	0		0	0		0	0		0	0		0				
PasserByVol:	0		0	0		0	0		0	0		0	0		0	0		0				
Initial Fut:	119		554	258		161	736		145	237		1515	189		181	773		173				
User Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
PHF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
PHF Volume:	119		554	258		161	736		145	237		1515	189		181	773		173				
Reduc Vol:	0		0	0		0	0		0	0		0	0		0	0		0				
Reduced Vol:	119		554	258		161	736		145	237		1515	189		181	773		173				
PCE Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
MLF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
FinalVolume:	119		554	258		161	736		145	237		1515	189		181	773		173				
Saturation Flow Module:																						
Sat/Lane:	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900				
Adjustment:	0.92		0.99	0.95		0.92	0.98		0.95	0.92		0.99	0.95		0.92	1.00		0.92				
Lanes:	1.00		1.35	0.65		1.00	1.66		0.34	1.00		2.65	0.35		1.00	3.00		1.00				
Final Sat.:	1750		2524	1175		1750	3091		609	1750		4978	621		1750	5700		1750				
Capacity Analysis Module:																						
Vol/Sat:	0.07		0.22	0.22		0.09	0.24		0.24	0.14		0.30	0.30		0.10	0.14		0.10				
Crit Moves:	****		****	****		****	****		****	****		****	****		****	****		****				
Green Time:	10.4		33.0	33.0		13.8	36.4		36.4	30.6		45.7	45.7		15.5	30.6		44.4				
Volume/Cap:	0.79		0.80	0.80		0.79	0.79		0.53	0.80		0.80	0.80		0.53	0.27		0.27				
Uniform Del:	53.7		40.4	40.4		51.7	38.2		38.2	38.5		33.1	33.1		50.7	38.5		26.4				
IncremntDel:	23.1		4.6	4.6		19.8	3.7		3.7	1.2		2.2	2.2		17.9	0.4		0.2				
InitQueueDel:	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0				
Delay Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
Delay/Veh:	76.8		45.0	45.0		71.5	42.0		42.0	39.8		35.3	35.3		68.6	38.9		26.6				
User DelAdj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
AdjDel/Veh:	76.8		45.0	45.0		71.5	42.0		42.0	39.8		35.3	35.3		68.6	38.9		26.6				
LOS by Move:	E-		D	D		E	D		D	D		D+	D+		E	D+		C				
HCM2kAvgQ:	5		15	15		7	15		15	8		19	19		8	8		5				
Note: Queue reported is the number of cars per lane.																						

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #1404: El Camino Real (SR 82) / Fair Oaks Ave



Street Name: Fair Oaks Avenue El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 7		10 7		10 7		10 7		10 7		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 30 Oct 2018 << 5:15 - 6:15 PM															
Base Vol:	345	751	456	232	736	479	479	2081	351	437	1709	315			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	345	751	456	232	736	479	479	2081	351	437	1709	315			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	345	751	456	232	736	479	479	2081	351	437	1709	315			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	345	751	456	232	736	479	479	2081	351	437	1709	315			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	345	751	456	232	736	479	479	2081	351	437	1709	315			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	345	751	456	232	736	479	479	2081	351	437	1709	315			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.99	0.95	0.92	0.99	0.95	0.92	0.99	0.95	0.92	1.00	0.92			
Lanes:	1.00	1.22	0.78	1.00	1.19	0.81	1.00	2.55	0.45	1.00	3.00	1.00			
Final Sat.:	1750	2301	1397	1750	2240	1458	1750	4791	808	1750	5700	1750			
Capacity Analysis Module:															
Vol/Sat:	0.20	0.33	0.33	0.13	0.33	0.33	0.27	0.43	0.43	0.25	0.30	0.18			
Crit Moves:	****			****			****			****					
Green Time:	17.6	33.4	33.4	13.6	29.3	29.3	29.1	38.8	38.8	22.3	31.9	45.5			
Volume/Cap:	1.34	1.17	1.17	1.17	1.34	1.34	1.13	1.34	1.34	1.34	1.13	0.47			
Uniform Del:	51.2	43.3	43.3	53.2	45.3	45.3	45.4	40.6	40.6	48.9	44.0	28.2			
IncremntDel:	178.6	88.5	88.5	118.6	162	162.3	83.0	159	158.7	174.1	66.2	0.5			
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	229.8	132	131.8	171.8	208	207.6	128.4	199	199.3	223.0	110	28.8			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	229.8	132	131.8	171.8	208	207.6	128.4	199	199.3	223.0	110	28.8			
LOS by Move:	F	F	F	F	F	F	F	F	F	F	F	C			
HCM2kAvgQ:	25	34	34	14	42	42	25	54	54	31	27	9			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM


Intersection #1404: El Camino Real (SR 82) / Fair Oaks Ave



Street Name: Fair Oaks Avenue El Camino Real															
Approach: North Bound			South Bound			East Bound			West Bound						
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----															
Min. Green:	7	10	10	7	10	10	7	10	10	7	10	10	7	10	10
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----															
Volume Module: >> Count Date: 30 Oct 2018 << 5:15 - 6:15 PM															
Base Vol:	371	716	494	274	736	498	512	2054	377	478	1757	319			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	371	716	494	274	736	498	512	2054	377	478	1757	319			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	371	716	494	274	736	498	512	2054	377	478	1757	319			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	371	716	494	274	736	498	512	2054	377	478	1757	319			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	371	716	494	274	736	498	512	2054	377	478	1757	319			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	371	716	494	274	736	498	512	2054	377	478	1757	319			
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----															
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.99	0.95	0.92	0.99	0.95	0.92	0.99	0.95	0.92	1.00	0.92			
Lanes:	1.00	1.16	0.84	1.00	1.17	0.83	1.00	2.52	0.48	1.00	3.00	1.00			
Final Sat.:	1750	2188	1510	1750	2206	1492	1750	4730	868	1750	5700	1750			
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----															
Capacity Analysis Module:															
Vol/Sat:	0.21	0.33	0.33	0.16	0.33	0.33	0.29	0.43	0.43	0.27	0.31	0.18			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	18.3	31.8	31.8	15.2	28.8	28.8	29.7	37.4	37.4	23.5	31.3	46.5			
Volume/Cap:	1.39	1.23	1.23	1.23	1.39	1.39	1.18	1.39	1.39	1.39	1.18	0.47			
Uniform Del:	50.9	44.1	44.1	52.4	45.6	45.6	45.2	41.3	41.3	48.2	44.4	27.5			
IncremntDel:	197.9	114	114.3	138.1	183	183.5	103.5	180	180.1	193.5	89.4	0.5			
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	248.8	158	158.4	190.4	229	229.1	148.7	221	221.4	241.7	134	28.0			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	248.8	158	158.4	190.4	229	229.1	148.7	221	221.4	241.7	134	28.0			
LOS by Move:	F	F	F	F	F	F	F	F	F	F	F	C			
HCM2kAvgQ:	28	37	37	18	44	44	30	57	57	36	31	9			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

Intersection #1405: El Camino Real (SR 82) / Wolfe Rd




Street Name: Wolfe Road El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 30 Oct 2018 << 5:30 - 6:30 PM															
Base Vol:	331	632	241	166	847	65	79	1287	483	415	653	128			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	331	632	241	166	847	65	79	1287	483	415	653	128			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	331	632	241	166	847	65	79	1287	483	415	653	128			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	331	632	241	166	847	65	79	1287	483	415	653	128			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	331	632	241	166	847	65	79	1287	483	415	653	128			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	331	632	241	166	847	65	79	1287	483	415	653	128			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.83	1.00	0.92	0.92	1.00	0.92	0.92	1.00	0.92	0.83	1.00	0.92			
Lanes:	2.00	2.00	1.00	1.00	3.00	1.00	1.00	3.00	1.00	2.00	3.00	1.00			
Final Sat.:	3150	3800	1750	1750	5700	1750	1750	5700	1750	3150	5700	1750			
Capacity Analysis Module:															
Vol/Sat:	0.11	0.17	0.14	0.09	0.15	0.04	0.05	0.23	0.28	0.13	0.11	0.07			
Crit Moves:	****			****			****			****					
Green Time:	23.7	36.5	36.5	20.8	33.6	56.9	23.4	51.0	74.7	29.7	57.4	78.2			
Volume/Cap:	0.66	0.68	0.57	0.68	0.66	0.10	0.29	0.66	0.55	0.66	0.30	0.14			
Uniform Del:	59.4	51.5	49.8	61.5	53.1	30.0	56.0	42.2	26.1	55.5	32.3	18.6			
IncremntDel:	3.4	2.1	1.8	7.8	1.3	0.1	0.6	0.9	0.8	2.7	0.1	0.1			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	62.8	53.7	51.6	69.3	54.4	30.1	56.6	43.1	26.9	58.2	32.4	18.6			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	62.8	53.7	51.6	69.3	54.4	30.1	56.6	43.1	26.9	58.2	32.4	18.6			
LOS by Move:	E	D-	D-	E	D-	C	E+	D	C	E+	C-	B-			
HCM2kAvgQ:	9	13	10	8	12	2	3	16	16	11	7	3			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM


Intersection #1405: El Camino Real (SR 82) / Wolfe Rd



Street Name: Wolfe Road El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10		
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		
Volume Module: >> Count Date: 30 Oct 2018 << 5:30 - 6:30 PM															
Base Vol:	660	907	297	303	1729	349	264	1783	649	415	1579	255			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	660	907	297	303	1729	349	264	1783	649	415	1579	255			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	660	907	297	303	1729	349	264	1783	649	415	1579	255			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	660	907	297	303	1729	349	264	1783	649	415	1579	255			
Reducet Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	660	907	297	303	1729	349	264	1783	649	415	1579	255			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	660	907	297	303	1729	349	264	1783	649	415	1579	255			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	1.00	0.92	0.92	1.00	0.92	0.92	1.00	0.92	0.83	1.00	0.92			
Lanes:	2.00	2.00	1.00	1.00	3.00	1.00	1.00	3.00	1.00	2.00	3.00	1.00			
Final Sat.:	3150	3800	1750	1750	5700	1750	1750	5700	1750	3150	5700	1750			
Capacity Analysis Module:															
Vol/Sat:	0.21	0.24	0.17	0.17	0.30	0.20	0.15	0.31	0.37	0.13	0.28	0.15			
Crit Moves:	****		****		****		****		****	****					
Green Time:	30.2	42.8	42.8	31.1	43.7	66.3	22.6	45.1	75.3	19.0	41.5	72.6			
Volume/Cap:	1.04	0.84	0.59	0.84	1.04	0.45	1.00	1.04	0.74	1.04	1.00	0.30			
Uniform Del:	59.9	50.3	46.1	57.0	53.1	29.2	63.7	52.5	29.6	65.5	54.3	23.4			
IncremntDel:	46.7	5.8	1.9	15.4	33.5	0.4	55.8	33.1	3.4	56.0	23.1	0.2			
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	106.6	56.0	48.0	72.4	86.6	29.6	119.6	85.6	32.9	121.5	77.3	23.6			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	106.6	56.0	48.0	72.4	86.6	29.6	119.6	85.6	32.9	121.5	77.3	23.6			
LOS by Move:	F	E+	D	E	F	C	F	F	C-	F	E-	C			
HCM2kAvgQ:	23	20	12	14	29	11	13	29	23	17	30	7			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

Intersection #1405: El Camino Real (SR 82) / Wolfe Rd




Street Name: Wolfe Road El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	10	7	10	10	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >> Count Date: 30 Oct 2018 << 5:30 - 6:30 PM															
Base Vol:	725	909	291	301	1759	379	275	1792	634	415	1631	261			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	725	909	291	301	1759	379	275	1792	634	415	1631	261			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	725	909	291	301	1759	379	275	1792	634	415	1631	261			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	725	909	291	301	1759	379	275	1792	634	415	1631	261			
Reducet Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	725	909	291	301	1759	379	275	1792	634	415	1631	261			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	725	909	291	301	1759	379	275	1792	634	415	1631	261			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	1.00	0.92	0.92	1.00	0.92	0.92	1.00	0.92	0.83	1.00	0.92			
Lanes:	2.00	2.00	1.00	1.00	3.00	1.00	1.00	3.00	1.00	2.00	3.00	1.00			
Final Sat.:	3150	3800	1750	1750	5700	1750	1750	5700	1750	3150	5700	1750			
Capacity Analysis Module:															
Vol/Sat:	0.23	0.24	0.17	0.17	0.31	0.22	0.16	0.31	0.36	0.13	0.29	0.15			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	32.3	44.0	44.0	31.7	43.4	65.4	22.1	43.9	76.2	18.4	40.2	71.9			
Volume/Cap:	1.07	0.81	0.57	0.81	1.07	0.50	1.07	1.07	0.71	1.07	1.07	0.31			
Uniform Del:	58.8	49.2	44.9	56.4	53.3	30.4	64.0	53.1	28.4	65.8	54.9	23.9			
IncremntDel:	53.9	4.7	1.5	13.0	42.6	0.5	75.1	45.0	2.7	67.0	43.4	0.2			
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	112.8	53.9	46.4	69.4	96.0	30.9	139.0	98.1	31.2	132.8	98.3	24.1			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	112.8	53.9	46.4	69.4	96.0	30.9	139.0	98.1	31.2	132.8	98.3	24.1			
LOS by Move:	F	D-	D	E	F	C	F	F	C	F	F	C			
HCM2kAvgQ:	26	20	12	13	30	12	15	31	22	17	33	8			

Note: Queue reported is the number of cars per lane.

**Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM**

---

**Intersection #5320: CENTRAL EXPWY/MARY AVE**




Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

---

**Intersection #5320: CENTRAL EXPWY/MARY AVE**




Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	16	37	37	29	50	50	9	52	52	43	86	86			
Y+R:	6.1	6.0	6.0	6.2	5.9	5.9	6.2	6.2	6.2	6.3	6.2	6.2			
<b>Volume Module: &gt;&gt; Count Date: 13 Dec 2018 &lt;&lt; 4:45 - 5:45 PM</b>															
Base Vol:	199	141	633	885	1153	485	221	1809	606	809	1939	417			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	199	141	633	885	1153	485	221	1809	606	809	1939	417			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	199	141	633	885	1153	485	221	1809	606	809	1939	417			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	199	141	633	885	1153	485	221	1809	606	809	1939	417			
Reducet Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	199	141	633	885	1153	485	221	1809	606	809	1939	417			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	199	141	633	885	1153	485	221	1809	606	809	1939	417			
<b>Saturation Flow Module:</b>															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.95	0.83	1.00	0.92	0.83	1.00	0.92			
Lanes:	2.00	3.00	1.00	2.00	2.08	0.92	2.00	3.00	1.00	2.00	3.00	1.00			
Final Sat.:	3150	5700	1750	3150	3940	1657	3150	5700	1750	3150	5700	1750			
<b>Capacity Analysis Module:</b>															
Vol/Sat:	0.06	0.02	0.36	0.28	0.29	0.29	0.07	0.32	0.35	0.26	0.34	0.24			
Crit Moves:	****		****		****		****		****	****		****			
Green Time:	17.8	37.0	80.0	41.0	60.2	69.2	9.0	52.0	69.8	43.0	86.0	127.0			
Volume/Cap:	0.66	0.12	0.84	1.27	0.90	0.78	1.44	1.13	0.92	1.10	0.73	0.35			
Uniform Del:	80.7	60.7	46.7	72.0	59.5	51.2	88.0	66.5	54.9	71.0	40.1	11.9			
IncremntDel:	5.2	0.0	8.1	131.6	6.5	2.0	231.8	66.7	17.9	65.8	1.1	0.2			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.05	1.12	1.02	1.20	1.61			
Delay/Veh:	85.8	60.8	54.8	203.6	66.0	53.2	319.8	137	79.2	138.5	49.2	19.4			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	85.8	60.8	54.8	203.6	66.0	53.2	319.8	137	79.2	138.5	49.2	19.4			
LOS by Move:	F	E	D-	F	E	D-	F	F	E-	F	D	B-			
HCM2kAvgQ:	7	2	35	45	33	28	14	45	39	36	32	16			

Note: Queue reported is the number of cars per lane.


Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

## Intersection #5320: CENTRAL EXPWY/MARY AVE




Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

## Intersection #5611: LAWRENCE EXPWY/ARQUES AVE




Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

## Intersection #5611: LAWRENCE EXPWY/ARQUES AVE




Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

## Intersection #5611: LAWRENCE EXPWY/ARQUES AVE




Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

## Intersection #5613: LAWRENCE EXPWY/REED AVE




Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

## Intersection #5613: LAWRENCE EXPWY/REED AVE




Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

## Intersection #5613: LAWRENCE EXPWY/REED AVE




Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Existing PM

## Intersection #5625: LAWRENCE EXPWY/HOMESTEAD RD




Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative no ECRSP PM

## Intersection #5625: LAWRENCE EXPWY/HOMESTEAD RD




Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative PM

## Intersection #5625: LAWRENCE EXPWY/HOMESTEAD RD



Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg AM

Intersection #5: Pastoria Ave & El Camino Real




Street Name: Pastoria Ave El Camino Real																
Approach:	North Bound			South Bound			East Bound			West Bound						
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	
Min. Green:	7		10		10		7		10		10		7		10	
Y+R:	4.0		4.0		4.0		4.0		4.0		4.0		4.0		4.0	
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																
Base Vol:	183	414	643	202	220	216	372	1525	70	219	1331	234				
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Initial Bse:	183	414	643	202	220	216	372	1525	70	219	1331	234				
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0				
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0				
Initial Fut:	183	414	643	202	220	216	372	1525	70	219	1331	234				
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
PHF Volume:	183	414	643	202	220	216	372	1525	70	219	1331	234				
Reducet Vol:	0	0	0	0	0	0	0	0	0	0	0	0				
Reduced Vol:	183	414	643	202	220	216	372	1525	70	219	1331	234				
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
FinalVolume:	183	414	643	202	220	216	372	1525	70	219	1331	234				
Saturation Flow Module:																
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900				
Adjustment:	0.92	1.00	0.92	0.83	1.00	0.92	0.92	0.98	0.95	0.83	0.99	0.95				
Lanes:	1.00	1.00	1.00	2.00	1.00	1.00	1.00	2.86	0.14	2.00	2.53	0.47				
Final Sat.:	1750	1900	1750	3150	1900	1750	1750	5354	246	3150	4762	837				
Capacity Analysis Module:																
Vol/Sat:	0.10	0.22	0.37	0.06	0.12	0.12	0.21	0.28	0.28	0.07	0.28	0.28				
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****				
Green Time:	28.4	50.9	50.9	8.9	31.4	60.9	29.5	54.8	54.8	13.4	38.7	38.7				
Volume/Cap:	0.52	0.60	1.01	1.01	0.52	0.28	1.01	0.73	0.73	0.73	1.01	1.01				
Uniform Del:	49.7	36.2	44.5	65.6	47.6	25.5	55.3	36.2	36.2	61.5	50.6	50.6				
IncremntDel:	1.3	0.6	30.4	66.3	1.1	0.2	49.5	1.3	1.3	8.6	25.4	25.4				
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Delay/Veh:	51.0	36.8	74.9	131.9	48.7	25.7	104.8	37.5	37.5	70.2	76.0	76.0				
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
AdjDel/Veh:	51.0	36.8	74.9	131.9	48.7	25.7	104.8	37.5	37.5	70.2	76.0	76.0				
LOS by Move:	D-	D+	E	F	D	C	F	D+	D+	E	E-	E-				
HCM2kAvgQ:	8	15	37	9	9	6	20	19	19	6	26	26				

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg PM


## Intersection #5: Pastoria Ave &amp; El Camino Real



Street Name: Pastoria Ave El Camino Real																			
Approach:	North Bound			South Bound			East Bound			West Bound									
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
Min. Green:	7		10	10		7	10		10	7		10	10						
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0						
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM																			
Base Vol:	140		251	469		386	518		387	204		2181	189		632	2080		138	
Growth Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
Initial Bse:	140		251	469		386	518		387	204		2181	189		632	2080		138	
Added Vol:	0		0	0		0	0		0	0		0	0		0	0		0	
PasserByVol:	0		0	0		0	0		0	0		0	0		0	0		0	
Initial Fut:	140		251	469		386	518		387	204		2181	189		632	2080		138	
User Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
PHF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
PHF Volume:	140		251	469		386	518		387	204		2181	189		632	2080		138	
Reduc Vol:	0		0	0		0	0		0	0		0	0		0	0		0	
Reduced Vol:	140		251	469		386	518		387	204		2181	189		632	2080		138	
PCE Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
MLF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
FinalVolume:	140		251	469		386	518		387	204		2181	189		632	2080		138	
Saturation Flow Module:																			
Sat/Lane:	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	
Adjustment:	0.92		1.00	0.92		0.83	1.00		0.92	0.99		0.95	0.83		0.98	0.95			
Lanes:	1.00		1.00	1.00		2.00	1.00		1.00	1.00		2.75	0.25		2.00	2.81		0.19	
Final Sat.:	1750		1900	1750		3150	1900		1750	1750		5153	447		3150	5251		348	
Capacity Analysis Module:																			
Vol/Sat:	0.08		0.13	0.27		0.12	0.27		0.22	0.12		0.42	0.42		0.20	0.40		0.40	
Crit Moves:	****		****	****		****	****		****	****		****	****		****	****		****	
Green Time:	12.1		36.5	36.5		16.7	41.1		60.4	19.3		57.6	57.6		27.3	65.6		65.6	
Volume/Cap:	1.00		0.54	1.10		1.10	1.00		0.55	0.91		1.10	1.10		1.10	0.91		0.91	
Uniform Del:	68.9		49.5	56.8		66.7	54.4		34.4	64.5		46.2	46.2		61.4	39.3		39.3	
IncremntDel:	74.5		0.5	66.7		78.6	38.3		0.9	35.6		53.9	53.9		68.8	5.4		5.4	
InitQueueDel:	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	
Delay Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
Delay/Veh:	143.4		50.0	123.5		145.3	92.6		35.3	100.0		100	100.1		130.2	44.7		44.7	
User DelAdj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	
AdjDel/Veh:	143.4		50.0	123.5		145.3	92.6		35.3	100.0		100	100.1		130.2	44.7		44.7	
LOS by Move:	F		D	F		F	F		D+	F		F	F		F	D		D	
HCM2kAvgQ:	11		10	33		17	29		15	10		46	46		22	32		32	
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg AM


Intersection #6: Mathilda Ave & El Camino Real



Street Name: Mathilda Ave El Camino Real																						
Approach:	North Bound			South Bound			East Bound			West Bound												
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R							
Min. Green:	7		10	10		7	10		10	7		10	10									
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0									
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																						
Base Vol:	854		2015	115		388	365		203	959		1168	328		70	981		675				
Growth Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
Initial Bse:	854		2015	115		388	365		203	959		1168	328		70	981		675				
Added Vol:	0		0	0		0	0		0	0		0	0		0	0		0				
PasserByVol:	0		0	0		0	0		0	0		0	0		0	0		0				
Initial Fut:	854		2015	115		388	365		203	959		1168	328		70	981		675				
User Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
PHF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
PHF Volume:	854		2015	115		388	365		203	959		1168	328		70	981		675				
Reduc Vol:	0		0	0		0	0		0	0		0	0		0	0		0				
Reduced Vol:	854		2015	115		388	365		203	959		1168	328		70	981		675				
PCE Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
MLF Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
FinalVolume:	854		2015	115		388	365		203	959		1168	328		70	981		675				
Saturation Flow Module:																						
Sat/Lane:	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900	1900		1900				
Adjustment:	0.83		0.98	0.95		0.83	1.00		0.92	0.80		0.99	0.95		0.92	1.00		0.92				
Lanes:	2.00		2.83	0.17		2.00	3.00		1.00	3.00		2.32	0.68		1.00	3.00		1.00				
Final Sat.:	3150		5297	302		3150	5700		1750	4551		4371	1227		1750	5700		1750				
Capacity Analysis Module:																						
Vol/Sat:	0.27		0.38	0.38		0.12	0.06		0.12	0.21		0.27	0.27		0.04	0.17		0.39				
Crit Moves:	****		****	****		****	****		****	****		****	****		****	****		****				
Green Time:	65.9		61.5	61.5		19.9	15.6		49.6	34.1		66.3	66.3		10.2	42.5		62.4				
Volume/Cap:	0.70		1.05	1.05		1.05	0.70		0.40	1.05		0.68	0.68		0.67	0.69		1.05				
Uniform Del:	43.7		54.2	54.2		75.0	74.9		48.2	68.0		43.1	43.1		78.2	57.8		53.8				
IncremntDel:	1.8		35.0	35.0		60.9	4.2		0.5	44.1		0.9	0.9		15.0	1.4		49.7				
InitQueueDel:	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		0.0				
Delay Adj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
Delay/Veh:	45.6		89.2	89.2		135.9	79.1		48.7	112.1		44.1	44.1		93.2	59.2		103.5				
User DelAdj:	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00				
AdjDel/Veh:	45.6		89.2	89.2		135.9	79.1		48.7	112.1		44.1	44.1		93.2	59.2		103.5				
LOS by Move:	D		F	F		F	E-		D	F		D	D		F	E+		F				
HCM2kAvgQ:	22		44	44		15	6		9	24		21	21		4	15		44				
Note: Queue reported is the number of cars per lane.																						

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg PM

Intersection #6: Mathilda Ave & El Camino Real




Street Name: Mathilda Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7		10	10		7	10		10	7		10	10		
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0		
Volume Module: >> Count Date: 9 Nov 2016 << 5:00 PM - 6:00 PM															
Base Vol:	448	696	78	644	2075	928	519	1777	404	134	1268	475			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	448	696	78	644	2075	928	519	1777	404	134	1268	475			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	448	696	78	644	2075	928	519	1777	404	134	1268	475			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	448	696	78	644	2075	928	519	1777	404	134	1268	475			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	448	696	78	644	2075	928	519	1777	404	134	1268	475			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	448	696	78	644	2075	928	519	1777	404	134	1268	475			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	0.99	0.95	0.83	1.00	0.92	0.80	0.99	0.95	0.92	1.00	0.92			
Lanes:	2.00	2.69	0.31	2.00	3.00	1.00	3.00	2.42	0.58	1.00	3.00	1.00			
Final Sat.:	3150	5035	564	3150	5700	1750	4551	4561	1037	1750	5700	1750			
Capacity Analysis Module:															
Vol/Sat:	0.14	0.14	0.14	0.20	0.36	0.53	0.11	0.39	0.39	0.08	0.22	0.27			
Crit Moves:	****			****		****	****		****						
Green Time:	20.5	32.5	32.5	48.1	60.1	82.9	22.8	56.3	56.3	11.1	44.5	92.6			
Volume/Cap:	1.11	0.68	0.68	0.68	0.97	1.02	0.80	1.11	1.11	1.11	0.80	0.47			
Uniform Del:	69.7	58.9	58.9	49.2	49.0	38.5	66.4	51.9	51.9	74.5	53.6	19.5			
IncremntDel:	77.2	1.7	1.7	2.0	12.9	35.8	7.0	56.5	56.5	113.7	3.0	0.3			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	146.9	60.6	60.6	51.2	61.9	74.3	73.4	108	108.4	188.2	56.6	19.8			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	146.9	60.6	60.6	51.2	61.9	74.3	73.4	108	108.4	188.2	56.6	19.8			
LOS by Move:	F	E	E	D-	E	E	E	F	F	F	E+	B-			
HCM2kAvgQ:	18	12	12	16	34	54	9	43	43	9	19	14			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg AM

Intersection #7: Sunnyvale Ave & El Camino Real




Street Name: Sunnyvale Ave El Camino Real															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7		10	10		7	10		10	7		10	10		10
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	193	347	183	180	259	202	341	1088	163	292	1206	244			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	193	347	183	180	259	202	341	1088	163	292	1206	244			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	193	347	183	180	259	202	341	1088	163	292	1206	244			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	193	347	183	180	259	202	341	1088	163	292	1206	244			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	193	347	183	180	259	202	341	1088	163	292	1206	244			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	193	347	183	180	259	202	341	1088	163	292	1206	244			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.92	0.99	0.95	0.83	0.99	0.95	0.83	0.99	0.95	0.83	0.99	0.95			
Lanes:	1.00	1.29	0.71	2.00	1.10	0.90	2.00	2.59	0.41	2.00	2.48	0.52			
Final Sat.:	1750	2422	1277	3150	2078	1620	3150	4869	730	3150	4656	942			
Capacity Analysis Module:															
Vol/Sat:	0.11	0.14	0.14	0.06	0.12	0.12	0.11	0.22	0.22	0.09	0.26	0.26			
Crit Moves:	****			****			****			****					
Green Time:	24.2	36.8	36.8	14.7	27.3	27.3	23.7	56.9	56.9	23.6	56.8	56.8			
Volume/Cap:	0.66	0.56	0.56	0.56	0.66	0.66	0.66	0.57	0.57	0.57	0.66	0.66			
Uniform Del:	56.0	46.6	46.6	61.6	54.0	54.0	56.3	33.9	33.9	55.5	35.7	35.7			
IncremntDel:	5.3	0.8	0.8	2.2	2.3	2.3	3.1	0.3	0.3	1.5	0.7	0.7			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	61.4	47.3	47.3	63.8	56.3	56.3	59.4	34.3	34.3	56.9	36.4	36.4			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	61.4	47.3	47.3	63.8	56.3	56.3	59.4	34.3	34.3	56.9	36.4	36.4			
LOS by Move:	E	D	D	E	E+	E+	E+	C-	C-	E+	D+	D+			
HCM2kAvgQ:	10	11	11	5	10	10	8	14	14	7	17	17			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg PM

---

#### Intersection #7: Sunnyvale Ave & El Camino Real




Note: Queue reported is the number of cars per lane.

---

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg AM


Intersection #14: Ellis St & Middlefield Rd



Street Name: Ellis St Middlefield Rd														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
Min. Green:														
Y+R:	0 0		0 10		0 10		7 10		0 0		0 10			
	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0			
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM														
Base Vol:	0 0		0 121		0 535		711 720		0 0		0 760			
Growth Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
Initial Bse:	0 0		0 121		0 535		711 720		0 0		0 760			
Added Vol:	0 0		0 0		0 0		0 0		0 0		0 0			
PasserByVol:	0 0		0 0		0 0		0 0		0 0		0 0			
Initial Fut:	0 0		0 121		0 535		711 720		0 0		0 760			
User Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
PHF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
PHF Volume:	0 0		0 121		0 535		711 720		0 0		0 760			
Reduc Vol:	0 0		0 0		0 0		0 0		0 0		0 0			
Reduced Vol:	0 0		0 121		0 535		711 720		0 0		0 760			
PCE Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
MLF Adj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
FinalVolume:	0 0		0 121		0 535		711 720		0 0		0 760			
Saturation Flow Module:														
Sat/Lane:	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900			
Adjustment:	0.92 1.00		0.92 0.83		1.00 1.00		0.92 0.83		1.00 1.00		0.92 0.92			
Lanes:	0.00 0.00		0.00 2.00		0.00 0.00		1.00 2.00		2.00 2.00		0.00 0.00			
Final Sat.:	0 0		0 3150		0 0		1750 3150		3150 3800		0 0			
Capacity Analysis Module:														
Vol/Sat:	0.00 0.00		0.00 0.04		0.00 0.00		0.31 0.23		0.19 0.00		0.00 0.00			
Crit Moves:														
Green Time:	0.0 0.0		0.0 24.5		0.0 0.0		42.6 18.1		48.5 0.0		0.0 0.0			
Volume/Cap:	0.00 0.00		0.00 0.13		0.00 0.00		0.59 1.02		0.32 0.00		1.02 0.00			
Uniform Del:	0.0 0.0		0.0 21.0		0.0 0.0		13.7 32.0		8.4 0.0		0.0 0.0			
IncremntDel:	0.0 0.0		0.0 0.1		0.0 0.0		1.0 40.4		0.1 0.0		0.0 0.0			
InitQueueDel:	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0			
Delay Adj:	0.00 0.00		0.00 1.00		0.00 0.00		1.00 1.00		1.00 1.00		0.00 0.00			
Delay/Veh:	0.0 0.0		0.0 21.0		0.0 0.0		14.7 72.4		8.5 0.0		0.0 0.0			
User DelAdj:	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00			
AdjDel/Veh:	0.0 0.0		0.0 21.0		0.0 0.0		14.7 72.4		8.5 0.0		0.0 0.0			
LOS by Move:	A A A C+ A B E A A A E+ E+													
HCM2kAvgQ:	0 0 0 1 0 11 18 5 0 0 27 27													
Note: Queue reported is the number of cars per lane.														

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg PM


Intersection #14: Ellis St & Middlefield Rd



Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg AM

## Intersection #19: Mary Ave &amp; Fremont Ave




Street Name: Mary Ave Fremont Ave														
Approach:	North Bound			South Bound			East Bound			West Bound				
	L	-	T	-	R	L	-	T	-	R	L	-	T	-
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10	
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0	
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Volume Module: >> Count Date: 14 Nov 2017 << 7:30 AM - 8:30 AM														
Base Vol:	232	736	107	168	311	501	804	744	107	129	1080	415		
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Initial Bse:	232	736	107	168	311	501	804	744	107	129	1080	415		
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0		
Initial Fut:	232	736	107	168	311	501	804	744	107	129	1080	415		
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
PHF Volume:	232	736	107	168	311	501	804	744	107	129	1080	415		
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0		
Reduced Vol:	232	736	107	168	311	501	804	744	107	129	1080	415		
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
FinalVolume:	232	736	107	168	311	501	804	744	107	129	1080	415		
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Saturation Flow Module:														
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900		
Adjustment:	0.92	0.98	0.95	0.92	1.00	0.92	0.83	0.99	0.95	0.83	1.00	0.95		
Lanes:	1.00	1.74	0.26	1.00	1.00	1.00	2.00	2.61	0.39	2.00	2.14	0.86		
Final Sat.:	1750	3230	470	1750	1900	1750	3150	4895	704	3150	4043	1554		
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----														
Capacity Analysis Module:														
Vol/Sat:	0.13	0.23	0.23	0.10	0.16	0.29	0.26	0.15	0.15	0.04	0.27	0.27		
Crit Moves:	****			****	****					****				
Green Time:	17.9	39.8	39.8	16.8	38.6	38.6	34.4	52.9	52.9	17.5	36.0	36.0		
Volume/Cap:	1.03	0.80	0.80	0.80	0.59	1.03	1.03	0.40	0.40	0.32	1.03	1.03		
Uniform Del:	60.6	45.9	45.9	59.5	43.3	50.2	52.3	31.4	31.4	55.3	51.5	51.5		
IncremntDel:	68.0	4.3	4.3	18.7	0.7	40.0	40.2	0.1	0.1	0.5	31.7	31.7		
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Delay/Veh:	128.6	50.2	50.2	78.2	44.0	90.2	92.4	31.5	31.5	55.8	83.2	83.2		
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
AdjDel/Veh:	128.6	50.2	50.2	78.2	44.0	90.2	92.4	31.5	31.5	55.8	83.2	83.2		
LOS by Move:	F	D	D	E-	D	F	F	C	C	E+	F	F		
HCM2kAvgQ:	13	17	17	8	11	28	27	9	9	3	24	24		

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg PM


## Intersection #19: Mary Ave &amp; Fremont Ave



Street Name: Mary Ave Fremont Ave																			
Approach:	North Bound			South Bound			East Bound			West Bound									
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----																			
Min. Green: 7 10 10 7 10 10 7 10 10 10 7 10 10 7 10 10																			
Y+R: 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0																			
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----																			
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM																			
Base Vol: 227 460 130 443 976 746 837 1143 164 169 863 152																			
Growth Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Initial Bse: 227 460 130 443 976 746 837 1143 164 169 863 152																			
Added Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
PasserByVol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Initial Fut: 227 460 130 443 976 746 837 1143 164 169 863 152																			
User Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Volume: 227 460 130 443 976 746 837 1143 164 169 863 152																			
Reduc Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Reduced Vol: 227 460 130 443 976 746 837 1143 164 169 863 152																			
PCE Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
MLF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
FinalVolume: 227 460 130 443 976 746 837 1143 164 169 863 152																			
Saturation Flow Module:																			
Sat/Lane: 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900																			
Adjustment: 0.92 0.98 0.95 0.92 0.99 0.95 0.83 0.99 0.95 0.83 0.99 0.95																			
Lanes: 1.00 1.55 0.45 1.00 1.11 0.89 2.00 2.61 0.39 2.00 2.53 0.47																			
Final Sat.: 1750 2884 815 1750 2096 1602 3150 4896 703 3150 4760 838																			
Capacity Analysis Module:																			
Vol/Sat: 0.13 0.16 0.16 0.25 0.47 0.47 0.27 0.23 0.23 0.05 0.18 0.18																			
Crit Moves: **** * **** * **** * **** * **** * **** *																			
Green Time: 16.2 28.7 28.7 45.6 58.1 58.1 33.1 45.3 45.3 10.4 22.6 22.6																			
Volume/Cap: 1.14 0.79 0.79 0.79 1.14 1.14 1.14 0.73 0.73 0.73 1.14 1.14																			
Uniform Del: 62.9 53.8 53.8 43.9 42.0 42.0 54.4 42.9 42.9 64.4 59.7 59.7																			
IncremntDel: 106.0 5.7 5.7 7.4 71.0 71.0 78.4 1.6 1.6 11.3 76.0 76.0																			
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																			
Delay Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Delay/Veh: 168.9 59.4 59.4 51.3 113 112.9 132.8 44.5 44.5 75.7 136 135.7																			
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
AdjDel/Veh: 168.9 59.4 59.4 51.3 113 112.9 132.8 44.5 44.5 75.7 136 135.7																			
LOS by Move: F E+ E+ D- F F F D D D E- F F																			
HCM2kAvgQ: 15 13 13 18 49 49 33 18 18 4 21 21																			
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg AM

## Intersection #21: SR 85 SB Ramps &amp; Fremont Ave




Street Name: SR 85 SB Ramps												Fremont Ave														
Approach: North Bound				South Bound				East Bound				West Bound														
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R	
Min. Green:	0	0	0	10	10	10	7	10	10	10	7	10	10	10	10	900	1181	0	900	1181	0	900	1181	0	900	1181
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module:																										
Base Vol:	0	0	0	365	3	460	0	1058	452	900	1181	0														
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00														
Initial Bse:	0	0	0	365	3	460	0	1058	452	900	1181	0														
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0														
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0														
Initial Fut:	0	0	0	365	3	460	0	1058	452	900	1181	0														
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00														
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00														
PHF Volume:	0	0	0	365	3	460	0	1058	452	900	1181	0														
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0														
Reduced Vol:	0	0	0	365	3	460	0	1058	452	900	1181	0														
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00														
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00														
FinalVolume:	0	0	0	365	3	460	0	1058	452	900	1181	0														
Saturation Flow Module:																										
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900														
Adjustment:	0.92	1.00	0.92	0.93	0.95	0.92	0.92	1.00	0.92	0.92	1.00	0.92														
Lanes:	0.00	0.00	0.00	1.98	0.02	1.00	0.00	3.00	1.00	1.00	2.00	0.00														
Final Sat.:	0	0	0	3521	29	1750	0	5700	1750	1750	3800	0														
Capacity Analysis Module:																										
Vol/Sat:	0.00	0.00	0.00	0.10	0.10	0.26	0.00	0.19	0.26	0.51	0.31	0.00														
Crit Moves:																										
Green Time:	0.0	0.0	0.0	15.5	15.5	15.5	0.0	15.2	15.2	30.3	45.5	0.0														
Volume/Cap:	0.00	0.00	0.00	0.47	0.47	1.19	0.00	0.85	1.19	1.19	0.48	0.00														
Uniform Del:	0.0	0.0	0.0	23.7	23.7	27.3	0.0	26.3	27.4	19.9	6.2	0.0														
IncremntDel:	0.0	0.0	0.0	0.4	0.4	107.8	0.0	6.0	108.1	97.7	0.1	0.0														
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0														
Delay Adj:	0.00	0.00	0.00	1.00	1.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00														
Delay/Veh:	0.0	0.0	0.0	24.1	24.1	135.0	0.0	32.3	135.5	117.5	6.4	0.0														
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00														
AdjDel/Veh:	0.0	0.0	0.0	24.1	24.1	135.0	0.0	32.3	135.5	117.5	6.4	0.0														
LOS by Move:	A	A	A	C	C	F	A	C-	F	F	A	A														
HCM2kAvgQ:	0	0	0	4	4	24	0	10	24	43	7	0														
Note: Queue reported is the number of cars per lane.																										

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg PM

---

#### Intersection #21: SR 85 SB Ramps & Fremont Ave




Note: Queue reported is the number of cars per lane.

---

**Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg AM**

---

#### Intersection #42: Fair Oaks Ave & Argus Ave




Note: Queue reported is the number of cars per lane.

---

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg PM


Intersection #42: Fair Oaks Ave & Arques Ave



Street Name: Fair Oaks Ave Arques Ave																			
Approach:	North Bound			South Bound			East Bound			West Bound									
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10						
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0						
Volume Module: >> Count Date: 8 May 2018 << 5:15 PM - 6:15 PM																			
Base Vol: 356 562 438 194 1099 330 262 131 169 924 307 220																			
Growth Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Initial Bse: 356 562 438 194 1099 330 262 131 169 924 307 220																			
Added Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
PasserByVol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Initial Fut: 356 562 438 194 1099 330 262 131 169 924 307 220																			
User Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Volume: 356 562 438 194 1099 330 262 131 169 924 307 220																			
Reduc Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Reduced Vol: 356 562 438 194 1099 330 262 131 169 924 307 220																			
PCE Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
MLF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
FinalVolume: 356 562 438 194 1099 330 262 131 169 924 307 220																			
Saturation Flow Module:																			
Sat/Lane: 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900																			
Adjustment: 0.92 1.00 0.92 0.98 0.95 0.92 1.00 0.92 0.83 1.00 0.92																			
Lanes: 1.00 2.00 1.00 1.00 1.53 0.47 1.00 1.00 1.00 2.00 1.00 1.00																			
Final Sat.: 1750 3800 1750 1750 2845 854 1750 1900 1750 3150 1900 1750																			
Capacity Analysis Module:																			
Vol/Sat: 0.20 0.15 0.25 0.11 0.39 0.39 0.15 0.07 0.10 0.29 0.16 0.13																			
Crit Moves: **** * **** * **** * **** *																			
Green Time: 27.0 44.7 83.5 33.5 51.2 51.2 23.5 10.0 37.0 38.9 25.4 58.8																			
Volume/Cap: 1.05 0.46 0.42 0.46 1.05 1.05 0.89 0.96 0.36 1.05 0.89 0.30																			
Uniform Del: 56.0 37.6 14.8 45.0 43.9 43.9 56.4 64.3 41.5 50.1 55.4 26.4																			
IncremntDel: 62.3 0.3 0.3 0.8 38.4 38.4 25.7 64.0 0.5 44.0 22.8 0.2																			
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																			
Delay Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Delay/Veh: 118.3 37.8 15.0 45.8 82.3 82.3 82.1 128 41.9 94.1 78.2 26.7																			
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
AdjDel/Veh: 118.3 37.8 15.0 45.8 82.3 82.3 82.1 128 41.9 94.1 78.2 26.7																			
LOS by Move: F D+ B D F F F D F E- C																			
HCM2kAvgQ: 21 9 10 8 40 40 15 9 6 27 12 6																			
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg AM


Intersection #43: Wolfe Rd & Arques Ave



Street Name: Wolfe Rd Arques Ave																								
Approach:	North Bound			South Bound			East Bound			West Bound														
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----																								
Min. Green:	7		10		10		7		10		10		10		10									
Y+R:	4.0		4.0		4.0		4.0		4.0		4.0		4.0		4.0									
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----																								
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																								
Base Vol:	76		1281		995		153		926		27		68		761		106		732		447		85	
Growth Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00			
Initial Bse:	76		1281		995		153		926		27		68		761		106		732		447		85	
Added Vol:	0		0		0		0		0		0		0		0		0		0		0		0	
PasserByVol:	0		0		0		0		0		0		0		0		0		0		0		0	
Initial Fut:	76		1281		995		153		926		27		68		761		106		732		447		85	
User Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Volume:	76		1281		995		153		926		27		68		761		106		732		447		85	
Reduc Vol:	0		0		0		0		0		0		0		0		0		0		0		0	
Reduced Vol:	76		1281		995		153		926		27		68		761		106		732		447		85	
PCE Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
MLF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
FinalVolume:	76		1281		995		153		926		27		68		761		106		732		447		85	
Saturation Flow Module:																								
Sat/Lane:	1900		1900		1900		1900		1900		1900		1900		1900		1900		1900		1900			
Adjustment:	0.83		1.00		0.92		0.83		0.98		0.95		0.92		0.98		0.95		0.85		0.95		0.95	
Lanes:	2.00		2.00		1.00		2.00		2.91		0.09		1.00		1.75		0.25		2.43		1.32		0.25	
Final Sat.:	3150		3800		1750		3150		5441		159		1750		3247		452		3897		2379		452	
Capacity Analysis Module:																								
Vol/Sat:	0.02		0.34		0.57		0.05		0.17		0.17		0.04		0.23		0.23		0.19		0.19		0.19	
Crit Moves:	*****		*****		*****		*****		*****		*****		*****		*****		*****		*****		*****		*****	
Green Time:	15.3		66.2		98.8		8.4		59.4		59.4		40.7		40.7		40.7		32.7		32.7		32.7	
Volume/Cap:	0.25		0.82		0.92		0.92		0.46		0.46		0.15		0.92		0.92		0.92		0.92		0.92	
Uniform Del:	67.1		41.5		27.1		75.4		38.1		38.1		46.2		58.1		58.1		62.4		62.4		62.4	
IncremntDel:	0.4		3.4		12.5		47.2		0.2		0.2		13.9		13.9		10.3		10.3		10.3		10.3	
InitQueueDel:	0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	
Delay Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Delay/Veh:	67.5		44.9		39.6		122.6		38.3		38.3		46.4		72.0		72.0		72.7		72.7		72.7	
User DelAdj:	1.00																							

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg PM


Intersection #43: Wolfe Rd & Arques Ave



Street Name: Wolfe Rd Arques Ave																			
Approach:	North Bound			South Bound			East Bound			West Bound									
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
Min. Green:	7 10		10 7		10 10		10 10		10 10		10 10		10 10						
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0						
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM																			
Base Vol: 374 702 252	414 1578		130 156		404 242		997 505		299										
Growth Adj: 1.00 1.00 1.00	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00								
Initial Bse: 374 702 252	414 1578		130 156		404 242		997 505		299										
Added Vol: 0 0 0	0 0		0 0		0 0		0 0		0 0		0 0								
PasserByVol: 0 0 0	0 0		0 0		0 0		0 0		0 0		0 0								
Initial Fut: 374 702 252	414 1578		130 156		404 242		997 505		299										
User Adj: 1.00 1.00 1.00	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00								
PHF Adj: 1.00 1.00 1.00	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00								
PHF Volume: 374 702 252	414 1578		130 156		404 242		997 505		299										
Reduc Vol: 0 0 0	0 0		0 0		0 0		0 0		0 0		0 0								
Reduced Vol: 374 702 252	414 1578		130 156		404 242		997 505		299										
PCE Adj: 1.00 1.00 1.00	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00								
MLF Adj: 1.00 1.00 1.00	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00								
FinalVolume: 374 702 252	414 1578		130 156		404 242		997 505		299										
Saturation Flow Module:																			
Sat/Lane: 1900 1900 1900	1900 1900		1900 1900		1900 1900		1900 1900		1900 1900		1900 1900								
Adjustment: 0.83 1.00 0.92	0.83 0.99		0.95 0.92		0.99 0.99		0.95 0.95		0.84 0.95		0.95 0.95								
Lanes: 2.00 2.00 1.00	2.00 2.76		0.24 1.00		1.23 1.00		0.77 1.00		2.33 1.05		0.62 1.00								
Final Sat.: 3150 3800 1750	3150 5173		426 2313		1750 1385		2313 3723		1385 1886		1117 26								
Capacity Analysis Module:																			
Vol/Sat: 0.12 0.18 0.14	0.13 0.31		0.31 0.09		0.17 0.17		0.17 0.17		0.27 0.27		0.27 0.27								
Crit Moves: **** *																			
Green Time: 20.3 42.3 88.1	30.1 52.1		52.1 29.8		29.8 29.8		29.8 45.8		45.8 45.8		45.8 45.8								
Volume/Cap: 0.94 0.70 0.26	0.70 0.94		0.94 0.48		0.94 0.94		0.94 0.94		0.94 0.94		0.94 0.94								
Uniform Del: 69.2 53.1 18.9	60.7 52.3		52.3 58.1		58.1 64.1		64.1 55.7		55.7 55.7		55.7 55.7								
IncremntDel: 29.4 2.2 0.1	3.7 9.7		9.7 1.1		20.2 20.2		20.2 9.3		9.3 9.3		9.3 9.3								
InitQueueDel: 0.0 0.0 0.0	0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0		0.0 0.0								
Delay Adj: 1.00 1.00 1.00	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00								
Delay/Veh: 98.6 55.3 19.0	64.4 62.1		62.1 59.2		84.4 84.4		84.4 65.0		65.0 65.0		65.0 65.0								
User DelAdj: 1.00 1.00 1.00	1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00		1.00 1.00								
AdjDel/Veh: 98.6 55.3 19.0	64.4 62.1		62.1 59.2		84.4 84.4		84.4 65.0		65.0 65.0		65.0 65.0								
LOS by Move: F E+ B- E E E+ F F E E E																			
HCM2kAvgQ: 12 15 7 11 29 29 7 16 16 26 26 26																			
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg AM


Intersection #44: Wolfe Rd & Kifer Rd



Street Name: Wolfe Rd Kifer Rd																								
Approach:	North Bound			South Bound			East Bound			West Bound														
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R									
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----																								
Min. Green:	7		10		10		7		10		10		7		10									
Y+R:	4.0		4.0		4.0		4.0		4.0		4.0		4.0		4.0									
----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- -----																								
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00AM																								
Base Vol:	455		2216		580		910		845		213		187		157		82		170		658		367	
Growth Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00			
Initial Bse:	455		2216		580		910		845		213		187		157		82		170		658		367	
Added Vol:	0		0		0		0		0		0		0		0		0		0		0		0	
PasserByVol:	0		0		0		0		0		0		0		0		0		0		0		0	
Initial Fut:	455		2216		580		910		845		213		187		157		82		170		658		367	
User Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
PHF Volume:	455		2216		580		910		845		213		187		157		82		170		658		367	
Reduc Vol:	0		0		0		0		0		0		0		0		0		0		0		0	
Reduced Vol:	455		2216		580		910		845		213		187		157		82		170		658		367	
PCE Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
MLF Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
FinalVolume:	455		2216		580		910		845		213		187		157		82		170		658		367	
Saturation Flow Module:																								
Sat/Lane:	1900		1900		1900		1900		1900		1900		1900		1900		1900		1900		1900			
Adjustment:	0.83		0.99		0.95		0.83		0.99		0.95		0.83		0.99		0.95		0.83		0.99		0.95	
Lanes:	2.00		2.35		0.65		2.00		2.37		0.63		2.00		1.30		0.70		2.00		1.26		0.74	
Final Sat.:	3150		4437		1161		3150		4471		1127		3150		2430		1269		3150		2374		1324	
Capacity Analysis Module:																								
Vol/Sat:	0.14		0.50		0.50		0.29		0.19		0.19		0.06		0.06		0.06		0.05		0.28		0.28	
Crit Moves:	****		****		****		****		****		****		****		****		****		****		****		****	
Green Time:	44.9		65.7		65.7		38.0		58.8		58.8		7.8		24.1		24.1		20.1		36.5		36.5	
Volume/Cap:	0.51		1.22		1.22		1.22		0.51		0.51		1.22		0.43		0.43		0.43		1.22		1.22	
Uniform Del:	48.4		47.1		47.1		61.0		39.5		39.5		76.1		61.7		61.7		64.6		61.8		61.8	
IncremntDel:	0.5		101.4		109.3		0.2		0.2		142.3		0.5		0.5		0.7		108		108		108.0	
InitQueueDel:	0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	
Delay Adj:	1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Delay/Veh:	48.9		149		148.6		170.3		39.7		39.7		218.3		62.2		62.2		65.4					

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg PM


Intersection #44: Wolfe Rd & Kifer Rd



Street Name: Wolfe Rd Kifer Rd															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7		10	10		7	10		10	7		10	10		
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	163	828	234	462	2907	49	127	649	445	476	403	245			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	163	828	234	462	2907	49	127	649	445	476	403	245			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	163	828	234	462	2907	49	127	649	445	476	403	245			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	163	828	234	462	2907	49	127	649	445	476	403	245			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	163	828	234	462	2907	49	127	649	445	476	403	245			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	163	828	234	462	2907	49	127	649	445	476	403	245			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	0.99	0.95	0.83	0.98	0.95	0.83	0.99	0.95	0.83	0.99	0.95			
Lanes:	2.00	2.31	0.69	2.00	2.95	0.05	2.00	1.16	0.84	2.00	1.22	0.78			
Final Sat.:	3150	4364	1233	3150	5507	93	3150	2194	1504	3150	2300	1398			
Capacity Analysis Module:															
Vol/Sat:	0.05	0.19	0.19	0.15	0.53	0.53	0.04	0.30	0.30	0.15	0.18	0.18			
Crit Moves:	****			****			****			****					
Green Time:	7.5	47.1	47.1	36.4	76.1	76.1	12.9	42.6	42.6	21.8	51.6	51.6			
Volume/Cap:	1.11	0.64	0.64	0.64	1.11	1.11	0.50	1.11	1.11	1.11	0.54	0.54			
Uniform Del:	76.3	49.1	49.1	55.9	41.9	41.9	70.5	58.7	58.7	69.1	44.6	44.6			
IncremntDel:106.7	0.9	0.9	2.0	55.5	55.5	1.6	63.7	63.7	76.7	0.5	0.5				
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	183.0	50.0	50.0	57.9	97.4	97.4	72.1	122	122.4	145.8	45.1	45.1			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	183.0	50.0	50.0	57.9	97.4	97.4	72.1	122	122.4	145.8	45.1	45.1			
LOS by Move:	F	D	D	E+	F	F	E	F	F	F	D	D			
HCM2kAvgQ:	7	15	15	12	60	60	4	36	36	18	13	13			
Note: Queue reported is the number of cars per lane.															

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg AM

Intersection #45: Wolfe Rd & Reed Ave




Street Name: Wolfe Rd Reed Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	10	7	10	10	7	10	10	7	10	10	7	10	10
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM															
Base Vol:	83	2224	91	258	776	186	364	232	43	162	329	377			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	83	2224	91	258	776	186	364	232	43	162	329	377			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	83	2224	91	258	776	186	364	232	43	162	329	377			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	83	2224	91	258	776	186	364	232	43	162	329	377			
Reduc Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	83	2224	91	258	776	186	364	232	43	162	329	377			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	83	2224	91	258	776	186	364	232	43	162	329	377			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	0.98	0.95	0.83	0.99	0.95	0.92	0.98	0.95	0.92	1.00	0.92			
Lanes:	2.00	2.88	0.12	2.00	2.40	0.60	1.00	1.68	0.32	1.00	1.00	1.00			
Final Sat.:	3150	5380	220	3150	4516	1082	1750	3121	578	1750	1900	1750			
Capacity Analysis Module:															
Vol/Sat:	0.03	0.41	0.41	0.08	0.17	0.17	0.21	0.07	0.07	0.09	0.17	0.22			
Crit Moves:	****	****	****	****	****	****	****	****	****	****	****	****			
Green Time:	17.0	69.8	69.8	13.8	66.7	66.7	35.1	28.7	28.7	35.7	29.2	43.1			
Volume/Cap:	0.25	0.95	0.95	0.95	0.41	0.41	0.95	0.41	0.41	0.41	0.95	0.80			
Uniform Del:	65.7	43.3	43.3	72.7	32.9	32.9	61.5	58.2	58.2	53.2	64.6	54.5			
IncremntDel:	0.4	8.9	8.9	40.4	0.1	0.1	32.6	0.4	0.4	0.7	34.7	9.4			
InitQueueDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	66.0	52.2	52.2	113.1	33.0	33.0	94.1	58.7	58.7	53.9	99.3	63.9			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	66.0	52.2	52.2	113.1	33.0	33.0	94.1	58.7	58.7	53.9	99.3	63.9			
LOS by Move:	E	D-	D-	F	C-	C-	F	E+	E+	D-	F	E			
HCM2kAvgQ:	2	38	38	9	11	11	21	6	6	7	18	19			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg PM

Intersection #45: Wolfe Rd & Reed Ave




Street Name: Wolfe Rd Reed Ave															
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7		10	10		7	10		10	7		10	10		
Y+R:	4.0		4.0	4.0		4.0	4.0		4.0	4.0		4.0	4.0		
Volume Module: >> Count Date: 14 Nov 2017 << 5:00 PM - 6:00 PM															
Base Vol:	99	804	135	573	2485	396	280	498	101	158	217	311			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Initial Bse:	99	804	135	573	2485	396	280	498	101	158	217	311			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
PasserByVol:	0	0	0	0	0	0	0	0	0	0	0	0			
Initial Fut:	99	804	135	573	2485	396	280	498	101	158	217	311			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
PHF Volume:	99	804	135	573	2485	396	280	498	101	158	217	311			
Reducet Vol:	0	0	0	0	0	0	0	0	0	0	0	0			
Reduced Vol:	99	804	135	573	2485	396	280	498	101	158	217	311			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
FinalVolume:	99	804	135	573	2485	396	280	498	101	158	217	311			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	0.99	0.95	0.83	0.99	0.95	0.92	0.98	0.95	0.92	1.00	0.92			
Lanes:	2.00	2.55	0.45	2.00	2.57	0.43	1.00	1.65	0.35	1.00	1.00	1.00			
Final Sat.:	3150	4794	805	3150	4829	770	1750	3076	624	1750	1900	1750			
Capacity Analysis Module:															
Vol/Sat:	0.03	0.17	0.17	0.18	0.51	0.51	0.16	0.16	0.16	0.09	0.11	0.18			
Crit Moves:	****			****		****		****		****		****			
Green Time:	7.0	47.5	47.5	51.5	92.0	92.0	28.6	31.5	31.5	17.5	20.4	71.9			
Volume/Cap:	0.72	0.57	0.57	0.57	0.90	0.90	0.90	0.82	0.82	0.82	0.90	0.40			
Uniform Del:	75.5	47.5	47.5	45.0	29.8	29.8	64.2	61.6	61.6	69.7	68.7	29.5			
IncremntDel:	16.7	0.5	0.5	0.7	3.7	3.7	26.3	7.5	7.5	24.1	31.6	0.3			
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Delay Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
Delay/Veh:	92.2	48.0	48.0	45.7	33.5	33.5	90.5	69.1	69.1	93.8	100	29.8			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	92.2	48.0	48.0	45.7	33.5	33.5	90.5	69.1	69.1	93.8	100	29.8			
LOS by Move:	F	D	D	D	C-	C-	F	E	E	F	F	C			
HCM2kAvgQ:	3	13	13	13	39	39	15	14	14	9	11	10			

Note: Queue reported is the number of cars per lane.

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg AM

Intersection #1404: El Camino Real (SR 82) / Fair Oaks Ave




Street Name: Fair Oaks Avenue El Camino Real																			
Approach:	North Bound			South Bound			East Bound			West Bound									
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
Min. Green:	7 10		10 7		10 10		7 10		10 10		7 10		10 10						
Y+R:	4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0 4.0						
Volume Module: >> Count Date: 8 May 2018 << 8:45 AM - 9:45 AM																			
Base Vol: 334 705 180 253 750 321 284 1132 163 234 1211 349																			
Growth Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Initial Bse: 334 705 180 253 750 321 284 1132 163 234 1211 349																			
Added Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
PasserByVol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Initial Fut: 334 705 180 253 750 321 284 1132 163 234 1211 349																			
User Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Volume: 334 705 180 253 750 321 284 1132 163 234 1211 349																			
Reduc Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Reduced Vol: 334 705 180 253 750 321 284 1132 163 234 1211 349																			
PCE Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
MLF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
FinalVolume: 334 705 180 253 750 321 284 1132 163 234 1211 349																			
Saturation Flow Module:																			
Sat/Lane: 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900																			
Adjustment: 0.92 0.98 0.95 0.92 0.98 0.95 0.83 0.99 0.95 0.83 1.00 0.92																			
Lanes: 1.00 1.58 0.42 1.00 1.38 0.62 2.00 2.61 0.39 2.00 3.00 1.00																			
Final Sat.: 1750 2947 752 1750 2590 1109 3150 4894 705 3150 5700 1750																			
Capacity Analysis Module:																			
Vol/Sat: 0.19 0.24 0.24 0.14 0.29 0.29 0.09 0.23 0.23 0.07 0.21 0.20																			
Crit Moves: **** * **** * **** * **** * **** *																			
Green Time: 30.4 47.6 47.6 28.8 46.0 46.0 14.5 36.8 36.8 11.8 34.1 62.9																			
Volume/Cap: 0.86 0.69 0.69 0.69 0.86 0.86 0.85 0.86 0.86 0.86 0.86 0.43																			
Uniform Del: 51.3 38.3 38.3 50.0 42.5 42.5 60.2 47.7 47.7 61.8 49.1 25.0																			
IncremntDel: 17.5 1.6 1.6 5.4 6.4 6.4 18.7 5.3 5.3 23.3 5.2 0.4																			
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																			
Delay Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Delay/Veh: 68.8 39.9 39.9 55.4 48.9 48.9 78.9 53.0 53.0 85.1 54.3 25.4																			
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
AdjDel/Veh: 68.8 39.9 39.9 55.4 48.9 48.9 78.9 53.0 53.0 85.1 54.3 25.4																			
LOS by Move: E D D E+ D D E- D- D- F D- C																			
HCM2kAvgQ: 14 15 15 10 22 22 8 18 18 6 17 10																			
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg PM

---


Intersection #1404: El Camino Real (SR 82) / Fair Oaks Ave



2025 RELEASE UNDER E.O. 14176

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg AM

Intersection #1405: El Camino Real (SR 82) / Wolfe Rd




Street Name: Wolfe Road El Camino Real																			
Approach:	North Bound			South Bound			East Bound			West Bound									
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R				
Min. Green:	7 10		0		7 10		10		0 10		10		0 10		10				
Y+R:	4.0 4.0		4.0		4.0 4.0		4.0		4.0 4.0		4.0 4.0		4.0 4.0		4.0				
Volume Module: >> Count Date: 14 Nov 2017 << 8:00 AM - 9:00 AM																			
Base Vol: 462 1558 0 159 992 291 0 835 553 0 1044 659																			
Growth Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
Initial Bse: 462 1558 0 159 992 291 0 835 553 0 1044 659																			
Added Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Vol Adj: 0 0 0 0 0 0 143 0 0 0 0 0																			
Initial Fut: 462 1558 0 159 992 291 143 835 553 0 1044 659																			
User Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
PHF Volume: 462 1558 0 159 992 291 143 835 553 0 1044 659																			
Reduc Vol: 0 0 0 0 0 0 0 0 0 0 0 0																			
Reduced Vol: 462 1558 0 159 992 291 143 835 553 0 1044 659																			
PCE Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
MLF Adj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
FinalVolume: 462 1558 0 159 992 291 143 835 553 0 1044 659																			
Saturation Flow Module:																			
Sat/Lane: 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900																			
Adjustment: 0.83 1.00 0.92 0.83 1.00 0.92 0.92 1.00 0.92 0.92 1.00 0.92																			
Lanes: 2.00 2.00 1.00 2.00 2.00 1.00 1.00 3.00 1.00 0.00 3.00 1.00																			
Final Sat.: 3150 3800 1750 3150 3800 1750 1750 5700 1750 0 5700 1750																			
Capacity Analysis Module:																			
Vol/Sat: 0.15 0.41 0.00 0.05 0.26 0.17 0.08 0.15 0.32 0.00 0.18 0.38																			
Crit Moves: **** *																			
Green Time: 40.2 99.6 0.0 12.3 71.6 71.6 79.2 79.2 119.4 0.0 79.2 91.4																			
Volume/Cap: 0.73 0.82 0.00 0.82 0.73 0.46 0.21 0.37 0.53 0.00 0.46 0.82																			
Uniform Del: 74.8 42.7 0.0 92.8 55.8 49.4 39.7 42.8 23.7 0.0 44.7 47.3																			
IncremntDel: 4.3 3.1 0.0 24.0 2.0 0.5 0.1 0.1 0.5 0.0 0.2 6.9																			
InitQueueDel: 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0																			
Delay Adj: 1.00 1.00 0.00 1.00 1.00 1.00 1.00 1.00 1.00 0.00 1.00 1.00																			
Delay/Veh: 79.1 45.8 0.0 116.8 57.8 50.0 39.9 42.9 24.3 0.0 44.8 54.2																			
User DelAdj: 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00																			
AdjDel/Veh: 79.1 45.8 0.0 116.8 57.8 50.0 39.9 42.9 24.3 0.0 44.8 54.2																			
LOS by Move: E- D A F E+ D D D C A D D-																			
HCM2kAvgQ: 16 40 0 6 26 14 6 11 20 0 15 38																			
Note: Queue reported is the number of cars per lane.																			

Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg PM

---

## Intersection #1405: El Camino Real (SR 82) / Wolfe Rd



Street Name:	Wolfe Road						El Camino Real								
Approach:	North Bound			South Bound			East Bound			West Bound					
Movement:	L	-	T	-	R	L	-	T	-	R	L	-	T	-	R
Min. Green:	7	10	0	7	10	10	0	10	10	0	10	10	0	10	
Y+R:	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
Volume Module: >>	Count	Date:	30 Oct 2018	<<	5:30	-	6:30	PM							
Base Vol:	725	909	0	301	1759	379	0	1792	634	0	1631	261			
Growth Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
Initial Bse:	725	909	0	301	1759	379	0	1792	634	0	1631	261			
Added Vol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Vol Adj:	0	0	0	0	0	0	275	0	0	0	0	0	0	0	
Initial Fut:	725	909	0	301	1759	379	275	1792	634	0	1631	261			
User Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
PHF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
PHF Volume:	725	909	0	301	1759	379	275	1792	634	0	1631	261			
Reduced Vol:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Reduced Vol:	725	909	0	301	1759	379	275	1792	634	0	1631	261			
PCE Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
MLF Adj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
Final Volume:	725	909	0	301	1759	379	275	1792	634	0	1631	261			
Saturation Flow Module:															
Sat/Lane:	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900			
Adjustment:	0.83	1.00	0.92	0.83	1.00	0.92	0.92	1.00	0.92	0.92	1.00	0.92			
Lanes:	2.00	2.00	1.00	2.00	2.00	1.00	1.00	3.00	1.00	0.00	3.00	1.00			
Final Sat.:	3150	3800	1750	3150	3800	1750	1750	5700	1750	0	5700	1750			
Capacity Analysis Module:															
Vol/Sat:	0.23	0.24	0.00	0.10	0.46	0.22	0.16	0.31	0.36	0.00	0.29	0.15			
Crit Moves:	****			****			****								
Green Time:	32.2	69.3	0.0	27.7	64.8	64.8	44.0	44.0	76.2	0.0	44.0	71.7			
Volume/Cap:	1.07	0.52	0.00	0.52	1.07	0.50	0.54	1.07	0.71	0.00	0.98	0.31			
Uniform Del:	58.9	28.5	0.0	55.1	42.6	30.9	44.4	53.0	28.5	0.0	52.5	24.0			
IncremntDel:	55.4	0.3	0.0	0.8	44.2	0.5	1.1	44.1	2.7	0.0	16.5	0.2			
InitQueuDel:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Delay Adj:	1.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00	1.00			
Delay/Veh:	114.3	28.8	0.0	56.0	86.8	31.4	45.6	97.1	31.2	0.0	69.0	24.2			
User DelAdj:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
AdjDel/Veh:	114.3	28.8	0.0	56.0	86.8	31.4	45.6	97.1	31.2	0.0	69.0	24.2			
LOS by Move:	F	C	A	E+	F	C	D	F	C	A	E	C			
HCM2kAvgQ:	26	14	0	7	47	13	10	31	22	0	30	8			


Note: Queue reported is the number of cars per lane.

Note: Queue reported is the number of cars per lane.

---


Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg AM

## Intersection #5320: CENTRAL EXPWY/MARY AVE



Level Of Service Computation Report  
2000 HCM Operations (Future Volume Alternative)  
Cumulative Mitg PM


## Intersection #5320: CENTRAL EXPWY/MARY AVE




## **Appendix C**

### **City of Sunnyvale Land Use Summary**


# Households - Yr 2013



# Households - Yr 2035



# Jobs - Yr 2013



# Jobs - Yr 2035

